## Masamichi Hayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/897339/publications.pdf

Version: 2024-02-01

55 papers 1,484 citations

304743 22 h-index 330143 37 g-index

56 all docs 56 does citations

56 times ranked 2359 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Impact of Qualitative and Quantitative Biliary Contamination Status on the Incidence of Postoperative Infection Complications in Patients Undergoing Pancreatoduodenectomy. Annals of Surgical Oncology, 2021, 28, 560-569.               | 1.5  | 4         |
| 2  | High Serum Uric Acid Levels Could Be a Risk Factor of Hepatocellular Carcinoma Recurrences. Nutrition and Cancer, 2021, 73, 996-1003.   | 2.0  | 6         |
| 3  | miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. Annals of Surgical Oncology, 2021, 28, 3416-3426.   | 1.5  | 11        |
| 4  | Randomised phase II trial of capecitabine plus oxaliplatinÂwith continuous versus intermittent use of oxaliplatin as adjuvant chemotherapy for stage II/III colon cancer (CCOG-1302 study). European Journal of Cancer, 2021, 144, 61-71. | 2.8  | 3         |
| 5  | ASO Authors Reflections: miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. Annals of Surgical Oncology, 2021, 28, 3427-3428.  | 1.5  | O         |
| 6  | Age-Related Differences in the Prognosis of Pancreatic Cancer According to Perioperative Systemic Therapy. Pancreas, 2021, 50, 37-46.   | 1.1  | O         |
| 7  | Hepatic metastasis of gastric cancer is associated with enhanced expression of ethanolamine kinase 2 via the p53–Bcl-2 intrinsic apoptosis pathway. British Journal of Cancer, 2021, 124, 1449-1460.                                      | 6.4  | 17        |
| 8  | Blockade of CHRNB2 signaling with a therapeutic monoclonal antibody attenuates the aggressiveness of gastric cancer cells. Oncogene, 2021, 40, 5495-5504.   | 5.9  | 12        |
| 9  | A Possible Definition of Oligometastasis in Pancreatic Cancer and Associated Survival Outcomes. Anticancer Research, 2021, 41, 3933-3940.   | 1.1  | 13        |
| 10 | Impact of molecular surgical margin analysis on the prediction of pancreatic cancer recurrences after pancreaticoduodenectomy. Clinical Epigenetics, 2021, 13, 172.   | 4.1  | 1         |
| 11 | Synaptotagmin 13 Is Highly Expressed in Estrogen Receptor-Positive Breast Cancer. Current Oncology, 2021, 28, 4080-4092.  | 2.2  | 3         |
| 12 | Neoadjuvant docetaxel, oxaliplatin plus S-1 for treating clinical stage III squamous cell carcinoma of the esophagus: Study protocol of an open-label phase II trial. Contemporary Clinical Trials Communications, 2021, 24, 100853.      | 1.1  | 0         |
| 13 | Fraser extracellular matrix complex subunit 1 promotes liver metastasis of gastric cancer.<br>International Journal of Cancer, 2020, 146, 2865-2876.  | 5.1  | 18        |
| 14 | The Significance of Molecular Biomarkers on Clinical Survival Outcome Differs Depending on Colon Cancer Sidedness. Anticancer Research, 2020, 40, 201-211.  | 1.1  | 2         |
| 15 | Therapeutic monoclonal antibody targeting of neuronal pentraxin receptor to control metastasis in gastric cancer. Molecular Cancer, 2020, 19, 131.  | 19.2 | 48        |
| 16 | GULP1 regulates the NRF2-KEAP1 signaling axis in urothelial carcinoma. Science Signaling, 2020, 13, .   | 3.6  | 19        |
| 17 | An Open-Label Single-Arm Phase II Study of Treatment with Neoadjuvant S-1 Plus Cisplatin for Clinical Stage III Squamous Cell Carcinoma of the Esophagus. Oncologist, 2020, 25, e1650-e1654.  | 3.7  | 7         |
| 18 | Characteristics Associated with Nodal and Distant Recurrence After Radical Esophagectomy for Squamous Cell Carcinoma of the Thoracic Esophagus. Annals of Surgical Oncology, 2020, 27, 3195-3205.   | 1.5  | 11        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Albumin-Bilirubin Score Predicts Tolerability to Adjuvant S-1 Monotherapy after Curative Gastrectomy. Journal of Gastric Cancer, 2019, 19, 183.   | 2.5 | 12        |
| 20 | Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2018, 81, 815-821.  | 2.3 | 21        |
| 21 | Significance of SYT8 For the Detection, Prediction, and Treatment of Peritoneal Metastasis From Gastric Cancer. Annals of Surgery, 2018, 267, 495-503.  | 4.2 | 81        |
| 22 | Preoperative Albumin–Bilirubin Grade Predicts Recurrences After Radical Gastrectomy in Patients with pT2â€4 Gastric Cancer. World Journal of Surgery, 2018, 42, 773-781.  | 1.6 | 40        |
| 23 | SYT7 acts as a driver of hepatic metastasis formation of gastric cancer cells. Oncogene, 2018, 37, 5355-5366.   | 5.9 | 55        |
| 24 | The protein arginine methyltransferase 5 promotes malignant phenotype of hepatocellular carcinoma cells and is associated with adverse patient outcomes after curative hepatectomy. International Journal of Oncology, 2017, 50, 381-386. | 3.3 | 26        |
| 25 | MicroRNA expression profiling of Xp11 renal cell carcinoma. Human Pathology, 2017, 67, 18-29.   | 2.0 | 25        |
| 26 | Expression of regulatory factor X1 can predict the prognosis of breast cancer. Oncology Letters, 2017, 13, 4334-4340.   | 1.8 | 6         |
| 27 | Expression of GULP1 in bronchial epithelium is associated with the progression of emphysema in chronic obstructive pulmonary disease. Respiratory Medicine, 2017, 124, 72-78.   | 2.9 | 4         |
| 28 | <i>PAX5</i> gene as a novel methylation marker that predicts both clinical outcome and cisplatin sensitivity in esophageal squamous cell carcinoma. Epigenetics, 2017, 12, 865-874.   | 2.7 | 21        |
| 29 | Evaluation and proposal of novel resectability criteria for pancreatic cancer established by the Japan Pancreas Society. Surgery, 2017, 162, 784-791.   | 1.9 | 27        |
| 30 | Identification of NCCRP1 as an epigenetically regulated tumor suppressor and biomarker for malignant phenotypes of squamous cell carcinoma of the esophagus. Oncology Letters, 2017, 14, 4822-4828.                                       | 1.8 | 15        |
| 31 | Molecular alterations in the carcinogenesis and progression of hepatocellular carcinoma: Tumor factors and background liver factors. Oncology Letters, 2016, 12, 3662-3668.   | 1.8 | 14        |
| 32 | Nutritional predictors for postoperative short-term and long-term outcomes of patients with gastric cancer. Medicine (United States), 2016, 95, e3781.  | 1.0 | 105       |
| 33 | An integrated genome-wide approach to discover deregulated microRNAs in non-small cell lung cancer: Clinical significance of miR-23b-3p deregulation. Scientific Reports, 2015, 5, 13236.   | 3.3 | 32        |
| 34 | CCNJ detected by triple combination array analysis as a tumor-related gene of hepatocellular carcinoma. International Journal of Oncology, 2015, 46, 1963-1970.   | 3.3 | 14        |
| 35 | Involvement of Epigenetics and EMT-Related miRNA in Arsenic-Induced Neoplastic Transformation and Their Potential Clinical Use. Cancer Prevention Research, 2015, 8, 208-221.   | 1.5 | 51        |
| 36 | Milk derived colloid as a novel drug delivery carrier for breast cancer. Cancer Biology and Therapy, 2015, 16, 1184-1193.   | 3.4 | 4         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Correlation of gene methylation in surgical margin imprints with locoregional recurrence in head and neck squamous cell carcinoma. Cancer, 2015, 121, 1957-1965.  | 4.1 | 40        |
| 38 | <i>Paired Box 5</i> Methylation Detection by Droplet Digital PCR for Ultra-Sensitive Deep Surgical Margins Analysis of Head and Neck Squamous Cell Carcinoma. Cancer Prevention Research, 2015, 8, 1017-1026.                       | 1.5 | 21        |
| 39 | Identification of the collagen type $1$ alpha $1$ gene (COL1A1) as a candidate survival-related factor associated with hepatocellular carcinoma. BMC Cancer, 2014, 14, 108.   | 2.6 | 71        |
| 40 | Clear cell papillary renal cell carcinoma: micro-RNA expression profiling and comparison with clear cell renal cell carcinoma and papillary renal cell carcinoma. Human Pathology, 2014, 45, 1130-1138.                             | 2.0 | 61        |
| 41 | Innovative Rapid Gene Methylation Analysis of Surgical Margin Tissues in Head and Neck Cancer.<br>Annals of Surgical Oncology, 2014, 21, 3124-3131.   | 1.5 | 18        |
| 42 | Epigenetic inactivation of <i>VGF</i> associated with Urothelial Cell Carcinoma and its potential as a non-invasive biomarker using urine. Oncotarget, 2014, 5, 3350-3361.  | 1.8 | 17        |
| 43 | Abstract 3837: Innovative rapid gene methylation analysis of surgical margin tissues in head and neck cancer. , 2014, , .   |     | 0         |
| 44 | Abstract 4717: Detection of the Cyclin J (CCNJ) as a new cancer-related gene in human hepatocellular carcinoma by using a method of triple combination array analysis., 2014,,.   |     | 0         |
| 45 | Abstract 5231: Prognostic significance of miR-23b and miR-31 expression in non-small-cell lung cancer. , 2014, , .  |     | 0         |
| 46 | Detection of doublecortin domain-containing 2 (DCDC2), a new candidate tumor suppressor gene of hepatocellular carcinoma, by triple combination array analysis. Journal of Experimental and Clinical Cancer Research, 2013, 32, 65. | 8.6 | 16        |
| 47 | Estrogen receptor 1 gene as a tumor suppressor gene in hepatocellular carcinoma detected by triple-combination array analysis. International Journal of Oncology, 2013, 43, 88-94.  | 3.3 | 81        |
| 48 | Dynamin 3: a new candidate tumor suppressor gene in hepatocellular carcinoma detected by triple combination array analysis. OncoTargets and Therapy, 2013, 6, 1417.   | 2.0 | 32        |
| 49 | Preservation of the Pyloric Ring Has Little Value in Surgery for Pancreatic Head Cancer: A<br>Comparative Study Comparing Three Surgical Procedures. Annals of Surgical Oncology, 2012, 19,<br>176-183.                             | 1.5 | 58        |
| 50 | Identification of the a kinase anchor protein 12 ( <i>AKAP12</i> ) gene as a candidate tumor suppressor of hepatocellular carcinoma. Journal of Surgical Oncology, 2012, 105, 381-386.  | 1.7 | 38        |
| 51 | Identification of the bleomycin hydrolase gene as a methylated tumor suppressor gene in hepatocellular carcinoma using a novel triple-combination array method. Cancer Letters, 2011, 312, 150-157.                                 | 7.2 | 23        |
| 52 | Pattern of Lymph Node Metastasis Spread in Pancreatic Cancer. Pancreas, 2011, 40, 951-955.  | 1.1 | 89        |
| 53 | Reduced Expression of Reelin (RELN) Gene Is Associated With High Recurrence Rate of Hepatocellular Carcinoma. Annals of Surgical Oncology, 2011, 18, 572-579.   | 1.5 | 49        |
| 54 | Recurrence Pattern and Prognosis of Pancreatic Cancer After Pancreatic Fistula. Annals of Surgical Oncology, 2011, 18, 2329-2337.   | 1.5 | 56        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Promoter hypermethylation of fibulin 1 gene is associated with tumor progression in hepatocellular carcinoma. Molecular Carcinogenesis, 2011, 50, 571-579. | 2.7 | 86        |