

Tsuneaki Sakurai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8975073/tsuneaki-sakurai-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

5,313
citations

25
h-index

72
g-index

123
ext. papers

5,962
ext. citations

6.9
avg, IF

5.37
L-index

#	Paper	IF	Citations
113	Charge Carrier Mobility of 1,6-Dibromopyrene Single Crystal Grown by Solution Method on Substrate. <i>Journal of Electronic Materials</i> , 2022 , 51, 813	1.9	
112	Oriented Nanowire Arrays with Phthalocyanine [C60 Multi-Heterojunctions. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2021 , 34, 167-174	0.7	
111	Metal-Free Organic Luminophores that Exhibit Dual Fluorescence and Phosphorescence Emission at Room Temperature. <i>ChemPlusChem</i> , 2021 , 86, 446-459	2.8	6
110	Ubiquitous organic molecule-based free-standing nanowires with ultra-high aspect ratios. <i>Nature Communications</i> , 2021 , 12, 4025	17.4	1
109	Towards Macroscopically Anisotropic Functionality: Oriented Metallo-supramolecular Polymeric Materials Induced by Magnetic Fields. <i>Angewandte Chemie</i> , 2021 , 133, 1951-1956	3.6	4
108	Towards Macroscopically Anisotropic Functionality: Oriented Metallo-supramolecular Polymeric Materials Induced by Magnetic Fields. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 1923-1928	16.4	4
107	Efficient Emission of Ultraviolet Light by Solid State Organic Fluorophores: Synthesis and Characterization of 1,4-Dialkenyl-2,5-dioxybenzenes. <i>Chemistry - A European Journal</i> , 2021 , 27, 1626-1637	4.8	3
106	Ultra-fast single-crystal polymerization of large-sized covalent organic frameworks. <i>Nature Communications</i> , 2021 , 12, 5077	17.4	11
105	Remarkable Increase of Fluorescence Quantum Efficiency by Cyano Substitution on an ESIPT Molecule 2-(2-Hydroxyphenyl)benzothiazole: A Highly Photoluminescent Liquid Crystal Dopant. <i>Crystals</i> , 2021 , 11, 1105	2.3	1
104	A structural parameter to link molecular geometry to macroscopic orientation in discotic liquid crystals: study of metalloporphyrin tapes. <i>Chemical Communications</i> , 2021 , 57, 1206-1209	5.8	1
103	Extended conjugation of ESIPT-type dopants in nematic liquid crystalline phase for enhancing fluorescence efficiency and anisotropy. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 28393-28400	3.6	3
102	Frustrated Layered Self-Assembly Induced Superlattice from Two-Dimensional Nanosheets. <i>Nano Letters</i> , 2020 , 20, 8647-8653	11.5	6
101	Porphyrin Nanowire Bundles for Efficient Photoconductivity, Photoemission, and Generation of Singlet Oxygens toward Photodynamic Therapy. <i>ACS Applied Nano Materials</i> , 2020 , 3, 6043-6053	5.6	7
100	Synthesis and Crystal Packing Structures of 2,7-Diazapyrenes with Various Alkyl Groups at 1,3,6,8-Positions. <i>Chemistry Letters</i> , 2020 , 49, 465-468	1.7	8
99	Electrically Switchable Amplified Spontaneous Emission from Liquid Crystalline Phase of an AIEE-Active ESIPT Molecule. <i>Advanced Optical Materials</i> , 2020 , 8, 1902158	8.1	11
98	Interactions of Single Particle with Organic Matters: A Facile Bottom-Up Approach to Low Dimensional Nanostructures. <i>Quantum Beam Science</i> , 2020 , 4, 7	1.6	4
97	Highly Efficient Solid-State Intra-Track Polymerization of Ethynyl-Substituted Spirobifluorenes Triggered by Swift Heavy Ion Irradiations. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2020 , 33, 91-96	0.7	1

96	Protein-directed crystalline 2D fullerene assemblies. <i>Nanoscale</i> , 2020 , 12, 3614-3622	7.7	8
95	Switchable Amplified Spontaneous Emission: Electrically Switchable Amplified Spontaneous Emission from Liquid Crystalline Phase of an AIEE-Active ESPT Molecule (Advanced Optical Materials 14/2020). <i>Advanced Optical Materials</i> , 2020 , 8, 2070056	8.1	
94	Ultrathin Two Dimensional (2D) Supramolecular Assembly and Anisotropic Conductivity of an Amphiphilic Naphthalene-Diimide. <i>Langmuir</i> , 2020 , 36, 13096-13103	4	10
93	Systematic Synthesis of Tetrathia[8]circulenes: The Influence of Peripheral Substituents on the Structures and Properties in Solution and Solid States. <i>Journal of Organic Chemistry</i> , 2020 , 85, 62-69	4.2	20
92	Cold Crystallization of Ferrocene-Hinged π -Conjugated Molecule Induced by the Limited Conformational Freedom of Ferrocene. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 8325-8332	3.4	12
91	Liquid Crystals: Highly Fluorescent Liquid Crystals from Excited-State Intramolecular Proton Transfer Molecules (Advanced Optical Materials 2/2019). <i>Advanced Optical Materials</i> , 2019 , 7, 1970008	8.1	1
90	Impact of Unsymmetrical Alkyl/Fluoroalkyl Side Chains over Coil-to-Rod Transition of Soluble Polyacetylenes: Modulation of Electronic Conjugation of Isolated Chains and Their Self-Assembly. <i>Macromolecules</i> , 2019 , 52, 4916-4925	5.5	3
89	Pluripotent Features of Doubly Thiophene-Fused Benzodiphospholes as Organic Functional Materials. <i>Chemistry - A European Journal</i> , 2019 , 25, 6425-6438	4.8	7
88	Assembly effect on the charge carrier mobility in quaterthiophene-based n/p-materials. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 6649-6655	7.1	2
87	Anomalous Photoinduced Hole Transport in Type I Core/Mesoporous-Shell Nanocrystals for Efficient Photocatalytic H ₂ Evolution. <i>ACS Nano</i> , 2019 , 13, 8356-8363	16.7	21
86	Highly Miscible Hybrid Liquid-Crystal Systems Containing Fluorescent Excited-State Intramolecular Proton Transfer Molecules. <i>Langmuir</i> , 2019 , 35, 14031-14041	4	8
85	Rod-like transition first or chain aggregation first? ordered aggregation of rod-like poly(p-phenyleneethynylene) chains in solution. <i>Chemical Communications</i> , 2019 , 55, 13342-13345	5.8	1
84	Observation of dissociative quasi-free electron attachment to nucleoside via excited anion radical in solution. <i>Nature Communications</i> , 2019 , 10, 102	17.4	37
83	Highly Fluorescent Liquid Crystals from Excited-State Intramolecular Proton Transfer Molecules. <i>Advanced Optical Materials</i> , 2019 , 7, 1801349	8.1	19
82	Electron-transporting foldable alternating copolymers of perylenediimide and flexible macromolecular chains. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 718-729	7.8	11
81	The reductive aromatization of naphthalene diimide: a versatile platform for 2,7-diazapyrenes. <i>Chemical Communications</i> , 2018 , 54, 5177-5180	5.8	27
80	Peripherally Cyanated Subphthalocyanines as Potential n-Type Organic Semiconductors. <i>Chemistry - A European Journal</i> , 2018 , 24, 8331-8342	4.8	7
79	Durian-Shaped CdS@ZnSe Core@Mesoporous-Shell Nanoparticles for Enhanced and Sustainable Photocatalytic Hydrogen Evolution. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 2212-2217	6.4	21

78	Solvent switchable nanostructures and the function of a Amphiphile. <i>Nanoscale</i> , 2018 , 10, 3272-3280	7.7	20
77	Remarkable effect of halogenation of aromatic compounds on efficiency of nanowire formation through polymerization/crosslinking by high-energy single particle irradiation. <i>Radiation Physics and Chemistry</i> , 2018 , 142, 100-106	2.5	5
76	Toward Bioelectronic Nanomaterials: Photoconductivity in ProteinPorphyrin Hybrids Wrapped around SWCNT. <i>Advanced Functional Materials</i> , 2018 , 28, 1704031	15.6	23
75	Relaxation of Plasma Carriers in Graphene: An Approach by Frequency-Dependent Optical Conductivity Measurement. <i>Advanced Optical Materials</i> , 2018 , 6, 1701402	8.1	9
74	Electron delocalization and charge mobility as a function of reduction in a metal-organic framework. <i>Nature Materials</i> , 2018 , 17, 625-632	27	182
73	Transient Optical-Microwave Spectroscopy for Electron Mobility Assessment in Solids and Gels: A Comprehensive Approach. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2018 , 31, 91-99	0.7	2
72	Conjugated Nanowire Sensors via High-Energy Single-Particle-Induced Linear Polymerization of 9,9'-Spirobi[9 H-fluorene] Derivatives. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 8614-8623	3.4	8
71	Peripherally Cyanated Subphthalocyanines as Potential n-Type Organic Semiconductors. <i>Chemistry - A European Journal</i> , 2018 , 24, 8244-8244	4.8	1
70	Naphthalenediimide (NDI)-Conjugated Foldable Polyurethanes: Impact of Chromophoric Location on Hierarchical Supramolecular Assembly and Conductivity. <i>ChemNanoMat</i> , 2018 , 4, 860-866	3.5	4
69	Supramolecular Chirality Issues in Unorthodox Naphthalene Diimide Gelators. <i>Chemistry - A European Journal</i> , 2018 , 24, 1938-1946	4.8	12
68	AIE Active Carbazole-Benzothiazole Based ESIPT Motifs: Positional Isomers Directing the Optical and Electronic Properties. <i>ChemistrySelect</i> , 2017 , 2, 1959-1966	1.8	13
67	Complex permittivity analysis revisited: Microwave spectroscopy of organic semiconductors with resonant cavity. <i>Applied Physics Letters</i> , 2017 , 110, 153303	3.4	19
66	Rapid Evaluation of Electron Mobilities at Semiconductor-Insulator Interfaces in an Ambient Atmosphere by a Contactless Microwave-Based Technique. <i>ACS Omega</i> , 2017 , 2, 164-170	3.9	9
65	Control over differentiation of a metastable supramolecular assembly in one and two dimensions. <i>Nature Chemistry</i> , 2017 , 9, 493-499	17.6	279
64	Optical and Structural Properties of ESIPT Inspired HBT-Fluorene Molecular Aggregates and Liquid Crystals. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 10407-10416	3.4	25
63	Quantitative evaluation of spatial scale of carrier trapping at grain boundary by GHz-microwave dielectric loss spectroscopy. <i>Journal of Physics: Conference Series</i> , 2017 , 924, 012002	0.3	2
62	Topologically Directed Assemblies of Semiconducting Sphere-Rod Conjugates. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18616-18622	16.4	43
61	In-situ analysis of microwave conductivity and impedance spectroscopy for evaluation of charge carrier dynamics at interfaces. <i>Applied Physics Letters</i> , 2017 , 111, 203302	3.4	5

60	Donor/Acceptor Segregated π -Stacking Arrays by Use of Shish-Kebab-Type Polymeric Backbones: Highly Conductive Discotic Blends of Phthalocyaninatopolysiloxanes and Perylenediimides. <i>Macromolecules</i> , 2017 , 50, 9265-9275	5.5	15
59	Cooperative supramolecular polymerization of a perylene diimide derivative and its impact on electron-transporting properties. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 31024-31029	3.6	16
58	23 From Rays to Ray Development of Functional Nanomaterials Using Ion Beams \square <i>Radioisotopes</i> , 2017 , 66, 579-585	0.1	2
57	Charge Carrier Mobility: Unraveling Unprecedented Charge Carrier Mobility through Structure Property Relationship of Four Isomers of Didodecyl[1]benzothieno[3,2-b][1]benzothiophene (Adv. Mater. 33/2016). <i>Advanced Materials</i> , 2016 , 28, 7291-7291	24	
56	Cyclobuteno[60]fullerenes as Efficient n-Type Organic Semiconductors. <i>Chemistry - A European Journal</i> , 2016 , 22, 13627-31	4.8	10
55	Fusing Porphyrins and Phospholes: Synthesis and Analysis of a Phosphorus-Containing Porphyrin. <i>Angewandte Chemie</i> , 2016 , 128, 12499-12503	3.6	5
54	Functional Sulfur-Doped Buckybowls and Their Concave-Convex Supramolecular Assembly with Fullerenes. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13047-13051	16.4	43
53	A new class of epitaxial porphyrin metal-organic framework thin films with extremely high photocarrier generation efficiency: promising materials for all-solid-state solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12739-12747	13	64
52	Control of optical and electrical properties of nanosheets by the chemical structure of the turning point in a foldable polymer. <i>Nanoscale</i> , 2016 , 8, 14673-81	7.7	14
51	Ion-Pairing Assemblies Based on Pentacyano-Substituted Cyclopentadienide as a π -Electronic Anion. <i>Chemistry - A European Journal</i> , 2016 , 22, 7843-50	4.8	35
50	Formation of nanowires via single particle-triggered linear polymerization of solid-state aromatic molecules. <i>Nanoscale</i> , 2016 , 8, 14925-31	7.7	10
49	Preferential formation of columnar mesophases via peripheral modification of discotic π -systems with immiscible side chain pairs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1490-1496	7.1	13
48	Ion-Free and Ion-Pairing Assemblies of Anion-Responsive π -Electronic Systems Possessing Directly Linked Alkyl Chains. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2025-9	4.5	10
47	π -Electron Systems That Form Planar and Interlocked Anion Complexes and Their Ion-Pairing Assemblies. <i>Chemistry - A European Journal</i> , 2016 , 22, 626-38	4.8	30
46	Unraveling Unprecedented Charge Carrier Mobility through Structure Property Relationship of Four Isomers of Didodecyl[1]benzothieno[3,2-b][1]benzothiophene. <i>Advanced Materials</i> , 2016 , 28, 7106-14	24	117
45	Fabrication of Fluorescent Nanowires via High-Energy Particles-Triggered Polymerization Reactions. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2016 , 29, 373-377	0.7	3
44	Repeat protein scaffolds: ordering photo- and electroactive molecules in solution and solid state. <i>Chemical Science</i> , 2016 , 7, 4842-4847	9.4	23
43	Fabrication of \square Clickable Polyfluorene Nanowires with High Aspect Ratio as Biological Sensing Platforms. <i>ACS Sensors</i> , 2016 , 1, 766-774	9.2	8

42	Fusing Porphyrins and Phospholes: Synthesis and Analysis of a Phosphorus-Containing Porphyrin. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 12311-5	16.4	18
41	Stabilization of Charge Carriers in Picket-Fence Polythiophenes Using Dielectric Side Chains. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2284-90	4.5	6
40	Functional Sulfur-Doped Buckybowls and Their Concave/Convex Supramolecular Assembly with Fullerenes. <i>Angewandte Chemie</i> , 2016 , 128, 13241-13245	3.6	15
39	Pressure Modulation of Backbone Conformation and Intermolecular Distance of Conjugated Polymers Toward Understanding the Dynamism of Configuration of their Conjugated System. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 7219-30	3.4	18
38	Evaluation of the intrinsic charge carrier transporting properties of linear- and bent-shaped extended benzo-fused thieno[3,2-b]thiophenes. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 9624-8	3.6	15
37	Rational design of crystalline supermicroporous covalent organic frameworks with triangular topologies. <i>Nature Communications</i> , 2015 , 6, 7786	17.4	185
36	Photoinduced Charge-Carrier Generation in Epitaxial MOF Thin Films: High Efficiency as a Result of an Indirect Electronic Band Gap?. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 7441-5	16.4	182
35	Nanowires for Renewable Energy. <i>Springer Briefs in Molecular Science</i> , 2015 , 53-67	0.6	
34	Titelbild: Photoinduzierte Erzeugung von Ladungsträgern in epitaktischen MOF-Schichten: hohe Leistung aufgrund einer indirekten elektronischen Bandlücke? (Angew. Chem. 25/2015). <i>Angewandte Chemie</i> , 2015 , 127, 7307-7307	3.6	
33	Intrinsic Charge Carrier Mobilities at Insulator/Semiconductor Interfaces Probed by Microwave-based Techniques: Studies with Liquid Crystalline Organic Semiconductors. <i>Chemistry Letters</i> , 2015 , 44, 1401-1403	1.7	4
32	Side Chain-Directed Assembly of Large Discotic Conjugated Molecules: Toward Tuning and Stabilization of Mesophases. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015 , 28, 583-587	0.7	4
31	Carboxylate-Driven Supramolecular Assemblies of Protonated meso-Aryl-Substituted Dipyrrolylpyrazoles. <i>Chemistry - A European Journal</i> , 2015 , 21, 9520-7	4.8	8
30	Reversible Control of Radius and Morphology of Fluorene-Azobenzene Copolymer Nanowires by Light Exposure. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1400450	4.6	12
29	Photoinduzierte Erzeugung von Ladungsträgern in epitaktischen MOF-Schichten: hohe Leistung aufgrund einer indirekten elektronischen Bandlücke?. <i>Angewandte Chemie</i> , 2015 , 127, 7549-7553	3.6	26
28	Semiconducting Nanotubes by Intrachain Folding Following Macroscopic Assembly of a Naphthalene Diimide (NDI) Appended Polyurethane. <i>Macromolecules</i> , 2015 , 48, 879-888	5.5	45
27	Systematic studies on side-chain structures of phthalocyaninato-polysiloxanes: Polymerization and self-assembling behaviors. <i>Journal of Porphyrins and Phthalocyanines</i> , 2015 , 19, 160-170	1.8	3
26	Formation Of Nanowires From Pentacene Derivatives By Single-particle Triggered Linear Polymerization. <i>Advanced Materials Letters</i> , 2015 , 6, 99-103	2.4	14
25	A Particle with High Energy: A Versatile Tool for Nanomaterials. <i>Springer Briefs in Molecular Science</i> , 2015 , 19-26	0.6	1

24	Stimuli-Responsive Nanomaterials. <i>Springer Briefs in Molecular Science</i> , 2015 , 41-52	0.6	
23	Single-Particle Triggered Polymerization. <i>Springer Briefs in Molecular Science</i> , 2015 , 69-74	0.6	
22	Charge carrier mobility in organic molecular materials probed by electromagnetic waves. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 11093-113	3.6	108
21	Ion-based assemblies of planar anion complexes and cationic Pt(II) complexes. <i>Chemical Communications</i> , 2014 , 50, 10615-8	5.8	23
20	2,6-Diphenyl- and -distyryl-capped 3,7-dialkoxybenzo[1,2-b:4,5-b']dithiophenes and their dithieno-annulated higher homologs: structural phase transition with enhanced charge carrier mobility. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 18805-12	3.6	3
19	Two-dimensional tetrathiafulvalene covalent organic frameworks: towards latticed conductive organic salts. <i>Chemistry - A European Journal</i> , 2014 , 20, 14608-13	4.8	109
18	Non-contact, non-destructive, quantitative probing of interfacial trap sites for charge carrier transport at semiconductor-insulator boundary. <i>Applied Physics Letters</i> , 2014 , 105, 033302	3.4	21
17	Propeller-shaped fused oligothiophenes: a remarkable effect of the topology of sulfur atoms on columnar stacking. <i>Journal of the American Chemical Society</i> , 2013 , 135, 18268-71	16.4	63
16	Cation modules as building blocks forming supramolecular assemblies with planar receptor-anion complexes. <i>Journal of the American Chemical Society</i> , 2013 , 135, 1284-7	16.4	57
15	Assembled Structures of Anion-Responsive π Systems Tunable by Alkyl/Perfluoroalkyl Segments in Peripheral Side Chains. <i>Chemistry of Materials</i> , 2013 , 25, 2656-2662	9.6	18
14	Ion-pair-based assemblies comprising pyrrole-pyrazole hybrids. <i>Chemistry - A European Journal</i> , 2013 , 19, 9224-33	4.8	15
13	Corannulene-fused anion-responsive π conjugated molecules that form self-assemblies with unique electronic properties. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 2088-95	4.5	25
12	Ion-based materials derived from positively and negatively charged chloride complexes of π conjugated molecules. <i>Journal of the American Chemical Society</i> , 2013 , 135, 14797-805	16.4	58
11	Evaluation of intrinsic charge carrier transport at insulator-semiconductor interfaces probed by a non-contact microwave-based technique. <i>Scientific Reports</i> , 2013 , 3, 3182	4.9	36
10	Toward ultralow-bandgap liquid crystalline semiconductors: use of triply fused metalloporphyrin trimer-pentamer as extra-large π extended mesogenic motifs. <i>Chemistry - A European Journal</i> , 2012 , 18, 10554-61	4.8	23
9	Electron- or hole-transporting nature selected by side-chain-directed π stacking geometry: liquid crystalline fused metalloporphyrin dimers. <i>Journal of the American Chemical Society</i> , 2011 , 133, 6537-40	16.4	73
8	Prominent electron transport property observed for triply fused metalloporphyrin dimer: directed columnar liquid crystalline assembly by amphiphilic molecular design. <i>Journal of the American Chemical Society</i> , 2008 , 130, 13812-3	16.4	94
7	Conformable, flexible, large-area networks of pressure and thermal sensors with organic transistor active matrixes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 12321-5	11.5	1139

6	A large-area, flexible pressure sensor matrix with organic field-effect transistors for artificial skin applications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 9966-70	11.5	1512
5	Study on Segmental Motion and Ion Binding in Polyelectrolyte Solutions by Ultrasonic Spectroscopy. <i>Journal of Solution Chemistry</i> , 2004 , 33, 747-760	1.8	2
4	Acoustic characteristics of PMMA in the steady stress-strain state investigated by coherent Brillouin scattering method. <i>Journal of Applied Polymer Science</i> , 2000 , 76, 978-986	2.9	4
3	Analytical model of the phase mixing phenomena by the use of the wkb method of solution. <i>Geophysical and Astrophysical Fluid Dynamics</i> , 1995 , 79, 277-287	1.4	2
2	Magnetostatic Wave Delay Lines Using the Nonuniformly Magnetized YIG Film		2
1	Organic fluorophores that emit ultraviolet light in the aggregated state. <i>Aggregate</i> ,	22.9	1