

# Joana M Pimenta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8976098/publications.pdf>

Version: 2024-02-01

32  
papers

1,481  
citations

516215

16  
h-index

500791

28  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1863  
citing authors

#	ARTICLE	IF	CITATIONS
1	N-Terminalâ€œPro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. <i>Circulation</i> , 2004, 110, 2168-2174.	1.6	644
2	Predictors of prognosis in patients with stable mild to moderate heart failure. <i>Journal of Cardiac Failure</i> , 2000, 6, 306-313.	0.7	107
3	A novel discharge risk model for patients hospitalised for acute decompensated heart failure incorporating N-terminal pro-B-type natriuretic peptide levels: a European collaboration on Acute decompensated Heart Failure: Å%LAN-HF Score. <i>Heart</i> , 2014, 100, 115-125.	1.2	106
4	Systolic and diastolic dysfunction in cirrhosis: a tissueâ€œDoppler and speckle tracking echocardiography study. <i>Liver International</i> , 2013, 33, 1158-1165.	1.9	86
5	Prognostic information provided by serial measurements of brain natriuretic peptide in heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 45-48.	0.8	80
6	B-type natriuretic peptide is related to cardiac function and prognosis in hospitalized patients with decompensated cirrhosis. <i>Liver International</i> , 2010, 30, 1059-1066.	1.9	46
7	Effect of a heart failure clinic on survival and hospital readmission in patients discharged from acute hospital care. <i>European Journal of Heart Failure</i> , 2002, 4, 353-359.	2.9	45
8	Competing Risk of Cardiac Status and Renal Function During Hospitalization for ÅAcute Decompensated Heart Failure. <i>JACC: Heart Failure</i> , 2015, 3, 751-761.	1.9	43
9	BNP at discharge in acute heart failure patients: Is it all about volemia? A study using impedance cardiography to assess fluid and hemodynamic status. <i>International Journal of Cardiology</i> , 2010, 145, 209-214.	0.8	39
10	Systolic dysfunction and diastolic dysfunction do not influence medium-term prognosis in patients with cirrhosis. <i>European Journal of Internal Medicine</i> , 2014, 25, 241-246.	1.0	35
11	Challenging the two concepts in determining the appropriate preâ€œdischarge Nâ€œterminal proâ€œbrain natriuretic peptide treatment target in acute decompensated heart failure patients: absolute or relative discharge levels?. <i>European Journal of Heart Failure</i> , 2015, 17, 936-944.	2.9	30
12	Assessment of cardiovascular physiology using dobutamine stress cardiovascular magnetic resonance reveals impaired contractile reserve in patients with cirrhotic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 61.	1.6	29
13	Clinical syndrome suggestive of heart failure is frequently attributable to non-cardiac disorders - population-based study. <i>European Journal of Heart Failure</i> , 2007, 9, 391-396.	2.9	28
14	Association between plasma leptin and adiponectin levels and diastolic function in the general population. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1283-1291.	1.5	27
15	Left ventricular function assessment in cirrhosis: Current methods and future directions. <i>World Journal of Gastroenterology</i> , 2016, 22, 112.	1.4	22
16	Amino Terminal B-Type Natriuretic Peptide, Renal Function, and Prognosis in Acute Heart Failure: A Hospital Cohort Study. <i>Journal of Cardiac Failure</i> , 2007, 13, 275-280.	0.7	19
17	Higher BMI in heart failure patients is associated with longer survival only in the absence of diabetes. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 576-582.	0.6	17
18	The renal dopaminergic system, neurohumoral activation, and sodium handling in heart failure. <i>American Heart Journal</i> , 2002, 143, 391-397.	1.2	14

#	ARTICLE	IF	CITATIONS
19	Effect of Saline Load and Metoclopramide on the Renal Dopaminergic System in Patients with Heart Failure and Healthy Controls. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 197-203.	0.8	14
20	Left atrial function is impaired in cirrhosis: a speckle tracking echocardiographic study. <i>Hepatology International</i> , 2014, 8, 146-153.	1.9	13
21	Targeting N-Terminal Pro-Brain Natriuretic Peptide in Older Versus Younger Acute Decompensated Heart Failure Patients. <i>JACC: Heart Failure</i> , 2016, 4, 736-745.	1.9	11
22	Prognostic Effect of Renal Function in Ambulatory Patients With Heart Failure and Reduced Ejection Fraction: The Kidney Is a Marker of Cardiac Function. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1325-1332.	0.8	10
23	Aminoterminal B-Type Natriuretic Peptide (NT-proBNP) in End-Stage Renal Failure Patients on Regular Hemodialysis: Does It Have Diagnostic and Prognostic Implications?. <i>Nephron Clinical Practice</i> , 2009, 111, c182-c188.	2.3	6
24	A new tool to measure hydration status in acute heart failure – Is bioelectrical impedance vector analysis (BIVA) making its way to the wards?. <i>Revista Clinica Espanola</i> , 2016, 216, 126-127.	0.2	4
25	Impact of Chronic Nitrate Therapy in Patients With Ischemic Heart Failure. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2016, 21, 466-470.	1.0	2
26	Liver cytolysis in acute heart failure: What does it mean? Clinical profile and outcomes of a prospective hospital cohort. <i>International Journal of Cardiology</i> , 2016, 221, 422-427.	0.8	2
27	Wet BNP, fluid and hemodynamic status at discharge in acute heart failure – Reply. <i>International Journal of Cardiology</i> , 2010, 145, 336-337.	0.8	1
28	Impact of cardiovascular risk factors in an urban sample of Portuguese adults according to the Framingham risk prediction models. <i>Revista Portuguesa De Cardiologia</i> , 2003, 22, 511-20.	0.2	1
29	Validation of a risk score to estimate cardiac risk in subjects from the general population on cardioactive treatment. <i>European Journal of Heart Failure</i> , 2008, 10, 621-622.	2.9	0
30	Prognostic Value of Discharge Levels of N-Terminal Pro-Brain Natriuretic Peptide in 1301 Patients: A European Collaborative Study. <i>Journal of Cardiac Failure</i> , 2010, 16, S66.	0.7	0
31	Assessment of cardiovascular physiology using magnetic resonance myocardial stress testing reveals impaired contractile reserve in patients with cirrhotic cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q67.	1.6	0
32	Checklist para A Prática-Alta de Internamento por Insuficiência Cardíaca. <i>Revista De Medicina Interna, Neurologia, Psiquiatria, Neurocirurgia, Dermato-venerologia Medicina Interna</i> , 2021, 28, 76-81.	0.0	0