

Joana M Pimenta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8976098/publications.pdf>

Version: 2024-02-01

32
papers

1,481
citations

516561

16
h-index

501076

28
g-index

33
all docs

33
docs citations

33
times ranked

1863
citing authors

#	ARTICLE	IF	CITATIONS
1	Checklist para A Prã©-Alta de Internamento por Insuficiãncia Cardãaca. Revista De Medicinãf Internãf, Neurologie, Psihiatrie, Neurochirurgie, Dermato-venereologie Medicinãf Internãf, 2021, 28, 76-81.	0.0	0
2	Prognostic Effect of Renal Function in Ambulatory Patients With Heart Failure and Reduced Ejection Fraction: The Kidney Is a Marker of Cardiac Function. Canadian Journal of Cardiology, 2018, 34, 1325-1332.	0.8	10
3	Targeting N-Terminal Pro-Brain NatriureticãPeptide inãOlder Versus Younger Acute Decompensated HeartãFailure Patients. JACC: Heart Failure, 2016, 4, 736-745.	1.9	11
4	Impact of Chronic Nitrate Therapy in Patients With Ischemic Heart Failure. Journal of Cardiovascular Pharmacology and Therapeutics, 2016, 21, 466-470.	1.0	2
5	Liver cytolysis in acute heart failure: What does it mean? Clinical profile and outcomes of a prospective hospital cohort. International Journal of Cardiology, 2016, 221, 422-427.	0.8	2
6	A new tool to measure hydration status in acute heart failure ã€“ Is bioelectrical impedance vector analysis (BIVA) making its way to the wards?. Revista Clinica Espanola, 2016, 216, 126-127.	0.2	4
7	Left ventricular function assessment in cirrhosis: Current methods and future directions. World Journal of Gastroenterology, 2016, 22, 112.	1.4	22
8	Assessment of cardiovascular physiology using dobutamine stress cardiovascular magnetic resonance reveals impaired contractile reserve in patients with cirrhotic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2015, 17, 61.	1.6	29
9	Higher BMI in heart failure patients is associated with longer survival only in the absence of diabetes. Journal of Cardiovascular Medicine, 2015, 16, 576-582.	0.6	17
10	Challenging the two concepts in determining the appropriate preãdischarge Nãterminal proãbrain natriuretic peptide treatment target in acute decompensated heart failure patients: absolute or relative discharge levels?. European Journal of Heart Failure, 2015, 17, 936-944.	2.9	30
11	Association between plasma leptin and adiponectin levels and diastolic function in the general population. Expert Opinion on Therapeutic Targets, 2015, 19, 1283-1291.	1.5	27
12	Assessment of cardiovascular physiology using magnetic resonance myocardial stress testing reveals impaired contractile reserve in patients with cirrhotic cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2015, 17, Q67.	1.6	0
13	Competing Risk of Cardiac Status and Renal Function During Hospitalization forãAcute Decompensated Heart Failure. JACC: Heart Failure, 2015, 3, 751-761.	1.9	43
14	Systolic dysfunction and diastolic dysfunction do not influence medium-term prognosis in patients with cirrhosis. European Journal of Internal Medicine, 2014, 25, 241-246.	1.0	35
15	Left atrial function is impaired in cirrhosis: a speckle tracking echocardiographic study. Hepatology International, 2014, 8, 146-153.	1.9	13
16	A novel discharge risk model for patients hospitalised for acute decompensated heart failure incorporating N-terminal pro-B-type natriuretic peptide levels: a European collaboration on Acute decompensated Heart Failure: ã%LAN-HF Score. Heart, 2014, 100, 115-125.	1.2	106
17	Systolic and diastolic dysfunction in cirrhosis: a tissueãDoppler and speckle tracking echocardiography study. Liver International, 2013, 33, 1158-1165.	1.9	86
18	B-type natriuretic peptide is related to cardiac function and prognosis in hospitalized patients with decompensated cirrhosis. Liver International, 2010, 30, 1059-1066.	1.9	46

#	ARTICLE	IF	CITATIONS
19	BNP at discharge in acute heart failure patients: Is it all about volemia? A study using impedance cardiography to assess fluid and hemodynamic status. <i>International Journal of Cardiology</i> , 2010, 145, 209-214.	0.8	39
20	Wet BNP, fluid and hemodynamic status at discharge in acute heart failure – Reply. <i>International Journal of Cardiology</i> , 2010, 145, 336-337.	0.8	1
21	Prognostic Value of Discharge Levels of N-Terminal Pro-Brain Natriuretic Peptide in 1301 Patients: A European Collaborative Study. <i>Journal of Cardiac Failure</i> , 2010, 16, S66.	0.7	0
22	Aminoterminal B-Type Natriuretic Peptide (NT-proBNP) in End-Stage Renal Failure Patients on Regular Hemodialysis: Does It Have Diagnostic and Prognostic Implications?. <i>Nephron Clinical Practice</i> , 2009, 111, c182-c188.	2.3	6
23	Validation of a risk score to estimate cardiac risk in subjects from the general population on cardioactive treatment. <i>European Journal of Heart Failure</i> , 2008, 10, 621-622.	2.9	0
24	Clinical syndrome suggestive of heart failure is frequently attributable to non-cardiac disorders - population-based study. <i>European Journal of Heart Failure</i> , 2007, 9, 391-396.	2.9	28
25	Amino Terminal B-Type Natriuretic Peptide, Renal Function, and Prognosis in Acute Heart Failure: A Hospital Cohort Study. <i>Journal of Cardiac Failure</i> , 2007, 13, 275-280.	0.7	19
26	Effect of Saline Load and Metoclopramide on the Renal Dopaminergic System in Patients with Heart Failure and Healthy Controls. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 197-203.	0.8	14
27	N-Terminal Pro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. <i>Circulation</i> , 2004, 110, 2168-2174.	1.6	644
28	Prognostic information provided by serial measurements of brain natriuretic peptide in heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 45-48.	0.8	80
29	Impact of cardiovascular risk factors in an urban sample of Portuguese adults according to the Framingham risk prediction models. <i>Revista Portuguesa De Cardiologia</i> , 2003, 22, 511-20.	0.2	1
30	Effect of a heart failure clinic on survival and hospital readmission in patients discharged from acute hospital care. <i>European Journal of Heart Failure</i> , 2002, 4, 353-359.	2.9	45
31	The renal dopaminergic system, neurohumoral activation, and sodium handling in heart failure. <i>American Heart Journal</i> , 2002, 143, 391-397.	1.2	14
32	Predictors of prognosis in patients with stable mild to moderate heart failure. <i>Journal of Cardiac Failure</i> , 2000, 6, 306-313.	0.7	107