Taishi Umezawa

List of Publications by Citations

Source: https://exaly.com/author-pdf/8976395/taishi-umezawa-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 56 11,021 30 h-index g-index citations papers 61 6.6 5.46 13,091 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
56	Genome sequence of the palaeopolyploid soybean. <i>Nature</i> , 2010 , 463, 178-83	50.4	2997
55	Type 2C protein phosphatases directly regulate abscisic acid-activated protein kinases in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17588-93	11.5	681
54	Regulatory metabolic networks in drought stress responses. <i>Current Opinion in Plant Biology</i> , 2007 , 10, 296-302	9.9	636
53	Molecular basis of the core regulatory network in ABA responses: sensing, signaling and transport. <i>Plant and Cell Physiology</i> , 2010 , 51, 1821-39	4.9	612
52	Abscisic acid-dependent multisite phosphorylation regulates the activity of a transcription activator AREB1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 1988	- 13 5	578
51	Engineering drought tolerance in plants: discovering and tailoring genes to unlock the future. <i>Current Opinion in Biotechnology</i> , 2006 , 17, 113-22	11.4	575
50	Three Arabidopsis SnRK2 protein kinases, SRK2D/SnRK2.2, SRK2E/SnRK2.6/OST1 and SRK2I/SnRK2.3, involved in ABA signaling are essential for the control of seed development and dormancy. <i>Plant and Cell Physiology</i> , 2009 , 50, 1345-63	4.9	495
49	Three SnRK2 protein kinases are the main positive regulators of abscisic acid signaling in response to water stress in Arabidopsis. <i>Plant and Cell Physiology</i> , 2009 , 50, 2123-32	4.9	457
48	The regulatory domain of SRK2E/OST1/SnRK2.6 interacts with ABI1 and integrates abscisic acid (ABA) and osmotic stress signals controlling stomatal closure in Arabidopsis. <i>Journal of Biological Chemistry</i> , 2006 , 281, 5310-8	5.4	388
47	Antagonistic interaction between systemic acquired resistance and the abscisic acid-mediated abiotic stress response in Arabidopsis. <i>Plant Cell</i> , 2008 , 20, 1678-92	11.6	367
46	Arabidopsis DREB2A-interacting proteins function as RING E3 ligases and negatively regulate plant drought stress-responsive gene expression. <i>Plant Cell</i> , 2008 , 20, 1693-707	11.6	361
45	Monitoring the expression pattern of around 7,000 Arabidopsis genes under ABA treatments using a full-length cDNA microarray. <i>Functional and Integrative Genomics</i> , 2002 , 2, 282-91	3.8	353
44	Threonine at position 306 of the KAT1 potassium channel is essential for channel activity and is a target site for ABA-activated SnRK2/OST1/SnRK2.6 protein kinase. <i>Biochemical Journal</i> , 2009 , 424, 439-	48 ⁸	276
43	SRK2C, a SNF1-related protein kinase 2, improves drought tolerance by controlling stress-responsive gene expression in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17306-11	11.5	272
42	Genetics and phosphoproteomics reveal a protein phosphorylation network in the abscisic acid signaling pathway in Arabidopsis thaliana. <i>Science Signaling</i> , 2013 , 6, rs8	8.8	259
41	Osmotic stress responses and plant growth controlled by potassium transporters in Arabidopsis. <i>Plant Cell</i> , 2013 , 25, 609-24	11.6	237
40	CYP707A3, a major ABA 8Thydroxylase involved in dehydration and rehydration response in Arabidopsis thaliana. <i>Plant Journal</i> , 2006 , 46, 171-82	6.9	233

(2015-2008)

39	A heterocomplex of iron superoxide dismutases defends chloroplast nucleoids against oxidative stress and is essential for chloroplast development in Arabidopsis. <i>Plant Cell</i> , 2008 , 20, 3148-62	11.6	201
38	Crosstalk in the responses to abiotic and biotic stresses in Arabidopsis: analysis of gene expression in cytochrome P450 gene superfamily by cDNA microarray. <i>Plant Molecular Biology</i> , 2004 , 55, 327-42	4.6	184
37	Two closely related subclass II SnRK2 protein kinases cooperatively regulate drought-inducible gene expression. <i>Plant and Cell Physiology</i> , 2010 , 51, 842-7	4.9	102
36	Plant Raf-like kinase integrates abscisic acid and hyperosmotic stress signaling upstream of SNF1-related protein kinase2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E6388-96	11.5	91
35	Sequencing and analysis of approximately 40,000 soybean cDNA clones from a full-length-enriched cDNA library. <i>DNA Research</i> , 2008 , 15, 333-46	4.5	86
34	Chemical regulation of abscisic acid catabolism in plants by cytochrome P450 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 4491-8	3.4	75
33	Enhancement of salt tolerance in soybean with NaCl pretreatment. <i>Physiologia Plantarum</i> , 2000 , 110, 59-63	4.6	71
32	SnRK2 protein kinases represent an ancient system in plants for adaptation to a terrestrial environment. <i>Communications Biology</i> , 2019 , 2, 30	6.7	56
31	Discrimination of genes expressed in response to the ionic or osmotic effect of salt stress in soybean with cDNA-AFLP. <i>Plant, Cell and Environment</i> , 2002 , 25, 1617-1625	8.4	37
30	Analysis of gene expression profiles in Arabidopsis salt overly sensitive mutants sos2¶ and sos3¶. <i>Plant, Cell and Environment</i> , 2005 , 28, 1267-1275	8.4	35
29	Archetypal Roles of an Abscisic Acid Receptor in Drought and Sugar Responses in Liverworts. <i>Plant Physiology</i> , 2019 , 179, 317-328	6.6	30
28	Arabidopsis Raf-like kinases act as positive regulators of subclass III SnRK2 in osmostress signaling. <i>Plant Journal</i> , 2020 , 103, 634-644	6.9	30
27	The PP2C-SnRK2 complex: the central regulator of an abscisic acid signaling pathway. <i>Plant Signaling and Behavior</i> , 2010 , 5, 160-3	2.5	28
26	Phosphoproteomic profiling reveals ABA-responsive phosphosignaling pathways in Physcomitrella patens. <i>Plant Journal</i> , 2018 , 94, 699-708	6.9	25
25	Genome wide cDNA-AFLP analysis of genes rapidly induced by combined sucrose and ABA treatment in rice cultured cells. <i>FEBS Letters</i> , 2006 , 580, 5947-52	3.8	23
24	Systems biology approaches to abscisic acid signaling. <i>Journal of Plant Research</i> , 2011 , 124, 539-48	2.6	22
23	Enhancement of abiotic stress tolerance in poplar by overexpression of key Arabidopsis stress response genes, AtSRK2C and AtGolS2. <i>Molecular Breeding</i> , 2017 , 37, 1	3.4	12
22	Novel Abscisic Acid Antagonists Identified with Chemical Array Screening. <i>ChemBioChem</i> , 2015 , 16, 2471	 1 38 8	12

21	Drought Stress Signaling Network 2014 , 383-409		9
20	Comparative Phosphoproteomic Analysis Reveals a Decay of ABA Signaling in Barley Embryos during After-Ripening. <i>Plant and Cell Physiology</i> , 2019 , 60, 2758-2768	4.9	8
19	Comparative Phosphoproteomic Analysis of Barley Embryos with Different Dormancy during Imbibition. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
18	Phosphorylation networks in the abscisic Acid signaling pathway. <i>The Enzymes</i> , 2014 , 35, 27-56	2.3	7
17	Large-Scale Phosphoproteomic Study of Membrane Proteins Reveals Early Signaling Events in Response to Cold. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
16	The Regulatory Networks of Plant Responses to Abscisic Acid. <i>Advances in Botanical Research</i> , 2011 , 20	1 <u>-22</u> 48	5
15	Transcriptome Analysis of Plant Drought and Salt Stress Response 2007 , 261-283		5
14	group C Raf-like protein kinases negatively regulate abscisic acid signaling and are direct substrates of SnRK2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	5
13	A role for PM19-Like 1 in seed dormancy in Arabidopsis. Seed Science Research, 2019, 29, 184-196	1.3	4
12	Construction of a High-density AFLP and SSR Map Using Recombinant Inbred Lines of Cultivated * Weedy Soybean. <i>Breeding Science</i> , 2003 , 53, 335-344	2	4
11	Growth Promotion or Osmotic Stress Response: How SNF1-Related Protein Kinase 2 (SnRK2) Kinases Are Activated and Manage Intracellular Signaling in Plants. <i>Plants</i> , 2021 , 10,	4.5	4
10	Activation of SnRK2 by Raf-like kinase ARK represents a primary mechanism of ABA and abiotic stress responses. <i>Plant Physiology</i> , 2021 , 185, 533-546	6.6	3
9	Stress Signaling Networks: Drought Stress 2013 , 1-23		2
8	Identification of QTLs controlling somatic embryogenesis using RI population of cultivar Iweedy soybean. <i>Plant Biotechnology Reports</i> , 2010 , 4, 23-27	2.5	2
7	Genomic Analysis of Stress Respnse248-265		2
6	Identification of novel compounds that inhibit SnRK2 kinase activity by high-throughput screening. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 537, 57-63	3.4	2
5	Screening of kinase substrates using kinase knockout mutants. <i>Methods in Molecular Biology</i> , 2015 , 1306, 59-69	1.4	1
4	SNF1-related protein kinase 2 directly regulate group C Raf-like protein kinases in abscisic acid signaling	9	1

LIST OF PUBLICATIONS

3	Expression analysis of cellulose synthases that comprise the Type II complex in hybrid aspen. <i>Plant Biology</i> , 2019 , 21, 361-370	3.7	1
2	Protein Phosphorylation Network in Abscisic Acid Signaling 2013 , 155-164		1
1	Phosphoproteomic Approaches to Evaluate ABA Signaling <i>Methods in Molecular Biology</i> , 2022 , 2462, 163-179	1.4	