Kazuei Igarashi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8976978/kazuei-igarashi-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers7,429
citations43
h-index82
g-index147
ext. papers8,108
ext. citations4.4
avg, IF5.91
L-index

#	Paper	IF	Citations
146	Polyamine-Rich Diet Elevates Blood Spermine Levels and Inhibits Pro-Inflammatory Status: An Interventional Study. <i>Medical Sciences (Basel, Switzerland)</i> , 2021 , 9,	3.3	7
145	Plasma acrolein level in rheumatoid arthritis increases independently of the disease characteristics. <i>Modern Rheumatology</i> , 2021 , 31, 357-364	3.3	1
144	Analysis of the acrolein-modified sites of apolipoprotein B-100 in LDL. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1866, 158809	5	5
143	Translational Regulation of Clock Genes BMAL1 and REV-ERBIby Polyamines. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
142	The Polyamine Regulator AMD1 Upregulates Spermine Levels to Drive Epidermal Differentiation. Journal of Investigative Dermatology, 2021 , 141, 2178-2188.e6	4.3	1
141	Functional roles of polyamines and their metabolite acrolein in eukaryotic cells. <i>Amino Acids</i> , 2021 , 53, 1473-1492	3.5	3
140	Polyamines regulate gene expression by stimulating translation of histone acetyltransferase mRNAs. <i>Journal of Biological Chemistry</i> , 2020 , 295, 8736-8745	5.4	8
139	KLF4 is required for suppression of histamine synthesis by polyamines during bone marrow-derived mast cell differentiation. <i>PLoS ONE</i> , 2020 , 15, e0229744	3.7	4
138	The Polyamine Putrescine Promotes Human Epidermal Melanogenesis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2032-2040.e1	4.3	2
137	Cytotoxic Mechanism of Excess Polyamines Functions through Translational Repression of Specific Proteins Encoded by Polyamine Modulon. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
136	Structural change and degradation of cytoskeleton due to the acrolein conjugation with vimentin and actin during brain infarction. <i>Cytoskeleton</i> , 2020 , 77, 414-421	2.4	4
135	Ischemic stroke disrupts the endothelial glycocalyx through activation of proHPSE via acrolein exposure. <i>Journal of Biological Chemistry</i> , 2020 , 295, 18614-18624	5.4	6
134	Development of an ELISA for Measurement of Urinary 3-Hydroxypropyl Mercapturic Acid (3-HPMA), the Marker of Stroke. <i>Medical Sciences (Basel, Switzerland)</i> , 2020 , 8,	3.3	2
133	Assessing acrolein for determination of the severity of brain stroke, dementia, renal failure, and Sjgren's syndrome. <i>Amino Acids</i> , 2020 , 52, 119-127	3.5	11
132	Inhibition of dendritic spine extension through acrolein conjugation with [] £ubulin proteins. <i>International Journal of Biochemistry and Cell Biology</i> , 2019 , 113, 58-66	5.6	6
131	The functional role of polyamines in eukaryotic cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2019 , 107, 104-115	5.6	50
130	N-Nonyl-1,4-diaminobutane ameliorates brain infarction size in photochemically induced thrombosis model mice. <i>Neuroscience Letters</i> , 2018 , 672, 118-122	3.3	5

(2016-2018)

129	MINDY1 Is a Downstream Target of the Polyamines and Promotes Embryonic Stem Cell Self-Renewal. <i>Stem Cells</i> , 2018 , 36, 1170-1178	5.8	11	
128	Acrolein toxicity at advanced age: present and future. <i>Amino Acids</i> , 2018 , 50, 217-228	3.5	25	
127	Modulation of Protein Synthesis by Polyamines in Mammalian Cells. <i>Methods in Molecular Biology</i> , 2018 , 1694, 325-336	1.4	4	
126	Polyamine Regulator AMD1 Promotes Cell Migration in Epidermal Wound Healing. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2653-2665	4.3	4	
125	Effects of polyamines on protein synthesis and growth of. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18702-18709	5.4	36	
124	Protective Effects of Brain Infarction by -Acetylcysteine Derivatives. <i>Stroke</i> , 2018 , 49, 1727-1733	6.7	13	
123	Acrolein: An Effective Biomarker for Tissue Damage Produced from Polyamines. <i>Methods in Molecular Biology</i> , 2018 , 1694, 459-468	1.4	4	
122	Polyamines stimulate the CHSY1 synthesis through the unfolding of the RNA G-quadruplex at the 5Tuntraslated region. <i>Biochemical Journal</i> , 2018 , 475, 3797-3812	3.8	7	
121	Activation of MMP-9 activity by acrolein in saliva from patients with primary Sjgren's syndrome and its mechanism. <i>International Journal of Biochemistry and Cell Biology</i> , 2017 , 88, 84-91	5.6	15	
120	Correlation between brain damage, associated biomarkers, and medication in psychiatric inpatients: A cross-sectional study. <i>Clinica Chimica Acta</i> , 2017 , 464, 50-56	6.2	2	
119	Determination of 3-hydroxypropylmercapturic acid in urine by three column-switching high-performance liquid chromatography with electrochemical detection using a diamond electrode. <i>Journal of Chromatography A</i> , 2017 , 1517, 79-85	4.5	3	
118	Time dependent transition of the levels of protein-conjugated acrolein (PC-Acro), IL-6 and CRP in plasma during stroke. <i>ENeurologicalSci</i> , 2017 , 7, 18-24	2.1	1	
117	Spermine oxidase promotes bile canalicular lumen formation through acrolein production. <i>Scientific Reports</i> , 2017 , 7, 14841	4.9	8	
116	Recent Progress in Analytical Methods for Determination of Urinary 3-Hydroxypropylmercapturic Acid, a Major Metabolite of Acrolein. <i>Biological and Pharmaceutical Bulletin</i> , 2016 , 39, 915-9	2.3	8	
115	Decrease in acrolein toxicity based on the decline of polyamine oxidases. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 79, 151-157	5.6	9	
114	Polyamines release the let-7b-mediated suppression of initiation codon recognition during the protein synthesis of EXT2. <i>Scientific Reports</i> , 2016 , 6, 33549	4.9	17	
113	Molecular mechanism underlying promiscuous polyamine recognition by spermidine acetyltransferase. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 76, 87-97	5.6	6	
112	Effect of Spermidine Analogues on Cell Growth of Escherichia coli Polyamine Requiring Mutant MA261. <i>PLoS ONE</i> , 2016 , 11, e0159494	3.7	4	

111	Aggravation of brain infarction through an increase in acrolein production and a decrease in glutathione with aging. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 473, 630-5	3.4	19
110	Toxic acrolein production due to Ca(2+) influx by the NMDA receptor during stroke. <i>Atherosclerosis</i> , 2016 , 244, 131-7	3.1	9
109	Evaluation of dementia by acrolein, amyloid-land creatinine. Clinica Chimica Acta, 2015, 450, 56-63	6.2	29
108	Spermidine and Ca(2+), but not Na(+), can permeate NMDA receptors consisting of GluN1 and GluN2A or GluN2B in the presence of Mg(2+). <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 1190-5	3.4	8
107	Modulation of protein synthesis by polyamines. <i>IUBMB Life</i> , 2015 , 67, 160-9	4.7	91
106	Polyamine stimulation of eEF1A synthesis based on the unusual position of a complementary sequence to 18S rRNA in eEF1A mRNA. <i>Amino Acids</i> , 2015 , 47, 345-56	3.5	12
105	Polyphenol extract from Phellinus igniarius protects against acrolein toxicity in vitro and provides protection in a mouse stroke model. <i>PLoS ONE</i> , 2015 , 10, e0122733	3.7	25
104	Increase in acrolein-conjugated immunoglobulins in saliva from patients with primary Sjgren's syndrome. <i>Clinica Chimica Acta</i> , 2015 , 450, 184-9	6.2	15
103	Distinguishing mild cognitive impairment from Alzheimer's disease with acrolein metabolites and creatinine in urine. <i>Clinica Chimica Acta</i> , 2015 , 441, 115-21	6.2	18
102	Three members of polyamine modulon under oxidative stress conditions: two transcription factors (SoxR and EmrR) and a glutathione synthetic enzyme (GshA). <i>PLoS ONE</i> , 2015 , 10, e0124883	3.7	17
101	Utility of SPM8 plus DARTEL (VSRAD) combined with magnetic resonance spectroscopy as adjunct techniques for screening and predicting dementia due to Alzheimer disease in clinical practice. <i>Journal of Alzheimer</i> Disease, 2014, 41, 1207-22	4.3	12
100	Distinction between mild cognitive impairment and Alzheimer's disease by CSF amyloid 10 and 12, and protein-conjugated acrolein. <i>Clinica Chimica Acta</i> , 2014 , 430, 150-5	6.2	30
99	Identification of functional amino acid residues involved in polyamine and agmatine transport by human organic cation transporter 2. <i>PLoS ONE</i> , 2014 , 9, e102234	3.7	7
98	Practical fluorescence detection of acrolein in human plasma via a two-step tethering approach. <i>Chemical Communications</i> , 2014 , 50, 14946-8	5.8	21
97	Properties of putrescine uptake by PotFGHI and PuuP and their physiological significance in Escherichia coli. <i>Amino Acids</i> , 2014 , 46, 661-70	3.5	17
96	Acetaldehyde-induced cytotoxicity involves induction of spermine oxidase at the transcriptional level. <i>Toxicology</i> , 2013 , 310, 1-7	4.4	7
95	In vitro and in vivo evaluation of polymethylene tetraamine derivatives as NMDA receptor channel blockers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 3901-4	2.9	5
94	Acrolein-conjugated low-density lipoprotein induces macrophage foam cell formation. <i>Atherosclerosis</i> , 2013 , 227, 51-7	3.1	31

(2011-2013)

93	Inactivation of GAPDH as one mechanism of acrolein toxicity. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 1265-71	3.4	26
92	Role of polyamines at the G1/S boundary and G2/M phase of the cell cycle. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 1042-50	5.6	28
91	Acrolein stimulates the synthesis of IL-6 and C-reactive protein (CRP) in thrombosis model mice and cultured cells. <i>Journal of Neurochemistry</i> , 2013 , 127, 652-9	6	15
90	Polyamines and their metabolites as diagnostic markers of human diseases. <i>Biomolecules and Therapeutics</i> , 2013 , 21, 1-9	4.2	94
89	Structure and function of polyamine-amino acid antiporters CadB and PotE in Escherichia coli. <i>Amino Acids</i> , 2012 , 42, 733-40	3.5	19
88	Antagonism of NMDA receptors by butanesulfonyl-homospermine guanidine and neuroprotective effects in in vitro and in vivo. <i>Neuroscience Letters</i> , 2012 , 506, 251-5	3.3	6
87	Augmented glutathione synthesis decreases acrolein toxicity. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 418, 110-5	3.4	27
86	Increase in cell viability by polyamines through stimulation of the synthesis of ppGpp regulatory protein and protein of RNA polymerase in Escherichia coli. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 412-22	5.6	18
85	Inverse correlation between stroke and urinary 3-hydroxypropyl mercapturic acid, an acrolein-glutathione metabolite. <i>Clinica Chimica Acta</i> , 2012 , 413, 753-9	6.2	29
84	Enhanced biofilm formation and/or cell viability by polyamines through stimulation of response regulators UvrY and CpxR in the two-component signal transducing systems, and ribosome recycling factor. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 1877-86	5.6	36
83	Structural changes of regulatory domain heterodimer of N-methyl-D-aspartate receptor subunits GluN1 and GluN2B through the binding of spermine and ifenprodil. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 343, 82-90	4.7	15
82	Increased protein-conjugated acrolein and amyloid-40/42 ratio in plasma of patients with mild cognitive impairment and Alzheimer disease. <i>Journal of Alzheimer Disease</i> , 2012 , 32, 33-41	4.3	49
81	AMD1 is essential for ESC self-renewal and is translationally down-regulated on differentiation to neural precursor cells. <i>Genes and Development</i> , 2012 , 26, 461-73	12.6	41
80	Use of polyamine metabolites as markers for stroke and renal failure. <i>Methods in Molecular Biology</i> , 2011 , 720, 395-408	1.4	14
79	Relationship between metabolic disorders and relative risk values of brain infarction estimated by protein-conjugated acrolein, IL-6 and CRP together with age. <i>Clinica Chimica Acta</i> , 2011 , 412, 339-42	6.2	6
78	Brain infarction correlates more closely with acrolein than with reactive oxygen species. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 404, 1044-9	3.4	56
77	Protein-conjugated acrolein as a biochemical marker of brain infarction. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 1332-41	5.9	43
76	Characterization of genes for polyamine modulon. <i>Methods in Molecular Biology</i> , 2011 , 720, 51-65	1.4	12

75	Identification and functions of amino acid residues in PotB and PotC involved in spermidine uptake activity. <i>Journal of Biological Chemistry</i> , 2010 , 285, 39061-9	5.4	6
74	Ribosome modulation factor, an important protein for cell viability encoded by the polyamine modulon. <i>Journal of Biological Chemistry</i> , 2010 , 285, 28698-707	5.4	25
73	Modulation of cellular function by polyamines. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 39-51	5.6	564
72	Identification of acrolein-conjugated protein in plasma of patients with brain infarction. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 1234-9	3.4	30
71	Intense correlation between protein-conjugated acrolein and primary Sjgren's syndrome. <i>Clinica Chimica Acta</i> , 2010 , 411, 359-63	6.2	31
70	Correlation between images of silent brain infarction, carotid atherosclerosis and white matter hyperintensity, and plasma levels of acrolein, IL-6 and CRP. <i>Atherosclerosis</i> , 2010 , 211, 475-9	3.1	51
69	Characteristics of cellular polyamine transport in prokaryotes and eukaryotes. <i>Plant Physiology and Biochemistry</i> , 2010 , 48, 506-12	5.4	128
68	Intense correlation between brain infarction and protein-conjugated acrolein. Stroke, 2009, 40, 3356-61	6.7	73
67	Enhancement of the synthesis of RpoE and StpA by polyamines at the level of translation in escherichia coli under heat shock conditions. <i>Journal of Bacteriology</i> , 2009 , 191, 5348-57	3.5	21
66	Identification of proteins whose synthesis is preferentially enhanced by polyamines at the level of translation in mammalian cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2009 , 41, 2251-61	5.6	32
65	Polyamine modulon in yeast-Stimulation of COX4 synthesis by spermidine at the level of translation. <i>International Journal of Biochemistry and Cell Biology</i> , 2009 , 41, 2538-45	5.6	25
64	Acrolein toxicity: Comparison with reactive oxygen species. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 313-8	3.4	94
63	Acrolein, IL-6 and CRP as markers of silent brain infarction. <i>Atherosclerosis</i> , 2009 , 203, 557-62	3.1	49
62	Binding of spermine and ifenprodil to a purified, soluble regulatory domain of the N-methyl-D-aspartate receptor. <i>Journal of Neurochemistry</i> , 2008 , 107, 1566-77	6	43
61	Selective structural change of bulged-out region of double-stranded RNA containing bulged nucleotides by spermidine. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 370, 572-7	3.4	15
60	Selective structural change by spermidine in the bulged-out region of double-stranded RNA and its effect on RNA function. <i>Journal of Biological Chemistry</i> , 2008 , 283, 32989-94	5.4	36
59	The pore region of N-methyl-D-aspartate receptors differentially influences stimulation and block by spermine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 327, 68-77	4.7	22
58	Identification of a spermidine excretion protein complex (MdtJI) in Escherichia coli. <i>Journal of Bacteriology</i> , 2008 , 190, 872-8	3.5	71

(2003-2007)

57	Enhancement of the synthesis of RpoN, Cra, and H-NS by polyamines at the level of translation in Escherichia coli cultured with glucose and glutamate. <i>Journal of Bacteriology</i> , 2007 , 189, 2359-68	3.5	34
56	Polyamine uptake by DUR3 and SAM3 in Saccharomyces cerevisiae. <i>Journal of Biological Chemistry</i> , 2007 , 282, 7733-41	5.4	73
55	Decrease in polyamines with aging and their ingestion from food and drink. <i>Journal of Biochemistry</i> , 2006 , 139, 81-90	3.1	168
54	Polyamine Modulon in Escherichia coli: genes involved in the stimulation of cell growth by polyamines. <i>Journal of Biochemistry</i> , 2006 , 139, 11-6	3.1	126
53	Identification of the cadaverine recognition site on the cadaverine-lysine antiporter CadB. <i>Journal of Biological Chemistry</i> , 2006 , 281, 29213-20	5.4	34
52	Enhancement of +1 frameshift by polyamines during translation of polypeptide release factor 2 in Escherichia coli. <i>Journal of Biological Chemistry</i> , 2006 , 281, 9527-37	5.4	40
51	Polyamine oxidase and acrolein as novel biochemical markers for diagnosis of cerebral stroke. <i>Stroke</i> , 2005 , 36, 2609-13	6.7	137
50	Uptake of putrescine and spermidine by Gap1p on the plasma membrane in Saccharomyces cerevisiae. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 328, 1028-33	3.4	34
49	Independent roles of eIF5A and polyamines in cell proliferation. <i>Biochemical Journal</i> , 2005 , 385, 779-85	3.8	108
48	Excretion of putrescine and spermidine by the protein encoded by YKL174c (TPO5) in Saccharomyces cerevisiae. <i>Journal of Biological Chemistry</i> , 2005 , 280, 12637-42	5.4	38
47	Characteristics of the polyamine transporter TPO1 and regulation of its activity and cellular localization by phosphorylation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 9646-52	5.4	62
46	The role of ribosome recycling factor in dissociation of 70S ribosomes into subunits. <i>Rna</i> , 2005 , 11, 131	7 <i>-</i> 2. 8	79
45	Anthraquinone polyamines: novel channel blockers to study N-methyl-D-aspartate receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 309, 884-93	4.7	21
44	Structural and functional relationship among diamines in terms of inhibition of cell growth. <i>Journal of Biochemistry</i> , 2004 , 136, 533-9	3.1	22
43	A unifying model for the role of polyamines in bacterial cell growth, the polyamine modulon. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46008-13	5.4	118
42	Excretion and uptake of cadaverine by CadB and its physiological functions in Escherichia coli. <i>Molecular Microbiology</i> , 2004 , 51, 1401-12	4.1	140
41	Polyamine transport, accumulation, and release in brain. <i>Journal of Neurochemistry</i> , 2003 , 84, 610-7	6	66
40	Increase in putrescine, amine oxidase, and acrolein in plasma of renal failure patients. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 305, 143-9	3.4	112

39	Polyamines enhance synthesis of the RNA polymerase sigma 38 subunit by suppression of an amber termination codon in the open reading frame. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37139-46	5.4	40
38	Essential role of S-adenosylmethionine decarboxylase in mouse embryonic development. <i>Genes To Cells</i> , 2002 , 7, 41-7	2.3	93
37	Channel blockers acting at N-methyl-D-aspartate receptors: differential effects of mutations in the vestibule and ion channel pore. <i>Molecular Pharmacology</i> , 2002 , 61, 533-45	4.3	151
36	The ATPase activity and the functional domain of PotA, a component of the sermidine-preferential uptake system in Escherichia coli. <i>Journal of Biological Chemistry</i> , 2002 , 277, 24212-9	5.4	21
35	Polyamine depletion induces apoptosis through mitochondria-mediated pathway. <i>Experimental Cell Research</i> , 2002 , 276, 120-8	4.2	46
34	Polyamine enhancement of the synthesis of adenylate cyclase at the translational level and the consequential stimulation of the synthesis of the RNA polymerase sigma 28 subunit. <i>Journal of Biological Chemistry</i> , 2001 , 276, 16289-95	5.4	41
33	Properties of a revertant of Escherichia coli viable in the presence of spermidine accumulation: increase in L-glycerol 3-phosphate. <i>Journal of Bacteriology</i> , 2001 , 183, 4493-8	3.5	10
32	Polyamine cytotoxicity in the presence of bovine serum amine oxidase. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 282, 228-35	3.4	138
31	Involvement of polyamines in B cell receptor-mediated apoptosis: spermine functions as a negative modulator. <i>Experimental Cell Research</i> , 2001 , 265, 174-83	4.2	31
30	Identification of the putrescine recognition site on polyamine transport protein PotE. <i>Journal of Biological Chemistry</i> , 2000 , 275, 36007-12	5.4	49
29	Polyamines: mysterious modulators of cellular functions. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 271, 559-64	3.4	692
28	Polyamine stimulation of the synthesis of oligopeptide-binding protein (OppA). Involvement of a structural change of the Shine-Dalgarno sequence and the initiation codon aug in oppa mRNA. <i>Journal of Biological Chemistry</i> , 1999 , 274, 22723-8	5.4	54
27	A regulatory domain (R1-R2) in the amino terminus of the N-methyl-D-aspartate receptor: effects of spermine, protons, and ifenprodil, and structural similarity to bacterial leucine/isoleucine/valine binding protein. <i>Molecular Pharmacology</i> , 1999 , 55, 957-69	4.3	139
26	Transcriptional inhibition of the operon for the spermidine uptake system by the substrate-binding protein PotD. <i>Journal of Biological Chemistry</i> , 1999 , 274, 1942-8	5.4	32
25	Polyamine transport in bacteria and yeast. <i>Biochemical Journal</i> , 1999 , 344, 633-642	3.8	196
24	Polyamine transport in bacteria and yeast. <i>Biochemical Journal</i> , 1999 , 344, 633	3.8	69
23	Formation of a complex containing ATP, Mg2+, and spermine. Structural evidence and biological significance. <i>Journal of Biological Chemistry</i> , 1998 , 273, 30939-44	5.4	39
22	Excretion and uptake of putrescine by the PotE protein in Escherichia coli. <i>Journal of Biological Chemistry</i> , 1997 , 272, 6318-23	5.4	75

21	Molecular mechanism of polyamine stimulation of the synthesis of oligopeptide-binding protein. Journal of Biological Chemistry, 1997 , 272, 4058-64	5.4	43
20	N1-dansyl-spermine and N1-(n-octanesulfonyl)-spermine, novel glutamate receptor antagonists: block and permeation of N-methyl-D-aspartate receptors. <i>Molecular Pharmacology</i> , 1997 , 51, 861-71	4.3	60
19	Spermidine-preferential uptake system in Escherichia coli. Identification of amino acids involved in polyamine binding in PotD protein. <i>Journal of Biological Chemistry</i> , 1996 , 271, 12205-8	5.4	58
18	Crystal structure of PotD, the primary receptor of the polyamine transport system in Escherichia coli. <i>Journal of Biological Chemistry</i> , 1996 , 271, 9519-25	5.4	73
17	Overproduction of S-adenosylmethionine decarboxylase in ethylglyoxal-bis(guanylhydrazone)-resistant mouse FM3A cells. <i>FEBS Journal</i> , 1993 , 215, 247-53		23
16	Correlation between the inhibition of cell growth by accumulated polyamines and the decrease of magnesium and ATP. <i>FEBS Journal</i> , 1993 , 217, 89-96		57
15	Ornithine decarboxylase is degraded by the 26S proteasome without ubiquitination. <i>Nature</i> , 1992 , 360, 597-9	50.4	693
14	Correlation between spermine stimulation of rat liver Ile-tRNA formation and structural change of the acceptor stem by spermine. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 177, 745-5	0 ^{3.4}	20
13	Effect of polyamines on globin synthesis in a rabbit reticulocyte polyamine-free protein synthetic system. <i>Journal of Biochemistry</i> , 1989 , 105, 164-7	3.1	45
12	Relationship among activation of the Na+/H+ antiporter, ornithine decarboxylase induction, and DNA synthesis. <i>Archives of Biochemistry and Biophysics</i> , 1987 , 259, 171-8	4.1	31
11	Differential stimulation by polyamines of phage DNA-directed in vitro synthesis of proteins. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1983 , 740, 362-8		11
10	Increase of fidelity of polypeptide synthesis by spermidine in eukaryotic cell-free systems. <i>FEBS Journal</i> , 1982 , 128, 597-604		33
9	Decrease in the S1 protein of 30-S ribosomal subunits in polyamine-requiring mutants of Escherichia coli grown in the absence of polyamines. <i>FEBS Journal</i> , 1981 , 114, 127-31		35
8	Differential stimulation by polyamines of phage RNA-directed synthesis of proteins. <i>Nucleic Acids and Protein Synthesis</i> , 1981 , 656, 134-9		34
7	Relationship between methylation of adenine near the 3Tend of 16-S ribosomal RNA and the activity of 30-S ribosomal subunits. <i>FEBS Journal</i> , 1981 , 113, 587-93		29
6	Stimulation by polyamines of enzymatic methylation of two adjacent adenines near the 3Tand end of 16S ribosomal RNA of Escherichia coli. <i>Biochemical and Biophysical Research Communications</i> , 1980 , 96, 678-84	3.4	11
5	Inhibition by polyamines of lipid peroxide formation in rat liver microsomes. <i>Biochemical and Biophysical Research Communications</i> , 1979 , 87, 388-94	3.4	138
4	Effect of polyamines on isoleucyl-tRNA formation by rat-liver isoleucyl-tRNA synthetase. <i>FEBS Journal</i> , 1978 , 82, 301-7		29

3	Dependency of spermidine stimulation of polypeptide synthesis on the uracil content of messenger ribonucleic acid. <i>Biochemical and Biophysical Research Communications</i> , 1975 , 67, 407-13	3.4	19
2	Effect of polyamines of polyphenylalanine synthesis by Escherichia coli and rat-liver ribosomes. <i>FEBS Journal</i> , 1974 , 48, 495-502		107
1	Effect of polyamines on polypeptide synthesis in rat liver cell-free system. <i>Nucleic Acids and Protein Synthesis</i> , 1973 , 299, 325-30		31