

# Rudolf Kaaks

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8977014/rudolf-kaaks-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

510  
papers

34,618  
citations

92  
h-index

170  
g-index

542  
ext. papers

40,422  
ext. citations

7.5  
avg, IF

6.63  
L-index

#	Paper	IF	Citations
510	Overweight, obesity and cancer: epidemiological evidence and proposed mechanisms. <i>Nature Reviews Cancer</i> , <b>2004</b> , 4, 579-91	31.3	2607
509	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. <i>Public Health Nutrition</i> , <b>2002</b> , 5, 1113-24	3.3	1335
508	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , <b>2003</b> , 361, 1496-501	4.0	809
507	The EPIC Project: rationale and study design. European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26 Suppl 1, S6-14	7.8	678
506	Overweight, obesity, and cancer risk. <i>Lancet Oncology, The</i> , <b>2002</b> , 3, 565-74	21.7	666
505	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , <b>2017</b> , 551, 92-94	50.4	643
504	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 906-16	9.7	603
503	Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. <i>Nature Genetics</i> , <b>2009</b> , 41, 986-90	36.3	483
502	Serum C-peptide, insulin-like growth factor (IGF)-I, IGF-binding proteins, and colorectal cancer risk in women. <i>Journal of the National Cancer Institute</i> , <b>2000</b> , 92, 1592-600	9.7	481
501	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. <i>Nature Genetics</i> , <b>2010</b> , 42, 224-8	36.3	463
500	Energy balance and cancer: the role of insulin and insulin-like growth factor-I. <i>Proceedings of the Nutrition Society</i> , <b>2001</b> , 60, 91-106	2.9	427
499	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , <b>2006</b> , 98, 920-31	9.7	415
498	Body size and breast cancer risk: findings from the European Prospective Investigation into Cancer And Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2004</b> , 111, 762-71	7.5	397
497	Obesity, endogenous hormones, and endometrial cancer risk: a synthetic review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2002</b> , 11, 1531-43	4	394
496	Postmenopausal serum androgens, oestrogens and breast cancer risk: the European prospective investigation into cancer and nutrition. <i>Endocrine-Related Cancer</i> , <b>2005</b> , 12, 1071-82	5.7	375
495	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , <b>2018</b> , 559, 400-404	50.4	368
494	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , <b>2019</b> , 104, 21-34	11	363

493	Serum sex steroids in premenopausal women and breast cancer risk within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 755-65	9.7	355
492	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , <b>2013</b> , 45, 392-8, 398e1-2	36.3	327
491	European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study: rationale, design and population characteristics. <i>Public Health Nutrition</i> , <b>2002</b> , 5, 1125-45	3.3	311
490	Plasma insulin-like growth factor-I, insulin-like growth factor-binding proteins, and prostate cancer risk: a prospective study. <i>Journal of the National Cancer Institute</i> , <b>2000</b> , 92, 1910-7	9.7	292
489	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. <i>BMJ, The</i> , <b>2010</b> , 340, b5500	5.9	289
488	Nutrition, hormones, and breast cancer: is insulin the missing link?. <i>Cancer Causes and Control</i> , <b>1996</b> , 7, 605-25	2.8	287
487	Prospective study of hyperglycemia and cancer risk. <i>Diabetes Care</i> , <b>2007</b> , 30, 561-7	14.6	276
486	A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor-negative breast cancer. <i>Nature Genetics</i> , <b>2011</b> , 43, 1210-4	36.3	253
485	Ovarian Cancer Risk Factors by Histologic Subtype: An Analysis From the Ovarian Cancer Cohort Consortium. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 2888-98	2.2	236
484	Obesity and colon cancer: does leptin provide a link?. <i>International Journal of Cancer</i> , <b>2004</b> , 109, 149-52	7.5	233
483	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 150-63	7	231
482	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , <b>2014</b> , 46, 736-41	36.3	228
481	Body mass index, circulating levels of sex-steroid hormones, IGF-I and IGF-binding protein-3: a cross-sectional study in healthy women. <i>European Journal of Endocrinology</i> , <b>2004</b> , 150, 161-71	6.5	228
480	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1441-52	7	227
479	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , <b>2014</b> , 46, 994-1000	36.3	226
478	Insulin-like growth factors, their binding proteins, and prostate cancer risk: analysis of individual patient data from 12 prospective studies. <i>Annals of Internal Medicine</i> , <b>2008</b> , 149, 461-71, W83-8	8	226
477	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 613-21	7	219
476	Sex hormones and risk of breast cancer in premenopausal women: a collaborative reanalysis of individual participant data from seven prospective studies. <i>Lancet Oncology, The</i> , <b>2013</b> , 14, 1009-19	21.7	202

475	Plasma insulin-like growth factor 1, insulin-like growth factor binding protein 3, and risk of colorectal cancer: a prospective study in northern Sweden. <i>Gut</i> , <b>2002</b> , 50, 642-6	19.2	201
474	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2065-72	7.5	194
473	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , <b>2017</b> , 49, 1767-1778	36.3	186
472	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , <b>2008</b> , 15, 485-97	5.7	184
471	Circulating levels of sex steroid hormones and risk of endometrial cancer in postmenopausal women. <i>International Journal of Cancer</i> , <b>2004</b> , 108, 425-32	7.5	181
470	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , <b>2012</b> , 7, e39361	3.7	179
469	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 255-63	5.6	169
468	Age at menarche in relation to adult height: the EPIC study. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 623-32	3.8	168
467	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , <b>2011</b> , 103, 1686-95	9.7	167
466	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 2398-407	4	167
465	Validation and calibration of dietary intake measurements in the EPIC project: methodological considerations. European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26 Suppl 1, S15-25	7.8	165
464	Postmenopausal levels of oestrogen, androgen, and SHBG and breast cancer: long-term results of a prospective study. <i>British Journal of Cancer</i> , <b>2004</b> , 90, 153-9	8.7	165
463	Leptin is associated with increased prostate cancer risk: a nested case-referent study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1341-5	5.6	159
462	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , <b>2011</b> , 54, 2272-82	10.3	155
461	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , <b>2011</b> , 60, 1094-102	19.2	151
460	Prediagnostic levels of C-peptide, IGF-I, IGFBP -1, -2 and -3 and risk of endometrial cancer. <i>International Journal of Cancer</i> , <b>2004</b> , 108, 262-8	7.5	149
459	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 1702-15	7.5	146
458	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , <b>2018</b> , 39, 397-406	9.5	146

457	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , <b>2016</b> , 8, 599-618	4.4	145
456	Hypomethylation of smoking-related genes is associated with future lung cancer in four prospective cohorts. <i>Nature Communications</i> , <b>2015</b> , 6, 10192	17.4	144
455	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 368-76	7.5	144
454	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 5373-84	5.6	143
453	Prospective study of IGF-I, IGF-binding proteins, and breast cancer risk, in northern and southern Sweden. <i>Cancer Causes and Control</i> , <b>2002</b> , 13, 307-16	2.8	143
452	A candidate gene approach to searching for low-penetrance breast and prostate cancer genes. <i>Nature Reviews Cancer</i> , <b>2005</b> , 5, 977-85	31.3	142
451	Obesity related hyperinsulinaemia and hyperglycaemia and cancer development. <i>Archives of Physiology and Biochemistry</i> , <b>2009</b> , 115, 86-96	2.2	140
450	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , <b>2014</b> , 12, 168	11.4	135
449	Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. <i>Journal of the National Cancer Institute</i> , <b>2011</b> , 103, 1252-63	9.7	134
448	Long-term weight change and breast cancer risk: the European prospective investigation into cancer and nutrition (EPIC). <i>British Journal of Cancer</i> , <b>2005</b> , 93, 582-9	8.7	132
447	Pilot phase studies on the accuracy of dietary intake measurements in the EPIC project: overall evaluation of results. European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26 Suppl 1, S26-36	7.8	131
446	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , <b>2018</b> , 4, e181771	13.4	129
445	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , <b>2017</b> , 167, 236-247	8	127
444	Lung cancer mortality reduction by LDCT screening-Results from the randomized German LUSI trial. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 1503-1513	7.5	125
443	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 2377-85	27.4	122
442	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: a study within the EPIC cohort. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 2832-9	7.5	120
441	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , <b>2006</b> , 13, 593-605	5.7	119
440	High levels of circulating insulin-like growth factor-I increase prostate cancer risk: a prospective study in a population-based nonscreened cohort. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 3104-12	2.2	117

439	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , <b>2010</b> , 17, 1007-19	5.7	116
438	A metabolomic study of biomarkers of meat and fish intake. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 600-608	7	115
437	Components of the metabolic syndrome and colorectal cancer risk; a prospective study. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 304-14	5.5	115
436	A cross-sectional study of IGF-I determinants in women. <i>European Journal of Cancer Prevention</i> , <b>2001</b> , 10, 443-52	2	111
435	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1304-12	7	111
434	Higher plasma levels of lysophosphatidylcholine 18:0 are related to a lower risk of common cancers in a prospective metabolomics study. <i>BMC Medicine</i> , <b>2016</b> , 14, 13	11.4	107
433	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , <b>2007</b> , 61, 91-8	5.2	106
432	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , <b>2017</b> , 75, 299-307	7.5	104
431	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , <b>2018</b> , 9, 556	17.4	103
430	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1333-40	4	103
429	Fatty-acid composition in serum phospholipids and risk of breast cancer: an incident case-control study in Sweden. <i>International Journal of Cancer</i> , <b>1999</b> , 83, 585-90	7.5	103
428	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. <i>British Journal of Cancer</i> , <b>2006</b> , 94, 299-307	8.7	102
427	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , <b>2018</b> , 50, 968-978	36.3	101
426	Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 144-56	7.5	101
425	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 4550-7	2.2	101
424	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 1552-6	4	101
423	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 368-78	7.8	99
422	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 2079-89	4	98



421	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 1772-90	7.8	96
420	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. <i>Cancer Prevention Research</i> , <b>2011</b> , 4, 1626-35	3.2	95
419	Circulating levels of insulin-like growth factor I, its binding proteins -1,-2, -3, C-peptide and risk of postmenopausal breast cancer. <i>International Journal of Cancer</i> , <b>2003</b> , 106, 90-5	7.5	95
418	Whole-Body MR Imaging in the German National Cohort: Rationale, Design, and Technical Background. <i>Radiology</i> , <b>2015</b> , 277, 206-20	20.5	92
417	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohort--a factor analysis. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 787-99	3.8	91
416	Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2006</b> , 119, 659-67	7.5	91
415	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 407-18	3.8	90
414	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , <b>2007</b> , 14, 755-67	5.7	90
413	Breast-cancer incidence in relation to height, weight and body-fat distribution in the Dutch "DOM" cohort. <i>International Journal of Cancer</i> , <b>1998</b> , 76, 647-51	7.5	89
412	Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , <b>2013</b> , 22, 2520-8	5.6	88
411	Postmenopausal breast cancer risk in relation to sex steroid hormones, prolactin and SHBG (Sweden). <i>Cancer Causes and Control</i> , <b>2003</b> , 14, 599-607	2.8	88
410	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 2394-403	7.5	86
409	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , <b>2016</b> , 76, 2288-2300	10.1	85
408	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2656-64	7.5	85
407	Effects of dietary intervention on IGF-I and IGF-binding proteins, and related alterations in sex steroid metabolism: the Diet and Androgens (DIANA) Randomised Trial. <i>European Journal of Clinical Nutrition</i> , <b>2003</b> , 57, 1079-88	5.2	84
406	DNA methylation changes measured in pre-diagnostic peripheral blood samples are associated with smoking and lung cancer risk. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 50-61	7.5	83
405	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63 Suppl 4, S61-80	5.2	83
404	Serum adiponectin is not associated with risk of colorectal cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 401-2	4	83

403	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , <b>2012</b> , 14, R76	8.3	82
402	Pregnancy loss and risk of cardiovascular disease: a prospective population-based cohort study (EPIC-Heidelberg). <i>Heart</i> , <b>2011</b> , 97, 49-54	5.1	80
401	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 347-55	7.5	80
400	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , <b>2013</b> , 24, 543-553	10.3	79
399	The influence of overweight and insulin resistance on breast cancer risk and tumour stage at diagnosis: a prospective study. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 113, 567-76	4.4	79
398	Insulin resistance is inversely related to prostate cancer: a prospective study in Northern Sweden. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2678-86	7.5	79
397	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , <b>2005</b> , 16, 561-72	2.8	79
396	Effects of intermittent and continuous calorie restriction on body weight and metabolism over 50 wk: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 108, 933-945	7	79
395	Lifestyle determinants of serum insulin-like growth-factor-I (IGF-I), C-peptide and hormone binding protein levels in British women. <i>Cancer Causes and Control</i> , <b>2003</b> , 14, 65-74	2.8	78
394	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 6616-33	5.6	77
393	Plasma androgens, IGF-1, body size, and prostate cancer risk: a synthetic review. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2000</b> , 3, 157-172	6.2	77
392	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , <b>2020</b> , 52, 572-581	36.3	76
391	Plasma insulin, IGF-binding proteins-1 and -2 and risk of colorectal cancer: a prospective study in northern Sweden. <i>International Journal of Cancer</i> , <b>2003</b> , 107, 89-93	7.5	75
390	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1479-1490	11.5	72
389	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , <b>2012</b> , 23, 1320-1324	10.3	71
388	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 454-64	7	69
387	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , <b>2014</b> , 4, e005245	3	68
386	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 598-606	7.5	68



385	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , <b>2011</b> , 54, 3037-46	10.3	66
384	A risk model for lung cancer incidence. <i>Cancer Prevention Research</i> , <b>2012</b> , 5, 834-46	3.2	66
383	Effects of weight control and physical activity in cancer prevention: role of endogenous hormone metabolism. <i>Annals of the New York Academy of Sciences</i> , <b>2002</b> , 963, 268-81	6.5	66
382	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , <b>2016</b> , 7, 66328-66343	3.3	66
381	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , <b>2006</b> , 30, 1623-31	5.5	65
380	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 653-63	3.8	64
379	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2013</b> , 8, e72715	3.7	64
378	Metformin and Rapamycin Reduce Pancreatic Cancer Growth in Obese Prediabetic Mice by Distinct MicroRNA-Regulated Mechanisms. <i>Diabetes</i> , <b>2015</b> , 64, 1632-42	0.9	63
377	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , <b>2009</b> , 33, 497-506	5.5	63
376	Automatic quantification of subcutaneous and visceral adipose tissue from whole-body magnetic resonance images suitable for large cohort studies. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 36, 1421-34	5.6	62
375	Diabetes mellitus type 2 - an independent risk factor for cancer?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2010</b> , 118, 4-8	2.3	62
374	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , <b>2015</b> , 13, 242	11.4	60
373	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , <b>2011</b> , 38, 194-202	1.7	59
372	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3108-15	4	59
371	Circulating levels of sex steroid hormones and risk of ovarian cancer. <i>International Journal of Cancer</i> , <b>2003</b> , 104, 636-42	7.5	59
370	Serum levels of insulin-like growth factor-I, IGF-binding protein 1 and 3, and insulin and endometrial cancer risk. <i>British Journal of Cancer</i> , <b>2003</b> , 89, 1697-704	8.7	59
369	Validation of anthropometric indices of adiposity against whole-body magnetic resonance imaging--a study within the German European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts. <i>PLoS ONE</i> , <b>2014</b> , 9, e91586	3.7	59
368	Nonlinear relationship of insulin-like growth factor (IGF)-I and IGF-I/IGF-binding protein-3 ratio with indices of adiposity and plasma insulin concentrations (Sweden). <i>Cancer Causes and Control</i> , <b>2002</b> , 13, 509-16	2.8	58

367	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , <b>2021</b> , 42, 2439-2454	9.5	58
366	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 348-60	7.5	58
365	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 4664-75	12.9	58
364	Selecting High-Risk Individuals for Lung Cancer Screening: A Prospective Evaluation of Existing Risk Models and Eligibility Criteria in the German EPIC Cohort. <i>Cancer Prevention Research</i> , <b>2015</b> , 8, 777-85	3.2	57
363	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 646-57	7.5	57
362	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 104, 406-14	7	57
361	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1323-1331.e6	6.9	57
360	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , <b>2013</b> , 13, 584	4.8	56
359	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2011</b> , 9, 137-44	6.9	56
358	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , <b>2020</b> , 52, 56-73	36.3	56
357	Reducing bioavailable sex hormones through a comprehensive change in diet: the diet and androgens (DIANA) randomized trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2001</b> , 10, 25-33	4	56
356	The associations of diet with serum insulin-like growth factor I and its main binding proteins in 292 women meat-eaters, vegetarians, and vegans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2002</b> , 11, 1441-8	4	56
355	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , <b>2018</b> , 4, e182078	13.4	55
354	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1921-30	7.5	55
353	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 1947-57	7.5	54
352	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , <b>2014</b> , 25, 1422-1428	10.3	54
351	Nutrition, metabolic factors and cancer risk. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 22, 551-71	6.5	54
350	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , <b>2012</b> , 72, 5328-37	10.1	53

349	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , <b>2014</b> , 29, 261-75	12.1	50
348	Lifestyle and cancer risk. <i>Cancer Journal (Sudbury, Mass)</i> , <b>2015</b> , 21, 104-10	2.2	48
347	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohns and Colitis</i> , <b>2018</b> , 12, 129-136	1.5	48
346	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 2619-29	7.5	48
345	Tumor necrosis factor (TNF)- $\alpha$ soluble TNF receptors and endometrial cancer risk: the EPIC study. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 2032-7	7.5	48
344	Quantitative analysis of DNA methylation after whole bisulfite amplification of a minute amount of DNA from body fluids. <i>Epigenetics</i> , <b>2009</b> , 4, 221-30	5.7	48
343	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2007</b> , 166, 912-23	3.8	48
342	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , <b>2021</b> , 19, 1	11.4	48
341	Nutrition, insulin, IGF-1 metabolism and cancer risk: a summary of epidemiological evidence. <i>Novartis Foundation Symposium</i> , <b>2004</b> , 262, 247-60; discussion 260-68		48
340	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 752-61	7.8	47
339	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2887-99	7.5	47
338	IGF-1 and IGFBP-3: Risk of prostate cancer among men in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2267-73	7.5	47
337	Human papillomavirus antibodies and future risk of anogenital cancer: a nested case-control study in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 877-84	2.2	46
336	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 3089-101	5.6	46
335	Blood lipids and lipoproteins in relation to incidence and mortality risks for CVD and cancer in the prospective EPIC-Heidelberg cohort. <i>BMC Medicine</i> , <b>2017</b> , 15, 218	11.4	45
334	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1196-208	7.5	45
333	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 102, 1498-508	7	44
332	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , <b>2017</b> , 15, 115	11.4	44

331	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 2683-90	7.5	44
330	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1689-700	7.5	44
329	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , <b>2012</b> , 106, 1866-74	8.7	44
328	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , <b>2018</b> , 361, k934	5.9	44
327	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 951-61	4	43
326	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2015</b> , 137, 940-8	7.5	43
325	Endogenous androgens and risk of epithelial ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 23-9	4	43
324	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 905-915	7.5	42
323	Random Survival Forest in practice: a method for modelling complex metabolomics data in time to event analysis. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 1406-1420	7.8	42
322	Albumin, bilirubin, uric acid and cancer risk: results from a prospective population-based study. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 1572-1579	8.7	42
321	Serum metabolites and risk of myocardial infarction and ischemic stroke: a targeted metabolomic approach in two German prospective cohorts. <i>European Journal of Epidemiology</i> , <b>2018</b> , 33, 55-66	12.1	42
320	Circulating fatty acids and prostate cancer risk: individual participant meta-analysis of prospective studies. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	41
319	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , <b>2014</b> , 111, 1870-80	8.7	41
318	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , <b>2020</b> , 106, 389-404	11	40
317	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 168-77	7	40
316	Systematic review: Tumor-associated antigen autoantibodies and ovarian cancer early detection. <i>Gynecologic Oncology</i> , <b>2017</b> , 147, 465-480	4.9	40
315	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , <b>2009</b> , 20, 785-94	2.8	40
314	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , <b>2012</b> , 106, 1004-10	8.7	40

313	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 15	8.3	39
312	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002409	11.6	39
311	Primary preventive potential for stroke by avoidance of major lifestyle risk factors: the European Prospective Investigation into Cancer and Nutrition-Heidelberg cohort. <i>Stroke</i> , <b>2014</b> , 45, 2041-6	6.7	39
310	Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 3873-84	5.6	39
309	Identification of novel genetic markers of breast cancer survival. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107,	9.7	38
308	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2741-7	7.5	38
307	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2004</b> , 13, 1595-603	4.0	38
306	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110, 831-842	9.7	37
305	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2204-10	7.5	37
304	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , <b>2017</b> , 16, 3137-3146	5.6	37
303	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 902-10	7	37
302	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 106, 263-275	7	36
301	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 255-66	12.1	36
300	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , <b>2018</b> , 74, 585-594	10.2	36
299	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2475-81	7.5	36
298	Implications for prostate cancer of insulin-like growth factor-I (IGF-I) genetic variation and circulating IGF-I levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 4820-6	5.6	36
297	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesPHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 466-71	4	35
296	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 976-85 <sup>4</sup>	4	35



295	Timing of HPV16-E6 antibody seroconversion before OPSCC: findings from the HPVC3 consortium. <i>Annals of Oncology</i> , <b>2019</b> , 30, 1335-1343	10.3	34
294	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , <b>2017</b> , 15, 122	11.4	34
293	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , <b>2016</b> , 40, 179-87	2.8	34
292	Premenopausal serum androgens and breast cancer risk: a nested case-control study. <i>Breast Cancer Research</i> , <b>2012</b> , 14, R32	8.3	34
291	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). <i>European Journal of Clinical Nutrition</i> , <b>2017</b> , 71, 512-518	5.2	33
290	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , <b>2008</b> , 93, 842-50	6.6	33
289	Common genetic variation in the IGF-1 gene, serum IGF-I levels and breast density. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 112, 109-22	4.4	33
288	Potential Predictors of Plasma Fibroblast Growth Factor 23 Concentrations: Cross-Sectional Analysis in the EPIC-Germany Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133580	3.7	33
287	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , <b>2016</b> , 14, 87	11.4	32
286	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 619-28	4	32
285	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1332-1342	7.5	32
284	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 612-21	7.5	31
283	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , <b>2020</b> , 10, 14541	4.9	31
282	Androgens Are Differentially Associated with Ovarian Cancer Subtypes in the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , <b>2017</b> , 77, 3951-3960	10.1	30
281	Post-GWAS gene-environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79,000 women. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 5260-70	5.6	30
280	Associations of plasma C-peptide and IGFBP-1 levels with risk of colorectal adenoma in a multiethnic population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 1471-7	4	30
279	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , <b>2019</b> , 70, 885-892	13.4	30
278	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , <b>2016</b> , 9, 758-65	3.2	29



277	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 51-60	12.1	29
276	Obesity as risk factor for subtypes of breast cancer: results from a prospective cohort study. <i>BMC Cancer</i> , <b>2018</b> , 18, 616	4.8	29
275	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2428-37	7.5	29
274	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 1384-93	3.8	29
273	Insulin-like growth factor-II methylation status in lymphocyte DNA and colon cancer risk in the Northern Sweden Health and Disease cohort. <i>Cancer Research</i> , <b>2009</b> , 69, 5400-5	10.1	29
272	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1246-1259	7.5	28
271	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , <b>2019</b> , 120, 647-657	8.7	28
270	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 1257-65	8.7	28
269	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , <b>2018</b> , 24, 633-640	4.5	28
268	Association of breast cancer risk loci with breast cancer survival. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2837-45	7.5	28
267	Dietary intake assessments in epidemiology: can we know what we are measuring?. <i>Annals of Epidemiology</i> , <b>2006</b> , 16, 377-80	6.4	28
266	Obesity and Breast Cancer. <i>Recent Results in Cancer Research</i> , <b>2016</b> , 208, 43-65	1.5	28
265	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , <b>2020</b> , 112, 516-524	9.7	28
264	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , <b>2015</b> , 69, 455-61	5.2	27
263	Early pregnancy sex steroids and maternal risk of epithelial ovarian cancer. <i>Endocrine-Related Cancer</i> , <b>2014</b> , 21, 831-44	5.7	27
262	Leukocyte telomere length in relation to pancreatic cancer risk: a prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 2447-54	4	27
261	Body mass index and breast cancer survival: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , <b>2017</b> , 46, 1814-1822	7.8	27
260	N-acetyltransferase 2 polymorphisms, tobacco smoking, and breast cancer risk in the breast and prostate cancer cohort consortium. <i>American Journal of Epidemiology</i> , <b>2011</b> , 174, 1316-22	3.8	27

259	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , <b>2016</b> , 7, 57011-57020	3.3	27
258	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. <i>Annals of Oncology</i> , <b>2017</b> , 28, 2836-2842	10.3	26
257	Red meat consumption and risk of cardiovascular diseases-is increased iron load a possible link?. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 107, 113-119	7	26
256	Circulating 27-Hydroxycholesterol and Breast Cancer Risk: Results From the EPIC-Heidelberg Cohort. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 365-371	9.7	26
255	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , <b>2017</b> , 15, 72	11.4	26
254	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 399-410	7.5	26
253	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 869-75	4	26
252	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002651	11.6	26
251	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 2246-2255	7.5	25
250	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 1855-63	4	25
249	Treg-Mediated Immune Tolerance and the Risk of Solid Cancers: Findings From EPIC-Heidelberg. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107,	9.7	25
248	Presence of gallstones and the risk of cardiovascular diseases: The EPIC-Germany cohort study. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 326-34	3.9	25
247	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 49	8.3	25
246	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 1928-1935	7.5	25
245	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 1620-1631	7.5	24
244	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 801-812	7.5	24
243	Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 58	8.3	24
242	Does pregnancy or pregnancy loss increase later maternal risk of diabetes?. <i>European Journal of Epidemiology</i> , <b>2012</b> , 27, 357-66	12.1	24

241	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 4181-4189	12.9	23
240	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , <b>2017</b> , 12, e0187741	3.7	23
239	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2016</b> , 25, 291-301	4	23
238	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , <b>2018</b> , 33, 1063-1075	12.1	23
237	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 161-7	7	22
236	Changes in body weight and obesity status in German adults: results of seven population-based prospective studies. <i>European Journal of Clinical Nutrition</i> , <b>2016</b> , 70, 300-5	5.2	22
235	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , <b>2017</b> , 10, 525-534	3.2	22
234	Dietary intake of acrylamide and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , <b>2014</b> , 111, 987-97	8.7	22
233	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107, 367	9.7	22
232	Comprehensive evaluation of genetic variation in the IGF1 gene and risk of prostate cancer. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 539-42	7.5	22
231	Prevalence and Progression of Lower Urinary Tract Symptoms in an Aging Population. <i>Urology</i> , <b>2016</b> , 95, 158-63	1.6	22
230	Genetic determinants of telomere length and risk of pancreatic cancer: A PANDORA study. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1275-1283	7.5	22
229	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 720-730	7.5	22
228	Mitochondrial DNA copy number variation, leukocyte telomere length, and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Breast Cancer Research</i> , <b>2018</b> , 20, 29	8.3	21
227	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , <b>2016</b> , 19, 242-54	3.3	21
226	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , <b>2021</b> , 44, 98-106	14.6	21
225	Genetic risk variants associated with in situ breast cancer. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 82	8.3	20
224	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. <i>Nature Communications</i> , <b>2020</b> , 11, 312	17.4	20

223	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 7-20	5.2	20
222	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , <b>2013</b> , 24, 2645-2651	10.3	20
221	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , <b>2015</b> , 113, 1622-31	8.7	20
220	Obesity, endogenous hormone metabolism, and prostate cancer risk: a conundrum of "highs" and "lows". <i>Cancer Prevention Research</i> , <b>2010</b> , 3, 259-62	3.2	20
219	CA19-9 and apolipoprotein-A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1877-1887	7.5	20
218	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 975-986	12.1	20
217	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	20
216	Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 162-6	8.7	19
215	Insulin-like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>International Journal of Cancer</i> , <b>2013</b> , 133, 495-504	7.5	19
214	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	19
213	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 118, 565-74	4.4	19
212	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 767-78	4	19
211	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , <b>2017</b> , 15, 26	11.4	18
210	Effects of Weight-Loss Interventions on Short-Chain Fatty Acid Concentrations in Blood and Feces of Adults: A Systematic Review. <i>Advances in Nutrition</i> , <b>2019</b> , 10, 673-684	10	18
209	Evaluation of Prediction Models for Identifying Malignancy in Pulmonary Nodules Detected via Low-Dose Computed Tomography. <i>JAMA Network Open</i> , <b>2020</b> , 3, e1921221	10.4	18
208	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 245-252	7.5	18
207	Circulating sex steroids during pregnancy and maternal risk of non-epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 324-36	4	18
206	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , <b>2019</b> , 68, 672-683	19.2	18

205	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1317-1323	7.5	17
204	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , <b>2019</b> , 79, 5442-5451	10.1	17
203	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 1293-1303	5.6	17
202	The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). <i>Cancer Research</i> , <b>2020</b> , 80, 1210-1218	10.1	17
201	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2017</b> , 12, e0173117	3.7	17
200	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2437-2448	7.5	17
199	A genome-wide pleiotropy scan for prostate cancer risk. <i>European Urology</i> , <b>2015</b> , 67, 649-57	10.2	17
198	Consumption of predefined Nordic dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 2650-9	3.3	17
197	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1360-1369	4	16
196	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107,	9.7	16
195	Epidemiology: obesity and cancer--the evidence is fattening up. <i>Nature Reviews Endocrinology</i> , <b>2014</b> , 10, 644-5	15.2	16
194	Haplotype-based analysis of common variation in the growth hormone receptor gene and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 169-73	4	16
193	The effects of intermittent calorie restriction on metabolic health: Rationale and study design of the HELENA Trial. <i>Contemporary Clinical Trials</i> , <b>2016</b> , 51, 28-33	2.3	16
192	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1355-1360	7.5	16
191	Biochemical markers of dietary intake. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , <b>1997</b> , 103-26		16
190	Helicobacter pylori infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1727-1735	7.5	15
189	Germline BRCA2 K3326X and CHEK2 I157T mutations increase risk for sporadic pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 686-693	7.5	15
188	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003394	11.6	15

187	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 609-625	7.5	15
186	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 1157-1168	5.2	14
185	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , <b>2017</b> , 10, 20	5.5	14
184	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , <b>2017</b> , 185, 751-764	3.8	14
183	Plasma Fibrinogen and sP-Selectin are Associated with the Risk of Lung Cancer in a Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1221-1227	4	14
182	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 1297-1303	2.2	14
181	Reproducibility of serum oxysterols and lanosterol among postmenopausal women: Results from EPIC-Heidelberg. <i>Clinical Biochemistry</i> , <b>2018</b> , 52, 117-122	3.5	14
180	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , <b>2018</b> , 61, 1325-1332	10.3	14
179	Anthropometric and blood parameters for the prediction of NAFLD among overweight and obese adults. <i>BMC Gastroenterology</i> , <b>2018</b> , 18, 113	3	14
178	Weight cycling and the risk of type 2 diabetes in the EPIC-Germany cohort. <i>Diabetologia</i> , <b>2015</b> , 58, 2718-25.3	25.3	14
177	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , <b>2014</b> , 35, 2716-22	4.6	14
176	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 648-661	7.5	14
175	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , <b>2021</b> , 113, 329-337	9.7	14
174	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , <b>2017</b> , 46, 1823-1835	7.8	13
173	Antibody Responses to Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1552-1555	4	13
172	Iron status in relation to cancer risk and mortality: Findings from a population-based prospective study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 561-569	7.5	13
171	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , <b>2018</b> , 67, 1200-1205	0.9	13
170	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 240-250	7.5	13



169	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , <b>2019</b> , 149, 1985-1993	4.1	13
168	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 1830-1840	7.5	13
167	Early pregnancy sex steroids and maternal breast cancer: a nested case-control study. <i>Cancer Research</i> , <b>2014</b> , 74, 6958-67	10.1	13
166	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 677-88	12.1	13
165	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 58-69	7.5	13
164	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 929-942	7.5	13
163	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. <i>Breast Cancer Research</i> , <b>2018</b> , 20, 147	8.3	13
162	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , <b>2018</b> , 78, 302-308	10.1	12
161	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 290-298	7.5	12
160	The :p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , <b>2019</b> , 5, 38	7.8	12
159	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 911-20	7.5	12
158	Plasma carotenoids in relation to food consumption in Granada (southern Spain) and Malmö (southern Sweden). <i>International Journal for Vitamin and Nutrition Research</i> , <b>2001</b> , 71, 97-102	1.7	12
157	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , <b>2019</b> , 169, 417-433	7.9	12
156	Determination of nasal and oropharyngeal microbiomes in a multicenter population-based study - findings from Pretest 1 of the German National Cohort. <i>Scientific Reports</i> , <b>2017</b> , 7, 1855	4.9	11
155	How to report incidental findings from population whole-body MRI: view of participants of the German National Cohort. <i>European Radiology</i> , <b>2019</b> , 29, 5873-5878	8	11
154	The association between weight at birth and breast cancer risk revisited using Mendelian randomisation. <i>European Journal of Epidemiology</i> , <b>2019</b> , 34, 591-600	12.1	11
153	Circulating liver enzymes and risks of chronic diseases and mortality in the prospective EPIC-Heidelberg case-cohort study. <i>BMJ Open</i> , <b>2020</b> , 10, e033532	3	11
152	Comparison of fatty acid profile in plasma phospholipids in women from Granada (southern Spain) and Malmö (southern Sweden). <i>International Journal for Vitamin and Nutrition Research</i> , <b>2001</b> , 71, 237-42	1.7	11

151	The improved physical activity index for measuring physical activity in EPIC Germany. <i>PLoS ONE</i> , <b>2014</b> , 9, e92005	3.7	11
150	Tobacco Smoking and Risk of Second Primary Lung Cancer. <i>Journal of Thoracic Oncology</i> , <b>2021</b> , 16, 968-979	3.5	11
149	Polygenic and multifactorial scores for pancreatic ductal adenocarcinoma risk prediction. <i>Journal of Medical Genetics</i> , <b>2021</b> , 58, 369-377	5.8	11
148	Pre-diagnostic circulating insulin-like growth factor-I and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2351-2358	7.5	11
147	Biological reproducibility of circulating P-Selectin, Thrombopoietin, GPIIb/IIIa and Thrombomodulin over one year. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 942-946	3.5	10
146	Risk prediction models versus simplified selection criteria to determine eligibility for lung cancer screening: an analysis of German federal-wide survey and incidence data. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 899-912	12.1	10
145	Circulating 27-hydroxycholesterol and breast cancer tissue expression of CYP27A1, CYP7B1, LXR- $\beta$ and ER $\alpha$ results from the EPIC-Heidelberg cohort. <i>Breast Cancer Research</i> , <b>2020</b> , 22, 23	8.3	10
144	Genome-wide association study identifies an early onset pancreatic cancer risk locus. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 2065-2074	7.5	10
143	Circulating enterolactone concentrations and prognosis of postmenopausal breast cancer: assessment of mediation by inflammatory markers. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2698-2708	7.5	10
142	Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. <i>Cancer Causes and Control</i> , <b>2014</b> , 25, 111-24	2.8	10
141	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , <b>2011</b> , 127, 761-7	4.4	10
140	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 3244-3256	7.5	9
139	Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 538-45	4	9
138	Prediction of Circulating Adipokine Levels Based on Body Fat Compartments and Adipose Tissue Gene Expression. <i>Obesity Facts</i> , <b>2019</b> , 12, 590-605	5.1	9
137	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 316-321	7.5	9
136	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , <b>2011</b> , 6, e16914	3.7	9
135	Personalising lung cancer screening: An overview of risk-stratification opportunities and challenges. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 250-263	7.5	9
134	Common germline variants within the CDKN2A/2B region affect risk of pancreatic neuroendocrine tumors. <i>Scientific Reports</i> , <b>2016</b> , 6, 39565	4.9	9

133	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , <b>2016</b> , 13, 5	9.7	9
132	Changes in Plasma Short-Chain Fatty Acid Levels after Dietary Weight Loss Among Overweight and Obese Adults over 50 Weeks. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	8
131	Adult weight change and premenopausal breast cancer risk: A prospective pooled analysis of data from 628,463 women. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1306-1314	7.5	8
130	Serum levels of hsa-miR-16-5p, hsa-miR-29a-3p, hsa-miR-150-5p, hsa-miR-155-5p and hsa-miR-223-3p and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1315-1324	7.5	8
129	Serologic markers of Chlamydia trachomatis and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 2042-2052	7.5	8
128	Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 2532-42	4	8
127	Genetic variation in the SST gene and its receptors in relation to circulating levels of insulin-like growth factor-I, IGFBP3, and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1644-50	4	8
126	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , <b>2020</b> , 63, 266-277	10.3	8
125	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 865	7.5	8
124	Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , <b>2019</b> , 12, 116	5.5	8
123	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 104-113	4	8
122	Pre-diagnostic plasma concentrations of Fibrinogen, sGPIIb/IIIa, sP-selectin, sThrombomodulin, Thrombopoietin in relation to cancer risk: Findings from a large prospective study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2659-2667	7.5	8
121	Can the use of blood-based biomarkers in addition to anthropometric indices substantially improve the prediction of visceral fat volume as measured by magnetic resonance imaging?. <i>European Journal of Nutrition</i> , <b>2015</b> , 54, 701-8	5.2	7
120	Antibody Responses to and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1475-1481	4	7
119	Dietary Factors in Relation to Liver Fat Content: A Cross-sectional Study. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	7
118	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 515-526	7.5	7
117	Human Chorionic Gonadotropin Does Not Correlate with Risk for Maternal Breast Cancer: Results from the Finnish Maternity Cohort. <i>Cancer Research</i> , <b>2017</b> , 77, 134-141	10.1	7
116	A genome-wide "pleiotropy scan" does not identify new susceptibility loci for estrogen receptor negative breast cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e85955	3.7	7

115	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 3267-3280	7.5	7
114	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , <b>2020</b> , 7, 393	8.2	7
113	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , <b>2021</b> , 113, 1542-1550	9.7	7
112	The Ratio of Regulatory (FOXP3+) to Total (CD3+) T Cells Determined by Epigenetic Cell Counting and Cardiovascular Disease Risk: A Prospective Case-cohort Study in Non-diabetics. <i>EBioMedicine</i> , <b>2016</b> , 11, 151-156	8.8	7
111	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , <b>2019</b> , 17, 221	11.4	7
110	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 1510-1516	7.5	7
109	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 681-686	4	7
108	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 1637-1651	7.5	7
107	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 957-966	7.5	7
106	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 895-904	7.4	6
105	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 945-951	7.5	6
104	The role of plasma microseminoprotein-beta in prostate cancer: an observational nested case-control and Mendelian randomization study in the European prospective investigation into cancer and nutrition. <i>Annals of Oncology</i> , <b>2019</b> , 30, 983-989	10.3	6
103	Changes in Pancreatic Fat Content Following Diet-Induced Weight Loss. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	6
102	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1076-1085	4	6
101	Circulating Immune Cell Composition and Cancer Risk: A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Research</i> , <b>2020</b> , 80, 1885-1892	10.1	6
100	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , <b>2016</b> , 27, 919-27	2.8	6
99	Lifestyle and Progression of Lower Urinary Tract Symptoms in German Men-Results From the EPIC-Heidelberg Cohort. <i>Urology</i> , <b>2018</b> , 120, 192-196	1.6	6
98	Comparison of metabolite networks from four German population-based studies. <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 2070-2081	7.8	6

97	Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 1688-1695	7.5	6
96	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1111-1118	7.5	6
95	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , <b>2021</b> , 19, 101	11.4	6
94	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 1122-1132	5.2	6
93	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 759-768	7.5	6
92	Can autoantibody tests enhance lung cancer screening?-an evaluation of EarlyCDT-Lung in context of the German Lung Cancer Screening Intervention Trial (LUSI). <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 233-242	4.4	6
91	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , <b>2018</b> , 18, 1010	4.8	6
90	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1746-1754	4	5
89	A Comparative Study on the WCRF International/University of Bristol Methodology for Systematic Reviews of Mechanisms Underpinning Exposure-Cancer Associations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1583-1594	4	5
88	Early pregnancy sex steroids during primiparous pregnancies and maternal breast cancer: a nested case-control study in the Northern Sweden Maternity Cohort. <i>Breast Cancer Research</i> , <b>2017</b> , 19, 82	8.3	5
87	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , <b>2010</b> , 10, 563	4.8	5
86	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 122-131	7.5	5
85	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , <b>2021</b> , 13, 1-14	8.8	5
84	Key Genes of Lipid Metabolism and WNT-Signaling Are Downregulated in Subcutaneous Adipose Tissue with Moderate Weight Loss. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	4
83	Similar Weight Loss Induces Greater Improvements in Insulin Sensitivity and Liver Function among Individuals with NAFLD Compared to Individuals without NAFLD. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	4
82	Validation of two US breast cancer risk prediction models in German women. <i>Cancer Causes and Control</i> , <b>2020</b> , 31, 525-536	2.8	4
81	Association between lifestyle, dietary, reproductive, and anthropometric factors and circulating 27-hydroxycholesterol in EPIC-Heidelberg. <i>Cancer Causes and Control</i> , <b>2020</b> , 31, 181-192	2.8	4
80	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2018</b> , 27, 790-804	4	4



79	Primary preventive potential of major lifestyle risk factors for acute myocardial infarction in men: an analysis of the EPIC-Heidelberg cohort. <i>European Journal of Epidemiology</i> , <b>2014</b> , 29, 27-34	12.1	4
78	Lack of Association for Reported Endocrine Pancreatic Cancer Risk Loci in the PANDoRA Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1349-1351	4	4
77	Vascular injury biomarkers and stroke risk: A population-based study. <i>Neurology</i> , <b>2020</b> , 94, e2337-e2345	6.5	4
76	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2021</b> ,	7.5	4
75	Circulating tryptophan metabolites and risk of colon cancer: Results from case-control and prospective cohort studies. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1659-1669	7.5	4
74	Biomarkers of Vascular Injury and Type 2 Diabetes: A Prospective Study, Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	4
73	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , <b>2021</b> , 162, 475-481	4.9	4
72	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 623-642	4	4
71	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2349-2359	7.5	3
70	General and abdominal adiposity and the risk of Parkinson disease: A prospective cohort study. <i>Parkinsonism and Related Disorders</i> , <b>2019</b> , 62, 98-104	3.6	3
69	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1325-1333	7.5	3
68	Data must be shared-also with researchers outside of Europe. <i>Lancet, The</i> , <b>2019</b> , 394, 1902-1903	4.0	3
67	Is it possible to detect PEth 16:0/18:1 and PEth 18:1/18:1 in red blood cells after 20 years of storage in liquid nitrogen?. <i>International Journal of Legal Medicine</i> , <b>2017</b> , 131, 1291-1297	3.1	3
66	Common variants in breast cancer risk loci predispose to distinct tumor subtypes.. <i>Breast Cancer Research</i> , <b>2022</b> , 24, 2	8.3	3
65	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer.. <i>British Journal of Cancer</i> , <b>2022</b> ,	8.7	3
64	Pepper Alkaloids and Processed Meat Intake: Results from a Randomized Trial and the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Molecular Nutrition and Food Research</i> , <b>2021</b> , 65, e2001141	5.9	3
63	Adherence and Dietary Composition during Intermittent vs. Continuous Calorie Restriction: Follow-Up Data from a Randomized Controlled Trial in Adults with Overweight or Obesity. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
62	Biomarkers of vascular injury in relation to myocardial infarction risk: A population-based study. <i>Scientific Reports</i> , <b>2019</b> , 9, 3004	4.9	3



61	Sharing data safely while preserving privacy. <i>Lancet, The</i> , <b>2019</b> , 394, 1902	4.0	3
60	Design and characterization of dietary assessment in the German National Cohort. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 1480-1491	5.2	3
59	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 813-823	5.2	3
58	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 2115-2128	7.5	3
57	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 874-885	4	3
56	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
55	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer.. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
54	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , <b>2017</b> , 28, 429-435	2.8	2
53	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , <b>2019</b> , 9, 12524	4.9	2
52	Thrombomodulin and Thrombopoietin, Two Biomarkers of Hemostasis, Are Positively Associated with Adherence to the World Cancer Research Fund/American Institute for Cancer Research Recommendations for Cancer Prevention in a Population-Based Cross-Sectional Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	2
51	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , <b>2020</b> , 10, 9688	4.9	2
50	Mid- and long-term correlations of plasma metabolite concentrations measured by a targeted metabolomics approach. <i>Metabolomics</i> , <b>2016</b> , 12, 1	4.7	2
49	Interactions between breast cancer susceptibility loci and menopausal hormone therapy in relationship to breast cancer in the Breast and Prostate Cancer Cohort Consortium. <i>Breast Cancer Research and Treatment</i> , <b>2016</b> , 155, 531-40	4.4	2
48	Short- and long-term reproducibility of the COMET assay for measuring DNA damage biomarkers in frozen blood samples of the EPIC-Heidelberg cohort.. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>2022</b> , 874-875, 503442	3	2
47	A newly developed and externally validated non-clinical score accurately predicts 10-year cardiovascular disease risk in the general adult population. <i>Scientific Reports</i> , <b>2021</b> , 11, 19609	4.9	2
46	Oral contraceptive use by formulation and endometrial cancer risk among women born in 1947-1964: The NursesPHHealth Study II, a prospective cohort study. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 827-839	12.1	2
45	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. <i>Scientific Reports</i> , <b>2020</b> , 10, 13814	4.9	2
44	Causal Effects of Lifetime Smoking on Breast and Colorectal Cancer Risk: Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 953-964	4	2

43	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2021</b> ,	7.8	2
42	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. <i>International Journal of Epidemiology</i> , <b>2021</b> ,	7.8	2
41	Predicting risk of substantial weight gain in German adults-a multi-center cohort approach. <i>European Journal of Public Health</i> , <b>2017</b> , 27, 768-774	2.1	2
40	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2019</b> , 188, 274-281	3.8	2
39	Lung Cancer Screening by Low-Dose Computed Tomography: Part 2 - Key Elements for Programmatic Implementation of Lung Cancer Screening. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2021</b> , 193, 644-651	2.3	2
38	Lung Cancer Screening by Low-Dose Computed Tomography - Part 1: Expected Benefits, Possible Harms, and Criteria for Eligibility and Population Targeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , <b>2021</b> , 193, 527-536	2.3	2
37	Overdiagnosis in lung cancer screening: Estimates from the German Lung Cancer Screening Intervention Trial. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 1097-1105	7.5	2
36	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , <b>2021</b> , 124, 842-854	8.7	2
35	Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. <i>JNCI Cancer Spectrum</i> , <b>2021</b> , 5, pkab084	4.6	2
34	Colorectal cancer and intake of dietary fibre. A summary of the epidemiological evidence. <i>European Journal of Clinical Nutrition</i> , <b>1995</b> , 49 Suppl 3, S10-7	5.2	2
33	Endogenous hormone metabolism as an exposure marker in breast cancer chemoprevention studies. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , <b>2001</b> , 154, 149-62		2
32	Calorie restriction improves metabolic state independently of gut microbiome composition: a randomized dietary intervention trial.. <i>Genome Medicine</i> , <b>2022</b> , 14, 30	14.4	2
31	Changes in Bone Marrow Fat upon Dietary-Induced Weight Loss. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	1
30	Common variants in breast cancer risk loci predispose to distinct tumor subtypes		1
29	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 2010-2018	4	1
28	Validation of multivariable lung cancer risk prediction models for the personalized assignment of optimal screening frequency: a retrospective analysis of data from the German Lung Cancer Screening Intervention Trial (LUSI). <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 1305-1317	4.4	1
27	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , <b>2021</b> , 108, 1190-1203	11	1
26	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , <b>2021</b> , 23, 86	8.3	1

25	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 2179-2187	4	1
24	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	1
23	The effect of diet on serum insulin-like growth-factor-I and its main binding proteins. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , <b>2002</b> , 156, 295-6		1
22	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study.. <i>BMC Cancer</i> , <b>2022</b> , 22, 546	4.8	1
21	Rare germline copy number variants (CNVs) and breast cancer risk.. <i>Communications Biology</i> , <b>2022</b> , 5, 65	6.7	0
20	Germline variants and breast cancer survival in patients with distant metastases at primary breast cancer diagnosis. <i>Scientific Reports</i> , <b>2021</b> , 11, 19787	4.9	0
19	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 507-512	4	0
18	Estimating the Breast Cancer Burden in Germany and Implications for Risk-based Screening. <i>Cancer Prevention Research</i> , <b>2021</b> , 14, 627-634	3.2	0
17	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 2759-2773	7.5	0
16	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , <b>2021</b> , 125, 1135-1145	8.7	0
15	A Genome-Wide Gene-Based Gene-Environment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , <b>2022</b> , 2, 211-219		0
14	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries.. <i>Environment International</i> , <b>2022</b> , 163, 107213	12.9	0
13	Ageing-related markers and risks of cancer and cardiovascular disease: a prospective study in the EPIC-Heidelberg cohort.. <i>European Journal of Epidemiology</i> , <b>2021</b> , 37, 49	12.1	0
12	Circulating inflammatory biomarkers, adipokines and breast cancer risk-a case-control study nested within the EPIC cohort.. <i>BMC Medicine</i> , <b>2022</b> , 20, 118	11.4	0
11	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , <b>2015</b> , 26, 1845-55	2.8	
10	PS8 - 37. Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Nederlands Tijdschrift Voor Diabetologie</i> , <b>2012</b> , 10, 123-124	0	
9	Practical Examples: Hormones309-321		
8	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Urology</i> , <b>2006</b> , 175, 250-250	2.5	

7	Screening von Bronchial- und Lungenkrebs. <i>Springer Reference Medizin</i> , <b>2020</b> , 1-7	0
6	Association of circulating inflammatory biomarkers and dietary inflammation potential with postmenopausal breast cancer prognosis.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 1566-1566	2.2
5	Coffee consumption and risk of chronic disease in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Germany study. <i>FASEB Journal</i> , <b>2012</b> , 26, 258.4	0.9
4	Komorbiditäten <b>2013</b> , 173-257	
3	Diabetes und Krebs. <i>Diabetologe</i> , <b>2020</b> , 16, 675-684	0.2
2	A comprehensive analysis of polymorphic variants in steroid hormone and insulin-like growth factor-1 metabolism and risk of in situ breast cancer: Results from the Breast and Prostate Cancer Cohort Consortium. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1182-1188	7.5
1	Genome-wide interaction analysis of menopausal hormone therapy use and breast cancer risk among 62,370 women.. <i>Scientific Reports</i> , <b>2022</b> , 12, 6199	4.9