

Junpei Soeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8977813/publications.pdf>

Version: 2024-02-01

44
papers

1,703
citations

257101

24
h-index

276539

41
g-index

46
all docs

46
docs citations

46
times ranked

2838
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal obesity during pregnancy and lactation programs the development of offspring non-alcoholic fatty liver disease in mice. <i>Journal of Hepatology</i> , 2010, 52, 913-920.	1.8	271
2	Predictive factors for intrahepatic cholangiocarcinoma recurrence in the liver following surgery. <i>Journal of Gastroenterology</i> , 2006, 41, 893-900.	2.3	133
3	Maternal obesity programs offspring nonalcoholic fatty liver disease by innate immune dysfunction in mice. <i>Hepatology</i> , 2013, 58, 128-138.	3.6	126
4	Immunomodulatory and antioxidant function of albumin stabilises the endothelium and improves survival in a rodent model of chronic liver failure. <i>Journal of Hepatology</i> , 2015, 62, 799-806.	1.8	73
5	Sympathetic Nervous System Catecholamines and Neuropeptide Y Neurotransmitters Are Upregulated in Human NAFLD and Modulate the Fibrogenic Function of Hepatic Stellate Cells. <i>PLoS ONE</i> , 2013, 8, e72928.	1.1	71
6	Dendritic cells, T-cell infiltration, and grp94 expression in cholangiocellular carcinoma. <i>Human Pathology</i> , 2004, 35, 881-886.	1.1	69
7	Increased expression of thioredoxin-1, vascular endothelial growth factor, and redox factor-1 is associated with poor prognosis in patients with liver metastasis from colorectal cancer. <i>Human Pathology</i> , 2008, 39, 201-208.	1.1	61
8	Nicotine induces fibrogenic changes in human liver via nicotinic acetylcholine receptors expressed on hepatic stellate cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 17-22.	1.0	59
9	Maternal obesity programmes offspring development of non-alcoholic fatty pancreas disease. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 24-28.	1.0	53
10	Is major hepatectomy with pancreatoduodenectomy justified for advanced biliary malignancy?. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2007, 14, 136-141.	2.0	52
11	Panitumumab (PAN) plus mFOLFOX6 versus bevacizumab (BEV) plus mFOLFOX6 as first-line treatment in patients with <i>RAS</i> wild-type (WT) metastatic colorectal cancer (mCRC): Results from the phase 3 PARADIGM trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, LBA1-LBA1.	0.8	52
12	Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma. <i>Surgery</i> , 1998, 124, 526-535.	1.0	51
13	Prognostic significance of mature dendritic cells and factors associated with their accumulation in metastatic liver tumors from colorectal cancer. <i>Human Pathology</i> , 2004, 35, 1392-1396.	1.1	49
14	Matrix metalloproteinase-7 expression and biologic aggressiveness of cholangiocellular carcinoma. <i>Cancer</i> , 2002, 94, 428-434.	2.0	46
15	Mac-1 (CD11b/CD18) and intercellular adhesion molecule-1 in ischemia-reperfusion injury of rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G577-G585.	1.6	43
16	Recent advancements in drug treatment of obesity. <i>Clinical Medicine</i> , 2012, 12, 456-460.	0.8	43
17	Cytochrome <i>c</i> release into cytosol with subsequent caspase activation during warm ischemia in rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G1115-G1123.	1.6	39
18	Non-Alcoholic Fatty Pancreas Disease Pathogenesis: A Role for Developmental Programming and Altered Circadian Rhythms. <i>PLoS ONE</i> , 2014, 9, e89505.	1.1	36

#	ARTICLE	IF	CITATIONS
19	Amphiregulin activates human hepatic stellate cells and is upregulated in non alcoholic steatohepatitis. <i>Scientific Reports</i> , 2015, 5, 8812.	1.6	35
20	The beta-adrenoceptor agonist isoproterenol rescues acetaminophen-injured livers through increasing progenitor numbers by Wnt in mice. <i>Hepatology</i> , 2014, 60, 1023-1034.	3.6	32
21	Impact of Tumor Spread to the Cystic Duct on the Prognosis of Patients with Gallbladder Carcinoma. <i>World Journal of Surgery</i> , 2007, 31, 155-161.	0.8	30
22	Primary Liver Carcinoma Exhibiting Dual Hepatocellular-Biliary Epithelial Differentiations Associated With Citrin Deficiency. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 855-860.	1.1	28
23	Hepatic rhythmicity of endoplasmic reticulum stress is disrupted in perinatal and adult mice models of high-fat diet-induced obesity. <i>International Journal of Food Sciences and Nutrition</i> , 2017, 68, 455-466.	1.3	28
24	Clinical and pathological features of primary carcinoma of the cystic duct. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2009, 16, 75-82.	2.0	25
25	Protein Engineered Variants of Hepatocyte Growth Factor/Scatter Factor Promote Proliferation of Primary Human Hepatocytes and in Rodent Liver. <i>Gastroenterology</i> , 2012, 142, 897-906.	0.6	25
26	Fate of hepatocyte and sinusoidal lining cell function and kinetics after extended cold preservation and transplantation of the rat liver. <i>Liver Transplantation</i> , 2002, 8, 370-381.	1.3	22
27	Morphometric analysis of liver macrophages in patients with colorectal liver metastasis. <i>Clinical and Experimental Metastasis</i> , 2002, 19, 119-125.	1.7	19
28	Propranolol, a β_2 -adrenoceptor antagonist, worsens liver injury in a model of non-alcoholic steatohepatitis. <i>Biochemical and Biophysical Research Communications</i> , 2013, 437, 597-602.	1.0	19
29	Bone marrow-derived cells fuse with hepatic oval cells but are not involved in hepatic tumorigenesis in the choline-deficient ethionine-supplemented diet rat model. <i>Carcinogenesis</i> , 2008, 29, 448-454.	1.3	16
30	Acetylcholine induces fibrogenic effects via M2/M3 acetylcholine receptors in non-alcoholic steatohepatitis and in primary human hepatic stellate cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 475-483.	1.4	13
31	Isolation and characterization of portal branch ligation-stimulated Hmga2-positive bipotent hepatic progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 403, 298-304.	1.0	11
32	Inhibition of urokinase-type plasminogen activator delays expression of c-jun, activated transforming growth factor β_1 , and matrix metalloproteinase 2 during post-hepatectomy liver regeneration in mice. <i>Journal of Hepatology</i> , 2002, 36, 637-644.	1.8	8
33	Primary Abscess of the Omentum: Report of a Case. <i>Surgery Today</i> , 2004, 34, 261-264.	0.7	8
34	Biologic Response of Colorectal Cancer Xenograft Tumors to Sequential Treatment with Panitumumab and Bevacizumab. <i>Neoplasia</i> , 2018, 20, 668-677.	2.3	8
35	Cabozantinib inhibits AXL- and MET-dependent cancer cell migration induced by growth-arrest-specific 6 and hepatocyte growth factor. <i>Biochemistry and Biophysics Reports</i> , 2020, 21, 100726.	0.7	8
36	Phase 2 single-arm study on the efficacy and safety of niraparib in Japanese patients with heavily pretreated, homologous recombination-deficient ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2021, 32, e16.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Practical management of the increasing burden of non-alcoholic fatty liver disease. <i>Frontline Gastroenterology</i> , 2010, 1, 149-155.	0.9	7
38	APOLLON: A phase I/II study of panitumumab combined with TAS-102 in patients (pts) with RAS wild-type (wt) metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 3523-3523.	0.8	7
39	PARADIGM study: A multicenter, randomized, phase III study of mFOLFOX6 plus panitumumab or bevacizumab as first-line treatment in patients with <i>RAS</i> (<i>KRAS/NRAS</i>) wild-type metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, 85-85.	0.8	6
40	Pre-emptive skin treatments to prevent skin toxicity caused by anti-EGFR antibody: the real-world evidence in Japan. <i>Future Oncology</i> , 2018, 14, 3163-3174.	1.1	4
41	Pathophysiology and clinical management of non-alcoholic fatty liver disease. <i>Medicine</i> , 2011, 39, 592-596.	0.2	3
42	Potential Feasibility of Early Bone Marrow Cell Injection Into the Spleen for Creating Functional Hepatocytes. <i>Transplantation</i> , 2009, 87, 1147-1154.	0.5	2
43	Safety and efficacy of panitumumab in combination with trifluridine/tipiracil for pre-treated patients with unresectable, metastatic colorectal cancer with wild-type RAS: The phase 1/2 APOLLON study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1238-1247.	1.0	2
44	Phase I/II study of panitumumab (PANI) combined with trifluridine/tipiracil (FTD/TPI) in patients (pts) with previously treated RAS wild-type (wt) metastatic colorectal cancer (mCRC): Final results of APOLLON study.. <i>Journal of Clinical Oncology</i> , 2019, 37, 624-624.	0.8	1