Kristian Wahlbeck

List of Publications by Citations

Source: https://exaly.com/author-pdf/8978432/kristian-wahlbeck-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers8,957
citations49
h-index92
g-index161
ext. papers10,435
ext. citations5.6
avg, IF5.99
L-index

#	Paper	IF	Citations
149	11-year follow-up of mortality in patients with schizophrenia: a population-based cohort study (FIN11 study). <i>Lancet, The</i> , 2009 , 374, 620-7	40	906
148	New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. <i>Lancet, The</i> , 2003 , 361, 1581-9	40	500
147	Excess mortality, causes of death and life expectancy in 270,770 patients with recent onset of mental disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013 , 8, e55176	3.7	360
146	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. British Journal of Psychiatry, 2011 , 199, 453-8	5.4	347
145	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017 , 16, 30-40	14.4	296
144	Effectiveness of antipsychotic treatments in a nationwide cohort of patients in community care after first hospitalisation due to schizophrenia and schizoaffective disorder: observational follow-up study. <i>BMJ, The</i> , 2006 , 333, 224	5.9	260
143	Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. <i>Lancet, The,</i> 2013 , 381, 55-62	40	258
142	Evidence of clozapines effectiveness in schizophrenia: a systematic review and meta-analysis of randomized trials. <i>American Journal of Psychiatry</i> , 1999 , 156, 990-9	11.9	204
141	Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. <i>PLoS ONE</i> , 2013 , 8, e67133	3.7	193
140	Association of schizophrenia with low maternal body mass index, small size at birth, and thinness during childhood. <i>Archives of General Psychiatry</i> , 2001 , 58, 48-52		189
139	Antidepressants and the risk of suicide, attempted suicide, and overall mortality in a nationwide cohort. <i>Archives of General Psychiatry</i> , 2006 , 63, 1358-67		179
138	Estrogen deficiency in severe postpartum depression: successful treatment with sublingual physiologic 17beta-estradiol: a preliminary study. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 332-6	4.6	178
137	Good practice in health care for migrants: views and experiences of care professionals in 16 European countries. <i>BMC Public Health</i> , 2011 , 11, 187	4.1	167
136	Glutamatergic drugs for schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2005 , 72, 225-34	3.6	166
135	The efficacy of lamotrigine in clozapine-resistant schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2009 , 109, 10-4	3.6	146
134	Actions to alleviate the mental health impact of the economic crisis. World Psychiatry, 2012, 11, 139-45	14.4	143
133	Lamotrigine in treatment-resistant schizophrenia: a randomized placebo-controlled crossover trial. <i>Biological Psychiatry</i> , 2003 , 54, 1241-8	7.9	142

(2013-2004)

132	Effect sizes in cumulative meta-analyses of mental health randomized trials evolved over time. Journal of Clinical Epidemiology, 2004 , 57, 1124-30	5.7	135
131	Dropout rates in randomised antipsychotic drug trials. <i>Psychopharmacology</i> , 2001 , 155, 230-3	4.7	131
130	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The,</i> 2009 , 373, 147-53	40	123
129	Incidence of cancer and statin usagerecord linkage study. <i>International Journal of Cancer</i> , 2010 , 126, 279-84	7.5	117
128	Cardiovascular mortality in bipolar disorder: a population-based cohort study in Sweden. <i>BMJ Open</i> , 2013 , 3,	3	116
127	Substance-induced psychoses converting into schizophrenia: a register-based study of 18,478 Finnish inpatient cases. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e94-9	4.6	114
126	Psychosocial interventions for the promotion of mental health and the prevention of depression among older adults. <i>Health Promotion International</i> , 2011 , 26 Suppl 1, i85-107	3	110
125	Mental health research priorities for Europe. <i>Lancet Psychiatry,the</i> , 2015 , 2, 1036-42	23.3	108
124	Prevalence of neuroleptic-induced movement disorders in chronic schizophrenia inpatients. <i>American Journal of Psychiatry</i> , 2004 , 161, 160-3	11.9	105
123	Psychiatric readmissions and their association with physical comorbidity: a systematic literature review. <i>BMC Psychiatry</i> , 2017 , 17, 2	4.2	90
122	Public mental health: the time is ripe for translation of evidence into practice. <i>World Psychiatry</i> , 2015 , 14, 36-42	14.4	90
121	Psychosocial interventions for the prevention of depression in older adults: systematic review and meta-analysis. <i>Journal of Aging and Health</i> , 2011 , 23, 387-416	2.6	82
120	Newer atypical antipsychotic medication in comparison to clozapine: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2002 , 56, 1-10	3.6	81
119	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54	2.1	80
118	Methadone vs. buprenorphine/naloxone during early opioid substitution treatment: a naturalistic comparison of cognitive performance relative to healthy controls. <i>BMC Clinical Pharmacology</i> , 2007 , 7, 5		77
117	Quality of life and metabolic status in mildly depressed women with type 2 diabetes treated with paroxetine: a single-blind randomised placebo controlled trial. <i>BMC Family Practice</i> , 2003 , 4, 7	2.6	77
116	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
115	Experiences with treating immigrants: a qualitative study in mental health services across 16 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 105-16	4.5	72

114	Restraint and seclusion in psychiatric inpatient wards. Current Opinion in Psychiatry, 2005, 18, 555-9	4.9	72
113	Topiramate add-on in treatment-resistant schizophrenia: a randomized, double-blind, placebo-controlled, crossover trial. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1012-5	4.6	72
112	Structural and cognitive social capital and depression among older adults in two Nordic regions. <i>Aging and Mental Health</i> , 2012 , 16, 771-9	3.5	71
111	Personal stigma and use of mental health services among people with depression in a general population in Finland. <i>BMC Psychiatry</i> , 2011 , 11, 52	4.2	70
110	Validity of Simpson-Angus Scale (SAS) in a naturalistic schizophrenia population. <i>BMC Neurology</i> , 2005 , 5, 5	3.1	69
109	Structural and Cognitive Aspects of Social Capital and All-Cause Mortality: A Meta-Analysis of Cohort Studies. <i>Social Indicators Research</i> , 2014 , 116, 545-566	2.7	66
108	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 154-8	5.1	66
107	Safety reporting in randomized trials of mental health interventions. <i>American Journal of Psychiatry</i> , 2004 , 161, 1692-7	11.9	62
106	Reported stigma and discrimination by people with a diagnosis of schizophrenia. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 193-204	5.1	58
105	Risk of severe mental disorders in adults separated temporarily from their parents in childhood: the Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 332-8	5.2	57
104	Suicide mortality trends in the Nordic countries 1980-2009. Nordic Journal of Psychiatry, 2013, 67, 414-2	23 2.3	51
103	The Economic Case for the Prevention of Mental Illness. <i>Annual Review of Public Health</i> , 2019 , 40, 373-3	3 89 0.6	51
102	The Impact of the 2008 Economic Crisis on Substance Use Patterns in the Countries of the European Union. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	50
101	Reductions in postdischarge suicide after deinstitutionalization and decentralization: a nationwide register study in Finland. <i>Psychiatric Services</i> , 2007 , 58, 221-6	3.3	49
100	Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: the Helsinki Birth Cohort Study. <i>Journal of Psychiatric Research</i> , 2012 , 46, 303-10	5.2	48
99	Quality of life and metabolic status in mildly depressed patients with type 2 diabetes treated with paroxetine: a double-blind randomised placebo controlled 6-month trial. <i>BMC Family Practice</i> , 2007 , 8, 34	2.6	47
98	Risperidone versus clozapine in treatment-resistant schizophrenia: a randomized pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000 , 24, 911-22	5.5	45
97	Incidence of cancer and antidepressant medication: record linkage study. <i>International Journal of Cancer</i> , 2010 , 126, 285-96	7.5	43

(2015-2016)

96	Psychiatric readmissions and their association with environmental and health system characteristics: a systematic review of the literature. <i>BMC Psychiatry</i> , 2016 , 16, 376	4.2	43
95	Predictors of stigmatizing attitudes towards people with mental disorders in a general population in Finland. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 125-32	2.3	40
94	The impact of pregnancy and puerperium on panic disorder: a review. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999 , 20, 59-64	3.6	40
93	Lithium is associated with decrease in all-cause and suicide mortality in high-risk bipolar patients: A nationwide registry-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2015 , 183, 159-65	6.6	39
92	Randomized controlled trials in schizophrenia: a critical perspective on the literature. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 243-51	6.5	38
91	Chlorpromazine for schizophrenia: a Cochrane systematic review of 50 years of randomised controlled trials. <i>BMC Medicine</i> , 2005 , 3, 15	11.4	37
90	Glutamatergic drugs for schizophrenia. <i>The Cochrane Library</i> , 2006 , CD003730	5.2	36
89	Elevated angiotensin-converting enzyme (kininase II) in the cerebrospinal fluid of neuroleptic-treated schizophrenic patients. <i>Schizophrenia Research</i> , 1993 , 9, 77-82	3.6	36
88	Decrease of energy expenditure causes weight increase in olanzapine treatment - a case study. <i>Pharmacopsychiatry</i> , 2002 , 35, 124-6	2	35
87	Newer atypical antipsychotic medication versus clozapine for schizophrenia. <i>The Cochrane Library</i> , 2000 , CD000966	5.2	34
86	Interventions to mitigate the effects of poverty and inequality on mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 505-514	4.5	33
85	Cognitive components of social capital and mental health status among older adults: a population-based cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 757-65	3	33
84	The mortality of young offenders sentenced to prison and its association with psychiatric disorders: a register study. <i>European Journal of Public Health</i> , 2006 , 16, 193-7	2.1	33
83	A practice guideline for treatment of eating disorders in children and adolescents. <i>Annals of Medicine</i> , 2003 , 35, 488-501	1.5	33
82	Systematic review of cholinergic drugs for neuroleptic-induced tardive dyskinesia: a meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 1099-107	5.5	33
81	Plasma and cerebrospinal fluid interleukin-1 beta and interleukin-6 in hospitalized schizophrenic patients. <i>Neuropsychobiology</i> , 1994 , 30, 20-3	4	33
8o	The characteristics of suicides within a week of discharge after psychiatric hospitalisation - a nationwide register study. <i>BMC Psychiatry</i> , 2005 , 5, 32	4.2	32
79	Mental health and alcohol use: a cross-sectional study of the Finnish general population. <i>European Journal of Public Health</i> , 2015 , 25, 225-31	2.1	31

78	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982-2006. <i>BMC Public Health</i> , 2013 , 13, 834	4.1	29
77	Reducing the silent burden of impaired mental health. <i>Journal of Health Communication</i> , 2011 , 16 Suppl 2, 59-74	2.5	29
76	Comparison of large versus smaller randomized trials for mental health-related interventions. <i>American Journal of Psychiatry</i> , 2005 , 162, 578-84	11.9	28
75	Five-year mortality of Finnish schizophrenia patients in the era of deinstitutionalization. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 135-42	4.5	25
74	Socioeconomic and regional aspects in the use of specialized psychiatric carea Finnish nationwide follow-up study. <i>European Journal of Public Health</i> , 2013 , 23, 372-7	2.1	24
73	Twenty-eight years after the complete ban on the physical punishment of children in Finland: trends and psychosocial concomitants. <i>Aggressive Behavior</i> , 2014 , 40, 568-81	2.8	23
72	Developing a tool for mapping adult mental health care provision in Europe: the REMAST research protocol and its contribution to better integrated care. <i>International Journal of Integrated Care</i> , 2015 , 15, e042	2	23
71	A Comparison of Mental Health Care Systems in Northern and Southern Europe: A Service Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	20
70	Public mental health research in Europe: a systematic mapping for the ROAMER project. <i>European Journal of Public Health</i> , 2014 , 24, 955-60	2.1	20
69	Prenatal origins of hospitalization for personality disorders: the Helsinki birth cohort study. <i>Psychiatry Research</i> , 2010 , 179, 226-30	9.9	20
68	Cost-utility of treatment of bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2010 , 43, 596-602	6.3	19
67	Actometry and Barnes Akathisia Rating Scale in neuroleptic-induced akathisia. <i>European Neuropsychopharmacology</i> , 2005 , 15, 39-41	1.2	19
66	Quantitative rest activity in ambulatory monitoring as a physiological marker of restless legs syndrome: a controlled study. <i>Movement Disorders</i> , 2003 , 18, 442-8	7	19
65	Associations between childhood living circumstances and schizophrenia: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 356-60	6.5	19
64	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
63	Incidence of hospitalised schizophrenia in Finland since 1980: decreasing and increasing again. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 343-50	4.5	18
62	Cerebrospinal fluid angiotensin-converting enzyme (ACE) correlates with length of illness in schizophrenia. <i>Schizophrenia Research</i> , 2000 , 41, 335-40	3.6	18
61	Cross-national variations in reported discrimination among people treated for major depression worldwide: the ASPEN/INDIGO international study. <i>British Journal of Psychiatry</i> , 2015 , 207, 507-14	5.4	17

(2011-2010)

60	Attitudes towards people with mental disorders: the psychometric characteristics of a Finnish questionnaire. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 265-73	4.5	17	
59	Increase in the duration of antidepressant treatment from 1994 to 2003: a nationwide population-based study from Finland. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1186-93	2.6	17	
58	The effect of clozapine on the course of illness in chronic schizophrenia: focus on treatment outcome in out-patients. <i>International Clinical Psychopharmacology</i> , 1996 , 11, 265-72	2.2	17	
57	Maternal Grand Multiparity and the Risk of Severe Mental Disorders in Adult Offspring. <i>PLoS ONE</i> , 2014 , 9, e114679	3.7	16	
56	Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. <i>European Journal of Public Health</i> , 2012 , 22, 604-6	2.1	15	
55	Neuropeptide FF-like immunoreactivity in human cerebrospinal fluid of chronic pain patients and healthy controls. <i>Peptides</i> , 1997 , 18, 923-7	3.8	15	
54	Glucocorticoid receptor gene haplotype predicts increased risk of hospital admission for depressive disorders in the Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1160-4	5.2	14	
53	Social capital and reported discrimination among people with depression in 15 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1589-98	4.5	13	
52	Nature and impact of European anti-stigma depression programmes. <i>Health Promotion International</i> , 2014 , 29, 403-13	3	13	
51	Temporary separation from parents in early childhood and serious personality disorders in adult life. <i>Journal of Personality Disorders</i> , 2012 , 26, 751-62	2.6	13	
50	European comparisons between mental health services. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 15-8	5.1	12	
49	Use of psychotropic drugs before pregnancy and the risk for induced abortion: population-based register-data from Finland 1996-2006. <i>BMC Public Health</i> , 2010 , 10, 383	4.1	12	
48	European psychiatric treatment guidelines: is the glass half full or half empty?. <i>European Psychiatry</i> , 2005 , 20, 554-8	6	12	
47	Neopterin and macrophage inflammatory protein-1alpha in the cerebrospinal fluid of schizophrenic patients: no evidence of intrathecal inflammation. <i>Neuropsychobiology</i> , 2002 , 46, 169-72	4	12	
46	Current antipsychotic dose correlates to mononuclear cell counts in the cerebrospinal fluid of psychotic patients. <i>Psychiatry Research</i> , 2000 , 93, 13-9	9.9	12	
45	Efficacy of beta-blocker supplementation for schizophrenia: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2000 , 41, 341-7	3.6	12	
44	Associations between problem gambling, socio-demographics, mental health factors and gambling type: sex differences among Finnish gamblers. <i>International Gambling Studies</i> , 2014 , 14, 39-52	1.8	11	
43	Supporting decision-making processes for evidence-based mental health promotion. <i>Health Promotion International</i> , 2011 , 26 Suppl 1, i140-6	3	11	

42	How does a history of psychiatric hospital care influence access to coronary care: a cohort study. <i>BMJ Open</i> , 2012 , 2, e000831	3	11
41	Actometry in measuring the symptom severity of restless legs syndrome. <i>European Journal of Neurology</i> , 2005 , 12, 385-7	6	11
40	Size matters - determinants of modern, community-oriented mental health services. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 8456-74	4.6	10
39	Beta-blocker supplementation of standard drug treatment for schizophrenia. <i>Schizophrenia Bulletin</i> , 2010 , 36, 1079-80	1.3	10
38	Mental disorders in prison populations aged 15-21: national register study of two cohorts in Finland. <i>BMJ, The</i> , 2005 , 330, 1364-5	5.9	10
37	Influence of methodology on outcomes of randomised clozapine trials. <i>Pharmacopsychiatry</i> , 2000 , 33, 54-9	2	10
36	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017 , 27, 892-899	1.2	9
35	European mental health policy should target everybody. <i>European Journal of Public Health</i> , 2011 , 21, 551-3	2.1	9
34	Differential response to right unilateral ECT in depressed patients: impact of comorbidity and severity of illness [ISRCTN39974945]. <i>BMC Psychiatry</i> , 2002 , 2, 2	4.2	9
33	Growth in infancy and childhood and hospitalization for personality disorders in adulthood: the Helsinki Birth Cohort Study. <i>Journal of Personality Disorders</i> , 2011 , 25, 620-33	2.6	8
32	Neuroleptic-induced movement disorders in a naturalistic schizophrenia population: diagnostic value of actometric movement patterns. <i>BMC Neurology</i> , 2008 , 8, 10	3.1	8
31	Antisocial violent offenders with attention deficit hyperactivity disorder demonstrate akathisia-like hyperactivity in three-channel actometry. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003 , 15, 194-9	2.7	8
30	Elevated plasma vasopressin and normal cerebrospinal fluid angiotensin-converting enzyme in chronic pain disorder. <i>Biological Psychiatry</i> , 1996 , 40, 994-9	7.9	8
29	Lower limb motor restlessness in AspergerS disorder, measured using actometry. <i>Psychiatry Research</i> , 2004 , 128, 63-70	9.9	7
28	Pharmacological treatment of schizophrenia resistant to first-line treatment: a critical systematic review and meta-analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 159-69	2.4	7
27	Does primary care mental health resourcing affect the use and costs of secondary psychiatric services?. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 8743-54	4.6	6
26	Interferon-alpha as adjuvant treatment in chronic schizophrenia. <i>Neuropsychobiology</i> , 1993 , 28, 192-6	4	6
25	How size matters: exploring the association between quality of mental health services and catchment area size. <i>BMC Psychiatry</i> , 2016 , 16, 289	4.2	6

(2000-2016)

24	Statistical methods and modelling techniques for analysing hospital readmission of discharged psychiatric patients: a systematic literature review. <i>BMC Psychiatry</i> , 2016 , 16, 413	4.2	5
23	Identifying Local and Centralized Mental Health Services-The Development of a New Categorizing Variable. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
22	Using national electronic health care registries for comparing the risk of psychiatric re-hospitalisation in six European countries: Opportunities and limitations. <i>Health Policy</i> , 2019 , 123, 102	:8 :1 03	5 ⁵
21	Antidepressant use and violent crimes among young people: a longitudinal examination of the Finnish 1987 birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 12-18	5.1	5
20	Call for a European guidelines institute. British Journal of Psychiatry, 2006, 188, 193; author reply 193	5.4	5
19	No association between micrometer-sized particles in human cerebrospinal fluid and schizophrenia. <i>Neuroscience Letters</i> , 2003 , 349, 68-70	3.3	5
18	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
17	Contribution of the Nordic School of Public Health to the public mental health research field: a selection of research initiatives, 2007-2014. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 66-72	3	4
16	A longitudinal study of cerebrospinal fluid angiotensin-converting enzyme in neuroleptic-treated schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997 , 21, 591-9	5.5	4
15	Promoting the Health and Wellbeing of Older People 2014 , 1-22		3
14	New generation versus conventional antipsychotics. <i>Lancet, The</i> , 2003 , 362, 404-405	40	3
13	Prenatal and childhood growth, and hospitalization for alcohol use disorders in adulthood: the Helsinki birth cohort study. <i>PLoS ONE</i> , 2014 , 9, e87404	3.7	2
12	Psychosocial interventions for prevention of depression in older people. <i>The Cochrane Library</i> , 2009 ,	5.2	2
11	Risperidone versus clozapine in treatment-resistant schizophrenia: A randomized pilot trial. <i>Schizophrenia Research</i> , 2000 , 41, 197	3.6	2
10	Are UK consultants interested in pragmatic trials for those with schizophrenia?. <i>Schizophrenia Research</i> , 2000 , 41, 233	3.6	2
9	Is Mental Well-Being in the Oldest Old Different from That in Younger Age Groups? Exploring the Mental Well-Being of the Oldest-Old Population in Europe. <i>Journal of Happiness Studies</i> , 2021 , 22, 1693	-∳ 7 17	2
8	Promoting and Protecting Mental Wellbeing during Times of Economic Change 2014 , 1-23		1
7	Much to improve: A survey of controlled Nordic schizophrenia trials. <i>Nordic Journal of Psychiatry</i> , 2000 , 54, 105-108	2.3	1

6	Sr we would change things outside we wouldn's even need to go indisupporting recovery via community-based actions: A focus group study on psychiatric rehospitalization. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 174-184	3.7	1
5	Enhancing Mental Health and Mental Wellbeing in Older People 2014 , 1-24		
4	O27. Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: The Helsinki Birth Cohort study. <i>Pregnancy Hypertension</i> , 2011 , 1, 271	2.6	
3	Reported Stigma and Discrimination by People with a Diagnosis of Schizophrenia ©ORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 379-379	5.1	
2	The Cochrane Schizophrenia Group. <i>Revista Brasileira De Psiquiatria</i> , 1999 , 21, 106-108	2.6	
1	Temporary Separation from Parents in Early Childhood and Serious Personality Disorders in Adult Life. <i>Journal of Personality Disorders</i> ,1-12	2.6	