Kristian Wahlbeck

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8978432/kristian-wahlbeck-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,957 149 49 92 h-index g-index citations papers 161 5.6 10,435 5.99 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
149	Sf we would change things outside we wouldn even need to go in Supporting recovery via community-based actions: A focus group study on psychiatric rehospitalization. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 174-184	3.7	1
148	Is Mental Well-Being in the Oldest Old Different from That in Younger Age Groups? Exploring the Mental Well-Being of the Oldest-Old Population in Europe. <i>Journal of Happiness Studies</i> , 2021 , 22, 1693	- ₹7 17	2
147	Using national electronic health care registries for comparing the risk of psychiatric re-hospitalisation in six European countries: Opportunities and limitations. <i>Health Policy</i> , 2019 , 123, 102	28-703	5 ⁵
146	The Economic Case for the Prevention of Mental Illness. <i>Annual Review of Public Health</i> , 2019 , 40, 373-3	89 0.6	51
145	Identifying Local and Centralized Mental Health Services-The Development of a New Categorizing Variable. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
144	A Comparison of Mental Health Care Systems in Northern and Southern Europe: A Service Mapping Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	20
143	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017 , 16, 30-40	14.4	296
142	Psychiatric readmissions and their association with physical comorbidity: a systematic literature review. <i>BMC Psychiatry</i> , 2017 , 17, 2	4.2	90
141	Interventions to mitigate the effects of poverty and inequality on mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 505-514	4.5	33
140	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017 , 27, 892-899	1.2	9
139	Antidepressant use and violent crimes among young people: a longitudinal examination of the Finnish 1987 birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 12-18	5.1	5
138	Statistical methods and modelling techniques for analysing hospital readmission of discharged psychiatric patients: a systematic literature review. <i>BMC Psychiatry</i> , 2016 , 16, 413	4.2	5
137	The Impact of the 2008 Economic Crisis on Substance Use Patterns in the Countries of the European Union. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	50
136	Regional Correlates of Psychiatric Inpatient Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	5
135	How size matters: exploring the association between quality of mental health services and catchment area size. <i>BMC Psychiatry</i> , 2016 , 16, 289	4.2	6
134	Psychiatric readmissions and their association with environmental and health system characteristics: a systematic review of the literature. <i>BMC Psychiatry</i> , 2016 , 16, 376	4.2	43
133	Lithium is associated with decrease in all-cause and suicide mortality in high-risk bipolar patients: A nationwide registry-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2015 , 183, 159-65	6.6	39

132	Mental health research priorities for Europe. Lancet Psychiatry, the, 2015, 2, 1036-42	23.3	108
131	Cross-national variations in reported discrimination among people treated for major depression worldwide: the ASPEN/INDIGO international study. <i>British Journal of Psychiatry</i> , 2015 , 207, 507-14	5.4	17
130	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54	2.1	80
129	Contribution of the Nordic School of Public Health to the public mental health research field: a selection of research initiatives, 2007-2014. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 66-72	3	4
128	Mental health and alcohol use: a cross-sectional study of the Finnish general population. <i>European Journal of Public Health</i> , 2015 , 25, 225-31	2.1	31
127	Public mental health: the time is ripe for translation of evidence into practice. <i>World Psychiatry</i> , 2015 , 14, 36-42	14.4	90
126	Developing a tool for mapping adult mental health care provision in Europe: the REMAST research protocol and its contribution to better integrated care. <i>International Journal of Integrated Care</i> , 2015 , 15, e042	2	23
125	Associations between problem gambling, socio-demographics, mental health factors and gambling type: sex differences among Finnish gamblers. <i>International Gambling Studies</i> , 2014 , 14, 39-52	1.8	11
124	Social capital and reported discrimination among people with depression in 15 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1589-98	4.5	13
123	Promoting and Protecting Mental Wellbeing during Times of Economic Change 2014 , 1-23		1
123	Promoting and Protecting Mental Wellbeing during Times of Economic Change 2014 , 1-23 Enhancing Mental Health and Mental Wellbeing in Older People 2014 , 1-24		1
·			3
122	Enhancing Mental Health and Mental Wellbeing in Older People 2014 , 1-24	3.7	
122	Enhancing Mental Health and Mental Wellbeing in Older People 2014 , 1-24 Promoting the Health and Wellbeing of Older People 2014 , 1-22 Prenatal and childhood growth, and hospitalization for alcohol use disorders in adulthood: the	3·7 4.6	3
122 121 120	Enhancing Mental Health and Mental Wellbeing in Older People 2014 , 1-24 Promoting the Health and Wellbeing of Older People 2014 , 1-22 Prenatal and childhood growth, and hospitalization for alcohol use disorders in adulthood: the Helsinki birth cohort study. <i>PLoS ONE</i> , 2014 , 9, e87404 Size matters - determinants of modern, community-oriented mental health services. <i>International</i>		3
122 121 120	Enhancing Mental Health and Mental Wellbeing in Older People 2014, 1-24 Promoting the Health and Wellbeing of Older People 2014, 1-22 Prenatal and childhood growth, and hospitalization for alcohol use disorders in adulthood: the Helsinki birth cohort study. PLoS ONE, 2014, 9, e87404 Size matters - determinants of modern, community-oriented mental health services. International Journal of Environmental Research and Public Health, 2014, 11, 8456-74 Does primary care mental health resourcing affect the use and costs of secondary psychiatric	4.6	3 2 10
122 121 120 119 118	Enhancing Mental Health and Mental Wellbeing in Older People 2014, 1-24 Promoting the Health and Wellbeing of Older People 2014, 1-22 Prenatal and childhood growth, and hospitalization for alcohol use disorders in adulthood: the Helsinki birth cohort study. PLoS ONE, 2014, 9, e87404 Size matters - determinants of modern, community-oriented mental health services. International Journal of Environmental Research and Public Health, 2014, 11, 8456-74 Does primary care mental health resourcing affect the use and costs of secondary psychiatric services?. International Journal of Environmental Research and Public Health, 2014, 11, 8743-54 Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an	4.6	3 2 10

114	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
113	Nature and impact of European anti-stigma depression programmes. <i>Health Promotion International</i> , 2014 , 29, 403-13	3	13
112	Structural and Cognitive Aspects of Social Capital and All-Cause Mortality: A Meta-Analysis of Cohort Studies. <i>Social Indicators Research</i> , 2014 , 116, 545-566	2.7	66
111	Maternal Grand Multiparity and the Risk of Severe Mental Disorders in Adult Offspring. <i>PLoS ONE</i> , 2014 , 9, e114679	3.7	16
110	Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. <i>Lancet, The,</i> 2013 , 381, 55-62	40	258
109	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982-2006. <i>BMC Public Health</i> , 2013 , 13, 834	4.1	29
108	Experiences with treating immigrants: a qualitative study in mental health services across 16 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 105-16	4.5	72
107	Cardiovascular mortality in bipolar disorder: a population-based cohort study in Sweden. <i>BMJ Open</i> , 2013 , 3,	3	116
106	Socioeconomic and regional aspects in the use of specialized psychiatric carea Finnish nationwide follow-up study. <i>European Journal of Public Health</i> , 2013 , 23, 372-7	2.1	24
105	Suicide mortality trends in the Nordic countries 1980-2009. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 414-2	3 ≥.3	51
104	Excess mortality, causes of death and life expectancy in 270,770 patients with recent onset of mental disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013 , 8, e55176	3.7	360
103	Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. <i>PLoS ONE</i> , 2013 , 8, e67133	3.7	193
102	Substance-induced psychoses converting into schizophrenia: a register-based study of 18,478 Finnish inpatient cases. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e94-9	4.6	114
101	Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: the Helsinki Birth Cohort Study. <i>Journal of Psychiatric Research</i> , 2012 , 46, 303-10	5.2	48
100	Structural and cognitive social capital and depression among older adults in two Nordic regions. <i>Aging and Mental Health</i> , 2012 , 16, 771-9	3.5	71
99	Actions to alleviate the mental health impact of the economic crisis. World Psychiatry, 2012, 11, 139-45	14.4	143
98	Temporary separation from parents in early childhood and serious personality disorders in adult life. <i>Journal of Personality Disorders</i> , 2012 , 26, 751-62	2.6	13
97	How does a history of psychiatric hospital care influence access to coronary care: a cohort study.	3	11

(2011-2012)

96	Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. <i>European Journal of Public Health</i> , 2012 , 22, 604-6	2.1	15
95	O27. Hypertensive disorders in pregnancy and risk of severe mental disorders in the offspring in adulthood: The Helsinki Birth Cohort study. <i>Pregnancy Hypertension</i> , 2011 , 1, 271	2.6	
94	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011 , 199, 453-8	5.4	347
93	European mental health policy should target everybody. <i>European Journal of Public Health</i> , 2011 , 21, 551-3	2.1	9
92	Risk of severe mental disorders in adults separated temporarily from their parents in childhood: the Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 332-8	5.2	57
91	Glucocorticoid receptor gene haplotype predicts increased risk of hospital admission for depressive disorders in the Helsinki birth cohort study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1160-4	5.2	14
90	Incidence of hospitalised schizophrenia in Finland since 1980: decreasing and increasing again. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 343-50	4.5	18
89	Personal stigma and use of mental health services among people with depression in a general population in Finland. <i>BMC Psychiatry</i> , 2011 , 11, 52	4.2	70
88	Good practice in health care for migrants: views and experiences of care professionals in 16 European countries. <i>BMC Public Health</i> , 2011 , 11, 187	4.1	167
87	Reported Stigma and Discrimination by People with a Diagnosis of Schizophrenia ©ORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 379-379	5.1	
86	Psychosocial interventions for the promotion of mental health and the prevention of depression among older adults. <i>Health Promotion International</i> , 2011 , 26 Suppl 1, i85-107	3	110
85	Reported stigma and discrimination by people with a diagnosis of schizophrenia. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 193-204	5.1	58
84	European comparisons between mental health services. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 15-8	5.1	12
83	Psychosocial interventions for the prevention of depression in older adults: systematic review and meta-analysis. <i>Journal of Aging and Health</i> , 2011 , 23, 387-416	2.6	82
82	Supporting decision-making processes for evidence-based mental health promotion. <i>Health Promotion International</i> , 2011 , 26 Suppl 1, i140-6	3	11
81	Cognitive components of social capital and mental health status among older adults: a population-based cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 757-65	3	33
80	Reducing the silent burden of impaired mental health. <i>Journal of Health Communication</i> , 2011 , 16 Suppl 2, 59-74	2.5	29
79	Predictors of stigmatizing attitudes towards people with mental disorders in a general population in Finland. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 125-32	2.3	40

78	Growth in infancy and childhood and hospitalization for personality disorders in adulthood: the Helsinki Birth Cohort Study. <i>Journal of Personality Disorders</i> , 2011 , 25, 620-33	2.6	8
77	Beta-blocker supplementation of standard drug treatment for schizophrenia. <i>Schizophrenia Bulletin</i> , 2010 , 36, 1079-80	1.3	10
76	Prenatal origins of hospitalization for personality disorders: the Helsinki birth cohort study. <i>Psychiatry Research</i> , 2010 , 179, 226-30	9.9	20
75	Attitudes towards people with mental disorders: the psychometric characteristics of a Finnish questionnaire. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 265-73	4.5	17
74	Use of psychotropic drugs before pregnancy and the risk for induced abortion: population-based register-data from Finland 1996-2006. <i>BMC Public Health</i> , 2010 , 10, 383	4.1	12
73	Incidence of cancer and statin usagerecord linkage study. <i>International Journal of Cancer</i> , 2010 , 126, 279-84	7.5	117
72	Incidence of cancer and antidepressant medication: record linkage study. <i>International Journal of Cancer</i> , 2010 , 126, 285-96	7.5	43
71	Cost-utility of treatment of bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2010 , 43, 596-602	6.3	19
70	Increase in the duration of antidepressant treatment from 1994 to 2003: a nationwide population-based study from Finland. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1186-93	2.6	17
69	Five-year mortality of Finnish schizophrenia patients in the era of deinstitutionalization. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 135-42	4.5	25
68	The efficacy of lamotrigine in clozapine-resistant schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2009 , 109, 10-4	3.6	146
67	Community mental-health services and suicide rate in Finland: a nationwide small-area analysis. <i>Lancet, The</i> , 2009 , 373, 147-53	40	123
66	11-year follow-up of mortality in patients with schizophrenia: a population-based cohort study (FIN11 study). <i>Lancet, The</i> , 2009 , 374, 620-7	40	906
65	Psychosocial interventions for prevention of depression in older people. <i>The Cochrane Library</i> , 2009	5.2	2
64	Neuroleptic-induced movement disorders in a naturalistic schizophrenia population: diagnostic value of actometric movement patterns. <i>BMC Neurology</i> , 2008 , 8, 10	3.1	8
63	Quality of life and metabolic status in mildly depressed patients with type 2 diabetes treated with paroxetine: a double-blind randomised placebo controlled 6-month trial. <i>BMC Family Practice</i> , 2007 , 8, 34	2.6	47
62	Methadone vs. buprenorphine/naloxone during early opioid substitution treatment: a naturalistic comparison of cognitive performance relative to healthy controls. <i>BMC Clinical Pharmacology</i> , 2007 , 7, 5		77
61	Reductions in postdischarge suicide after deinstitutionalization and decentralization: a nationwide register study in Finland. <i>Psychiatric Services</i> , 2007 , 58, 221-6	3.3	49

(2004-2007)

60	Organisational downsizing and increased use of psychotropic drugs among employees who remain in employment. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 154-8	5.1	66
59	Antidepressants and the risk of suicide, attempted suicide, and overall mortality in a nationwide cohort. <i>Archives of General Psychiatry</i> , 2006 , 63, 1358-67		179
58	The mortality of young offenders sentenced to prison and its association with psychiatric disorders: a register study. <i>European Journal of Public Health</i> , 2006 , 16, 193-7	2.1	33
57	Effectiveness of antipsychotic treatments in a nationwide cohort of patients in community care after first hospitalisation due to schizophrenia and schizoaffective disorder: observational follow-up study. <i>BMJ, The</i> , 2006 , 333, 224	5.9	260
56	Call for a European guidelines institute. British Journal of Psychiatry, 2006, 188, 193; author reply 193	5.4	5
55	Glutamatergic drugs for schizophrenia. <i>The Cochrane Library</i> , 2006 , CD003730	5.2	36
54	Mental disorders in prison populations aged 15-21: national register study of two cohorts in Finland. <i>BMJ, The</i> , 2005 , 330, 1364-5	5.9	10
53	Actometry and Barnes Akathisia Rating Scale in neuroleptic-induced akathisia. <i>European Neuropsychopharmacology</i> , 2005 , 15, 39-41	1.2	19
52	European psychiatric treatment guidelines: is the glass half full or half empty?. <i>European Psychiatry</i> , 2005 , 20, 554-8	6	12
51	Glutamatergic drugs for schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2005 , 72, 225-34	3.6	166
50	Restraint and seclusion in psychiatric inpatient wards. Current Opinion in Psychiatry, 2005, 18, 555-9	4.9	72
49	Actometry in measuring the symptom severity of restless legs syndrome. <i>European Journal of Neurology</i> , 2005 , 12, 385-7	6	11
48	Validity of Simpson-Angus Scale (SAS) in a naturalistic schizophrenia population. <i>BMC Neurology</i> , 2005 , 5, 5	3.1	69
47	The characteristics of suicides within a week of discharge after psychiatric hospitalisation - a nationwide register study. <i>BMC Psychiatry</i> , 2005 , 5, 32	4.2	32
46	Chlorpromazine for schizophrenia: a Cochrane systematic review of 50 years of randomised controlled trials. <i>BMC Medicine</i> , 2005 , 3, 15	11.4	37
45	Comparison of large versus smaller randomized trials for mental health-related interventions. <i>American Journal of Psychiatry</i> , 2005 , 162, 578-84	11.9	28
44	Topiramate add-on in treatment-resistant schizophrenia: a randomized, double-blind, placebo-controlled, crossover trial. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1012-5	4.6	72
43	Safety reporting in randomized trials of mental health interventions. <i>American Journal of Psychiatry</i> , 2004 , 161, 1692-7	11.9	62

42	Systematic review of cholinergic drugs for neuroleptic-induced tardive dyskinesia: a meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 1099-107	5.5	33
41	Lower limb motor restlessness in Asperger's disorder, measured using actometry. <i>Psychiatry Research</i> , 2004 , 128, 63-70	9.9	7
40	Effect sizes in cumulative meta-analyses of mental health randomized trials evolved over time. Journal of Clinical Epidemiology, 2004 , 57, 1124-30	5.7	135
39	Prevalence of neuroleptic-induced movement disorders in chronic schizophrenia inpatients. <i>American Journal of Psychiatry</i> , 2004 , 161, 160-3	11.9	105
38	Antisocial violent offenders with attention deficit hyperactivity disorder demonstrate akathisia-like hyperactivity in three-channel actometry. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003 , 15, 194-9	2.7	8
37	Quantitative rest activity in ambulatory monitoring as a physiological marker of restless legs syndrome: a controlled study. <i>Movement Disorders</i> , 2003 , 18, 442-8	7	19
36	Quality of life and metabolic status in mildly depressed women with type 2 diabetes treated with paroxetine: a single-blind randomised placebo controlled trial. <i>BMC Family Practice</i> , 2003 , 4, 7	2.6	77
35	A practice guideline for treatment of eating disorders in children and adolescents. <i>Annals of Medicine</i> , 2003 , 35, 488-501	1.5	33
34	New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. <i>Lancet, The</i> , 2003 , 361, 1581-9	40	500
33	New generation versus conventional antipsychotics. <i>Lancet, The</i> , 2003 , 362, 404-405	40	3
32	Lamotrigine in treatment-resistant schizophrenia: a randomized placebo-controlled crossover trial. <i>Biological Psychiatry</i> , 2003 , 54, 1241-8	7.9	142
31	No association between micrometer-sized particles in human cerebrospinal fluid and schizophrenia. <i>Neuroscience Letters</i> , 2003 , 349, 68-70	3.3	5
30	Differential response to right unilateral ECT in depressed patients: impact of comorbidity and severity of illness [ISRCTN39974945]. <i>BMC Psychiatry</i> , 2002 , 2, 2	4.2	9
29	Randomized controlled trials in schizophrenia: a critical perspective on the literature. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 243-51	6.5	38
28	Decrease of energy expenditure causes weight increase in olanzapine treatment - a case study. <i>Pharmacopsychiatry</i> , 2002 , 35, 124-6	2	35
27	Newer atypical antipsychotic medication in comparison to clozapine: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2002 , 56, 1-10	3.6	81
26	Neopterin and macrophage inflammatory protein-1alpha in the cerebrospinal fluid of schizophrenic patients: no evidence of intrathecal inflammation. <i>Neuropsychobiology</i> , 2002 , 46, 169-72	4	12
	pacients: no evidence of intrachecal inflammation. <i>Neuropsychobiology</i> , 2002 , 46, 169-72		

24	Association of schizophrenia with low maternal body mass index, small size at birth, and thinness during childhood. <i>Archives of General Psychiatry</i> , 2001 , 58, 48-52		189
23	Estrogen deficiency in severe postpartum depression: successful treatment with sublingual physiologic 17beta-estradiol: a preliminary study. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 332-6	4.6	178
22	Associations between childhood living circumstances and schizophrenia: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 356-60	6.5	19
21	Newer atypical antipsychotic medication versus clozapine for schizophrenia. <i>The Cochrane Library</i> , 2000 , CD000966	5.2	34
20	Influence of methodology on outcomes of randomised clozapine trials. <i>Pharmacopsychiatry</i> , 2000 , 33, 54-9	2	10
19	Current antipsychotic dose correlates to mononuclear cell counts in the cerebrospinal fluid of psychotic patients. <i>Psychiatry Research</i> , 2000 , 93, 13-9	9.9	12
18	Risperidone versus clozapine in treatment-resistant schizophrenia: a randomized pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000 , 24, 911-22	5.5	45
17	Much to improve: A survey of controlled Nordic schizophrenia trials. <i>Nordic Journal of Psychiatry</i> , 2000 , 54, 105-108	2.3	1
16	Risperidone versus clozapine in treatment-resistant schizophrenia: A randomized pilot trial. <i>Schizophrenia Research</i> , 2000 , 41, 197	3.6	2
15	Are UK consultants interested in pragmatic trials for those with schizophrenia?. <i>Schizophrenia Research</i> , 2000 , 41, 233	3.6	2
14	Cerebrospinal fluid angiotensin-converting enzyme (ACE) correlates with length of illness in schizophrenia. <i>Schizophrenia Research</i> , 2000 , 41, 335-40	3.6	18
13	Efficacy of beta-blocker supplementation for schizophrenia: a systematic review of randomized trials. <i>Schizophrenia Research</i> , 2000 , 41, 341-7	3.6	12
12	Pharmacological treatment of schizophrenia resistant to first-line treatment: a critical systematic review and meta-analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 159-69	2.4	7
11	The impact of pregnancy and puerperium on panic disorder: a review. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999 , 20, 59-64	3.6	40
10	The Cochrane Schizophrenia Group. Revista Brasileira De Psiquiatria, 1999, 21, 106-108	2.6	
9	Evidence of clozapines effectiveness in schizophrenia: a systematic review and meta-analysis of randomized trials. <i>American Journal of Psychiatry</i> , 1999 , 156, 990-9	11.9	204
8	A longitudinal study of cerebrospinal fluid angiotensin-converting enzyme in neuroleptic-treated schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1997 , 21, 591-9	5.5	4
7	Neuropeptide FF-like immunoreactivity in human cerebrospinal fluid of chronic pain patients and healthy controls. <i>Peptides</i> , 1997 , 18, 923-7	3.8	15

6	Elevated plasma vasopressin and normal cerebrospinal fluid angiotensin-converting enzyme in chronic pain disorder. <i>Biological Psychiatry</i> , 1996 , 40, 994-9	7.9	8
5	The effect of clozapine on the course of illness in chronic schizophrenia: focus on treatment outcome in out-patients. <i>International Clinical Psychopharmacology</i> , 1996 , 11, 265-72	2.2	17
4	Plasma and cerebrospinal fluid interleukin-1 beta and interleukin-6 in hospitalized schizophrenic patients. <i>Neuropsychobiology</i> , 1994 , 30, 20-3	4	33
3	Elevated angiotensin-converting enzyme (kininase II) in the cerebrospinal fluid of neuroleptic-treated schizophrenic patients. <i>Schizophrenia Research</i> , 1993 , 9, 77-82	3.6	36
2	Interferon-alpha as adjuvant treatment in chronic schizophrenia. <i>Neuropsychobiology</i> , 1993 , 28, 192-6	4	6
1	Temporary Separation from Parents in Early Childhood and Serious Personality Disorders in Adult Life. <i>Journal of Personality Disorders</i> ,1-12	2.6	