Victor Gil

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8979682/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predicting 30-Day Mortality for Patients With Acute Heart Failure in the Emergency Department. Annals of Internal Medicine, 2017, 167, 698.	3.9	152
2	Pulmonary embolism in patients with COVID-19: incidence, risk factors, clinical characteristics, and outcome. European Heart Journal, 2021, 42, 3127-3142.	2.2	90
3	Time trends in characteristics, clinical course, and outcomes of 13,791 patients with acute heart failure. Clinical Research in Cardiology, 2018, 107, 897-913.	3.3	77
4	Clinical phenotypes of acute heart failure based on signs and symptoms of perfusion and congestion at emergency department presentation and their relationship with patient management and outcomes. European Journal of Heart Failure, 2019, 21, 1353-1365.	7.1	56
5	Morphine Use in the ED and Outcomes of Patients With Acute Heart Failure. Chest, 2017, 152, 821-832.	0.8	45
6	Departments involved during the first episode of acute heart failure and subsequent emergency department revisits and rehospitalisations: an outlook through the NOVICA cohort. European Journal of Heart Failure, 2019, 21, 1231-1244.	7.1	42
7	Adherence to Mediterranean Diet and All-Cause Mortality After an Episode ofÂAcute Heart Failure. JACC: Heart Failure, 2018, 6, 52-62.	4.1	40
8	Analysis of How Emergency Physicians' Decisions to Hospitalize or Discharge Patients With Acute Heart Failure Match the Clinical Risk Categories of the MEESSI-AHF Scale. Annals of Emergency Medicine, 2019, 74, 204-215.	0.6	35
9	Impact of geriatric assessment variables on 30-day mortality among older patients with acute heart failure. Emergencias, 2018, 30, 149-155.	0.6	35
10	Emergency Heart Failure Mortality Risk Grade score performance for 7-day mortality prediction in patients with heart failure attended at the emergency department: validation in a Spanish cohort. European Journal of Emergency Medicine, 2018, 25, 169-177.	1.1	32
11	Impact of Frailty and Disability on 30-Day Mortality in Older Patients With Acute Heart Failure. American Journal of Cardiology, 2017, 120, 1151-1157.	1.6	29
12	Effects of the intensity of prehospital treatment on short-term outcomes in patients with acute heart failure: the SEMICA-2 study. Clinical Research in Cardiology, 2018, 107, 347-361.	3.3	29
13	How does a clinical trial fit into the real world? The RELAX-AHF study population into the EAHFE registry. Clinical Research in Cardiology, 2015, 104, 850-860.	3.3	27
14	Clinical effects and safety of different strategies for administering intravenous diuretics in acutely decompensated heart failure: a randomised clinical trial. Emergency Medicine Journal, 2014, 31, 706-713.	1.0	26
15	MEESSI-AHF risk score performance to predict multiple post-index event and post-discharge short-term outcomes. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 142-152.	1.0	26
16	Patients with acute heart failure discharged from the emergency department and classified as low risk by the MEESSI score (multiple risk estimate based on the Spanish emergency department scale): prevalence of adverse events and predictability. Emergencias, 2019, 31, 5-14.	0.6	24
17	The GALA study: relationship between galectin-3 serum levels and short- and long-term outcomes of patients with acute heart failure. Biomarkers, 2017, 22, 731-739.	1.9	23
18	Effect of risk of malnutrition on 30-day mortality among older patients with acute heart failure in Emergency Departments. European Journal of Internal Medicine, 2019, 65, 69-77.	2.2	23

VICTOR GIL

#	Article	IF	CITATIONS
19	Effect of Barthel Index on the Risk of Thirty-Day Mortality in Patients With Acute Heart Failure Attending the Emergency Department: A Cohort Study of Nine Thousand Ninety-Eight Patients From the Epidemiology of Acute Heart Failure in Emergency Departments Registry. Annals of Emergency Medicine, 2019, 73, 589-598.	0.6	22
20	Morphine Use in the Treatment of Acute Cardiogenic Pulmonary Edema and Its Effects on Patient Outcome: A Systematic Review. Current Heart Failure Reports, 2019, 16, 81-88.	3.3	21
21	Planning to reduce 30-day adverse events after discharge of frail elderly patients with acute heart failure: design and rationale for the DEED FRAIL-AHF trial. Emergencias, 2019, 31, 27-35.	0.6	20
22	BETAWIN-AHF study: effect of beta-blocker withdrawal during acute decompensation in patients with chronic heart failure. Clinical Research in Cardiology, 2016, 105, 1021-1029.	3.3	18
23	IMPROV-ED study: outcomes after discharge for an episode of acute-decompensated heart failure and comparison between patients discharged from the emergency department and hospital wards. Clinical Research in Cardiology, 2017, 106, 369-378.	3.3	17
24	Synergistic Impact of Systolic Blood Pressure and Perfusion Status on Mortality in Acute Heart Failure. Circulation: Heart Failure, 2021, 14, e007347.	3.9	17
25	Transgenic Expression of Soluble Human CD5 Enhances Experimentally-Induced Autoimmune and Anti-Tumoral Immune Responses. PLoS ONE, 2014, 9, e84895.	2.5	16
26	Editor's Choice– Impact of identifying precipitating factors on 30-day mortality in acute heart failure patients. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 667-680.	1.0	15
27	Midazolam versus morphine in acute cardiogenic pulmonary oedema: results ofÂaÂmulticentre, open″abel, randomized controlled trial. European Journal of Heart Failure, 2022, 24, 1953-1962.	7.1	15
28	Short-term outcomes of heart failure patients with reduced and preserved ejection fraction after acute decompensation according to the final destination after emergency department care. Clinical Research in Cardiology, 2018, 107, 698-710.	3.3	14
29	Characteristics of acute heart failure in very elderly patients — EVE study (EAHFE very elderly). European Journal of Internal Medicine, 2014, 25, 463-470.	2.2	13
30	Predictive capacity of a multimarker strategy to determine short-term mortality in patients attending a hospital emergency Department for acute heart failure. BIO-EAHFE study. Clinica Chimica Acta, 2017, 466, 22-30.	1.1	13
31	Factors associated with in-hospital mortality and adverse outcomes during the vulnerable post-discharge phase after the first episode of acute heart failure: results of the NOVICA-2 study. Clinical Research in Cardiology, 2021, 110, 993-1005.	3.3	13
32	CORT-AHF Study. JACC: Heart Failure, 2019, 7, 834-845.	4.1	12
33	Comparative Analysis of Short-Term Outcomes of Patients With Heart Failure With a Mid-Range Ejection Fraction After Acute Decompensation. American Journal of Cardiology, 2019, 123, 84-92.	1.6	12
34	Effects on short term outcome of non-invasive ventilation use in the emergency department to treat patients with acute heart failure: A propensity score-based analysis of the EAHFE Registry. European Journal of Internal Medicine, 2018, 53, 45-51.	2.2	11
35	Worsening renal function during an episode of acute heart failure and its relation to short- and long-term mortality: associated factors in the Epidemiology of Acute Heart Failure in Emergency Departments- Worsening Renal Function study. Emergencias, 2020, 32, 332-339.	0.6	9
36	The Usefulness of the MEESSI Score for Risk Stratification of Patients With Acute Heart Failure at the Emergency Department. Revista Espanola De Cardiologia (English Ed), 2019, 72, 198-207.	0.6	8

VICTOR GIL

#	Article	IF	CITATIONS
37	Time-pattern of adverse outcomes after an infection-triggered acute heart failure decompensation and the influence of early antibiotic administration and hospitalisation: results of the PAPRICA-3 study. Clinical Research in Cardiology, 2020, 109, 34-45.	3.3	8
38	Analysis of standards of quality for outcomes in acute heart failure patients directly discharged home from emergency departments and their relationship with the emergency department direct discharge rate. Journal of Cardiology, 2021, 77, 245-253.	1.9	8
39	Influence of the length of hospitalisation in post-discharge outcomes in patients with acute heart failure: Results of the LOHRCA study. European Journal of Internal Medicine, 2019, 70, 24-32.	2.2	7
40	The role of atrial fibrillation in the short-term outcomes of patients with acute heart failure. Clinical Research in Cardiology, 2019, 108, 622-633.	3.3	7
41	Thirty-day outcomes in frail older patients discharged home from the emergency department with acute heart failure: effects of high-risk criteria identified by the DEED FRAIL-AHF trial. Emergencias, 2021, 33, 165-173.	0.6	7
42	Morphine in acute heart failure: good in relieving symptoms, bad in improving outcomes. Journal of Thoracic Disease, 2017, 9, E871-E874.	1.4	6
43	The CRAS-EAHFE study: Characteristics and prognosis of acute heart failure episodes with cardiorenal-anaemia syndrome at the emergency department. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 406-418.	1.0	6
44	Highâ€sensitivity cardiac troponin T 30 days allâ€come mortality in patients with acute heart failure. A Propensity Scoreâ€Matching Analysis Based on the EAHFE Registry. TROPICA4 Study. European Journal of Clinical Investigation, 2020, 50, e13248.	3.4	5
45	Outcomes of patients with heart failure with preserved ejection fraction discharged on treatment with neurohormonal antagonists after an episode of decompensation. European Journal of Internal Medicine, 2021, 94, 73-84.	2.2	5
46	Early intravenous nitroglycerin use in prehospital setting and in the emergency department to treat patients with acute heart failure: Insights from the EAHFE Spanish registry. International Journal of Cardiology, 2021, 344, 127-134.	1.7	5
47	The subset of patients with acute heart failure able to secrete relaxin-2 at pregnancy concentrations could have a longer survival: a pilot study. Biomarkers, 2018, 23, 573-579.	1.9	4
48	The BRONCHâ€AHF study: effects on shortâ€ŧerm outcome of nebulized bronchodilators in emergency department patients diagnosed with acute heart failure. European Journal of Heart Failure, 2018, 20, 822-826.	7.1	4
49	Mortalidad tras un episodio de insuficiencia cardiaca aguda en una cohorte de pacientes con función ventricular intermedia: análisis global y en relación con el lugar de ingreso. Medicina ClÃnica, 2018, 151, 223-230.	0.6	3
50	Tasas de reconsulta, hospitalización y muerte a corto plazo tras el alta directa desde Urgencias de pacientes con insuficiencia cardiaca aguda y análisis de los factores asociados. Estudio ALTUR-ICA. Medicina ClÃnica, 2018, 150, 167-177.	0.6	3
51	Accurate predictions in the emergency department will lead to improvements in patient outcomes: about the urgency to apply this concept to patients with dyspnoea and acute heart failure. European Journal of Emergency Medicine, 2019, 26, 390-391.	1.1	3
52	The FAST-FURO study: effect of very early administration of intravenous furosemide in the prehospital setting to patients with acute heart failure attending the emergency department. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 487-496.	1.0	3
53	Acute heart failure and adverse events associated with the presence of renal dysfunction and hyperkalaemia. EAHFE- renal dysfunction and hyperkalaemia. European Journal of Internal Medicine, 2019, 67, 89-96.	2.2	2
54	Safety of diuretic administration during the early management of dyspnea patients who are not finally diagnosed with acute heart failure. European Journal of Emergency Medicine, 2020, 27, 422-428.	1.1	2

VICTOR GIL

#	Article	IF	CITATIONS
55	Influence of previous coronary artery bypass grafting in the difficulty of acute coronary syndrome diagnosis. European Journal of Emergency Medicine, 2021, 28, 125-135.	1.1	2
56	The Clinical outcomes, healthcare resource utilization, and related costs (COHERENT) model. Application in heart failure patients. Revista Espanola De Cardiologia (English Ed), 2021, , .	0.6	2
57	Impact of diabetes and on-arrival hyperglycemia on short-term outcomes in acute heart failure patients. Internal and Emergency Medicine, 2022, 17, 1503-1516.	2.0	2
58	Characteristics and prognosis of patients with acute heart failure without troponin determination: The EAHFE-TROPICA3 study. Archives of Cardiovascular Diseases, 2019, 112, 390-399.	1.6	1
59	External validation of an emergency department triage algorithm for chest pain patients. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 576-585.	1.0	1
60	Impact of hospital and emergency department structural and organizational characteristics on outcomes of acute heart failure. Revista Espanola De Cardiologia (English Ed), 2022, 75, 39-49.	0.6	1
61	Factors associated with late presentation to the emergency department in patients complaining of chest pain. Patient Education and Counseling, 2022, 105, 695-706.	2.2	1
62	Prevalence, Related Factors and Association of Left Bundle Branch Block With Prognosis in Patients With Acute Heart Failure: a Simultaneous Analysis in 3 Independent Cohorts. Journal of Cardiac Failure, 2022, 28, 1104-1115.	1.7	1
63	Response. Chest, 2018, 153, 766.	0.8	0
64	Utility of the Identification of Seniors at Risk Score to Predict In-Hospital Mortality in Older Patients With Heart Failure. Journal of the American Medical Directors Association, 2018, 19, 1137-1138.	2.5	0
65	Acerca de la ventilación mecánica no invasiva frente a la presión positiva en la vÃa aérea en el edema pulmonar cardiogénico. Archivos De Bronconeumologia, 2018, 54, 594.	0.8	0
66	Consideraciones en el traumatismo craneoencefálico en urgencias. Neurocirugia, 2019, 30, 100-101.	0.4	0
67	Oxygen therapy and palliative care in patients with heart failure. Revista Espanola De Cardiologia (English Ed), 2020, 73, 598.	0.6	0
68	Key decision-making around hospitalization in patients with acute heart failure. European Journal of Internal Medicine, 2020, 75, 102-104.	2.2	0
69	Respuesta al artÃculo: «Utilidad pronóstica de la ecografÃa a pie de cama previa al alta en pacientes con insuficiencia cardÃaca aguda y fracción de eyección preservada». Medicina ClÃnica, 2021, , .	0.6	Ο