
## Knut A Hestad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/898159/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Blood pressure in dementia, mild cognitive impairment, and subjective cognitive decline related to time of death. Brain and Behavior, 2021, 11, e02166.	2.2	5
2	Cognition in Patients With Memory Difficulties and Dementia Relative to APOE e4 Status. Frontiers in Psychology, 2021, 12, 686036.	2.1	2
3	Trust in crisis. Approaching Religion, 2021, 11, 98-114.	0.2	7
4	Blood Pressure in Different Dementia Disorders, Mild Cognitive Impairment, and Subjective Cognitive Decline. Frontiers in Aging Neuroscience, 2020, 12, 257.	3.4	5
5	<p>The Applicability of the Patient-Specific Functional Scale (PSFS) in Rehabilitation for Patients with Acquired Brain Injury (ABI) – A Cohort Study</p> . Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1121-1132.	2.7	8
6	The Effect of Blood Pressure on Cognitive Performance. An 8-Year Follow-Up of the TromsÃ, Study, Comprising People Aged 45–74 Years. Frontiers in Psychology, 2020, 11, 607.	2.1	21
7	Neurocognitive Outcome and Compensating Possibilities in Children and Adolescents Treated for Acute Lymphoblastic Leukemia With Chemotherapy Only. Frontiers in Psychology, 2019, 10, 1027.	2.1	11
8	PTSD patients show increasing cytokine levels during treatment despite reduced psychological distress. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2367-2378.	2.2	31
9	Use of Western Neuropsychological Test Battery in Detecting HIV-Associated Neurocognitive Disorders (HAND) in Zambia. AIDS and Behavior, 2017, 21, 1717-1727.	2.7	34
10	Neuropsychological function in individuals with morbid obesity: a cross-sectional study. BMC Obesity, 2017, 4, 6.	3.1	20
11	HIV- and AIDS-associated neurocognitive functioning in Zambia – a perspective based on differences between the genders. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 2021-2028.	2.2	23
12	Patients with depression display cytokine levels in serum and cerebrospinal fluid similar to patients with diffuse neurological symptoms without a defined diagnosis. Neuropsychiatric Disease and Treatment, 2016, 12, 817.	2.2	28
13	Do neuropsychological test norms from African Americans in the United States generalize to a Zambian population?. Psychological Assessment, 2016, 28, 18-38.	1.5	22
14	Central Coherence, Visuoconstruction and Visual Memory in Patients with Eating Disorders as Measured by Different Scoring Methods of the Rey Complex Figure Test. European Eating Disorders Review, 2016, 24, 106-113.	4.1	18
15	Cognitive Functions and Depression in Patients with Irritable Bowel Syndrome. Gastroenterology Research and Practice, 2015, 2015, 1-9.	1.5	9
16	Predicting the clinical outcome of stimulant medication in pediatric attention-deficit/hyperactivity disorder: data from quantitative electroencephalography, event-related potentials, and a go/no-go test. Neuropsychiatric Disease and Treatment, 2014, 10, 231.	2.2	40
17	"lf I Didn't Have My Faith I Would Have Killed Myself!― Spiritual Coping in Patients Suffering From Schizophrenia. International Journal for the Psychology of Religion, The, 2013, 23, 126-144.	2.1	16
18	Sex Differences in Neuropsychological Performance as an Effect of Human Immunodeficiency Virus Infection. Journal of Nervous and Mental Disease, 2012, 200, 336-342.	1.0	60

#	Article	IF	CITATIONS
19	Antihypertensive Medication is Associated with Less Cognitive Impairment in the Very Old with Apolipoprotein-E ??4 Allele. Drugs and Aging, 2006, 23, 723-731.	2.7	6
20	Raised Plasma Levels of Tumor Necrosis Factor α in Patients With Depression. Journal of ECT, 2003, 19, 183-188.	0.6	199