

# Ryan O'Hayre

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8982155/publications.pdf>

Version: 2024-02-01

176  
papers

12,496  
citations

29994

54  
h-index

27345

106  
g-index

211  
all docs

211  
docs citations

211  
times ranked

11961  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduction Thermodynamics of Sr <sub>1-x</sub> Ce <sub>x</sub> MnO <sub>3</sub> and Ce <sub>x</sub> Sr <sub>2-x</sub> MnO <sub>4</sub> Perovskites for Solar Thermochemical Hydrogen Production. <i>Energy Technology</i> , 2022, 10, 2100515.	1.8	8
2	Development, characterization, and modeling of a high-performance Ru/B2CA catalyst for ammonia synthesis. <i>Chemical Engineering Science</i> , 2022, 247, 116902.	1.9	10
3	Predicting Oxygen Off-Stoichiometry and Hydrogen Incorporation in Complex Perovskite Oxides. <i>Chemistry of Materials</i> , 2022, 34, 510-518.	3.2	7
4	High-yield electrochemical upgrading of CO <sub>2</sub> into CH <sub>4</sub> using large-area protonic ceramic electrolysis cells. <i>Applied Catalysis B: Environmental</i> , 2022, 307, 121196.	10.8	41
5	A Thermogravimetric Temperature-Programmed Thermal Redox Protocol for Rapid Screening of Metal Oxides for Solar Thermochemical Hydrogen Production. <i>Frontiers in Energy Research</i> , 2022, 10, .	1.2	6
6	Performance degradation in proton-conducting ceramic fuel cell and electrolyzer stacks. <i>Journal of Power Sources</i> , 2022, 537, 231356.	4.0	18
7	Proton-conducting ceramic fuel cells: Scale up and stack integration. <i>Journal of Power Sources</i> , 2021, 482, 228868.	4.0	58
8	Towards robust autonomous impedance spectroscopy analysis: A calibrated hierarchical Bayesian approach for electrochemical impedance spectroscopy (EIS) inversion. <i>Electrochimica Acta</i> , 2021, 367, 137493.	2.6	35
9	Triple ionic-electronic conducting oxides for next-generation electrochemical devices. <i>Nature Materials</i> , 2021, 20, 301-313.	13.3	160
10	An all-oxide electrolysis cells for syngas production with tunable H <sub>2</sub> /CO yield via co-electrolysis of H <sub>2</sub> O and CO <sub>2</sub> . <i>Journal of Power Sources</i> , 2021, 482, 228887.	4.0	24
11	Thermal-expansion offset for high-performance fuel cell cathodes. <i>Nature</i> , 2021, 591, 246-251.	13.7	328
12	Instrument for spatially resolved, temperature-dependent electrochemical impedance spectroscopy of thin films under locally controlled atmosphere. <i>Review of Scientific Instruments</i> , 2021, 92, 065105.	0.6	4
13	Roadmap on inorganic perovskites for energy applications. <i>JPhys Energy</i> , 2021, 3, 031502.	2.3	40
14	Ammonia-fed reversible protonic ceramic fuel cells with Ru-based catalyst. <i>Communications Chemistry</i> , 2021, 4, .	2.0	22
15	High performance tubular protonic ceramic fuel cells via highly-scalable extrusion process. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 27784-27792.	3.8	16
16	Double-Site Substitution of Ce into (Ba, Sr)MnO <sub>3</sub> Perovskites for Solar Thermochemical Hydrogen Production. <i>ACS Energy Letters</i> , 2021, 6, 3037-3043.	8.8	14
17	Proton-conducting oxides for energy conversion and storage. <i>Applied Physics Reviews</i> , 2020, 7, .	5.5	249
18	Direct evidence of boosted oxygen evolution over perovskite by enhanced lattice oxygen participation. <i>Nature Communications</i> , 2020, 11, 2002.	5.8	366

#	ARTICLE	IF	CITATIONS
19	Steady-State and Dynamic Modeling of Intermediate-Temperature Protonic Ceramic Fuel Cells. Journal of the Electrochemical Society, 2019, 166, F687-F700.	1.3	11
20	Development of kW-Scale Protonic Ceramic Fuel Cells and Systems. ECS Transactions, 2019, 91, 997-1008.	0.3	24
21	Chemo-Thermo-Mechanical Coupling in Protonic Ceramic Fuel Cells from Fabrication to Operation. Journal of the Electrochemical Society, 2019, 166, F1007-F1015.	1.3	18
22	Phase Identification of the Layered Perovskite $\text{Ce}_{1-x}\text{Sr}_{2x}\text{MnO}_{4-x}$ and Application for Solar Thermochemical Water Splitting. Inorganic Chemistry, 2019, 58, 7705-7714.	1.9	24
23	Highly efficient reversible protonic ceramic electrochemical cells for power generation and fuel production. Nature Energy, 2019, 4, 230-240.	19.8	419
24	Equilibrium thermodynamic predictions of coking propensity in membrane-based dehydrogenation of hydrocarbons and alcohols. Catalysis Today, 2019, 331, 7-11.	2.2	10
25	Fuel cells for electrochemical energy conversion. EPJ Web of Conferences, 2018, 189, 00011.	0.1	2
26	Measurement and Characterization of a High-Temperature, Coke-Resistant Bi-functional Ni/BZY15 Water-Gas-Shift Catalyst Under Steam-Reforming Conditions. Catalysis Letters, 2018, 148, 3592-3607.	1.4	9
27	High-Performance $\text{La}_{0.5}\text{Ba}_{0.5}\text{Co}_{1/3}\text{Mn}_{1/3}\text{Fe}_{1/3}\text{O}_{3-\delta}$ - $\text{BaZr}_{1-x}\text{Y}_x\text{O}_{3-\delta}$ Cathode Composites via an Exsolution Mechanism for Protonic Ceramic Fuel Cells. Inorganics, 2018, 6, 83.	1.2	13
28	Highly Efficient, Redox-Stable, $\text{La}_{0.5}\text{Sr}_{0.5}\text{Fe}_{0.9}\text{Nb}_{0.1}\text{O}_{3-\delta}$ Symmetric Electrode for Both Solid-Oxide Fuel Cell and $\text{H}_2/\text{CO}_2$ Co-Electrolysis Operation. Journal of the Electrochemical Society, 2018, 165, F981-F985.	1.3	27
29	$\text{BaCe}_{0.25}\text{Mn}_{0.75}\text{O}_{3-\delta}$ a promising perovskite-type oxide for solar thermochemical hydrogen production. Energy and Environmental Science, 2018, 11, 3256-3265.	15.6	86
30	Defect Incorporation and Transport within Dense $\text{BaZr}_{0.8}\text{Y}_{0.2}\text{O}_{3-\delta}$ (BZY20) Proton-Conducting Membranes. Journal of the Electrochemical Society, 2018, 165, F581-F588.	1.3	69
31	Defect Chemistry and Transport within Dense $\text{BaCe}_{0.7}\text{Zr}_{0.1}\text{Y}_{0.1}\text{Yb}_{0.1}\text{O}_{3-\delta}$ (BCZYYb) Proton-Conducting Membranes. Journal of the Electrochemical Society, 2018, 165, F845-F853.	1.3	64
32	Effect of Cation Ordering on the Performance and Chemical Stability of Layered Double Perovskite Cathodes. Materials, 2018, 11, 196.	1.3	43
33	Highly durable, coking and sulfur tolerant, fuel-flexible protonic ceramic fuel cells. Nature, 2018, 557, 217-222.	13.7	500
34	Electrochemical performance and stability of $\text{La}_{0.5}\text{Sr}_{0.5}\text{Fe}_{0.9}\text{Nb}_{0.1}\text{O}_{3-\delta}$ symmetric electrode for solid oxide fuel cells. Journal of Power Sources, 2018, 399, 398-405.	4.0	74
35	La and Al co-doped $\text{CaMnO}_3$ perovskite oxides: From interplay of surface properties to anion exchange membrane fuel cell performance. Journal of Power Sources, 2018, 375, 265-276.	4.0	23
36	Effect of assembly pressure on the performance of a bendable polymer electrolyte fuel cell based on a silver nanowire current collector. Energy, 2017, 134, 412-419.	4.5	32

#	ARTICLE	IF	CITATIONS
37	Fabrication of a mesoporous Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>3-δ</sub> perovskite as a low-cost and efficient catalyst for oxygen reduction. Dalton Transactions, 2017, 46, 13903-13911.	1.6	18
38	Fuel cells for electrochemical energy conversion. EPJ Web of Conferences, 2017, 148, 00013.	0.1	11
39	Ce-doped La <sub>0.7</sub> Sr <sub>0.3</sub> Fe <sub>0.9</sub> Ni <sub>0.1</sub> O <sub>3-δ</sub> as symmetrical electrodes for high performance direct hydrocarbon solid oxide fuel cells. Journal of Materials Chemistry A, 2017, 5, 15253-15259.	5.2	64
40	Zr and Y co-doped perovskite as a stable, high performance cathode for solid oxide fuel cells operating below 500 °C. Energy and Environmental Science, 2017, 10, 176-182.	15.6	270
41	Spectroscopic investigation of nitrogen-functionalized carbon materials. Surface and Interface Analysis, 2016, 48, 283-292.	0.8	16
42	Conduction and rectification in NbO <sub>x</sub> - and NiO-based metal-insulator-metal diodes. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2016, 34, .	0.9	5
43	Synthesis of high surface area Ca <sub>x</sub> La <sub>(1-x)</sub> Al <sub>(1-x)</sub> Mn <sub>x</sub> O <sub>(3-δ)</sub> perovskite oxides for oxygen reduction electrocatalysis in alkaline media. Catalysis Science and Technology, 2016, 6, 7744-7751.	2.1	12
44	Ionic transport modification in proton conducting BaCe <sub>0.6</sub> Zr <sub>0.3</sub> Y <sub>0.1</sub> O <sub>3-δ</sub> with transition metal oxide dopants. Solid State Ionics, 2016, 294, 37-42.	1.3	41
45	Predicting density functional theory total energies and enthalpies of formation of metal-nonmetal compounds by linear regression. Physical Review B, 2016, 93, .	1.1	63
46	Chapter 8: Overview of Fuel Cell Types. , 2016, , 269-302.		3
47	Probing Grain-Boundary Chemistry and Electronic Structure in Proton-Conducting Oxides by Atom Probe Tomography. Nano Letters, 2016, 16, 6924-6930.	4.5	36
48	The Role of Nanoscale Seed Layers on the Enhanced Performance of Niobium doped TiO <sub>2</sub> Thin Films on Glass. Scientific Reports, 2016, 6, 32830.	1.6	12
49	Three-dimensional quantification of composition and electrostatic potential at individual grain boundaries in doped ceria. Journal of Materials Chemistry A, 2016, 4, 5167-5175.	5.2	39
50	Colorado demos low-temperature proton ceramic fuel cell. Fuel Cells Bulletin, 2015, 2015, 11.	0.7	0
51	Non-equilibrium synthesis, structure, and opto-electronic properties of Cu <sub>2-2x</sub> Zn <sub>x</sub> O alloys. Journal of Materials Science, 2015, 50, 1350-1357.	1.7	17
52	A review on direct methanol fuel cells in the perspective of energy and sustainability. MRS Energy & Sustainability, 2015, 2, 1.	1.3	135
53	Electrical properties and flux performance of composite ceramic hydrogen separation membranes. Journal of Materials Chemistry A, 2015, 3, 5392-5401.	5.2	37
54	Substitutional behavior and dielectric property of x(Na <sub>0.5</sub> K <sub>0.5</sub> )NbO <sub>3</sub> -(1-x)BaTiO <sub>3</sub> using x-ray absorption fine structure spectroscopy. Ceramics International, 2015, 41, 12027-12031.	2.3	6

#	ARTICLE	IF	CITATIONS
55	Nitrogen Post Modification of PtRu/Carbon Catalysts for Improved Methanol Oxidation Reaction Performance in Alkaline Media. Journal of the Electrochemical Society, 2015, 162, F913-F918.	1.3	2
56	Modeling Intermediate Temperature Protonic Ceramic Fuel Cells. ECS Transactions, 2015, 68, 3165-3175.	0.3	7
57	Readily processed protonic ceramic fuel cells with high performance at low temperatures. Science, 2015, 349, 1321-1326.	6.0	982
58	Intrinsic Material Properties Dictating Oxygen Vacancy Formation Energetics in Metal Oxides. Journal of Physical Chemistry Letters, 2015, 6, 1948-1953.	2.1	103
59	Nanoparticles at Grain Boundaries Inhibit the Phase Transformation of Perovskite Membrane. Nano Letters, 2015, 15, 7678-7683.	4.5	42
60	Stripe-teeth metamaterial Al- and Nb-based rectennas (Presentation Recording). Proceedings of SPIE, 2015, , .	0.8	0
61	Tunable Oxygen Vacancy Formation Energetics in the Complex Perovskite Oxide Sr <sub>x</sub> La <sub>1-x</sub> Mn <sub>y</sub> Al <sub>1-y</sub> O <sub>3-δ</sub> . Chemistry of Materials, 2014, 26, 6595-6602.	9.0	90
62	Improving electron transport in Ga-doped Zn <sub>0.7</sub> Mg <sub>0.3</sub> O, a wide-gap band-edge-energy-tunable transparent conducting oxide. , 2014, , .		0
63	Structural analysis and electrochemical properties of cobalt-doped Sr <sub>0.9</sub> Ce <sub>0.1</sub> MnO <sub>3</sub> cathode for IT-SOFCs. Journal of Materials Research, 2014, 29, 2667-2672.	1.2	8
64	Improvement in direct methanol fuel cell performance by treating the anode at high anodic potential. Journal of Power Sources, 2014, 245, 37-47.	4.0	11
65	Polarization resistance and composite cathode of Ce doped SrMnO <sub>3</sub> system for intermediate temperature solid oxide fuel cells. Solid State Ionics, 2014, 260, 60-64.	1.3	8
66	Anomalous low-temperature proton conductivity enhancement in a novel protonic nanocomposite. Physical Chemistry Chemical Physics, 2014, 16, 5076-5080.	1.3	19
67	Enhanced Electron Mobility Due to Dopant-Defect Pairing in Conductive ZnMgO. Advanced Functional Materials, 2014, 24, 2875-2882.	7.8	49
68	Non-equilibrium deposition of phase pure Cu <sub>2</sub> O thin films at reduced growth temperature. APL Materials, 2014, 2, .	2.2	55
69	Processing-phase diagrams: a new tool for solution-deposited thin-film development applied to the In <sub>5</sub> O(OPr) <sub>3</sub> -In <sub>2</sub> O <sub>3</sub> system. Journal of Materials Chemistry C, 2014, 2, 2360.	2.7	2
70	An ab Initio Investigation of Proton Stability at BaZrO <sub>3</sub> Interfaces. Chemistry of Materials, 2014, 26, 4915-4924.	3.2	12
71	Nonstoichiometric Perovskite Oxides for Solar Thermochemical H <sub>2</sub> and CO Production. Energy Procedia, 2014, 49, 2009-2018.	1.8	89
72	Recent progress on nitrogen/carbon structures designed for use in energy and sustainability applications. Energy and Environmental Science, 2014, 7, 1212-1249.	15.6	559

#	ARTICLE	IF	CITATIONS
73	Oxide enthalpy of formation and band gap energy as accurate descriptors of oxygen vacancy formation energetics. <i>Energy and Environmental Science</i> , 2014, 7, 1996.	15.6	109
74	Effect of Cu doping on the electrochemical properties and structural phases of $\text{La}_{0.8}\text{Sr}_{0.2}\text{Mn}_{1-x}\text{Cu}_x\text{O}_3$ ( $0 \leq x \leq 0.2$ ) at elevated temperature. <i>Solid State Ionics</i> , 2014, 260, 30-35.	1.3	6
75	High-Performance Alkaline Direct Methanol Fuel Cell using a Nitrogen-Postdoped Anode. <i>ChemSusChem</i> , 2014, 7, 1854-1857.	3.6	15
76	Effect of nitrogen post-doping on a commercial platinum-ruthenium/carbon anode catalyst. <i>Journal of Power Sources</i> , 2014, 248, 296-306.	4.0	15
77	A promising cathode for intermediate temperature protonic ceramic fuel cells: $\text{BaCo}_{0.4}\text{Fe}_{0.4}\text{Zr}_{0.2}\text{O}_{3-\delta}$ . <i>RSC Advances</i> , 2013, 3, 15769.	1.7	111
78	Metal-Insulator-Metal Diodes: Role of the Insulator Layer on the Rectification Performance. <i>Advanced Materials</i> , 2013, 25, 1301-1308.	11.1	58
79	Model-based characterization of charged-defect transport and apparent gas-phase permeation in mixed-conducting perovskite membranes. <i>Solid State Ionics</i> , 2013, 249-250, 6-16.	1.3	4
80	Facile single-step preparation of Pt/N-graphene catalysts with improved methanol electrooxidation activity. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1089-1098.	1.2	30
81	Solid-state reactive sintering mechanism for proton conducting ceramics. <i>Solid State Ionics</i> , 2013, 253, 201-210.	1.3	115
82	Facile single-step ammonia heat-treatment and quenching process for the synthesis of improved Pt/N-graphene catalysts. <i>Applied Surface Science</i> , 2013, 266, 433-439.	3.1	42
83	Modeling the Steady-State and Transient Response of Polarized and Non-Polarized Proton-Conducting Doped-Perovskite Membranes. <i>Journal of the Electrochemical Society</i> , 2013, 160, F290-F300.	1.3	60
84	Computational investigation of defect segregation at the (001) surface of $\text{BaCeO}_3$ and $\text{BaZrO}_3$ : the role of metal-oxygen bond strength in controlling vacancy segregation. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2840.	5.2	18
85	Enhanced Fuel Cell Catalyst Durability with Nitrogen Modified Carbon Supports. <i>Journal of the Electrochemical Society</i> , 2013, 160, F389-F394.	1.3	16
86	Porous nanocrystalline $\text{TiO}_2$ with high lithium-ion insertion performance. <i>Journal of Materials Science</i> , 2013, 48, 2733-2742.	1.7	17
87	Nitrogen: unraveling the secret to stable carbon-supported Pt-alloy electrocatalysts. <i>Energy and Environmental Science</i> , 2013, 6, 2957.	15.6	99
88	The use of nitrogen-doped graphene supporting Pt nanoparticles as a catalyst for methanol electrocatalytic oxidation. <i>Carbon</i> , 2013, 52, 181-192.	5.4	275
89	The design and realization of a large-area flexible nanofiber-based mat for pollutant degradation: an application in photocatalysis. <i>Nanoscale</i> , 2013, 5, 5036.	2.8	44
90	Electrocatalytic oxidation of methanol on Pt catalyst supported on nitrogen-doped graphene induced by hydrazine reduction. <i>Journal of Physics and Chemistry of Solids</i> , 2013, 74, 1608-1614.	1.9	35

#	ARTICLE	IF	CITATIONS
91	Synthesis by spark plasma sintering of a novel protonic/electronic conductor composite: BaCe <sub>0.2</sub> Zr <sub>0.7</sub> Y <sub>0.1</sub> O <sub>3</sub> / Sr <sub>0.95</sub> Ti <sub>0.9</sub> Nb <sub>0.1</sub> O <sub>3</sub> (BCZY27/STN95). <i>Journal of Materials Science</i> , 2013, 48, 6177-6185.	1.7	25
92	A novel wet-chemistry method for the synthesis of multicomponent nanoparticles: A case study of BaCe <sub>0.7</sub> Zr <sub>0.1</sub> Y <sub>0.1</sub> O <sub>3</sub> . <i>Materials Letters</i> , 2013, 92, 382-385.	1.3	17
93	Plasmonic Ag nanostructures on thin substrates for enhanced energy harvesting. <i>Proceedings of SPIE</i> , 2013, , .	0.8	1
94	Planar metal-insulator-metal diodes based on the Nb/Nb <sub>2</sub> O <sub>5</sub> /X material system. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2013, 31, 051204.	0.6	26
95	Electromechanical tuning of nanoscale MIM diodes by nanoindentation. <i>Journal of Materials Research</i> , 2013, 28, 1912-1919.	1.2	4
96	Sr- and Mn-doped LaAlO <sub>3</sub> for solar thermochemical H <sub>2</sub> and CO production. <i>Energy and Environmental Science</i> , 2013, 6, 2424.	15.6	323
97	NANOSCALE ELECTROCHEMISTRY IN ENERGY RELATED SYSTEMS USING ATOMIC FORCE MICROSCOPY. <i>World Scientific Series in Nanoscience and Nanotechnology</i> , 2013, , 317-340.	0.1	3
98	Point-Contact Metal-Insulator-Metal Architecture: A Facile Approach for Material Screening Studies and Beyond. , 2013, , 313-336.		0
99	Enhanced Stability of PtRu Supported on N-Doped Carbon for the Anode of a DMFC. <i>Journal of the Electrochemical Society</i> , 2012, 159, F768-F778.	1.3	19
100	Progress toward a solid-state ionic field effect transistor. <i>Journal of Applied Physics</i> , 2012, 111, 074511.	1.1	19
101	Nanoscale impedance and complex properties in energy-related systems. <i>MRS Bulletin</i> , 2012, 37, 659-667.	1.7	13
102	In situ small-angle x-ray scattering analysis of improved catalyst-support interactions through nitrogen modification. <i>MRS Communications</i> , 2012, 2, 85-89.	0.8	10
103	Effect of Halide-Modified Model Carbon Supports on Catalyst Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 6728-6734.	4.0	22
104	Effect of a nitrogen-doped PtRu/carbon anode catalyst on the durability of a direct methanol fuel cell. <i>Journal of Power Sources</i> , 2012, 217, 142-151.	4.0	41
105	Poisson-Boltzmann model of space charge layer effects on conductivity in randomly distributed nanoionic composites. <i>Electrochimica Acta</i> , 2012, 83, 454-462.	2.6	3
106	Conduction electron resonance used to determine size of palladium nanoparticles in proton conducting ceramics. <i>Journal of Magnetic Resonance</i> , 2012, 225, 58-61.	1.2	2
107	Electrical conductivities of nano ionic composite based on yttrium-doped barium zirconate and palladium metal. <i>Solid State Ionics</i> , 2012, 211, 26-33.	1.3	16
108	The origin of electrical property deterioration with increasing Mg concentration in ZnMgO:Ga. <i>Thin Solid Films</i> , 2012, 520, 3697-3702.	0.8	38

#	ARTICLE	IF	CITATIONS
109	Tuning Carbon-Based Fuel Cell Catalyst Support Structures via Nitrogen Functionalization. I. Investigation of Structural and Compositional Modification of Highly Oriented Pyrolytic Graphite Model Catalyst Supports as a Function of Nitrogen Implantation Dose. Journal of Physical Chemistry C, 2011, 115, 13667-13675.	1.5	76
110	A novel way to characterize Metal-Insulator-Metal devices via nanoindentation. , 2011, , .		4
111	Tuning Carbon-Based Fuel Cell Catalyst Support Structures via Nitrogen Functionalization. II. Investigation of Durability of Pt-Ru Nanoparticles Supported on Highly Oriented Pyrolytic Graphite Model Catalyst Supports As a Function of Nitrogen Implantation Dose. Journal of Physical Chemistry C, 2011, 115, 13676-13684.	1.5	54
112	Pt-Ru Alloyed Fuel Cell Catalysts Sputtered from a Single Alloyed Target. ACS Catalysis, 2011, 1, 1307-1315.	5.5	32
113	Facile Synthesis of Nanocrystalline TiO <sub>2</sub> Mesoporous Microspheres for Lithium-Ion Batteries. Journal of Physical Chemistry C, 2011, 115, 2529-2536.	1.5	242
114	N-Modified Carbon Supported Pt-Ru Direct Methanol Fuel Cell Catalyst Performance and Durability. ECS Meeting Abstracts, 2011, , .	0.0	1
115	Tuning of Surface Composition and Structure of N-functionalized Carbon Supports and Pt-Ru Phase for Direct Methanol Fuel Cell Applications. ECS Meeting Abstracts, 2011, , .	0.0	1
116	Sintering Studies on 20 mol% Yttrium-Doped Barium Cerate. Journal of the American Ceramic Society, 2011, 94, 1800-1804.	1.9	28
117	A theoretical study of the influence of dopant concentration on the hydration properties of yttrium-doped barium cerate. Solid State Ionics, 2011, 204-205, 27-34.	1.3	23
118	Modeling space charge layer interaction and conductivity enhancement in nanoionic composites. Electrochimica Acta, 2011, 56, 9295-9302.	2.6	13
119	Solution processing of transparent conductors: from flask to film. Chemical Society Reviews, 2011, 40, 5406.	18.7	335
120	Fabrication and Characterization of MIM Diodes Based on Nb/Nb <sub>2</sub> O <sub>5</sub> Via a Rapid Screening Technique. Advanced Materials, 2011, 23, 3080-3085.	11.1	66
121	Coupled transport and uphill permeation of steam and oxygen in a dense ceramic membrane. Journal of Membrane Science, 2011, 376, 96-101.	4.1	17
122	Diffusion Impedance Element Model for the Triple Phase Boundary. Journal of the Electrochemical Society, 2011, 158, B877.	1.3	13
123	Diode-coupled Ag nanoantennas for nanorectenna energy conversion. , 2011, , .		5
124	Active water management at the cathode of a planar air-breathing polymer electrolyte membrane fuel cell using an electroosmotic pump. Journal of Power Sources, 2010, 195, 3640-3644.	4.0	35
125	Passive water management at the cathode of a planar air-breathing proton exchange membrane fuel cell. Journal of Power Sources, 2010, 195, 3201-3206.	4.0	49
126	Cost-effective solid-state reactive sintering method for high conductivity proton conducting yttrium-doped barium zirconium ceramics. Solid State Ionics, 2010, 181, 496-503.	1.3	242



#	ARTICLE	IF	CITATIONS
127	Proton-conducting yttrium-doped barium cerate ceramics synthesized by a cost-effective solid-state reactive sintering method. <i>Solid State Ionics</i> , 2010, 181, 1486-1498.	1.3	106
128	The Role of Nitrogen Doping on Durability in the Pt-Ru/HOPG System. <i>ECS Transactions</i> , 2010, 33, 351-357.	0.3	4
129	Solution deposition of amorphous IZO films by ultrasonic spray. , 2010, , .		1
130	Optimization of Passive Air Breathing Fuel Cell Cathodes. <i>Journal of Fuel Cell Science and Technology</i> , 2010, 7, .	0.8	13
131	Enhancement of Pt and Pt-alloy fuel cell catalyst activity and durability via nitrogen-modified carbon supports. <i>Energy and Environmental Science</i> , 2010, 3, 1437.	15.6	586
132	Solution Synthesis and Characterization of Indium <sup>2+</sup> Zinc Formate Precursors for Transparent Conducting Oxides. <i>Inorganic Chemistry</i> , 2010, 49, 5424-5431.	1.9	13
133	A porous LiFePO <sub>4</sub> and carbon nanotube composite. <i>Chemical Communications</i> , 2010, 46, 7151.	2.2	195
134	Metal-insulator-metal point-contact diodes as a rectifier for rectenna. , 2010, , .		4
135	Dopant-Induced Electronic Structure Modification of HOPG Surfaces: Implications for High Activity Fuel Cell Catalysts. <i>Journal of Physical Chemistry C</i> , 2010, 114, 506-515.	1.5	100
136	Development of a multi-species transport space theory and its application to permeation behavior in proton-conducting doped perovskites. <i>Journal of Materials Chemistry</i> , 2010, 20, 6271.	6.7	14
137	Solid-state reactive sintering mechanism for large-grained yttrium-doped barium zirconate proton conducting ceramics. <i>Journal of Materials Chemistry</i> , 2010, 20, 6333.	6.7	182
138	First principles study of doped carbon supports for enhanced platinum catalysts. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 9461.	1.3	110
139	Solution deposition of amorphous IZO films by ultrasonic spray pyrolysis. , 2009, , .		2
140	Atmospheric pressure synthesis of In <sub>2</sub> Se <sub>3</sub> , Cu <sub>2</sub> Se, and CuInSe <sub>2</sub> without external selenization from solution precursors. <i>Journal of Materials Research</i> , 2009, 24, 1375-1387.	1.2	9
141	EIS Analysis of the Triple Phase Boundary Model. <i>ECS Transactions</i> , 2009, 19, 23-31.	0.3	4
142	Improving PEM fuel cell catalyst activity and durability using nitrogen-doped carbon supports: observations from model Pt/HOPG systems. <i>Journal of Materials Chemistry</i> , 2009, 19, 7830.	6.7	149
143	Triple Phase Boundaries in Solid-Oxide Cathodes. <i>SIAM Journal on Applied Mathematics</i> , 2009, 70, 510-530.	0.8	31
144	Optimization of Passive Air Breathing Fuel Cell Cathodes. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
145	Transparent conducting oxide development for electronics applications. , 2008, , .		0
146	Optimization of conductivity and transparency in amorphous In-ZN-O transparent conductors. Conference Record of the IEEE Photovoltaic Specialists Conference, 2008, , .	0.0	0
147	General mobility and carrier concentration relationship in transparent amorphous indium zinc oxide films. Physical Review B, 2008, 77, .	1.1	208
148	Modeling of Material Parameters for Increased Steam-Permeation in Yttrium-Doped Barium Cerate Ceramic Membranes. , 2008, , .		0
149	ORR Adsorbate Dynamics on Pt Single Crystal PEM Fuel Cells. ECS Transactions, 2008, 16, 1131-1142.	0.3	11
150	Enhancement of Pt-Based Catalysts via N-Doped Carbon Supports. , 2008, , .		0
151	Improving PEM Fuel Cell Catalysts Using Nitrogen-Doped Carbon Supports. , 2008, , .		0
152	Measurement of Temperature and Reaction Species in the Cathode Diffusion Layer of a Free-Convection Fuel Cell. Journal of the Electrochemical Society, 2007, 154, B910.	1.3	17
153	Spatial and Temporal Measurements of Temperature and Reaction Species in the Cathode Diffusion Layer of a Planar Air-Breathing PEM Fuel Cell. ECS Transactions, 2007, 11, 1515-1526.	0.3	0
154	A parametric study of TiO <sub>2</sub> /CuInS <sub>2</sub> nanocomposite solar cells: how cell thickness, buffer layer thickness, and TiO <sub>2</sub> particle size affect performance. Nanotechnology, 2007, 18, 055702.	1.3	42
155	Mottâ Schottky and Charge-Transport Analysis of Nanoporous Titanium Dioxide Films in Air. Journal of Physical Chemistry C, 2007, 111, 4809-4814.	1.5	85
156	Engineering model of a passive planar air breathing fuel cell cathode. Journal of Power Sources, 2007, 167, 118-129.	4.0	88
157	Frequency-Dependent Transport Imaging by Scanning Probe Microscopy. , 2007, , 132-172.		4
158	Water Management at the Cathode of a Planar Air-Breathing Fuel Cell with an Electroosmotic Pump. ECS Transactions, 2006, 3, 949-960.	0.3	4
159	The role of ambient conditions on the performance of a planar, air-breathing hydrogen PEM fuel cell. Journal of Power Sources, 2006, 161, 168-182.	4.0	101
160	Electrochemical impedance investigation of flooding in micro-flow channels for proton exchange membrane fuel cells. Journal of Power Sources, 2006, 161, 138-142.	4.0	34
161	The Influence of TiO <sub>2</sub> Particle Size in TiO <sub>2</sub> /CuInS <sub>2</sub> Nanocomposite Solar Cells. Advanced Functional Materials, 2006, 16, 1566-1576.	7.8	67
162	Combined Heat and Mass Transfer Model of a Passive Air Breathing Fuel Cell Cathode. ECS Transactions, 2006, 3, 1125-1138.	0.3	2

#	ARTICLE	IF	CITATIONS
163	Proton Transport Membranes for Fuel Cells: Polymeric versus Dense Ceramic. ECS Transactions, 2006, 3, 1059-1068.	0.3	1
164	The Triple Phase Boundary. Journal of the Electrochemical Society, 2005, 152, A439.	1.3	166
165	AC Impedance Investigation of Flooding in Micro Flow Channels for Fuel Cells. , 2004, , 19.		0
166	Quantitative impedance measurement using atomic force microscopy. Journal of Applied Physics, 2004, 96, 3540-3549.	1.1	68
167	Electrochemical nanopatterning of Ag on solid-state ionic conductor RbAg <sub>4</sub> I <sub>5</sub> using atomic force microscopy. Applied Physics Letters, 2004, 85, 3552-3554.	1.5	48
168	The Air/Platinum/Nafion Triple-Phase Boundary: Characteristics, Scaling, and Implications for Fuel Cells. Journal of the Electrochemical Society, 2004, 151, A756.	1.3	68
169	Geometric Scale Effect of Flow Channels on Performance of Fuel Cells. Journal of the Electrochemical Society, 2004, 151, A1856.	1.3	42
170	The influence of size scale on the performance of fuel cells. Solid State Ionics, 2004, 175, 789-795.	1.3	37
171	The scaling behavior of flow patterns: a model investigation. Journal of Power Sources, 2004, 134, 57-71.	4.0	83
172	Ionic and electronic impedance imaging using atomic force microscopy. Journal of Applied Physics, 2004, 95, 8382-8392.	1.1	126
173	Development of portable fuel cell arrays with printed-circuit technology. Journal of Power Sources, 2003, 124, 459-472.	4.0	90
174	Lateral Ionic Conduction in Planar Array Fuel Cells. Journal of the Electrochemical Society, 2003, 150, A430.	1.3	27
175	Design and fabrication of a micro fuel cell array with "flip-flop" interconnection. Journal of Power Sources, 2002, 112, 410-418.	4.0	230
176	A sharp peak in the performance of sputtered platinum fuel cells at ultra-low platinum loading. Journal of Power Sources, 2002, 109, 483-493.	4.0	218