

Wei Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8982535/wei-chen-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

5,238
citations

42
h-index

69
g-index

127
ext. papers

5,829
ext. citations

7.4
avg, IF

5.48
L-index

#	Paper	IF	Citations
126	Rapid and direct concentration range judgment of lamotrigine in plasma by the multi test lines with different detection limits on the same lateral flow strip.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339347	6.6	0
125	Rapid and simultaneous visual screening of SARS-CoV-2 and influenza viruses with customized isothermal amplification integrated lateral flow strip. <i>Biosensors and Bioelectronics</i> , 2022 , 197, 113771	11.8	1
124	Performance improved fluorescence polarization for easy and accurate authentication of chicken adulteration. <i>Food Control</i> , 2022 , 133, 108604	6.2	0
123	Rational incorporating of loop-mediated isothermal amplification with fluorescence anisotropy for rapid, sensitive and on-site identification of pork adulteration. <i>Food Control</i> , 2022 , 137, 108863	6.2	0
122	Triggering Isothermal Circular Amplification-Based Tuning of Rigorous Fluorescence Quenching into Complete Restoration on a Multivalent Aptamer Probe Enables Ultrasensitive Detection of .. <i>Analytical Chemistry</i> , 2021 ,	7.8	4
121	Continual and accurate home monitoring of uric acid in urine samples with uricase-packaged nanoflowers assisted portable electrochemical uricometer. <i>Biosensors and Bioelectronics</i> , 2021 , 198, 113804	11.8	1
120	A Short- and Long-Range Fluorescence Resonance Energy Transfer-Cofunctionalized Fluorescence Quenching Collapsar Probe Regulates Amplified and Accelerated Detection of. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 14294-14301	5.7	0
119	Periodically programmed building and collapse of DNA networks enables an ultrahigh signal amplification effect for ultrasensitive nucleic acids analysis. <i>Analytica Chimica Acta</i> , 2021 , 1150, 338221	6.6	1
118	Recent progress of personal glucose meters integrated methods in food safety hazards detection. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-14	11.5	2
117	Simultaneous and accurate visual identification of chicken, duck and pork components with the molecular amplification integrated lateral flow strip. <i>Food Chemistry</i> , 2021 , 339, 127891	8.5	6
116	Self-assembly of a polythymine embedded activatable molecular beacon for one-step quantification of terminal deoxynucleotidyl transferase activity. <i>Analytica Chimica Acta</i> , 2021 , 1141, 127-135	6.6	2
115	Assembly of USPIO/MOF nanoparticles with high proton relaxation rates for ultrasensitive magnetic resonance sensing. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 11915-11923	7.1	2
114	Three-dimensional assembly and disassembly of FeO-decorated porous carbon nanocomposite with enhanced transversal relaxation for magnetic resonance sensing of bisphenol A. <i>Mikrochimica Acta</i> , 2021 , 188, 90	5.8	7
113	Rapid and easy quantitative identification of Cronobacter spp. in infant formula milk powder by isothermal strand-exchange-amplification based molecular capturing lateral flow strip. <i>Food Control</i> , 2021 , 126, 108048	6.2	0
112	Target-triggered substantial stacking of electroactive indicators based on digestion-to-growth regulated tandem isothermal amplification for ultrasensitive miRNA determination. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130280	8.5	4
111	Framework nucleic acid-wrapped protein-inorganic hybrid nanoflowers with three-stage amplified fluorescence polarization for terminal deoxynucleotidyl transferase activity biosensing. <i>Biosensors and Bioelectronics</i> , 2021 , 193, 113564	11.8	2
110	Facile construction of a molecularly imprinted polymer-based electrochemical sensor for the detection of milk amyloid A. <i>Mikrochimica Acta</i> , 2020 , 187, 642	5.8	3

109	Prediction, evaluation, confirmation, and elimination of matrix effects for lateral flow test strip based rapid and on-site detection of aflatoxin B1 in tea soups. <i>Food Chemistry</i> , 2020 , 328, 127081	8.5	22
108	A molecule capturer analysis system for visual determination of avian pathogenic Escherichia coli serotype O78 using a lateral flow assay. <i>Mikrochimica Acta</i> , 2020 , 187, 198	5.8	5
107	Surface-Confined Building of Au@Pt-Centered and Multi-G-Quadruplex/Hemin Wire-Surrounded Electroactive Super-nanostructures for Ultrasensitive Monitoring of Morphine. <i>ACS Sensors</i> , 2020 , 5, 2644-2651	9.2	5
106	Rapid and accurate detection of Escherichia coli O157:H7 in beef using microfluidic wax-printed paper-based ELISA. <i>Analyst, The</i> , 2020 , 145, 3106-3115	5	35
105	Simultaneous Detection of Multiple β Adrenergic Agonists with 2-Directional Lateral Flow Strip Platform. <i>Analytical Sciences</i> , 2020 , 36, 653-658	1.7	4
104	Selection of Specific DNA Aptamers for Hetero-Sandwich-Based Colorimetric Determination of in Food. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 8455-8461	5.7	7
103	Signal amplified enzyme-linked immunosorbent assay with gold nanoparticles for sensitive detection of trace furaltadone metabolite. <i>Microchemical Journal</i> , 2020 , 159, 105414	4.8	7
102	A polymerase chain reaction based lateral flow test strip with propidium monoazide for detection of viable <i>Vibrio parahaemolyticus</i> in codfish. <i>Microchemical Journal</i> , 2020 , 159, 105418	4.8	4
101	Ingenious Electrochemiluminescence Bioaptasensor Based on Synergistic Effects and Enzyme-Driven Programmable 3D DNA Nanoflowers for Ultrasensitive Detection of Aflatoxin B1. <i>Analytical Chemistry</i> , 2020 , 92, 14122-14129	7.8	5
100	Aptamer-enhanced fluorescence determination of bisphenol A after magnetic solid-phase extraction using FeO@SiO@aptamer. <i>Analytical Methods</i> , 2020 , 12, 4479-4486	3.2	6
99	A sensitive multiplex PCR protocol for simultaneous detection of chicken, duck, and pork in beef samples. <i>Journal of Food Science and Technology</i> , 2019 , 56, 1266-1274	3.3	16
98	Self-signal-on fluorescent colorimetric protocol for rapid authentication of horsemeat adulterated beef samples with functional designed probes. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 1752-1759	3.8	4
97	Carbon nanotube-based lateral flow immunoassay for ultrasensitive detection of proteins: application to the determination of IgG. <i>Mikrochimica Acta</i> , 2019 , 186, 436	5.8	16
96	Ingenious Design of DNA Concatamers and G-Quadruplex Wires Assisted Assembly of Multibranch DNA Nanoarchitectures for Ultrasensitive Biosensing of miRNA. <i>Analytical Chemistry</i> , 2019 , 91, 9747-9753	7.8	28
95	A Polyamidoamine Dendrimer-Based Electrochemical Immunosensor for Label-Free Determination of Epithelial Cell Adhesion Molecule- Expressing Cancer Cells. <i>Sensors</i> , 2019 , 19,	3.8	9
94	Rapid visual sensing and quantitative identification of duck meat in adulterated beef with a lateral flow strip platform. <i>Food Chemistry</i> , 2019 , 294, 224-230	8.5	20
93	Rapid and easy determination of morphine in chafing dish condiments with colloidal gold labeling based lateral flow strips. <i>Food Science and Human Wellness</i> , 2019 , 8, 40-45	8.3	7
92	Highly sensitive and selective sulfite sensors based on solution-gated graphene transistors with multi-walled carbon nanotube functionalized gate electrodes. <i>Food Chemistry</i> , 2019 , 290, 101-106	8.5	17

91	Smart engineering of a dual-DNA machine with a high signal-to-noise ratio for one-pot robust and sensitive miRNA signaling. <i>Chemical Communications</i> , 2019 , 55, 14367-14370	5.8	12
90	Determination of 17 β -estradiol by surface-enhanced Raman spectroscopy merged with hybridization chain reaction amplification on Au@Ag core-shell nanoparticles. <i>Mikrochimica Acta</i> , 2019 , 186, 52	5.8	12
89	Aptamer-mediated colorimetric method for rapid and sensitive detection of chloramphenicol in food. <i>Food Chemistry</i> , 2018 , 260, 208-212	8.5	47
88	Lateral Flow Test for Visual Detection of Multiple MicroRNAs. <i>Sensors and Actuators B: Chemical</i> , 2018 , 264, 320-326	8.5	47
87	ZIF-67 derived porous CoO hollow nanopolyhedron functionalized solution-gated graphene transistors for simultaneous detection of glucose and uric acid in tears. <i>Biosensors and Bioelectronics</i> , 2018 , 101, 21-28	11.8	59
86	An ultrasensitive signal-on electrochemical aptasensor for ochratoxin A determination based on DNA controlled layer-by-layer assembly of dual gold nanoparticle conjugates. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 845-851	11.8	51
85	Highly sensitive solution-gated graphene transistor based sensor for continuous and real-time detection of free chlorine. <i>Analytica Chimica Acta</i> , 2018 , 1033, 65-72	6.6	22
84	Highly Simple and Sensitive Molecular Amplification-Integrated Fluorescence Anisotropy for Rapid and On-Site Identification of Adulterated Beef. <i>Analytical Chemistry</i> , 2018 , 90, 7171-7175	7.8	10
83	Non-destructive determination and visualisation of insoluble and soluble dietary fibre contents in fresh-cut celeries during storage periods using hyperspectral imaging technique. <i>Food Chemistry</i> , 2017 , 228, 249-256	8.5	27
82	Paper matrix based array for rapid and sensitive optical detection of mercury ions using silver enhancement. <i>Mikrochimica Acta</i> , 2017 , 184, 569-576	5.8	11
81	Highly sensitive detection of gallic acid based on organic electrochemical transistors with poly(diallyldimethylammonium chloride) and carbon nanomaterials nanocomposites functionalized gate electrodes. <i>Sensors and Actuators B: Chemical</i> , 2017 , 246, 235-242	8.5	30
80	Rolling circle amplification based amperometric aptamer/immuno hybrid biosensor for ultrasensitive detection of <i>Vibrio parahaemolyticus</i> . <i>Mikrochimica Acta</i> , 2017 , 184, 3477-3485	5.8	47
79	In Vitro Isothermal Nucleic Acid Amplification Assisted Surface-Enhanced Raman Spectroscopic for Ultrasensitive Detection of <i>Vibrio parahaemolyticus</i> . <i>Analytical Chemistry</i> , 2017 , 89, 9775-9780	7.8	38
78	Lithium cell-assisted low-overpotential Li-O batteries by in situ discharge activation. <i>Chemical Communications</i> , 2017 , 53, 10568-10571	5.8	3
77	Real-time detection of Cu(II) with PEDOT:PSS based organic electrochemical transistors. <i>Science China Chemistry</i> , 2017 , 60, 1205-1211	7.9	6
76	Extraordinary tunable dynamic range of electrochemical aptasensor for accurate detection of ochratoxin A in food samples. <i>Food Science and Human Wellness</i> , 2017 , 6, 70-76	8.3	7
75	Highly sensitive real-time detection of tyrosine based on organic electrochemical transistors with poly-(diallyldimethylammonium chloride), gold nanoparticles and multi-walled carbon nanotubes. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 799, 321-326	4.1	14
74	Nitrogen-doped Li ₄ Ti ₅ O ₁₂ /carbon hybrids derived from inorganic polymer for fast lithium storage. <i>Electrochimica Acta</i> , 2017 , 247, 132-138	6.7	17

73	Recent advances in electrocatalysts for non-aqueous LiO ₂ batteries. <i>Chinese Chemical Letters</i> , 2017 , 28, 709-718	8.1	31
72	Rapid and non-destructive identification of water-injected beef samples using multispectral imaging analysis. <i>Food Chemistry</i> , 2016 , 190, 938-943	8.5	26
71	Rapid and non-destructive determination of rancidity levels in butter cookies by multi-spectral imaging. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 1821-7	4.3	7
70	Potential of multispectral imaging for real-time determination of colour change and moisture distribution in carrot slices during hot air dehydration. <i>Food Chemistry</i> , 2016 , 195, 110-6	8.5	33
69	Natural Integrated Carbon Architecture for Rechargeable LithiumSulfur Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 666-670	8.3	47
68	Noninvasive discrimination and textural properties of E-beam irradiated shrimp. <i>Journal of Food Engineering</i> , 2016 , 175, 85-92	6	7
67	Hetero-enzyme-based two-round signal amplification strategy for trace detection of aflatoxin B1 using an electrochemical aptasensor. <i>Biosensors and Bioelectronics</i> , 2016 , 80, 574-581	11.8	80
66	Aptamer-Based Technologies in Foodborne Pathogen Detection. <i>Frontiers in Microbiology</i> , 2016 , 7, 14265-7	5.7	46
65	Colorimetric Integrated PCR Protocol for Rapid Detection of <i>Vibrio parahaemolyticus</i> . <i>Sensors</i> , 2016 , 16,	3.8	21
64	MWCNTs based high sensitive lateral flow strip biosensor for rapid determination of aqueous mercury ions. <i>Biosensors and Bioelectronics</i> , 2016 , 85, 331-336	11.8	69
63	Gold nanoparticles based lateral flow immunoassay with largely amplified sensitivity for rapid melamine screening. <i>Mikrochimica Acta</i> , 2016 , 183, 1989-1994	5.8	50
62	Discrimination of Kernel Quality Characteristics for Sunflower Seeds Based on Multispectral Imaging Approach. <i>Food Analytical Methods</i> , 2015 , 8, 1629-1636	3.4	13
61	Integrated platform with magnetic purification and rolling circular amplification for sensitive fluorescent detection of ochratoxin A. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 534-8	11.8	31
60	Nondestructive and intuitive determination of circadian chlorophyll rhythms in soybean leaves using multispectral imaging. <i>Scientific Reports</i> , 2015 , 5, 11108	4.9	31
59	Rapid and ultrasensitive colorimetric detection of mercury(II) by chemically initiated aggregation of gold nanoparticles. <i>Mikrochimica Acta</i> , 2015 , 182, 2147-2154	5.8	35
58	Ultrasensitive and rapid screening of mercury(II) ions by dual labeling colorimetric method in aqueous samples and applications in mercury-poisoned animal tissues. <i>Analytica Chimica Acta</i> , 2015 , 868, 45-52	6.6	17
57	A novel ultrasensitive phosphate amperometric nanobiosensor based on the integration of pyruvate oxidase with highly ordered gold nanowires array. <i>Biosensors and Bioelectronics</i> , 2015 , 71, 278-285	11.8	12
56	Rapid capacitive detection of femtomolar levels of bisphenol A using an aptamer-modified disposable microelectrode array. <i>Mikrochimica Acta</i> , 2015 , 182, 2361-2367	5.8	28

55	A novel GMO biosensor for rapid ultrasensitive and simultaneous detection of multiple DNA components in GMO products. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 431-7	11.8	41
54	Magnetic microparticle-based SELEX process for the identification of highly specific aptamers of heart marker--brain natriuretic peptide. <i>Mikrochimica Acta</i> , 2015 , 182, 331-339	5.8	12
53	Feasibility in multispectral imaging for predicting the content of bioactive compounds in intact tomato fruit. <i>Food Chemistry</i> , 2015 , 173, 482-8	8.5	60
52	Multispectral imaging for rapid and non-destructive determination of aerobic plate count (APC) in cooked pork sausages. <i>Food Research International</i> , 2014 , 62, 902-908	7	33
51	Recent trends in SELEX technique and its application to food safety monitoring. <i>Mikrochimica Acta</i> , 2014 , 181, 479-491	5.8	77
50	Circadian clock mediates light/dark preference in zebrafish (<i>Danio rerio</i>). <i>Zebrafish</i> , 2014 , 11, 115-21	2	12
49	Nondestructive determination of transgenic <i>Bacillus thuringiensis</i> rice seeds (<i>Oryza sativa</i> L.) using multispectral imaging and chemometric methods. <i>Food Chemistry</i> , 2014 , 153, 87-93	8.5	66
48	Ultrasensitive detection of mercury with a novel one-step signal amplified lateral flow strip based on gold nanoparticle-labeled ssDNA recognition and enhancement probes. <i>Biosensors and Bioelectronics</i> , 2014 , 61, 14-20	11.8	55
47	Application of multispectral imaging to determine quality attributes and ripeness stage in strawberry fruit. <i>PLoS ONE</i> , 2014 , 9, e87818	3.7	47
46	Immunochemical lateral flow strip for on-site detection of bisphenol A. <i>Mikrochimica Acta</i> , 2013 , 180, 279-285	5.8	57
45	Electrochemical aptasensor for the determination of bisphenol A in drinking water. <i>Mikrochimica Acta</i> , 2013 , 180, 109-115	5.8	79
44	Effect of BPA on the germination, root development, seedling growth and leaf differentiation under different light conditions in <i>Arabidopsis thaliana</i> . <i>Chemosphere</i> , 2013 , 93, 2585-92	8.4	26
43	One-step signal amplified lateral flow strip biosensor for ultrasensitive and on-site detection of bisphenol A (BPA) in aqueous samples. <i>Biosensors and Bioelectronics</i> , 2013 , 49, 457-61	11.8	84
42	Rolling chain amplification based signal-enhanced electrochemical aptasensor for ultrasensitive detection of ochratoxin A. <i>Analytical Chemistry</i> , 2013 , 85, 10842-9	7.8	104
41	Ultrasensitive one-step rapid visual detection of bisphenol A in water samples by label-free aptasensor. <i>Biosensors and Bioelectronics</i> , 2013 , 39, 26-30	11.8	165
40	Unique role of β -cyclodextrin in modifying aggregation of Triton X-114 in aqueous solutions. <i>Soft Matter</i> , 2012 , 8, 3856	3.6	22
39	Systematic comparisons of genetically modified organism DNA separation and purification by various functional magnetic nanoparticles. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 910-917	3.8	9
38	Ultrasensitive one-step rapid detection of ochratoxin A by the folding-based electrochemical aptasensor. <i>Analytica Chimica Acta</i> , 2012 , 753, 27-31	6.6	75

37	Screening and preliminary application of a DNA aptamer for rapid detection of Salmonella O8. <i>Mikrochimica Acta</i> , 2012 , 178, 237-244	5.8	29
36	Fluorescent strip sensor for rapid determination of toxins. <i>Chemical Communications</i> , 2011 , 47, 1574-6	5.8	133
35	New Synthesis Strategy for DNA Functional Gold Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 3243-3249	3.8	31
34	Crown ether assembly of gold nanoparticles: melamine sensor. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2032-7	11.8	113
33	Rapid DNA detection by interface PCR on nanoparticles. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2495-9	11.8	25
32	An aptamer-based chromatographic strip assay for sensitive toxin semi-quantitative detection. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3059-62	11.8	125
31	Permselectivity Replication of Artificial Glomerular Basement Membranes in Nanoporous Collagen Multilayers. <i>Journal of Physical Chemistry Letters</i> , 2011 , 2, 2067-2072	6.4	11
30	G-quadruplex DNAzyme-based microcystin-LR (toxin) determination by a novel immunosensor. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 4393-8	11.8	32
29	Side-by-side and end-to-end gold nanorod assemblies for environmental toxin sensing. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 5472-5	16.4	231
28	Multifunctional magnetoplasmonic nanoparticle assemblies for cancer therapy and diagnostics (theranostics). <i>Macromolecular Rapid Communications</i> , 2010 , 31, 228-36	4.8	76
27	Facile preparation of fluorescence-encoded microspheres based on microfluidic system. <i>Journal of Colloid and Interface Science</i> , 2010 , 352, 337-42	9.3	18
26	Nanoparticle-based environmental sensors. <i>Materials Science and Engineering Reports</i> , 2010 , 70, 265-274	30.9	106
25	Fabricated aptamer-based electrochemical "signal-off" sensor of ochratoxin A. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 710-6	11.8	183
24	Development of an immunochromatographic assay for rapid detection of 1-Aminohydantoin in urine specimens. <i>Biomedical Chromatography</i> , 2009 , 23, 308-14	1.7	20
23	Ultrasensitive immunoassay of 7-aminoclonazepam in human urine based on CdTe nanoparticle bioconjugations by fabricated microfluidic chip. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2051-6	11.8	42
22	Automated and ultrasensitive detection of methyl-3-quinoxaline-2-carboxylic acid by using gold nanoparticles probes SIA-rt-PCR. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2858-63	11.8	27
21	Rapid and sensitive detection of microcystin by immunosensor based on nuclear magnetic resonance. <i>Biosensors and Bioelectronics</i> , 2009 , 25, 240-3	11.8	67
20	Preparation of immunomagnetic nanoparticles and their application in the separation of mouse CD34+ hematopoietic stem cells. <i>Journal of Magnetism and Magnetic Materials</i> , 2009 , 321, 1885-1888	2.8	9

19	Simultaneous and sensitive determination of multiplex chemical residues based on multicolor quantum dot probes. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3657-62	11.8	93
18	Development and validation of an immunochromatographic assay for rapid multi-residues detection of cepheids in milk. <i>Analytica Chimica Acta</i> , 2009 , 634, 129-33	6.6	62
17	Development of an enzyme-linked immunosorbent assay for the alpha-cyano pyrethroids multiresidue in Tai lake water. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 3033-9	5.7	51
16	Ultrasensitive detection of trace protein by Western blot based on POLY-quantum dot probes. <i>Analytical Chemistry</i> , 2009 , 81, 9194-8	7.8	42
15	Polyaniline/Fe ₃ O ₄ nanoparticle composite: synthesis and reaction mechanism. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 5052-8	3.4	89
14	Gold nanoparticle-based immunochromatographic assay for the detection of 7-aminoclonazepam in urine. <i>International Journal of Environmental Analytical Chemistry</i> , 2009 , 89, 261-268	1.8	10
13	Alloyed semiconductor nanocrystals with broad tunable band gaps. <i>Chemical Communications</i> , 2009 , 4221-3	5.8	105
12	Synthesis of Quaternary Semiconductor Nanocrystals with Tunable Band Gaps. <i>Chemistry of Materials</i> , 2009 , 21, 2489-2493	9.6	98
11	Nanoparticle superstructures made by polymerase chain reaction: collective interactions of nanoparticles and a new principle for chiral materials. <i>Nano Letters</i> , 2009 , 9, 2153-9	11.5	208
10	Effects of quantum dots in polymerase chain reaction. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 7637-43	4.4	44
9	Simple, rapid, sensitive, and versatile SWNT-paper sensor for environmental toxin detection competitive with ELISA. <i>Nano Letters</i> , 2009 , 9, 4147-52	11.5	222
8	Development of an indirect enzyme-linked immunosorbent assay for the organophosphorus pesticide paraoxon-methyl. <i>Immunological Investigations</i> , 2009 , 38, 510-25	2.9	19
7	Analytical Methods for the Detection of Corticosteroids-Residues in Animal-Derived Foodstuffs. <i>Critical Reviews in Analytical Chemistry</i> , 2008 , 38, 227-241	5.2	15
6	Smart electronic yarns and wearable fabrics for human biomonitoring made by carbon nanotube coating with polyelectrolytes. <i>Nano Letters</i> , 2008 , 8, 4151-7	11.5	447
5	Production of new class-specific polyclonal antibody for determination of fluoroquinolones antibiotics by indirect competitive ELISA. <i>Food and Agricultural Immunology</i> , 2008 , 19, 251-264	2.9	35
4	A direct enzyme-linked immunosorbent assay for hexoestrol residues. <i>Food and Agricultural Immunology</i> , 2008 , 19, 61-75	2.9	11
3	Development of a sensitive heterologous ELISA method for analysis of acetylgestagen residues in animal fat. <i>Food Chemistry</i> , 2008 , 109, 647-653	8.5	35
2	Biofunctional magnetic nanoparticles as a general agent to immobilize proteins contained in traditional Chinese medicines. <i>Mikrochimica Acta</i> , 2007 , 157, 49-54	5.8	9

- 1 Synthesis of immunomagnetic nanoparticles and their application in the separation and purification of CD34 + hematopoietic stem cells. *Applied Surface Science*, **2006**, 253, 1762-1769 6.7 45