## Marina Trento

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8983137/publications.pdf

Version: 2024-02-01

516215 395343 1,113 38 16 33 h-index citations g-index papers 38 38 38 1527 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	A 5-Year Randomized Controlled Study of Learning, Problem Solving Ability, and Quality of Life Modifications in People With Type 2 Diabetes Managed by Group Care. Diabetes Care, 2004, 27, 670-675.	4.3	294
2	Rethink Organization to iMprove Education and Outcomes (ROMEO). Diabetes Care, 2010, 33, 745-747.	4.3	134
3	Estimating the Delay Between Onset and Diagnosis of Type 2 Diabetes From the Time Course of Retinopathy Prevalence. Diabetes Care, 2014, 37, 1668-1674.	4.3	100
4	Molecular and functional characterization of circulating extracellular vesicles from diabetic patients with and without retinopathy and healthy subjects. Experimental Eye Research, 2018, 176, 69-77.	1.2	63
5	A 3-year prospective randomized controlled clinical trial of group care in type 1 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2005, $15$ , $293-301$ .	1.1	50
6	A cross-sectional survey of depression, anxiety, and cognitive function in patients with type 2 diabetes. Acta Diabetologica, 2012, 49, 199-203.	1.2	44
7	Type 2 diabetes affects bone cells precursors and bone turnover. BMC Endocrine Disorders, 2018, 18, 55.	0.9	42
8	Functional analysis of miR-21-3p, miR-30b-5p and miR-150-5p shuttled by extracellular vesicles from diabetic subjects reveals their association with diabetic retinopathy. Experimental Eye Research, 2019, 184, 56-63.	1.2	40
9	Is there evidence of potential overtreatment of glycaemia in elderly people with type 2 diabetes? Data from the GUIDANCE study. Acta Diabetologica, 2017, 54, 209-214.	1.2	38
10	Depression, anxiety and cognitive function in patients with type 2 diabetes: an 8-year prospective observational study. Acta Diabetologica, 2015, 52, 1157-1166.	1.2	30
11	Vision related quality of life in patients with type 2 diabetes in the EUROCONDOR trial. Endocrine, 2017, 57, 83-88.	1.1	30
12	Quality of life, impaired vision and social role in people with diabetes: a multicenter observational study. Acta Diabetologica, 2013, 50, 873-877.	1.2	29
13	Quality of Life, Coping Ability, and Metabolic Control in Patients With Type 1 Diabetes Managed By Group Care and a Carbohydrate Counting Program. Diabetes Care, 2009, 32, e134-e134.	4.3	25
14	A Study of Patients' Perceptions of Diabetes Care Delivery and Diabetes. Diabetes Care, 2012, 35, 242-247.	4.3	24
15	Depression, anxiety, cognitive impairment and their association with clinical and demographic variables in people with type 2 diabetes: a 4-year prospective study. Journal of Endocrinological Investigation, 2014, 37, 79-85.	1.8	21
16	Clinical characteristics influence screening intervals for diabetic retinopathy. Diabetologia, 2013, 56, 2147-2152.	2.9	19
17	The co-activator-associated arginine methyltransferase 1 (CARM1) gene is overexpressed in type 2 diabetes. Endocrine, 2019, 63, 284-292.	1.1	17
18	Self-management education may improve blood pressure in people with type 2 diabetes. A randomized controlled clinical trial. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1973-1979.	1.1	13

#	Article	IF	Citations
19	Dysfunctional eating in type 2 diabetes mellitus: A multicenter Italian study of socio-demographic and clinical associations. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 983-990.	1.1	12
20	Prevalence of retinopathy in patients with type $1$ diabetes diagnosed before and after puberty. Acta Diabetologica, 2014, 51, 1049-1054.	1.2	11
21	Prevalence of orthorexic traits in type 2 diabetes mellitus: at the crossroads between nutritional counseling and eating disorders. Acta Diabetologica, 2020, 57, 1117-1119.	1.2	9
22	Association of Autoimmunity to Autonomic Nervous Structures With Nerve Function in Patients With Type 1 Diabetes: A 16-Year Prospective Study. Diabetes Care, 2014, 37, 1108-1115.	4.3	8
23	Diagnosis of type $1$ diabetes within the first five years of life influences quality of life and risk of severe hypoglycemia in adulthood. Acta Diabetologica, 2014, 51, 509-511.	1.2	8
24	Cognitive Function May be a Predictor of Retinopathy Progression in Patients with Type 2 Diabetes. European Journal of Ophthalmology, 2017, 27, 278-280.	0.7	8
25	Thiamine transporter 2 is involved in high glucose-induced damage and altered thiamine availability in cell models of diabetic retinopathy. Diabetes and Vascular Disease Research, 2020, 17, 147916411987842.	0.9	8
26	Self-management Education by Group Care Reduces Cardiovascular Risk in Patients With Type 2 Diabetes: Analysis of the ROMEO Clinical Trial. Diabetes Care, 2014, 37, e192-e193.	4.3	6
27	Self-management education and psychological support improve self-esteem in people with type 1 diabetes. Acta Diabetologica, 2017, 54, 415-416.	1.2	5
28	Reduced Thiamine Availability and Hyperglycemia Impair Thiamine Transport in Renal Glomerular Cells through Modulation of Thiamine Transporter 2. Biomedicines, 2021, 9, 385.	1.4	5
29	Vision-related quality of life and locus of control in type 1 diabetes: a multicenter observational study. Acta Diabetologica, 2019, 56, 1209-1216.	1.2	4
30	Self-management in patients with type 2 diabetes: Group-based versus individual education. A systematic review with meta-analysis of randomized trails. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 330-336.	1.1	4
31	Effects of thiamine and fenofibrate on high glucose and hypoxia-induced damage in cell models of the inner blood-retinal barrier. Acta Diabetologica, 2020, 57, 1423-1433.	1.2	3
32	The utopia of research: epistemology of patient education. Acta Diabetologica, 2019, 56, 145-150.	1.2	2
33	Ambient intelligence for long-term diabetes care (AmILCare). Qualitative analysis of patients' expectations and attitudes toward interactive technology. Endocrine, 2021, 73, 472-475.	1.1	2
34	A Cost Effectiveness Analysis of Group Care in Type 2 and Type 1 Diabetes., 2005, 18, 117-131.		1
35	Time of Exposure and Type of Diabetes May Determine Treatment Outcome of Group Clinics. Annals of Internal Medicine, 2010, 153, 483.	2.0	1
36	Comment on: Beverly et al. Do Older Adults Aged 60-75 Years Benefit From Diabetes Behavioral Interventions? Diabetes Care 2013;36:1501-1506. Diabetes Care, 2013, 36, e125-e125.	4.3	1

#	Article	lF	CITATIONS
37	Detection of perimacular red dots and blots when screening for diabetic retinopathy: Refer or not refer?. Diabetes and Vascular Disease Research, 2018, 15, 356-359.	0.9	1
38	Detection of realâ€ife activities by a triâ€axial accelerometer worn at different body locations: Analysis and interpretation. Diabetic Medicine, 2021, 38, e14609.	1.2	1