

Miguel Arratia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/898366/miguel-arratia-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

484 papers	17,622 citations	63 h-index	100 g-index
492 ext. papers	20,498 ext. citations	4.6 avg, IF	3.58 L-index

#	Paper	IF	Citations
484	Publishing unbinned differential cross section results. <i>Journal of Instrumentation</i> , 2022 , 17, P01024	1	2
483	Reconstructing the kinematics of deep inelastic scattering with deep learning. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2022 , 1025, 166164	1.2	1
482	Measurement of Lepton-Jet Correlation in Deep-Inelastic Scattering with the H1 Detector Using Machine Learning for Unfolding.. <i>Physical Review Letters</i> , 2022 , 128, 132002	7.4	1
481	First measurement of quarkonium polarization in nuclear collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 815, 136146	4.2	0
480	Charm jets as a probe for strangeness at the future Electron-Ion Collider. <i>Physical Review D</i> , 2021 , 103,	4.9	4
479	Production of pions, kaons, (anti-)protons and (ϕ) mesons in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.44 TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
478	Pseudorapidity distributions of charged particles as a function of mid- and forward rapidity multiplicities in pp collisions at (\sqrt{s}) = 5.02, 7 and 13 TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	3
477	η production and nuclear modification at forward rapidity in PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 822, 136579	4.2	3
476	Asymmetric jet clustering in deep-inelastic scattering. <i>Physical Review D</i> , 2021 , 104,	4.9	1
475	Jet-based measurements of Sivvers and Collins asymmetries at the future electron-ion collider. <i>Physical Review D</i> , 2020 , 102,	4.9	12
474	Jets as precision probes in electron-nucleus collisions at the future Electron-Ion Collider. <i>Physical Review C</i> , 2020 , 101,	2.7	17
473	η production in pPb collisions at $\sqrt{s_{\mathrm{NN}}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135486	4.2	5
472	Exploration of jet substructure using iterative declustering in pp and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135227	4.2	9
471	Production of charged pions, kaons, and (anti-)protons in Pb-Pb and inelastic pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	46
470	Multiplicity dependence of $K^*(892)0$ and $\eta(1020)$ production in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 807, 135501	4.2	7
469	Search for a common baryon source in high-multiplicity pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 811, 135849	4.2	13
468	Multiplicity dependence of (π), K, and p production in pp collisions at (\sqrt{s}) = 13) TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13

467	Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 161801	7.4	26
466	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 347-370	4.2	7
465	Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	13
464	On the jets emitted by driven Bose-Einstein condensates. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2019 , 52, 055301	1.3	5
463	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 444-471	4.2	14
462	Observation of electroweak $W\Xi Z$ boson pair production in association with two jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 469-492	4.2	22
461	Search for invisible Higgs boson decays in vector boson fusion at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 499-519	4.2	21
460	Search for heavy long-lived multicharged particles in proton-proton collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	7
459	Cross-section measurements of the Higgs boson decaying into a pair of leptons in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	29
458	Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19
457	Search for long-lived particles produced in pp collisions at $s=13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019 , 99,	4.9	24
456	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 151801	7.4	5
455	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
454	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	4
453	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 595-614	4.2	7
452	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
451	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 108-128	4.2	44
450	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , 2019 , 123, 042001	7.4	12

449	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	10
448	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	12
447	Search for heavy charged long-lived particles in the ATLAS detector in 36.1 fb ⁻¹ of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	35
446	Measurement of prompt photon production in $\sqrt{s}=8.16$ TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 230-252	4.2	5
445	Measurement of the $t\bar{t}\gamma$ and $t\bar{t}W$ cross sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	14
444	Investigations of Anisotropic Flow Using Multiparticle Azimuthal Correlations in pp, p-Pb, Xe-Xe, and Pb-Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2019 , 123, 142301	7.4	39
443	Inclusive J/ψ production at mid-rapidity in pp collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
442	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow \ell\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 508-529	4.2	27
441	Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	5
440	Search for squarks and gluinos in final states with hadronically decaying τ leptons, jets, and missing transverse momentum using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	9
439	Measurement of charged jet cross section in pp collisions at $\sqrt{s}=5.02$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
438	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 316-335	4.2	23
437	Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 96-116	4.2	17
436	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}$ final state in pp collision at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 1-21	4.2	20
435	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 167-190	4.2	15
434	Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in pp and p+Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	25
433	Search for High-Mass Resonances Decaying to $\gamma\gamma$ in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 120, 161802	7.4	18
432	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	29

431	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\text{-}b\bar{b}bb$ final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 24-45	4.2	6
430	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at (\sqrt{s} =13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
429	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at (\sqrt{s} =13) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
428	Measurement of the ϕ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
427	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at \sqrt{s} =8 TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 295-317	4.2	10
426	Measurement of the exclusive $\pi^+\pi^-\pi^0$ process in proton-proton collisions at \sqrt{s} =13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 303-323	4.2	27
425	Search for diboson resonances with boson-tagged jets in pp collisions at \sqrt{s} =13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 91-113	4.2	27
424	Search for new phenomena in high-mass final states with a photon and a jet from collisions at \sqrt{s} =13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
423	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
422	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
421	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
420	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
419	Search for heavy resonances in the $\tau\tau$ and $\tau\tau\gamma$ final states using proton-proton collisions at \sqrt{s} =13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
418	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
417	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of (\sqrt{s} =13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
416	Search for heavy resonances decaying into $\tau\tau$ in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
415	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
414	Search for W W/Z resonance production in $\bar{b}q$ final states in pp collisions at (\sqrt{s} =13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22

413	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
412	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	44
411	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 557-577	4.2	14
410	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 578-602	4.2	10
409	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 55-76	4.2	7
408	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
407	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
406	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
405	Searches for heavy ZZ and ZW resonances in the $\ell\ell q$ and $\ell\ell q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
404	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $B\bar{B}$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 392-414	4.2	33
403	Search for $W^\pm \rightarrow tb$ decays in the hadronic final state using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 327-348	4.2	15
402	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 173-191	4.2	118
401	Measurements of $t\bar{t}$ differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	12
400	Measurement of differential cross sections and W^\pm/W^\pm cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
399	Combination of inclusive and differential ($\overline{\text{t}}\text{t}$) charge asymmetry measurements using ATLAS and CMS data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
398	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 318-337	4.2	38
397	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
396	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21

395	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
394	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	10
393	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 787, 68-88	4.2	14
392	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 211801	7.4	48
391	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 212301	7.4	18
390	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
389	Search for lepton-flavor-violating decays of the Z boson into a lepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	5
388	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b} \rightarrow \gamma\gamma$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 191801	7.4	23
387	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
386	Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	22
385	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
384	Measurement of dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , 2018 , 98,	4.9	4
383	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	19
382	Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	7
381	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	34
380	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s}=4$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P12006-P12006	1	2
379	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
378	Search for pair production of Higgsinos in final states with at least three b-tagged jets in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	14

377	Measurements of Higgs boson properties in the diphoton decay channel with 36 fb ⁻¹ of pp collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	74
376	Operation and performance of the ATLAS Tile Calorimeter in Run ¹ . <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13
375	Search for heavy resonances decaying to a photon and a hadronically decaying Z/W/H boson in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	8
374	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	10
373	Combined measurement of differential and total cross sections in the H → b \bar{b} and the H → ZZ* → 4 ℓ decay channels at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 114-133	4.2	14
372	Searches for exclusive Higgs and Z boson decays into J/ψ(ψS) and γ(nS) at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 134-155	4.2	14
371	Observation of H → b \bar{b} decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 59-86	4.2	87
370	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb ⁻¹ of proton-proton collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	23
369	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ → 4 ℓ and ZZ → 2 ℓ 2 ν final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 223-244	4.2	28
368	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
367	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 152002	7.4	9
366	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	11
365	Search for flavor-changing neutral currents in top quark decays t → Hc and t → Hu in multilepton final states in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	12
364	Measurement of the Higgs boson mass in the H → ZZ* → 4 ℓ and H → tt channels with s=13 TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 345-366	4.2	41
363	Search for squarks and gluinos in final states with jets and missing transverse momentum using 36 fb ⁻¹ of s=13 TeV pp collision data with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	80
362	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4.2	5
361	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p \bar{p} collisions at s=13 TeV using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 136-158	4.2	10
360	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	14

359	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 081801	7.4	29
358	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4.2	34
357	Search for top squarks decaying to tau sleptons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	6
356	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	12
355	Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 092001	7.4	24
354	Search for supersymmetry in events with four or more leptons in $\sqrt{s}=13$ TeV pp collisions with ATLAS. <i>Physical Review D</i> , 2018 , 98,	4.9	16
353	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15
352	$ZZ \rightarrow 4\ell$ cross-section measurements and search for anomalous triple gauge couplings in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	21
351	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	47
350	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018 , 120, 211802	7.4	27
349	Search for $B \rightarrow \tau \nu$ R-parity-violating top squarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS experiment. <i>Physical Review D</i> , 2018 , 97,	4.9	8
348	Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	31
347	Search for a Structure in the $B_{\{s\}}^0 \rightarrow \mu^+ \mu^-$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018 , 120, 202007	7.4	28
346	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
345	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the 4ℓ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 750-767	4.2	15
344	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 11-31	4.2	23
343	Search for new resonances decaying to a W or Z boson and a Higgs boson in the $Wb\bar{b}$, $Zb\bar{b}$, and $h\bar{b}b$ channels with pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 32-52	4.2	17
342	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 132-153	4.2	8

341	Measurement of the $[Formula: see text]$ and $[Formula: see text]$ production cross sections in multilepton final states using 3.2 fb of $[Formula: see text]$ collisions at $[Formula: see text] = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
340	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
339	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
338	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 11-30	4.2	16
337	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 220	4.2	5
336	Measurement of the boson polarisation in $[Formula: see text]$ events from collisions at $[Formula: see text] = 8$ TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , 2017 , 77, 264	4.2	19
335	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61
334	Measurements of top-quark pair differential cross-sections in the $[Formula: see text]$ channel in collisions at $[Formula: see text]$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13
333	Performance of algorithms that reconstruct missing transverse momentum in $[Formula: see text] = 8$ TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38
332	High-ET isolated-photon plus jets production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2017 , 918, 257-316	2.8	13
331	Measurement of the prompt $[Formula: see text]$ pair production cross-section in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47
330	Search for triboson $[Formula: see text]$ production in collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13
329	Measurement of the $W+W$ production cross section in pp collisions at a centre-of-mass energy of $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 354-374	4.2	7
328	Search for new phenomena in high-mass diphoton final states using 37 fb of proton-proton collisions collected at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 105-125	4.2	52
327	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177
326	Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27
325	Measurements of electroweak $[Formula: see text]$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14
324	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $s=5.02$ and 13 TeV and p+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2017 , 96,	2.7	34

323	Search for anomalous electroweak production of WW/WZ in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	17
322	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
321	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	10
320	Measurement of W^+W^- vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	13
319	Measurement of the $t\bar{t}$ production cross section in the b -jets final state in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2017 , 95,	4.9	1
318	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 473-493	4.2	25
317	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
316	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. <i>Physical Review C</i> , 2017 , 95,	2.7	13
315	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 051802	7.4	29
314	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using 36 fb^{-1} of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 181804	7.4	25
313	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 191803	7.4	30
312	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
311	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 206-228	4.2	12
310	Measurement of lepton differential distributions and the top quark mass in production in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
309	Measurement of the ($\overline{t}\gamma$) production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
308	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
307	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}(\rightarrow) b\bar{b}$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 494-515	4.2	20
306	Measurement of jet p_T correlations in Pb + Pb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 379-402	4.2	15

305	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
304	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 144	4.2	8
303	Measurement of the ZZ production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV using the ZZ $\rightarrow \mu\mu$ and (ZZ to $\ell\ell^+\ell\ell^-\nu\bar{\nu}$) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
302	Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
301	Measurements of $\Upsilon(2S)$ and $X(3872) \rightarrow J/\psi \Upsilon$ production in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
300	Measurements of top-quark pair to Z-boson cross-section ratios at ($\sqrt{s}=13$), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
299	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
298	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
297	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
296	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
295	Precision measurement and interpretation of inclusive γ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
294	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
293	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
292	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
291	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
290	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
289	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at 13 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
288	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5

287	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
286	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	116
285	Search for dark matter in association with a Higgs boson decaying to two photons at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	11
284	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
283	Femtoscopia with identified charged pions in proton-lead collisions at $s_{NN}=5.02$ TeV with ATLAS. <i>Physical Review C</i> , 2017 , 96,	2.7	1
282	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
281	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
280	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
279	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
278	Searches for the $Z\ell$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
277	Studies of $Z\ell$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
276	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
275	Search for new phenomena in dijet events using 37 fb of pp collision data collected at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	89
274	Search for top quark decays $t \rightarrow hq$, with $H \rightarrow \ell\ell$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
273	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
272	Measurements of top quark spin observables in ($\overline{t}t$) events using dilepton final states in ($\sqrt{s}=8$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
271	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
270	Top-quark mass measurement in the all-hadronic ($\overline{t}t$) decay channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6

269	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
268	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	30
267	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
266	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
265	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017 , 12, P12009-P12009	1	19
264	Measurement of the k_t splitting scales in Z + jets events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
263	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
262	Evidence for the ($H \rightarrow b\bar{b}$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
261	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
260	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
259	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	17
258	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017 , 12, P05002-P05002	1	7
257	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016 , 11, P11020-P11020	1	7
256	Search for scalar leptoquarks in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>New Journal of Physics</i> , 2016 , 18, 093016	2.9	51
255	Search for Higgs and Z Boson Decays to $\tau\tau$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 117, 111802	7.4	5
254	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	30
253	Search for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	46
252	Measurement of jet charge in dijet events from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	18

251	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV measured with the ATLAS detector. <i>Physical Review C</i> , 2016 , 93,	2.7	26
250	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	10
249	Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	34
248	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	16
247	Measurements of $W\Xi Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings. <i>Physical Review D</i> , 2016 , 93,	4.9	47
246	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	3
245	Measurements of $Z\Xi$ and $Z\Xi$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 93,	4.9	29
244	Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS experiment. <i>Physical Review D</i> , 2016 , 93,	4.9	31
243	Measurement of the ZZ Production Cross Section in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 116, 101801	7.4	25
242	Observation of Long-Range Elliptic Azimuthal Anisotropies in $\sqrt{s}=13$ and 2.76 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2016 , 116, 172301	7.4	140
241	Measurement of the $t\bar{t}\Xi$ production cross-section using $e\Xi$ events with b-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 136-157	4.2	47
240	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
239	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
238	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016 , 117, 182002	7.4	92
237	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	364
236	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
235	Measurement of jet activity in top quark events using the $e\Xi$ final state with two b-tagged jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
234	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 291	4.2	63

233	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*b\bar{b}$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
232	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $s=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	4
231	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
230	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
229	Identification of high transverse momentum top quarks in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
228	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
227	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
226	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8 TeV with ATLAS. <i>Physical Review D</i> , 2016 , 94,	4.9	13
225	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
224	Search for pair production of gluinos decaying via stop and sbottom in events with b-jets and large missing transverse momentum in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	24
223	Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	35
222	Measurement of exclusive BW production and search for exclusive Higgs boson production in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	23
221	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 283	4.2	42
220	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
219	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 683	4.2	7
218	Addendum to Measurement of the $(t\bar{t})$ production cross-section using $(e\mu)$ events with b-tagged jets in pp collisions at $(\sqrt{s}) = 7$ and 8 (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	13
217	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
216	Searches for heavy diboson resonances in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20

215	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ($\sqrt{s}=8$) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
214	Search for the Standard Model Higgs boson decaying into ($\overline{b}b$) produced in association with top quarks decaying hadronically in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
213	Measurement of the CP-violating phase γ and the B^0 meson decay width difference with $B^0 \rightarrow \pi^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
212	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53
211	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24
210	A search for prompt lepton-jets in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22
209	Search for new phenomena with photon+jet events in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
208	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
207	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
206	Search for strong gravity in multijet final states produced in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12
205	Measurements of four-lepton production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 552-572	4.2	15
204	Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s}=8$ TeV pp collision data collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 52-71	4.2	11
203	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s}=2.76$ TeV with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 10-28	4.2	9
202	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s}=13$ TeV proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 334-355	4.2	21
201	Search for single production of a vector-like quark via a heavy gluon in the $4b$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 249-268	4.2	13
200	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 302-322	4.2	104
199	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 228-246	4.2	25
198	Charged-particle distributions in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 67-88 ^{4.2}	4.2	44

197	Charge collection and field profile studies of heavily irradiated strip sensors for the ATLAS inner tracker upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 181-188	1.2	14
196	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 285-305	4.2	27
195	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016 , 76, 154	4.2	44
194	Search for new phenomena in events with at least three photons collected in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53
193	Probing lepton flavour violation via neutrinoless $[B \rightarrow K^* \ell \ell]$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12
192	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6
191	Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
190	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
189	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
188	Searches for scalar leptoquarks in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 5	4.2	68
187	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at $\sqrt{s}=8$ TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
186	Measurements of fiducial cross-sections for $[B \rightarrow K^* \ell \ell]$ production with one or two additional jets in collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
185	Study of the $[B \rightarrow K^* \ell \ell]$ and $[B \rightarrow K^* \ell \ell]$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
184	Search for an additional, heavy Higgs boson in the $[B \rightarrow K^* \ell \ell]$ decay channel at $\sqrt{s}=8$ TeV in $[B \rightarrow K^* \ell \ell]$ collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
183	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
182	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV with the ATLAS detector 2016 , 76, 1		1
181	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
180	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8

179	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 375	4.2	5
178	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
177	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
176	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
175	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
174	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53
173	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
172	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
171	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
170	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
169	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , 2016 , 76, 292	4.2	263
168	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
167	Measurement of total and differential $W + W$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016 , 2016,	5.4	30
166	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
165	Measurement of $W+W$ production in association with one jet in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 114-133	4.2	3
164	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 251-268	4.2	23
163	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $\sqrt{s}=5.02$ TeV p+Pb collisions measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 313-336	4.2	29
162	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	126

161	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	25
160	Dijet production in $\sqrt{s}=7$ TeV pp collisions with large rapidity gaps at the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 214-234	4-2	23
159	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	59
158	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \mu\mu$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 69-85	4-2	29
157	Measurement of D^*_{π} , D^0_{π} and $D^0_{s\pi}$ meson production cross sections in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2016 , 907, 717-763	2-8	32
156	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4-2	16
155	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4-2	18
154	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4-2	7
153	Search for charged Higgs bosons in the $H \rightarrow \tau\tau$ decay channel in pp collisions at ($\sqrt{s}=8$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	33
152	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb $^{-1}$ of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 647-665	4-2	34
151	Measurement of $W\tau$ and Z-boson production cross sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 601-621	4-2	64
150	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 520-537	4-2	11
149	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 372-392	4-2	48
148	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 334-352	4-2	12
147	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4-2	27
146	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 517	4-2	17
145	Search for resonances in diphoton events at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	49
144	Detailed studies of full-size ATLAS12 sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 831, 167-173	1-2	8

143	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 229-246	4.2	17
142	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 158-178	4.2	72
141	Measurement of the $W\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 1-22	4.2	17
140	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2016 , 94,	4.9	41
139	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
138	Measurement of the top quark mass in the $t\bar{t}\rightarrow$ dilepton channel from $\sqrt{s}=8$ TeV ATLAS data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 350-371	4.2	42
137	Search for charged Higgs bosons produced in association with a top quark and decaying via $H\pm\rightarrow\tau\pm\nu_\tau$ using pp collision data recorded at $\sqrt{s}=13$ TeV by the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 555-574	4.2	44
136	Measurement of the relative width difference of the $(\{B\}^0\overline{\{B\}}^0)$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
135	Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 15-34	4.2	44
134	Search for $W\pm b\bar{b}$ in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 235-255	4.2	42
133	Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 163-183	4.2	88
132	Search for Higgs and Z Boson Decays to J/ψ and $\psi(nS)$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 121801	7.4	33
131	Search for Higgs boson pair production in the $B\bar{B}$ final state using pp collision data at $\sqrt{s}=8$ TeV from the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 081802	7.4	90
130	Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	196
129	Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 072302	7.4	99
128	Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	125
127	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	62
126	Search for Scalar Charm Quark Pair Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 161801	7.4	20

125	Measurement of spin correlation in top-antitop quark events and search for top squark pair production in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. <i>Physical Review Letters</i> , 2015 , 114, 142001	7.4	48
124	Search for resonant diboson production in the $[\text{Formula: see text}]$ final state in $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 69	4.2	62
123	Measurements of the $[\text{Formula: see text}]$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
122	Search for dark matter in events with heavy quarks and missing transverse momentum in $[\text{Formula: see text}]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
121	Measurement of the $(\overline{t}t)$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
120	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
119	Search for the $(\overline{b}b)$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
118	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $(\sqrt{s}=8)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
117	Search for charged Higgs bosons decaying via $H \rightarrow b\overline{b}$ in fully hadronic final states using pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
116	Search for production of $[\text{Formula: see text}]$ resonances decaying to a lepton, neutrino and jets in $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
115	Performance of the ATLAS muon trigger in pp collisions at $[\text{Formula: see text}]$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51
114	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 337	4.2	27
113	Search for Higgs boson pair production in the $[\text{Formula: see text}]$ final state from collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
112	Determination of spin and parity of the Higgs boson in the $[\text{Formula: see text}]$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
111	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at $[\text{Formula: see text}]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
110	Search for a new resonance decaying to a γ or boson and a Higgs boson in the $[\text{Formula: see text}]$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46
109	Measurement of three-jet production cross-sections in $[\text{Formula: see text}]$ collisions at 7 $[\text{Formula: see text}]$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
108	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56

107	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
106	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
105	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
104	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
103	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 519-541	4.2	51
102	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 318	4.2	44
101	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
100	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
99	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
98	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
97	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physical Review C</i> , 2015 , 92,	2.7	59
96	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at s=8 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	29
95	Observation and measurement of Higgs boson decays to WW* with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	86
94	Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at s=8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	75
93	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	5
92	Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the H→BB and H→ZZ^{(*)}→4l Decay Channels at sqrt[s]=8 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 091801	7.4	32
91	Measurement of differential J/ψ production cross sections and forward-backward ratios in p + Pb collisions with the ATLAS detector. <i>Physical Review C</i> , 2015 , 92,	2.7	19
90	Z boson production in p+Pb collisions at sNN=5.02 TeV measured with the ATLAS detector. <i>Physical Review C</i> , 2015 , 92,	2.7	29

89	Observation of top-quark pair production in association with a photon and measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	18
88	Search for vectorlike B quarks in events with one isolated lepton, missing transverse momentum, and jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 91,	4.9	44
87	Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton+jets final state with ATLAS. <i>Physical Review D</i> , 2015 , 91,	4.9	20
86	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	52
85	Search for type-III seesaw heavy leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	17
84	Search for high-mass diphoton resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	85
83	Search for Higgs bosons decaying to $a\bar{a}$ in the ll final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>Physical Review D</i> , 2015 , 92,	4.9	40
82	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	16
81	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2015 , 92,	4.9	22
80	Searches for Higgs boson pair production in the $hh\rightarrow b\bar{b}WW^*, B\bar{B}, b\bar{b}b\bar{b}$ channels with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	87
79	Search for pair production of a new heavy quark that decays into a W boson and a light quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2015 , 92,	4.9	40
78	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8$ TeV Measured with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 114, 221802	7.4	18
77	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H(\bar{B})\rightarrow W(\bar{B})Z$ using pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Experiment. <i>Physical Review Letters</i> , 2015 , 114, 231801	7.4	36
76	Search for a Heavy Neutral Particle Decaying to $e\bar{e}ll$ or $ll\bar{ll}$ in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031801	7.4	18
75	Evidence of Wl Production in pp Collisions at $\sqrt{s}=8$ TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 031802	7.4	20
74	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 131801	7.4	32
73	Determination of the Ratio of b-Quark Fragmentation Fractions $f(s)/f(d)$ in pp Collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015 , 115, 262001	7.4	15
72	Measurement of the production of neighbouring jets in lead-lead collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 376-395	4.2	14

71	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	2
70	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
69	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	42
68	Search for lepton-flavour-violating H $\rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	46
67	Measurement of four-jet differential cross sections in ($\sqrt{s}=8$) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5-4	5
66	Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $s=7$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s(m_Z)$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 427-447	4-2	19
65	Measurement of colour flow with the jet pull angle in $t\bar{t}$ events using the ATLAS detector at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 475-493	4-2	14
64	Measurement of exclusive $\mu\mu$ production in proton-proton collisions at $s=7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 242-261	4-2	29
63	A search for (\overline{t}) resonances using lepton-plus-jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	57
62	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
61	Measurement of charged-particle spectra in Pb+Pb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	49
60	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
59	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	91
58	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5-4	66
57	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ($\sqrt{s}=7$) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	31
56	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	65
55	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	54
54	Summary of the searches for squarks and gluinos using ($\sqrt{s}=8$) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	55

53	Determination of the top-quark pole mass using $(\overline{t}t) + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	15
52	Measurement of the $(\overline{t}t)W$ and $(\overline{t}t)Z$ production cross sections in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
51	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5-4	18
50	Centrality and rapidity dependence of inclusive jet production in $\sqrt{s}=5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 392-413	4-2	77
49	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
48	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7-4	709
47	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	37
46	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	74
45	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $(\sqrt{s}=7)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
44	Search for $[B \rightarrow \mu^+ \mu^-]$ decays in $[B \rightarrow \mu^+ \mu^-]$ collisions at $[B \rightarrow \mu^+ \mu^-]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 165	4-2	25
43	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $[B \rightarrow \mu^+ \mu^-]$. <i>European Physical Journal C</i> , 2015 , 75, 158	4-2	8
42	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $[B \rightarrow \mu^+ \mu^-]$ TeV $[B \rightarrow \mu^+ \mu^-]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4-2	50
41	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	14
40	Measurement of the branching ratio $(B \rightarrow \mu^+ \mu^-)/(B \rightarrow b \mu^+ \mu^-)$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 63-80	4-2	9
39	Search for metastable heavy charged particles with large ionisation energy loss in collisions at $[B \rightarrow \mu^+ \mu^-]$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4-2	18
38	Search for $H \rightarrow b\bar{b}$ produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 222-242	4-2	55
37	Search for s-channel single top-quark production in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 118-136	4-2	16
36	Measurement of the production and lepton charge asymmetry of $[B \rightarrow \mu^+ \mu^-]$ bosons in Pb+Pb collisions at $[B \rightarrow \mu^+ \mu^-]$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4-2	31

35	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector 2015 , 75, 1		3
34	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider 2015 , 75, 1		3
33	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
32	Measurement of the total cross section from elastic scattering in pp collisions at $s=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2014 , 889, 486-548	2.8	105
31	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
30	Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	175
29	Comprehensive measurements of t-channel single top-quark production cross sections at $s=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	47
28	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $s=7$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	27
27	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
26	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $(\sqrt{s}=8)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	30
25	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of $(\sqrt{s}) = 8$ TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
24	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $(\sqrt{s}=8)$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
23	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3109	4.2	107
22	Search for WZ resonances in the fully leptonic channel using pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 737, 223-243	4.2	52
21	Search for the Standard Model Higgs boson decay to $\mu\mu$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 68-86	4.2	52
20	Measurement of the cross section of high transverse momentum $Z\text{-}b\bar{b}$ production in proton-proton collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 25-43	4.2	10
19	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 234-253	4.2	55
18	Search for new resonances in W and Z final states in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 428-447	4.2	112

17	Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 320-342	4.2	109
16	Search for high-mass dilepton resonances in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	209
15	Evidence for electroweak production of $W^{\pm}W^{\pm}jj$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2014 , 113, 141803	7.4	73
14	Search for scalar diphoton resonances in the mass range 65-600 GeV with the ATLAS detector in pp collision data at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 171801	7.4	117
13	Search for the lepton flavor violating decay $Z\rightarrow b\bar{b}\mu\mu$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	37
12	Measurement of the Higgs boson mass from the $H\rightarrow b\bar{b}$ and $H\rightarrow ZZ^{*}\rightarrow 4\ell$ channels in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	151
11	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\sqrt{s_{NN}}=5.02$ TeV proton-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2014 , 90,	2.7	87
10	Observation of an excited $B_c(\Theta)$ meson state with the ATLAS detector. <i>Physical Review Letters</i> , 2014 , 113, 212004	7.4	52
9	Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014 , 90,	4.9	115
8	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (\sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
7	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
6	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31
5	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
4	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
3	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (\sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
2	Measurement of the Z/γ boson transverse momentum distribution in pp collisions at ($\sqrt{s}=7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
1	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38