

Lise Maria Lindahl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8985136/publications.pdf>

Version: 2024-02-01

28
papers

996
citations

471061

17
h-index

525886

27
g-index

28
all docs

28
docs citations

28
times ranked

1047
citing authors

#	ARTICLE	IF	CITATIONS
1	Staphylococcus aureus and Antibiotics in Cutaneous T-Cell Lymphoma. <i>Dermatology</i> , 2022, 238, 551-553.	0.9	11
2	Risk of cancer in patients with psoriasis and venous thromboembolism: a Danish population-based cohort study 1996-2018. <i>British Journal of Dermatology</i> , 2022, 186, 1049-1050.	1.4	1
3	MicroRNA-93 Targets p21 and Promotes Proliferation in Mycosis Fungoides T Cells. <i>Dermatology</i> , 2021, 237, 277-282.	0.9	8
4	Diagnostic Two-Gene Classifier in Early-Stage Mycosis Fungoides: A Retrospective Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2021, 141, 213-217.e5.	0.3	6
5	Staphylococcus aureus Induces Signal Transducer and Activator of Transcription 5-Dependent miR-155 Expression in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2449-2458.	0.3	15
6	Staphylococcus aureus alpha-toxin inhibits CD8 ⁺ T cell-mediated killing of cancer cells in cutaneous T-cell lymphoma. <i>Oncolmmunology</i> , 2020, 9, 1751561.	2.1	24
7	MicroRNAs in the Pathogenesis, Diagnosis, Prognosis and Targeted Treatment of Cutaneous T-Cell Lymphomas. <i>Cancers</i> , 2020, 12, 1229.	1.7	28
8	Staphylococcus aureus enterotoxins induce FOXP3 in neoplastic T cells in S�zary syndrome. <i>Blood Cancer Journal</i> , 2020, 10, 57.	2.8	24
9	Suppressed microRNA-195 expression in mycosis fungoides promotes tumor cell proliferation. <i>Experimental Dermatology</i> , 2020, 30, 1141-1149.	1.4	4
10	MicroRNA-106b Regulates Expression of the Tumour Suppressors p21 and TXNIP and Promotes Tumour Cell Proliferation in Mycosis Fungoides. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00270.	0.6	6
11	Antibiotics inhibit tumor and disease activity in cutaneous T-cell lymphoma. <i>Blood</i> , 2019, 134, 1072-1083.	0.6	94
12	Staphylococcal alpha-toxin tilts the balance between malignant and non-malignant CD4 ⁺ T cells in cutaneous T-cell lymphoma. <i>Oncolmmunology</i> , 2019, 8, e1641387.	2.1	32
13	Clinical and Histological Characteristics of Mycosis Fungoides and S�zary Syndrome: A Retrospective, Single-centre Study of 43 Patients from Eastern Denmark. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1231-1236.	0.6	13
14	Diagnostic 2-Gene Classifier in Early-Stage Mycosis Fungoides: A Retrospective Multicenter Study. <i>Blood</i> , 2019, 134, 2772-2772.	0.6	0
15	Risk of venous thromboembolism in patients with mycosis fungoides and parapsoriasis: A Danish nationwide population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 1077-1083.e4.	0.6	5
16	Prognostic miRNA classifier in early-stage mycosis fungoides: development and validation in a Danish nationwide study. <i>Blood</i> , 2018, 131, 759-770.	0.6	54
17	Single-cell heterogeneity in S�zary syndrome. <i>Blood Advances</i> , 2018, 2, 2115-2126.	2.5	78
18	SATB1 in Malignant T Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1805-1815.	0.3	38

#	ARTICLE	IF	CITATIONS
19	Malignant inflammation in cutaneous Tâ€cell lymphomaâ€”a hostile takeover. <i>Seminars in Immunopathology</i> , 2017, 39, 269-282.	2.8	110
20	Risk of Acute Myocardial Infarction or Stroke in Patients with Mycosis Fungoides and Parapsoriasis. <i>Acta Dermato-Venereologica</i> , 2016, 96, 530-534.	0.6	5
21	Staphylococcal enterotoxin A (SEA) stimulates STAT3 activation and IL-17 expression in cutaneous T-cell lymphoma. <i>Blood</i> , 2016, 127, 1287-1296.	0.6	86
22	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. <i>Oncotarget</i> , 2016, 7, 45730-45744.	0.8	45
23	Jak3, STAT3, and STAT5 inhibit expression of miR-22, a novel tumor suppressor microRNA, in cutaneous T-Cell lymphoma. <i>Oncotarget</i> , 2015, 6, 20555-20569.	0.8	78
24	Subsequent cancers, mortality, and causes of death in patients with mycosis fungoides and parapsoriasis: Aâ€Danish nationwide, population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 529-535.	0.6	24
25	Staphylococcal enterotoxins stimulate lymphoma-associated immune dysregulation. <i>Blood</i> , 2014, 124, 761-770.	0.6	59
26	MicroRNA expression in early mycosis fungoides is distinctly different from atopic dermatitis and advanced cutaneous T-cell lymphoma. <i>Anticancer Research</i> , 2014, 34, 7207-17.	0.5	55
27	Bacterial Toxins Fuel Disease Progression in Cutaneous T-Cell Lymphoma. <i>Toxins</i> , 2013, 5, 1402-1421.	1.5	66
28	Total skin electron beam therapy for cutaneous T-cell lymphoma: A nationwide cohort study from Denmark. <i>Acta OncolÃ³gica</i> , 2011, 50, 1199-1205.	0.8	27