

MarÃ-a Ãngeles Alonso Vargas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8985387/publications.pdf>

Version: 2024-02-01

59
papers

372
citations

1162367

8
h-index

996533

15
g-index

59
all docs

59
docs citations

59
times ranked

435
citing authors

#	ARTICLE	IF	CITATIONS
1	Taxonomic and Nomenclatural Notes on South American Taxa of <i>Sarcocornia</i> (Chenopodiaceae). <i>Annales Botanici Fennici</i> , 2008, 45, 241-254.	0.0	58
2	Biodiversity of Archaea and floral of two inland saltern ecosystems in the Alto VinalopÃ³ Valley, Spain. <i>Saline Systems</i> , 2010, 6, 10.	2.0	35
3	Halophytic plant community patterns in Mediterranean saltmarshes: shedding light on the connection between abiotic factors and the distribution of halophytes. <i>Plant and Soil</i> , 2018, 430, 185-204.	1.8	21
4	Chorological and taxonomic notes on African plants, 2. <i>Botany Letters</i> , 2017, 164, 135-153.	0.7	16
5	<i>Austronea</i> (Asparagaceae, Scilloideae), a new genus from southern Africa, including the description of seven new species. <i>Phytotaxa</i> , 2018, 365, 101.	0.1	14
6	Out of the Middle East: New phylogenetic insights in the genus <i>Tamarix</i> (Tamaricaceae). <i>Journal of Systematics and Evolution</i> , 2019, 57, 488-507.	1.6	14
7	New insights into seminal and stomatal morphology and their contribution to the taxonomy of the Old World succulent perennial <i>Salicornioideae</i> . <i>Plant Systematics and Evolution</i> , 2013, 299, 1185-1203.	0.3	10
8	Genetic assessment of population restorations of the critically endangered <i>Silene hifacensis</i> in the Iberian Peninsula. <i>Journal for Nature Conservation</i> , 2014, 22, 532-538.	0.8	10
9	<i>Tamarix minoa</i> (Tamaricaceae), a new species from the island of Crete (Greece) based on morphological and plastid molecular sequence data. <i>Willdenowia</i> , 2015, 45, 161.	0.5	9
10	Influence of salinity and storage on germination of <i>Tamarix</i> taxa with contrasted ecological requirements. <i>Journal of Arid Environments</i> , 2016, 135, 17-21.	1.2	9
11	<i>Limonium tobarrense</i> (Plumbaginaceae), a new species from the southeastern Iberian Peninsula. <i>Phytotaxa</i> , 2016, 257, 61.	0.1	9
12	<i>Tamarix hohenackeri</i> Bunge, un nuevo registro para la flora de MÃ©xico. <i>Acta Botanica Mexicana</i> , 2014, , 117-128.	0.1	9
13	Taxonomic Relationships in the <i>Hypericum ericoides</i> Aggregate (<i>H.</i> sect. <i>Coridium</i>), Tj ETQq1 1 0,784314 rgBT /Over	0,0	8
14	The genus <i>Tamarix</i> (Tamaricaceae) in Crete (Greece). <i>Willdenowia</i> , 2014, 44, 321-326.	0.5	8
15	A new North African subspecies in the <i>Helianthemum organifolium</i> aggregate (<i>H.</i> subg. <i>Plectolobum</i>), Tj ETQq1 1 0,784314 rgBT /Over	0,1	8
16	Does <i>Tamarix dalmatica</i> (Tamaricaceae) occur in Spain?. <i>Anales Del Jardin Botanico De Madrid</i> , 2012, 69, 253-258.	0.2	8
17	Datos sobre las comunidades de <i>Sarcocornia fruticosa</i> (L.) A. J. Scott en la provincia murciano-almeriense (S.E. EspaÃ±a).. <i>Acta Botanica Malacitana</i> , 0, 27, 288-294.	0.0	7
18	Taxonomic revision of the <i>Limonium latebracteatum</i> group (Plumbaginaceae), with the description of a new species. <i>Phytotaxa</i> , 2018, 333, 41.	0.1	6

#	ARTICLE	IF	CITATIONS
19	Diversification of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) followed post-Miocene geologic and climatic changes in the Mediterranean basin. <i>Molecular Phylogenetics and Evolution</i> , 2020, 142, 106644.	1.2	6
20	(2330) Proposal to conserve the name <i>Tamarix ramosissima</i> against <i>T. pentandra</i> (<i>Tamaricaceae</i>). <i>Taxon</i> , 2014, 63, 1140-1141.	0.4	5
21	Type specimens of <i>Tamarix</i> (Tamaricaceae) described by Josef Franz Freyn in 1903. <i>Phytotaxa</i> , 2014, 172, 289.	0.1	5
22	Taxonomic circumscription of the N African endemic <i>Biscutella raphanifolia</i> (Brassicaceae) based on morphological and molecular characters. <i>Willdenowia</i> , 2016, 46, 411.	0.5	5
23	<i>Zingela</i> (Asparagaceae, Scilloideae), a distinct new urgineoid genus from KwaZulu-Natal, South Africa. <i>Phytotaxa</i> , 2018, 371, 33.	0.1	5
24	New combinations in the tribe Urgineae (Asparagaceae subfam. Scilloideae) with comments on contrasting taxonomic treatments. <i>Phytotaxa</i> , 2019, 397, 291.	0.1	5
25	Taxonomic identity and evolutionary relationships of South African taxa related to the <i>Spergularia media</i> group (Caryophyllaceae). <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.3	5
26	Born in the Mediterranean: Comprehensive Taxonomic Revision of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) Based on Morphological and Phylogenetic Data. <i>Annals of the Missouri Botanical Garden</i> , 2020, 105, 195-231.	1.3	5
27	Taxonomical identity of <i>Sarcocornia fruticosa</i> and <i>S. hispanica</i> in the Iberian Peninsula. <i>Anales Del Jardin Botanico De Madrid</i> , 2014, 71, e011.	0.2	5
28	Taxonomic status of <i>Ononis tridentata</i> (Fabaceae) from Morocco, resolved by multivariate morphometric analyses. <i>Plant Biosystems</i> , 2013, 147, 645-653.	0.8	4
29	<i>Helianthemum</i> (sect. <i>Helianthemum</i>) <i>raskebdanae</i> (Cistaceae), a new species from northeastern Morocco. <i>Phytotaxa</i> , 2015, 207, 253.	0.1	4
30	Eotype designation for the name <i>Biscutella didyma</i> L. (Brassicaceae). <i>Phytotaxa</i> , 2015, 233, 288.	0.1	4
31	Lectotype designation for three North African names of <i>Biscutella</i> (Brassicaceae) published by Claude Thomas Alexis Jordan. <i>Phytotaxa</i> , 2015, 212, 236.	0.1	4
32	Remarks on typification of nineteen names in <i>Tamarix</i> (Tamaricaceae). <i>Nordic Journal of Botany</i> , 2015, 33, 591-600.	0.2	4
33	<i>Massonia gypsicola</i> (Asparagaceae, Scilloideae), a new species from the Knersvlakte in South Africa. <i>Phytotaxa</i> , 2017, 308, 144.	0.1	4
34	The identity of <i>Drimia purpurascens</i> , with a new nomenclatural and taxonomic approach to the <i>Drimia undata</i> group (Hyacinthaceae=Asparagaceae subfam. Scilloideae). <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.3	4
35	<i>Triandra pellabergensis</i> (Hyacinthaceae subfam. Urgineoideae), a new genus and species from Pella se Berge, Northern Cape Province, South Africa. <i>Phytotaxa</i> , 2021, 487, 65-74.	0.1	4
36	Apreciaciones sintaxonómicas y nomenclaturales sobre las comunidades rupícolas de la asociación <i>Jasonio glutinosae</i> - <i>Teucrietum thymifolii</i> . <i>Lazaroa</i> , 2010, 31, 155-163.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Nomenclatural Notes on <i>Sarcocornia Perennis</i> (Mill.) A. J. Scott (Amaranthaceae). <i>Candollea</i> , 2011, 66, 331.	0.1	3
38	<i>Salicornia cuscoensis</i> (Amaranthaceae/Chenopodiaceae), a new species from Peru (South America). <i>Phytotaxa</i> , 2017, 319, 254.	0.1	3
39	A new infraspecific arrangement of <i>Teucrium thymifolium</i> (Lamiaceae), an aggregate endemic to the Iberian Peninsula. <i>Plant Biosystems</i> , 2018, 152, 1079-1087.	0.8	3
40	<i>Massonia visseriae</i> (Asparagaceae, Scilloideae): rediscovery of a neglected species of <i>Neobakeria</i> and its transfer to <i>Massonia</i> . <i>Phytotaxa</i> , 2018, 334, 70.	0.1	3
41	Morphological and molecular data support recognition of <i>Spergularia quartzicola</i> (Caryophyllaceae) as a new species endemic to South Africa. <i>Plant Biosystems</i> , 2022, 156, 506-514.	0.8	3
42	An updated report on the distribution and conservation status of the endangered <i>Catantia's Head Rockrose</i> <i>Helianthemum caput-felis</i> (Magnoliopsida: Violales: Cistaceae) in Algeria. <i>Journal of Threatened Taxa</i> , 2017, 9, 9885.	0.1	3
43	Revisiting the lectotype of <i>Biscutella boetica</i> (Brassicaceae). <i>Phytotaxa</i> , 2016, 268, 291.	0.1	2
44	<i>Massonia inaequalis</i> (Asparagaceae, Scilloideae), a distinct new species from South Africa. <i>Phytotaxa</i> , 2018, 343, 94.	0.1	2
45	(2750) Proposal to conserve the name <i>Panicum crus-galli</i> (<i>Echinochloa</i>) Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 820-822.	0.4	2
46	(2073) Proposal to conserve the name <i>Pseudiris Chukr & A. Gil</i> against <i>Pseudo-iris</i> Medik. (Iridaceae), or to conserve <i>Limniris</i> against <i>Pseudo-iris</i> . <i>Taxon</i> , 2012, 61, 684-685.	0.4	1
47	New data on the recently described <i>Xiphion heracleum</i> (Iridaceae), endemic to Morocco. <i>Phytotaxa</i> , 2014, 162, 31.	0.1	1
48	Lectotypification of the name <i>Ximenesia encelioides</i> , basionym of <i>Verbesina encelioides</i> (Asteraceae:). Tj ETQq0 0 0 rgBT / Overlock 10 Tf 091	0.1	1
49	<i>Teucrium amplexicaule</i> (Lamiaceae), a neglected name for a Spanish endemic. <i>Phytotaxa</i> , 2017, 312, 139.	0.1	1
50	Morphological and molecular data support recognition of a new rupicolous species of <i>Pinguicula</i> (Lentibulariaceae) from the Iberian Peninsula. <i>Plant Biosystems</i> , 2019, 153, 77-87.	0.8	1
51	Remarks on the types of <i>Tamarix</i> names (Tamaricaceae) described from the Iberian Peninsula. <i>Phytotaxa</i> , 2021, 484, 281-290.	0.1	1
52	Two new calcicolous species of <i>Pinguicula</i> sect. <i>Pinguicula</i> (Lentibulariaceae) growing on rocky habitats of the Iberian Peninsula. <i>Phytotaxa</i> , 2020, 456, 269-284.	0.1	1
53	Miscellaneous notes on nomenclature and taxonomy of some Old World names in tribe Paniceae (Panicoideae, Poaceae). <i>Phytotaxa</i> , 2020, 454, 244-254.	0.1	1
54	A revised typification of <i>Cistus origanifolius</i> , basionym of <i>Helianthemum origanifolium</i> (Cistaceae). <i>Phytotaxa</i> , 2016, 258, 95.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Remarks and clarifications on the type material of <i>Ximenesia encelioides</i> (<i>Verbesina encelioides</i> ;) Tj ETQq1 1 0.784314 rgBT /Overlock	0.1	0
56	Corrections on the previous typifications of some names in <i>Tamarix</i> (<i>Tamaricaceae</i>). <i>Phytotaxa</i> , 2016, 289, 96.	0.1	0
57	Typification of fourteen names of North African taxa of <i>Biscutella</i> ser. <i>Biscutella</i> (<i>Brassicaceae</i>). <i>Phytotaxa</i> , 2019, 416, 175-183.	0.1	0
58	Lectotype designation of Desfontaines's name <i>Cistus heterophyllus</i> and its hybrid <i>C. clausonii</i> (<i>Cistaceae</i>). <i>Phytotaxa</i> , 2021, 491, 158-166.	0.1	0
59	New combinations in <i>Hyacinthaceae</i> subfam. <i>Ornithogaloideae</i> . <i>Phytotaxa</i> , 2021, 524, 59-64.	0.1	0