

MarÃ-a Ãngeles Alonso Vargas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8985387/publications.pdf>

Version: 2024-02-01

59

papers

372

citations

1162367

8

h-index

996533

15

g-index

59

all docs

59

docs citations

59

times ranked

435

citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and molecular data support recognition of <i>Spergularia quartzicola</i> (Caryophyllaceae) as a new species endemic to South Africa. <i>Plant Biosystems</i> , 2022, 156, 506-514.	0.8	3
2	Remarks on the types of Tamarix names (Tamaricaceae) described from the Iberian Peninsula. <i>Phytotaxa</i> , 2021, 484, 281-290.	0.1	1
3	Triandra pellabergensis (Hyacinthaceae subfam. Urgineoideae), a new genus and species from Pella se Berge, Northern Cape Province, South Africa. <i>Phytotaxa</i> , 2021, 487, 65-74.	0.1	4
4	<p>Lectotype designation of Desfontainesâ€™s name Cistus heterophyllus and its hybrid C. Å—clausonii (Cistaceae)</p>. <i>Phytotaxa</i> , 2021, 491, 158-166.	0.1	0
5	Taxonomic identity and evolutionary relationships of South African taxa related to the <i>Spergularia media</i> group (Caryophyllaceae). <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.3	5
6	New combinations in Hyacinthaceae subfam. Ornithogaloideae. <i>Phytotaxa</i> , 2021, 524, 59-64.	0.1	0
7	Diversification of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) followed post-Miocene geologic and climatic changes in the Mediterranean basin. <i>Molecular Phylogenetics and Evolution</i> , 2020, 142, 106644.	1.2	6
8	(2750) Proposal to conserve the name <scp><i>Panicum crusâ€galli</i></scp> (<scp><i>Echinochloa</i></scp> Tj ETQq0 0 0 rgBT /Overlock 10 T 820-822.	0.4	2
9	The identity of <i>Drimia purpurasca</i> , with a new nomenclatural and taxonomic approach to the âœ <i>Drimia undata</i> âœ group (Hyacinthaceaeâ‰=â‰Asparagaceae subfam. Scilloideae). <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.3	4
10	Born in the Mediterranean: Comprehensive Taxonomic Revision of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) Based on Morphological and Phylogenetic Data. <i>Annals of the Missouri Botanical Garden</i> , 2020, 105, 195-231.	1.3	5
11	<p>Two new calcicolous species of Pinguicula sect. Pinguicula (Lentibulariaceae) growing on rocky habitats of the Iberian Peninsula</p>. <i>Phytotaxa</i> , 2020, 456, 269-284.	0.1	1
12	<p>Miscellaneous notes on nomenclature and taxonomy of some Old World names in tribe Paniceae (Panicoideae, Poaceae)</p>. <i>Phytotaxa</i> , 2020, 454, 244-254.	0.1	1
13	<p>Typification of fourteen names of North African taxa of Biscutella ser.Biscutella (Brassicaceae)</p>. <i>Phytotaxa</i> , 2019, 416, 175-183.	0.1	0
14	New combinations in the tribe Urgineae (Asparagaceae subfam. Scilloideae) with comments on contrasting taxonomic treatments. <i>Phytotaxa</i> , 2019, 397, 291.	0.1	5
15	Out of the Middle East: New phylogenetic insights in the genus <i>Tamarix</i> (Tamaricaceae). <i>Journal of Systematics and Evolution</i> , 2019, 57, 488-507.	1.6	14
16	Morphological and molecular data support recognition of a new rupicolous species of <i>Pinguicula</i> (<i>Lentibulariaceae</i>) from the Iberian Peninsula. <i>Plant Biosystems</i> , 2019, 153, 77-87.	0.8	1
17	Taxonomic revision of the <i>Limonium latebracteatum</i> group (Plumbaginaceae), with the description of a new species. <i>Phytotaxa</i> , 2018, 333, 41.	0.1	6
18	A new infraspecific arrangement of <i>Teucrium thymifolium</i> (Lamiaceae), an aggregate endemic to the Iberian Peninsula. <i>Plant Biosystems</i> , 2018, 152, 1079-1087.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Zingela (Asparagaceae, Scilloideae), a distinct new urgineoid genus from KwaZulu-Natal, South Africa. <i>Phytotaxa</i> , 2018, 371, 33.	0.1	5
20	Austronea (Asparagaceae, Scilloideae), a new genus from southern Africa, including the description of seven new species. <i>Phytotaxa</i> , 2018, 365, 101.	0.1	14
21	Massonia visseriae (Asparagaceae, Scilloideae): rediscovery of a neglected species of Neobakeria and its transfer to Massonia. <i>Phytotaxa</i> , 2018, 334, 70.	0.1	3
22	Halophytic plant community patterns in Mediterranean saltmarshes: shedding light on the connection between abiotic factors and the distribution of halophytes. <i>Plant and Soil</i> , 2018, 430, 185-204.	1.8	21
23	Massonia inaequalis (Asparagaceae, Scilloideae), a distinct new species from South Africa. <i>Phytotaxa</i> , 2018, 343, 94.	0.1	2
24	Salicornia cuscoensis (Amaranthaceae/Chenopodiaceae), a new species from Peru (South America). <i>Phytotaxa</i> , 2017, 319, 254.	0.1	3
25	Teucrium amplexicaule (Lamiaceae), a neglected name for a Spanish endemic. <i>Phytotaxa</i> , 2017, 312, 139.	0.1	1
26	Massonia gypsicola (Asparagaceae, Scilloideae), a new species from the Knersvlakte in South Africa. <i>Phytotaxa</i> , 2017, 308, 144.	0.1	4
27	Chorological and taxonomic notes on African plants, 2. <i>Botany Letters</i> , 2017, 164, 135-153.	0.7	16
28	An updated report on the distribution and conservation status of the endangered Catâ€™s Head Rockrose <I>Helianthemum caput-felis</I> (Magnoliopsida: Violales: Cistaceae) in Algeria. <i>Journal of Threatened Taxa</i> , 2017, 9, 9885.	0.1	3
29	Taxonomic circumscription of the N African endemic <i>Biscutella raphanifolia</i> (Brassicaceae) based on morphological and molecular characters. <i>Willdenowia</i> , 2016, 46, 411.	0.5	5
30	A revised typification of <i>Cistus organifolius</i> , basionym of <i>Helianthemum organifolium</i> (Cistaceae). <i>Phytotaxa</i> , 2016, 258, 95.	0.1	0
31	Revisiting the lectotype of <i>Biscutella boetica</i> (Brassicaceae). <i>Phytotaxa</i> , 2016, 268, 291.	0.1	2
32	Remarks and clarifications on the type material of <i>Ximenesia encelioides</i> (<i>Verbesina encelioides</i> ; Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.1	0
33	A new North African subspecies in the <i>Helianthemum organifolium</i> aggregate (H. subg. <i>Plectolobum</i> ,) Tj ETQq1 1 0 0.784314 rgBT /Over	0.1	0
34	Corrections on the previous typifications of some names in <i>Tamarix</i> (Tamaricaceae). <i>Phytotaxa</i> , 2016, 289, 96.	0.1	0
35	Influence of salinity and storage on germination of <i>Tamarix</i> taxa with contrasted ecological requirements. <i>Journal of Arid Environments</i> , 2016, 135, 17-21.	1.2	9
36	<i>Limonium tobarrense</i> (Plumbaginaceae), a new species from the southeastern Iberian Peninsula. <i>Phytotaxa</i> , 2016, 257, 61.	0.1	9

#	ARTICLE	IF	CITATIONS
37	Helianthemum (sect. Helianthemum) raskebdanae (Cistaceae), a new species from northeastern Morocco. <i>Phytotaxa</i> , 2015, 207, 253.	0.1	4
38	Epitype designation for the name <i>Biscutella didyma</i> L. (Brassicaceae). <i>Phytotaxa</i> , 2015, 233, 288.	0.1	4
39	Lectotypification of the name <i>Ximenesia encelioides</i> , basionym of <i>Verbesina encelioides</i> (Asteraceae): Tj ETQq1 1 0.784314 rgBT /Overl...	0.1	1
40	Lectotype designation for three North African names of <i>Biscutella</i> (Brassicaceae) published by Claude Thomas Alexis Jordan. <i>Phytotaxa</i> , 2015, 212, 236.	0.1	4
41	Remarks on typification of nineteen names in <i>Tamarix</i> (Tamaricaceae). <i>Nordic Journal of Botany</i> , 2015, 33, 591-600.	0.2	4
42	<i>Tamarix minoa</i> (Tamaricaceae), a new species from the island of Crete (Greece) based on morphological and plastid molecular sequence data. <i>Willdenowia</i> , 2015, 45, 161.	0.5	9
43	(2330) Proposal to conserve the name <i>Tamarix ramosissima</i> against <i>T. pentandra</i> (<i>Tamaricaceae</i>). <i>Taxon</i> , 2014, 63, 1140-1141.	0.4	5
44	Genetic assessment of population restorations of the critically endangered <i>Silene hifacensis</i> in the Iberian Peninsula. <i>Journal for Nature Conservation</i> , 2014, 22, 532-538.	0.8	10
45	Type specimens of <i>Tamarix</i> (Tamaricaceae) described by Josef Franz Freyn in 1903. <i>Phytotaxa</i> , 2014, 172, 289.	0.1	5
46	New data on the recently described <i>Xiphion heracleanum</i> (Iridaceae), endemic to Morocco. <i>Phytotaxa</i> , 2014, 162, 31.	0.1	1
47	The genus <i>Tamarix</i> (<i>Tamaricaceae</i>) in Crete (Greece). <i>Willdenowia</i> , 2014, 44, 321-326.	0.5	8
48	<i>Tamarix hohenackeri</i> Bunge, un nuevo registro para la flora de México. <i>Acta Botanica Mexicana</i> , 2014, , 117-128.	0.1	9
49	Taxonomical identity of Sarcocornia fruticosa and S. hispanica in the Iberian Peninsula. <i>Anales Del Jardin Botanico De Madrid</i> , 2014, 71, e011.	0.2	5
50	New insights into seminal and stomatal morphology and their contribution to the taxonomy of the Old World succulent perennial Salicornioideae. <i>Plant Systematics and Evolution</i> , 2013, 299, 1185-1203.	0.3	10
51	Taxonomic Relationships in the <i>Hypericum ericoides</i> Aggregate (<i>H.</i>sect.<i>Coridium</i>.) Tj ETQq1 1 0.784314 rgBT /Overl...	0.0	0
52	Taxonomic status of <i>Ononis tridentata</i> (Fabaceae) from Morocco, resolved by multivariate morphometric analyses. <i>Plant Biosystems</i> , 2013, 147, 645-653.	0.8	4
53	(2073) Proposal to conserve the name <i>Pseudiris Chukr & A. Gil</i> against <i>Pseudo-iris Medik.</i> (Iridaceae), or to conserve <i>Limniris</i> against <i>Pseudo-iris</i> . <i>Taxon</i> , 2012, 61, 684-685.	0.4	1
54	Does <i>Tamarix dalmatica</i> (Tamaricaceae) occur in Spain?. <i>Anales Del Jardin Botanico De Madrid</i> , 2012, 69, 253-258.	0.2	8

#	ARTICLE	IF	CITATIONS
55	Nomenclatural Notes on <i>Sarcocornia Perennis</i> (Mill.) A. J. Scott (Amaranthaceae). <i>Candollea</i> , 2011, 66, 331.	0.1	3
56	Apreciaciones sintaxonÃ³micas y nomenclaturales sobre las comunidades rupÃ©colas de la asociaciÃ³n <i>Jasonio glutinosae-Teucrietum thymifolii</i> . <i>Lazaroa</i> , 2010, 31, 155-163.	0.8	3
57	Biodiversity of Archaea and floral of two inland saltern ecosystems in the Alto VinalopÃ³ Valley, Spain. <i>Saline Systems</i> , 2010, 6, 10.	2.0	35
58	Taxonomic and Nomenclatural Notes on South American Taxa of <i>Sarcocornia</i> (Chenopodiaceae). <i>Annales Botanici Fennici</i> , 2008, 45, 241-254.	0.0	58
59	Datos sobre las comunidades de <i>Sarcocornia fruticosa</i> (L.) A. J. Scott en la provincia murciano-almeriense (S.E. EspaÃ±a).. <i>Acta Botanica Malacitana</i> , 0, 27, 288-294.	0.0	7