Torsten O Nielsen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8985565/torsten-o-nielsen-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104 15,303 42 114 h-index g-index citations papers 8.2 17,797 114 5.99 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
104	Proteomic analysis of archival breast cancer clinical specimens identifies biological subtypes with distinct survival outcomes <i>Nature Communications</i> , 2022 , 13, 896	17.4	4
103	Predictive Significance of an Optimized Panel for Basal-like Breast Cancer: Results from the Canadian Cancer Trials Group MA.5 and MA.12 Phase III Clinical Trials. <i>Clinical Cancer Research</i> , 2021 , 27, 6570-6579	12.9	
102	Assessment of Ki67 in Breast Cancer: Updated Recommendations From the International Ki67 in Breast Cancer Working Group. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 808-819	9.7	95
101	Granulocyte Colony Stimulating Factor Expression in Breast Cancer and Its Association with Carbonic Anhydrase IX and Immune Checkpoints. <i>Cancers</i> , 2021 , 13,	6.6	5
100	A Rapid and Cost-Effective Gene Expression Assay for the Diagnosis of Well-Differentiated and Dedifferentiated Liposarcomas. <i>Journal of Molecular Diagnostics</i> , 2021 , 23, 274-284	5.1	4
99	Response to Zhang and Yang. Journal of the National Cancer Institute, 2021, 113, 1597-1598	9.7	2
98	Synovial Sarcoma Oncogenesis Revealed by Single-Cell Profiling. <i>Trends in Cancer</i> , 2021 , 7, 482-483	12.5	
97	A clinical calculator to predict disease outcomes in women with triple-negative breast cancer. Breast Cancer Research and Treatment, 2021 , 185, 557-566	4.4	5
96	Proteomics-derived basal biomarker DNA-PKcs is associated with intrinsic subtype and long-term clinical outcomes in breast cancer. <i>Npj Breast Cancer</i> , 2021 , 7, 114	7.8	2
95	The immune microenvironment and relation to outcome in patients with advanced breast cancer treated with docetaxel with or without gemcitabine. <i>Oncolmmunology</i> , 2021 , 10, 1924492	7.2	2
94	Evaluation of glucocorticoid-induced TNF receptor (GITR) expression in breast cancer and across multiple tumor types. <i>Modern Pathology</i> , 2020 , 33, 1753-1763	9.8	10
93	Age-correlated protein and transcript expression in breast cancer and normal breast tissues is dominated by host endocrine effects <i>Nature Cancer</i> , 2020 , 1, 518-532	15.4	7
92	Application of a risk-management framework for integration of stromal tumor-infiltrating lymphocytes in clinical trials. <i>Npj Breast Cancer</i> , 2020 , 6, 15	7.8	8
91	Pitfalls in assessing stromal tumor infiltrating lymphocytes (sTILs) in breast cancer. <i>Npj Breast Cancer</i> , 2020 , 6, 17	7.8	54
90	The Prosigna 50-gene profile and responsiveness to adjuvant anthracycline-based chemotherapy in high-risk breast cancer patients. <i>Npj Breast Cancer</i> , 2020 , 6, 7	7.8	9
89	The path to a better biomarker: application of a risk management framework for the implementation of PD-L1 and TILs as immuno-oncology biomarkers in breast cancer clinical trials and daily practice. <i>Journal of Pathology</i> , 2020 , 250, 667-684	9.4	83
88	Predictive Biomarkers for Adjuvant Capecitabine Benefit in Early-Stage Triple-Negative Breast Cancer in the FinXX Clinical Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 2603-2614	12.9	5

(2019-2020)

87	Population-based Study of Prosigna-PAM50 and Outcome Among Postmenopausal Women With Estrogen Receptor-positive and HER2-negative Operable Invasive Lobular or Ductal Breast Cancer. <i>Clinical Breast Cancer</i> , 2020 , 20, e423-e432	3	9
86	Role of intratumoral NK cells in triple-negative breast cancer in the FinXX trial and Mayo Clinic cohort <i>Journal of Clinical Oncology</i> , 2020 , 38, 510-510	2.2	O
85	Immune Checkpoint Profiles in Luminal B Breast Cancer (Alliance). <i>Journal of the National Cancer Institute</i> , 2020 , 112, 737-746	9.7	30
84	Detection of CSF1 rearrangements deleting the 3WTR in tenosynovial giant cell tumors. <i>Genes Chromosomes and Cancer</i> , 2020 , 59, 96-105	5	12
83	How current assay approval policies are leading to unintended imprecision medicine. <i>Lancet Oncology, The</i> , 2020 , 21, 1399-1401	21.7	24
82	Sarcomas: Immune biomarker expression and checkpoint inhibitor trials. <i>Cancer Treatment Reviews</i> , 2020 , 91, 102115	14.4	15
81	Differential expression and prognostic relevance of autophagy-related markers ATG4B, GABARAP, and LC3B in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 525-547	4.4	5
80	The epigenomics of sarcoma. <i>Nature Reviews Cancer</i> , 2020 , 20, 608-623	31.3	45
79	Phospho-Ser-VCP Is Required for DNA Damage Response and Is Associated with Poor Prognosis of Chemotherapy-Treated Breast Cancer. <i>Cell Reports</i> , 2020 , 31, 107745	10.6	4
78	Mismatch repair protein loss in breast cancer: clinicopathological associations in a large British Columbia cohort. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 3-10	4.4	21
77	Tumor-associated macrophages and macrophage-related immune checkpoint expression in sarcomas. <i>Oncolmmunology</i> , 2020 , 9, 1747340	7.2	49
76	Indoleamine Dioxygenase Inhibitors: Clinical Rationale and Current Development. <i>Current Oncology Reports</i> , 2019 , 21, 2	6.3	33
75	The FUS-DDIT3 Interactome in Myxoid Liposarcoma. <i>Neoplasia</i> , 2019 , 21, 740-751	6.4	15
74	Analytical validation of a standardised scoring protocol for Ki67 immunohistochemistry on breast cancer excision whole sections: an international multicentre collaboration. <i>Histopathology</i> , 2019 , 75, 225-235	7.3	37
73	An international multicenter study to evaluate reproducibility of automated scoring for assessment of Ki67 in breast cancer. <i>Modern Pathology</i> , 2019 , 32, 59-69	9.8	51
72	Expression of lymphocyte immunoregulatory biomarkers in bone and soft-tissue sarcomas. <i>Modern Pathology</i> , 2019 , 32, 1772-1785	9.8	33
71	HDAC2 Regulates Site-Specific Acetylation of MDM2 and Its Ubiquitination Signaling in Tumor Suppression. <i>IScience</i> , 2019 , 13, 43-54	6.1	9
70	Ki67 reproducibility using digital image analysis: an inter-platform and inter-operator study. Laboratory Investigation, 2019 , 99, 107-117	5.9	56

69	Basal biomarkers nestin and INPP4B predict gemcitabine benefit in metastatic breast cancer: Samples from the phase III SBG0102 clinical trial. <i>International Journal of Cancer</i> , 2019 , 144, 2578-2586	7.5	7
68	The SS18-SSX Oncoprotein Hijacks KDM2B-PRC1.1 to Drive Synovial Sarcoma. <i>Cancer Cell</i> , 2018 , 33, 527	- 5 4.13, e	8 55
67	Development and Evaluation of a Pan-Sarcoma Fusion Gene Detection Assay Using the NanoString nCounter Platform. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 63-77	5.1	36
66	Update on tumor-infiltrating lymphocytes (TILs) in breast cancer, including recommendations to assess TILs in residual disease after neoadjuvant therapy and in carcinoma in situ: A report of the International Immuno-Oncology Biomarker Working Group on Breast Cancer. <i>Seminars in Cancer</i>	12.7	181
65	Emerging targets in cancer immunotherapy. <i>Seminars in Cancer Biology</i> , 2018 , 52, 39-52	12.7	164
64	Cell Cycle-Dependent Tumor Engraftment and Migration Are Enabled by Aurora-A. <i>Molecular Cancer Research</i> , 2018 , 16, 16-31	6.6	18
63	The Prosigna gene expression assay and responsiveness to adjuvant cyclophosphamide-based chemotherapy in premenopausal high-risk patients with breast cancer. <i>Breast Cancer Research</i> , 2018 , 20, 79	8.3	29
62	The ability of PAM50 risk of recurrence score to predict 10-year distant recurrence in hormone receptor-positive postmenopausal women with special histological subtypes. <i>Acta Oncològica</i> , 2018 , 57, 44-50	3.2	7
61	Mortality and recurrence rates among systemically untreated high risk breast cancer patients included in the DBCG 77 trials. <i>Acta Oncolgica</i> , 2018 , 57, 135-140	3.2	4
60	Nestin expression in breast cancer: association with prognosis and subtype on 3641 cases with long-term follow-up. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 107-115	4.4	10
59	TIM-3 expression in breast cancer. <i>Oncolmmunology</i> , 2018 , 7, e1502128	7.2	34
58	The prognostic effects of somatic mutations in ER-positive breast cancer. <i>Nature Communications</i> , 2018 , 9, 3476	17.4	51
57	Immune infiltrates in the breast cancer microenvironment: detection, characterization and clinical implication. <i>Breast Cancer</i> , 2017 , 24, 3-15	3.4	107
56	Competing Risks of Mortality by PAM50 Intrinsic Subtype of British Columbia Tamoxifen-Treated Cohort of Postmenopausal Patients With Breast Cancer. <i>Clinical Breast Cancer</i> , 2017 , 17, e215-e224	3	1
55	An mRNA Gene Expression-Based Signature to Identify FGFR1-Amplified Estrogen Receptor-Positive Breast Tumors. <i>Journal of Molecular Diagnostics</i> , 2017 , 19, 147-161	5.1	11
54	Advances in sarcoma diagnostics and treatment. <i>Oncotarget</i> , 2017 , 8, 7068-7093	3.3	51
53	Death by HDAC Inhibition in Synovial Sarcoma Cells. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 2656-2667	6.1	21
52	Role of Cytotoxic Tumor-Infiltrating Lymphocytes in Predicting Outcomes in Metastatic HER2-Positive Breast Cancer: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Oncology</i> , 2017 , 3, e172085	13.4	23

(2015-2017)

51	High-Throughput Screening of Myxoid Liposarcoma Cell Lines: Survivin Is Essential for Tumor Growth. <i>Translational Oncology</i> , 2017 , 10, 546-554	4.9	8
50	High-Risk Premenopausal Luminal A Breast Cancer Patients Derive no Benefit from Adjuvant Cyclophosphamide-based Chemotherapy: Results from the DBCG77B Clinical Trial. <i>Clinical Cancer Research</i> , 2017 , 23, 946-953	12.9	38
49	Basal biomarkers nestin and INPP4b identify intrinsic subtypes accurately in breast cancers that are weakly positive for oestrogen receptor. <i>Histopathology</i> , 2017 , 70, 185-194	7.3	10
48	HDAC and Proteasome Inhibitors Synergize to Activate Pro-Apoptotic Factors in Synovial Sarcoma. <i>PLoS ONE</i> , 2017 , 12, e0169407	3.7	26
47	Analytical validation of a standardized scoring protocol for Ki67: phase 3 of an international multicenter collaboration. <i>Npj Breast Cancer</i> , 2016 , 2, 16014	7.8	86
46	Establishment and characterization of a new human myxoid liposarcoma cell line (DL-221) with the FUS-DDIT3 translocation. <i>Laboratory Investigation</i> , 2016 , 96, 885-94	5.9	10
45	Molecular subtype profiling of invasive breast cancers weakly positive for estrogen receptor. <i>Breast Cancer Research and Treatment</i> , 2016 , 155, 483-90	4.4	24
44	Identification of cytotoxic agents disrupting synovial sarcoma oncoprotein interactions by proximity ligation assay. <i>Oncotarget</i> , 2016 , 7, 34384-94	3.3	10
43	The association between ATG4B and HER2 status in breast cancer <i>Journal of Clinical Oncology</i> , 2016 , 34, e23275-e23275	2.2	
42	PAM50 gene signatures and breast cancer prognosis with adjuvant anthracycline- and taxane-based chemotherapy: correlative analysis of C9741 (Alliance). <i>Npj Breast Cancer</i> , 2016 , 2,	7.8	58
41	Dual loss of the SWI/SNF complex ATPases SMARCA4/BRG1 and SMARCA2/BRM is highly sensitive and specific for small cell carcinoma of the ovary, hypercalcaemic type. <i>Journal of Pathology</i> , 2016 , 238, 389-400	9.4	122
40	The genomic landscape of epithelioid sarcoma cell lines and tumours. <i>Journal of Pathology</i> , 2016 , 238, 63-73	9.4	27
39	Defining breast cancer intrinsic subtypes by quantitative receptor expression. <i>Oncologist</i> , 2015 , 20, 474	-87	102
38	Identification of a Low-Risk Luminal A Breast Cancer Cohort That May Not Benefit From Breast Radiotherapy. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2035-40	2.2	79
37	An international study to increase concordance in Ki67 scoring. <i>Modern Pathology</i> , 2015 , 28, 778-86	9.8	168
36	CCR 20th Anniversary Commentary: The Development of Breast Cancer Molecular Subtyping. <i>Clinical Cancer Research</i> , 2015 , 21, 1779-81	12.9	14
35	Development and verification of the PAM50-based Prosigna breast cancer gene signature assay. <i>BMC Medical Genomics</i> , 2015 , 8, 54	3.7	242
34	Targeting Human Cancer by a Glycosaminoglycan Binding Malaria Protein. <i>Cancer Cell</i> , 2015 , 28, 500-514	424.3	121

33	New Strategies in Sarcoma: Linking Genomic and Immunotherapy Approaches to Molecular Subtype. <i>Clinical Cancer Research</i> , 2015 , 21, 4753-9	12.9	28
32	NY-ESO-1 (CTAG1B) expression in mesenchymal tumors. <i>Modern Pathology</i> , 2015 , 28, 587-95	9.8	47
31	B -crystallin Expression in Breast Cancer is Associated with Brain Metastasis. <i>Npj Breast Cancer</i> , 2015 , 1,	7.8	22
30	Synovial sarcoma: recent discoveries as a roadmap to new avenues for therapy. <i>Cancer Discovery</i> , 2015 , 5, 124-34	24.4	107
29	NCIC CTG IND.206: A phase II umbrella trial of sunitinib (S) or temsirolimus (T) in advanced rare cancers <i>Journal of Clinical Oncology</i> , 2015 , 33, 2594-2594	2.2	4
28	Molecular profiling of ER weakly-positive breast cancer <i>Journal of Clinical Oncology</i> , 2015 , 33, 525-525	2.2	O
27	Analytical validation of the PAM50-based Prosigna Breast Cancer Prognostic Gene Signature Assay and nCounter Analysis System using formalin-fixed paraffin-embedded breast tumor specimens. <i>BMC Cancer</i> , 2014 , 14, 177	4.8	199
26	Diagnostic value of next-generation sequencing in an unusual sphenoid tumor. <i>Oncologist</i> , 2014 , 19, 623-30	5.7	17
25	Activating transcription factor 2 in mesenchymal tumors. <i>Human Pathology</i> , 2014 , 45, 276-84	3.7	12
24	A survey of immunohistochemical biomarkers for basal-like breast cancer against a gene expression profile gold standard. <i>Modern Pathology</i> , 2013 , 26, 1438-50	9.8	47
23	An international Ki67 reproducibility study. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 1897-906	5 9.7	398
22	PAM50 breast cancer subtyping by RT-qPCR and concordance with standard clinical molecular markers. <i>BMC Medical Genomics</i> , 2012 , 5, 44	3.7	199
21	CD8+ lymphocyte infiltration is an independent favorable prognostic indicator in basal-like breast cancer. <i>Breast Cancer Research</i> , 2012 , 14, R48	8.3	290
20	Deconstruction of the SS18-SSX fusion oncoprotein complex: insights into disease etiology and therapeutics. <i>Cancer Cell</i> , 2012 , 21, 333-47	24.3	116
19	Histone deacetylase 1 and 2 in mesenchymal tumors. <i>Modern Pathology</i> , 2012 , 25, 222-30	9.8	29
18	Assessment of Ki67 in breast cancer: recommendations from the International Ki67 in Breast Cancer working group. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1656-64	9.7	1156
17	A comparison of PAM50 intrinsic subtyping with immunohistochemistry and clinical prognostic factors in tamoxifen-treated estrogen receptor-positive breast cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 5222-32	12.9	546
16	Subtyping of breast cancer by immunohistochemistry to investigate a relationship between subtype and short and long term survival: a collaborative analysis of data for 10,159 cases from 12 studies. PLoS Medicine. 2010. 7, e1000279	11.6	616

LIST OF PUBLICATIONS

15	Translating gene expression into clinical care: sarcomas as a paradigm. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1796-805	2.2	36
14	Progesterone receptor is a significant factor associated with clinical outcomes and effect of adjuvant tamoxifen therapy in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 53-61	4.4	90
13	Discovery research to clinical trial: a ten year journey. Clinical and Investigative Medicine, 2010, 33, E342	?-& .9	4
12	Supervised risk predictor of breast cancer based on intrinsic subtypes. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1160-7	2.2	2866
11	Ki67 index, HER2 status, and prognosis of patients with luminal B breast cancer. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 736-50	9.7	1545
10	Redefining prognostic factors for breast cancer: YB-1 is a stronger predictor of relapse and disease-specific survival than estrogen receptor or HER-2 across all tumor subtypes. <i>Breast Cancer Research</i> , 2008 , 10, R86	8.3	90
9	Basal-like breast cancer defined by five biomarkers has superior prognostic value than triple-negative phenotype. <i>Clinical Cancer Research</i> , 2008 , 14, 1368-76	12.9	917
8	Human epidermal growth factor receptor 2 overexpression as a prognostic factor in a large tissue microarray series of node-negative breast cancers. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5697-704	2.2	230
7	Clinicopathologic factors and nuclear morphometry as independent prognosticators in KIT-positive gastrointestinal stromal tumors. <i>Journal of Histochemistry and Cytochemistry</i> , 2008 , 56, 139-45	3.4	11
6	Immunohistochemical detection using the new rabbit monoclonal antibody SP1 of estrogen receptor in breast cancer is superior to mouse monoclonal antibody 1D5 in predicting survival. <i>Journal of Clinical Oncology</i> , 2006 , 24, 5637-44	2.2	159
5	Microarray analysis of sarcomas. Advances in Anatomic Pathology, 2006 , 13, 166-73	5.1	34
4	Immunohistochemical and clinical characterization of the basal-like subtype of invasive breast carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 5367-74	12.9	2156
3	Tissue microarray validation of epidermal growth factor receptor and SALL2 in synovial sarcoma with comparison to tumors of similar histology. <i>American Journal of Pathology</i> , 2003 , 163, 1449-56	5.8	123
2	Molecular characterisation of soft tissue tumours: a gene expression study. <i>Lancet, The</i> , 2002 , 359, 130	1470	484
1	Circular YAC vectors containing short mammalian origin sequences are maintained under selection as HeLa episomes. <i>Journal of Cellular Biochemistry</i> , 2000 , 76, 674-85	4.7	12