

Yan Hong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8987037/publications.pdf>

Version: 2024-02-01

10
papers

70
citations

1478505

6
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

78
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Mid- to Long-Term Electric Load Forecasting Based on the EMD-Isomap-Adaboost Model. Sustainability, 2022, 14, 7608. | 3.2 | 10 |
| 2 | Laser Ablation Electrospray Ionization Time-of-Flight Mass Spectrometry for Direct Analysis of Biological Tissue. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-7. | 1.6 | 3 |
| 3 | Analysis of the false peaks in extended Hadamard transform ion mobility spectrometry. International Journal of Mass Spectrometry, 2019, 446, 116230. | 1.5 | 4 |
| 4 | Analysis of Nitrogen-containing Compounds in Mouth-exhaled Breath by Electrospray Ionization Quadrupole Time-of-Flight Mass Spectrometry. Analytical Sciences, 2019, 35, 1155-1159. | 1.6 | 2 |
| 5 | Normal-inverse bimodule operation Hadamard transform ion mobility spectrometry. Analytica Chimica Acta, 2018, 1029, 44-49. | 5.4 | 11 |
| 6 | Simultaneous Improvement of Resolving Power and Signal-to-Noise Ratio Using a Modified Hadamard Transform-Inverse Ion Mobility Spectrometry Technique. Journal of the American Society for Mass Spectrometry, 2017, 28, 2500-2507. | 2.8 | 8 |
| 7 | An experimental study of low energy electrons attachment to CH ₂ ClBr using ion mobility spectrometry. International Journal of Mass Spectrometry, 2016, 402, 29-35. | 1.5 | 6 |
| 8 | Rapid identification of false peaks in the spectrum of Hadamard transform ion mobility spectrometry with inverse gating technique. RSC Advances, 2015, 5, 56103-56109. | 3.6 | 14 |
| 9 | Rate constants of electron attachment to alkyl iodides measured by photoionization electron attachment ion mobility spectrometry (PI-EA-IMS). International Journal of Mass Spectrometry, 2015, 376, 1-5. | 1.5 | 5 |
| 10 | Negative photoionization chloride ion attachment ion mobility spectrometry for the detection of organic acids. RSC Advances, 2014, 4, 63977-63984. | 3.6 | 7 |