Mark Livingston


List of Publications by Citations

Source: https://exaly.com/author-pdf/898718/mark-livingston-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.



#	Paper	IF	Citations
53	Lifestyle factors and the metabolic syndrome in Schizophrenia: a cross-sectional study. <i>Annals of General Psychiatry</i> , 2017 , 16, 12	3.4	50
52	Serum testosterone levels in male hypogonadism: Why and when to check-A review. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12995	2.9	33
51	Sex differences in plasma clozapine and norclozapine concentrations in clinical practice and in relation to body mass index and plasma glucose concentrations: a retrospective survey. <i>Annals of General Psychiatry</i> , 2015 , 14, 39	3.4	28
50	Improving type 2 diabetes mellitus glycaemic outcomes is possible without spending more on medication: Lessons from the UK National Diabetes Audit. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 185-194	6.7	27
49	Social deprivation modifies the association between incident foot ulceration and mortality in type 1 and type 2 diabetes: a longitudinal study of a primary-care cohort. <i>Diabetologia</i> , 2018 , 61, 959-967	10.3	18
48	Cost of hospital treatment of type 1 diabetes (T1DM) and type 2 diabetes (T2DM) compared to the non-diabetes population: a detailed economic evaluation. <i>BMJ Open</i> , 2020 , 10, e033231	3	14
47	Prescribing in schizophrenia and psychosis: Increasing polypharmacy over time. <i>Human Psychopharmacology</i> , 2017 , 32, e2579	2.3	12
46	Diet, exercise and the metabolic syndrome in schizophrenia: A cross-sectional study. <i>Schizophrenia Research</i> , 2015 , 169, 494-495	3.6	11
45	Changes in metabolic parameters in patients with severe mental illness over a 10-year period: A retrospective cohort study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 75-82	2.6	10
44	Monitoring Thyroid Function in Patients on Levothyroxine. Assessment of Conformity to National Guidance and Variability in Practice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017 , 125, 625-633	2.3	8
43	An audit of the measurement and reporting of male testosterone levels in UK clinical biochemistry laboratories. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13607	2.9	8
42	Hypoglycaemia in the over 75s: Understanding the predisposing factors in type 2 diabetes (T2DM). <i>Primary Care Diabetes</i> , 2018 , 12, 133-138	2.4	7
41	Real-world practice level data analysis confirms link between variability within Blood Glucose Monitoring Strip (BGMS) and glycosylated haemoglobin (HbA1c) in Type 1 Diabetes. <i>International</i> Journal of Clinical Practice, 2018 , 72, e13252	2.9	7
40	Sodium-glucose co-transporter-2 inhibitors, the latest residents on the block: Impact on glycaemic control at a general practice level in England. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1659-1669	6.7	6
39	Detectable respiratory SARS-CoV-2 RNA is associated with low vitamin D levels and high social deprivation. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14166	2.9	5
38	The pattern of prescribing of glucose modulating agents for type 2 diabetes in general practices in England 2016/17. <i>International Journal of Clinical Practice</i> , 2018 , 72, e13080	2.9	4
37	Antidepressant Prescribing in England: Patterns and Costs. <i>primary care companion for CNS disorders, The</i> , 2020 , 22,	1.2	4

(2021-2017)

36	Socioeconomic Deprivation as Measured by the Index of Multiple Deprivation and Its Association with Low Sex Hormone Binding Globulin in Women. <i>The Open Biochemistry Journal</i> , 2017 , 11, 1-7	0.9	4
35	Analysis of Continuous Blood Glucose Data in People with Type 1 Diabetes (T1DM) After COVID-19 Vaccination Indicates a Possible Link Between the Immune and the Metabolic Response. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 1204-1205	4.1	4
34	Applying Parkes Grid Method to Evaluate Impact of Variation in Blood Glucose Monitoring (BGM) Strip Accuracy Performance in Type 1 Diabetes Highlights the Potential for Amplification of Imprecision With Less Accurate BGM Strips. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 76-81	4.1	4
33	Social Disadvantage Is Associated With Lower Vitamin D Levels in Older People and There Is No Surrogate for Its Measurement. <i>Gerontology and Geriatric Medicine</i> , 2017 , 3, 2333721417697843	2.3	3
32	The costs of drug prescriptions for diabetes in the NHS. Lancet, The, 2019, 393, 226-227	40	3
31	Androgen receptor-reduced sensitivity is associated with increased mortality and poorer glycaemia in men with type 2 diabetes mellitus: a prospective cohort study. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021 , 10, 37-44	2.5	3
30	Age of people with type 2 diabetes and the risk of dying following SARS-CoV-2 infection. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14053	2.9	3
29	Hypogonadism is not being sufficiently recognised in 99% of general practices/family doctor surgeries. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13445	2.9	2
28	Monitoring thyroid function in patients on levothyroxine: audit findings and suggested change in practice. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12877	2.9	1
27	Clinical appropriateness of C-reactive protein requests: Reduction in unnecessary repeats. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12941	2.9	1
26	Polycystic ovarian syndrome: Assessment of approaches to diagnosis and cardiometabolic monitoring in UK primary care. <i>International Journal of Clinical Practice</i> , 2018 , 72, e13046	2.9	1
25	Screening for hypogonadism: real-world considerations. <i>Trends in Urology & Menps Health</i> , 2016 , 7, 27-32	20.3	1
24	Role of capillary ketone testing in the diagnosis and monitoring of diabetic ketoacidosis. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13028	2.9	1
23	Polycystic ovarian syndrome: Social situation influences outcome. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12981	2.9	1
22	Is there a role for natural desiccated thyroid in the treatment of levothyroxine unresponsive hypothyroidism? Results from a consecutive case series. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14967	2.9	1
21	Lessons learnt from the variation across 6741 family/general practices in England in the use of treatments for hypogonadism. <i>Clinical Endocrinology</i> , 2021 , 94, 827-836	3.4	1
20	Recalibration of thinking about adrenocortical function assessment: how the TandomTcortisol relates to the short synacthen test results. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021 , 10, 137-	145	1
19	Dapagliflozin: an effective adjunctive treatment in type 1 diabetes. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021 , 10, 132-136	2.5	1

18	Self-Reported Views on Managing Type 1 Diabetes Mellitus. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 198-200	4.1	1
17	Managing Clinical Heterogeneity: An Argument for Benefit-Based Action Limits. <i>Journal of Engineering and Science in Medical Diagnostics and Therapy</i> , 2018 , 1,	1	1
16	Reduction of unnecessary N-terminal pro-brain natriuretic peptide (NT-proBNP) tests: A further lesson in demand management. <i>International Journal of Clinical Practice</i> , 2018 , 72, e13071	2.9	1
15	Is a fasting testosterone level really necessary for the determination of androgen status in men?. <i>Clinica Chimica Acta</i> , 2021 , 521, 64-69	6.2	1
14	Mortality Rate Associated with Diabetes: Outcomes From a General Practice Level Analysis in England Using the Royal College of General Practitioners (RCGP) Database Indicate Stability Over a 15 Year Period <i>Diabetes Therapy</i> , 2022 , 13, 505	3.6	1
13	The experience of blood glucose monitoring in people with type 2 diabetes mellitus (T2DM) <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , e00302	2.7	1
12	The treatment rate of erectile dysfunction (ED) in younger men with type 2 diabetes is up to four times higher than the equivalent non-diabetes population. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13538	2.9	О
11	The risk factors potentially influencing risk of serious illness/death in people with diabetes, following SARS-CoV-2 infection: What needs to be done from here. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021 , 10, 231-232	2.5	O
10	People with Type 2 Diabetes Mellitus (T2DM) Self-Reported Views on Their Own Condition Management Reveal a High Level of Insight into the Challenges Faced. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 972-973	4.1	0
9	What is the value of the 60-minute cortisol measurement in the short synacthen test (SST)? Evidence for the defence. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14417	2.9	O
8	Analysis of English general practice level data linking medication levels, service activity and demography to levels of glycaemic control being achieved in type 2 diabetes to improve clinical practice and patient outcomes. <i>BMJ Open</i> , 2019 , 9, e028278	3	О
7	Low sex hormone binding globulin: a potential predictor of future glucose dysregulation in women. <i>Cardiovascular Endocrinology and Metabolism</i> , 2021 , 10, 191-192	2.5	O
6	Low Testosterone on Hospital Admission with COVID-19 Infection Is Associated with Increased Mortality. <i>Androgens: Clinical Research and Therapeutics</i> , 2022 , 3, 14-21	0.7	0
5	Hypoglycaemia in the over 75s: Understanding the predisposing factors in type 2 diabetes (T2DM). <i>International Journal of Clinical Practice</i> , 2017 , 71, e12932	2.9	
4	Demographic factor clustering at a GP practice level in England and its relation to glycaemic outcomes: What we can learn from this. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13303	2.9	
3	Patient perception of support within primary care is as important as medication and services in achieving good glycaemic control. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13356	2.9	
2	Screening for Hypogonadism in Primary Healthcare: How to do this Effectively. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018 , 126, 176-181	2.3	
1	General practice (GP) level analysis shows that patientsTown perceptions of support within primary care as reported in the GP patient survey (GPPS) are as important as medication and services in improving glycaemic control. <i>Primary Care Diabetes</i> , 2020 , 14, 29-32	2.4	