

Andreas Leihener

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8989103/publications.pdf>

Version: 2024-02-01

75
papers

1,082
citations

489802

18
h-index

488211

31
g-index

79
all docs

79
docs citations

79
times ranked

2451
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of recent ceramide-based coronary risk prediction scores in cardiovascular disease patients. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 947-956.	0.8	10
2	SARS-CoV-2 RBD-specific and NP-specific antibody response of healthcare workers in the westernmost Austrian state Vorarlberg: a prospective cohort study. <i>BMJ Open</i> , 2022, 12, e052130.	0.8	2
3	Evaluation of the association of serum glypican-4 with prevalent and future kidney function. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
4	Volatilomic Signatures of AGS and SNU-1 Gastric Cancer Cell Lines. <i>Molecules</i> , 2022, 27, 4012.	1.7	6
5	Value of total cholesterol readings earlier versus later in life to predict cardiovascular risk. <i>EBioMedicine</i> , 2021, 67, 103371.	2.7	5
6	Combined Use of Serum Uromodulin and eGFR to Estimate Mortality Risk. <i>Frontiers in Medicine</i> , 2021, 8, 723546.	1.2	4
7	Lipid profiles of patients with manifest coronary versus peripheral atherosclerosis – Is there a difference?. <i>Journal of Internal Medicine</i> , 2021, 290, 1249-1263.	2.7	4
8	Type 2 diabetes and the risk of cardiovascular events in peripheral artery disease versus coronary artery disease. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002407.	1.2	3
9	Real-time PCR based HLA-B*27 screening directly in whole blood. <i>Hla</i> , 2020, 95, 189-195.	0.4	4
10	High betatrophin in coronary patients protects from cardiovascular events. <i>Atherosclerosis</i> , 2020, 293, 62-68.	0.4	16
11	Evaluation of the associations between circulating microRNAs and kidney function in coronary angiography patients. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F315-F321.	1.3	10
12	Type 2 diabetes mellitus is a strong predictor of LDL cholesterol target achievement in patients with peripheral artery disease. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107692.	1.2	7
13	Serum Parathyroid Hormone Predicts Mortality in Coronary Angiography Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3874-e3881.	1.8	5
14	Data on the power of high betatrophin to predict cardiovascular deaths in coronary patients. <i>Data in Brief</i> , 2020, 28, 104989.	0.5	1
15	The Volatilomic Footprints of Human HGC-27 and CLS-145 Gastric Cancer Cell Lines. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 607904.	1.6	12
16	508-P: Single and Joint Impact of Type 2 Diabetes and of Congestive Heart Failure on Albuminuria. <i>Diabetes</i> , 2020, 69, .	0.3	3
17	427-P: Nonalcoholic Fatty Liver Disease and Type 2 Diabetes Are Mutually Independent Predictors of Cardiovascular Events in Patients with Established Cardiovascular Disease. <i>Diabetes</i> , 2020, 69, 427-P.	0.3	0
18	433-P: Type 2 Diabetes and Risk of Cardiovascular Events in Peripheral Artery Disease vs. Coronary Artery Disease Patients. <i>Diabetes</i> , 2020, 69, 433-P.	0.3	0

#	ARTICLE	IF	CITATIONS
19	418-P: Chronic Kidney Disease Is a Type 2 Diabetes Risk Equivalent in Patients with Established Coronary Artery Disease. <i>Diabetes</i> , 2020, 69, .	0.3	0
20	419-P: Type 2 Diabetes, Congestive Heart Failure, and Nonalcoholic Fatty Liver Disease. <i>Diabetes</i> , 2020, 69, 419-P.	0.3	0
21	426-P: Serum Cholesterol Earlier vs. Later in Life as a Predictor of CAD and Cardiovascular Mortality. <i>Diabetes</i> , 2020, 69, .	0.3	0
22	414-P: Hand-Grip Strength and Type 2 Diabetes Are Mutually Independent Predictors of Cardiovascular Events and of Mortality in Patients with Established Cardiovascular Disease. <i>Diabetes</i> , 2020, 69, .	0.3	0
23	415-P: Remnant Cholesterol in Patients with Established Coronary Artery Disease Predicts Cardiovascular Events Both among Patients with Type 2 Diabetes and among Nondiabetic Subjects. <i>Diabetes</i> , 2020, 69, .	0.3	0
24	7-OR: Comparison of Two Recent Ceramide-Based Coronary Risk Prediction Scores: CERT and CERT-2. <i>Diabetes</i> , 2020, 69, .	0.3	0
25	412-P: Lipoprotein(a) and Vascular Risk in Patients with Established Cardiovascular Disease. <i>Diabetes</i> , 2020, 69, .	0.3	0
26	413-P: The New Myokine Myonectin Is Significantly Associated with Type 2 Diabetes in Patients with Peripheral Artery Disease. <i>Diabetes</i> , 2020, 69, .	0.3	1
27	423-P: The A Body Shape Index and Type 2 Diabetes Are Mutually Independent Predictors of Cardiovascular Events and Mortality in Patients with Established Cardiovascular Disease. <i>Diabetes</i> , 2020, 69, 423-P.	0.3	0
28	TARGETED METABOLOMICS IDENTIFIES ELEVATED SEROTONIN LEVELS IN CARRIERS OF A TCF7L2 DIABETES-RISK ALLELE. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2119.	1.2	1
29	Data on the association between CTRP1 and future major adverse cardiovascular events in patients undergoing coronary angiography. <i>Data in Brief</i> , 2019, 25, 104109.	0.5	2
30	Serotonin is elevated in risk-genotype carriers of TCF7L2 - rs7903146. <i>Scientific Reports</i> , 2019, 9, 12863.	1.6	4
31	Are SGLT2 polymorphisms linked to diabetes mellitus and cardiovascular disease? Prospective study and meta-analysis. <i>Bioscience Reports</i> , 2019, 39, .	1.1	12
32	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002470.	1.6	17
33	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002471.	1.6	22
34	The novel adipokine CTRP1 is significantly associated with the incidence of major adverse cardiovascular events. <i>Atherosclerosis</i> , 2019, 286, 1-6.	0.4	28
35	Real-time PCR based detection of the lactase non-persistence associated genetic variant LCT-13910C>T directly from whole blood. <i>Molecular Biology Reports</i> , 2019, 46, 2379-2385.	1.0	4
36	Direct blood PCR: TaqMan-probe based detection of the venous thromboembolism associated mutations factor V Leiden and prothrombin c.20210G>A without DNA extraction. <i>Clinica Chimica Acta</i> , 2019, 488, 221-225.	0.5	5

#	ARTICLE	IF	CITATIONS
37	In vitro profiling of volatile organic compounds released by Simpson-Golabi-Behmel syndrome adipocytes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1104, 256-261.	1.2	10
38	2209-PUB: Type 2 Diabetes and Different Manifestations of Preexisting Cardiovascular Disease as Predictors of Specific Cardiovascular Events. <i>Diabetes</i> , 2019, 68, 2209-PUB.	0.3	0
39	2212-PUB: The Prevalence of Nonalcoholic Fatty Liver Disease Is Increased in Patients with Type 2 Diabetes but Not in Those with Peripheral Artery Disease. <i>Diabetes</i> , 2019, 68, 2212-PUB.	0.3	0
40	433-P: Serum Ceramides and Type 2 Diabetes Are Mutually Independent Predictors of Cardiovascular Events in Patients with Peripheral Artery Disease. <i>Diabetes</i> , 2019, 68, .	0.3	0
41	454-P: Weight Loss and Type 2 Diabetes Are Mutually Independent Predictors of Mortality in Patients with Established Coronary Artery Disease. <i>Diabetes</i> , 2019, 68, 454-P.	0.3	0
42	417-P: Serum Ceramide Ratios Predict Cardiovascular Events in Patients with Type 2 Diabetes Independently from the Presence of Coronary Artery Disease. <i>Diabetes</i> , 2019, 68, .	0.3	0
43	416-P: The Ceramide-Based Coronary Event Risk Test (CERT) Predicts Cardiovascular Mortality in Cardiovascular Disease Patients with Type 2 Diabetes Mellitus as Well as in Those without Diabetes. <i>Diabetes</i> , 2019, 68, .	0.3	0
44	2222-PUB: Type 2 Diabetes as a Predictor of Cardiovascular Events in Peripheral Artery Disease vs. Coronary Artery Disease. <i>Diabetes</i> , 2019, 68, 2222-PUB.	0.3	0
45	2208-PUB: Prevalence of Type 2 Diabetes Is Higher in Patients with Heart Failure than in Patients with Stable Coronary Artery Disease. <i>Diabetes</i> , 2019, 68, 2208-PUB.	0.3	0
46	419-P: LDL Particle Size Is a Predictor of Cardiovascular Events in Cardiovascular Disease Patients with Nonalcoholic Fatty Liver Disease as Well as in Those without Nonalcoholic Fatty Liver Disease. <i>Diabetes</i> , 2019, 68, 419-P.	0.3	0
47	418-P: The Branched-Chain Amino Acids Valine and Leucine Predict All-Cause Mortality in Cardiovascular Disease Patients Independently from the Presence of Type 2 Diabetes Mellitus. <i>Diabetes</i> , 2019, 68, 418-P.	0.3	1
48	2217-PUB: Type 2 Diabetes Is a Strong Predictor for LDL Cholesterol Target Achievement in Patients with Peripheral Artery Disease. <i>Diabetes</i> , 2019, 68, .	0.3	0
49	The value of uromodulin as a new serum marker to predict decline in renal function. <i>Journal of Hypertension</i> , 2018, 36, 110-118.	0.3	48
50	A prospective, multicenter pilot study to investigate the feasibility and safety of a 1-year controlled exercise training after adjuvant chemotherapy in colorectal cancer patients. <i>Supportive Care in Cancer</i> , 2018, 26, 1345-1352.	1.0	7
51	Data on the impact of peripheral artery disease and of type 2 diabetes mellitus on the risk of cardiovascular events. <i>Data in Brief</i> , 2018, 21, 1716-1720.	0.5	3
52	Single and combined effects of peripheral artery disease and of type 2 diabetes mellitus on the risk of cardiovascular events: A prospective cohort study. <i>Atherosclerosis</i> , 2018, 279, 32-37.	0.4	12
53	Serum uromodulin is a predictive biomarker for cardiovascular events and overall mortality in coronary patients. <i>International Journal of Cardiology</i> , 2017, 231, 6-12.	0.8	42
54	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 534-543.	5.5	84

#	ARTICLE	IF	CITATIONS
55	Data on the power of the creatinine to uromodulin ratio in serum to predict cardiovascular events in coronary patients. <i>Data in Brief</i> , 2017, 11, 576-580.	0.5	0
56	Impact of Selection Bias on Estimation of Subsequent Event Risk. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	28
57	Serum uromodulin is associated with impaired glucose metabolism. <i>Medicine (United States)</i> , 2017, 96, e5798.	0.4	31
58	Quercetin Impacts Expression of Metabolism- and Obesity-Associated Genes in SGBS Adipocytes. <i>Nutrients</i> , 2016, 8, 282.	1.7	41
59	Coronary patients with high plasma omentin are at a higher cardiovascular risk. <i>Data in Brief</i> , 2016, 6, 158-161.	0.5	16
60	High plasma omentin predicts cardiovascular events independently from the presence and extent of angiographically determined atherosclerosis. <i>Atherosclerosis</i> , 2016, 244, 38-43.	0.4	37
61	High plasma chemerin is associated with renal dysfunction and predictive for cardiovascular events â€” Insights from phenotype and genotype characterization. <i>Vascular Pharmacology</i> , 2016, 77, 60-68.	1.0	40
62	Common single nucleotide polymorphisms at the NPC1L1 gene locus significantly predict cardiovascular risk in coronary patients. <i>Atherosclerosis</i> , 2015, 242, 340-345.	0.4	14
63	Occurrence of the <i>JAK2 V617F</i> mutation in patients with peripheral arterial disease. <i>American Journal of Hematology</i> , 2015, 90, E17-21.	2.0	19
64	Evaluation of the prevalence and prospective clinical impact of the <i>JAK2 V617F</i> mutation in coronary patients. <i>American Journal of Hematology</i> , 2014, 89, 295-301.	2.0	17
65	Hypoxia induces a HIF-1Î± dependent signaling cascade to make a complex metabolic switch in SGBS-adipocytes. <i>Molecular and Cellular Endocrinology</i> , 2014, 383, 21-31.	1.6	29
66	Angiotensin-like protein 4 significantly predicts future cardiovascular events in coronary patients. <i>Atherosclerosis</i> , 2014, 237, 632-638.	0.4	42
67	Genome-Wide Association Study Reveals a Polymorphism in the Podocyte Receptor RANK for the Decline of Renal Function in Coronary Patients. <i>PLoS ONE</i> , 2014, 9, e114240.	1.1	4
68	Phytochemicals and their impact on adipose tissue inflammation and diabetes. <i>Vascular Pharmacology</i> , 2013, 58, 3-20.	1.0	130
69	Embedding Permanent Watermarks in Synthetic Genes. <i>PLoS ONE</i> , 2012, 7, e42465.	1.1	56
70	Identification of Hypoxia-Induced Genes in Human SGBS Adipocytes by Microarray Analysis. <i>PLoS ONE</i> , 2011, 6, e26465.	1.1	48
71	Uncoupling Human Immunodeficiency Virus Type 1 <i>gag</i> and <i>pol</i> Reading Frames: Role of the Transframe Protein p6* in Viral Replication. <i>Journal of Virology</i> , 2009, 83, 7210-7220.	1.5	21
72	Influence of extended mutations of the HIV-1 transframe protein p6* on Nef-dependent viral replication and infectivity in vitro. <i>Virology</i> , 2009, 387, 200-210.	1.1	7

#	ARTICLE	IF	CITATIONS
73	Importance of Protease Cleavage Sites within and Flanking Human Immunodeficiency Virus Type 1 Transframe Protein p6* for Spatiotemporal Regulation of Protease Activation. Journal of Virology, 2008, 82, 4573-4584.	1.5	39
74	ChlamydomonasDIP13 and human NA14: a new class of proteins associated with microtubule structures is involved in cell division. Journal of Cell Science, 2003, 116, 1449-1462.	1.2	59
75	Associations of Polymorphisms in the Peroxisome Proliferator-Activated Receptor Gamma Coactivator-1 Alpha Gene With Subsequent Coronary Heart Disease: An Individual-Level Meta-Analysis. Frontiers in Physiology, 0, 13, .	1.3	1