

# Yong Hu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8989375/yong-hu-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134  
papers

7,907  
citations

48  
h-index

86  
g-index

143  
ext. papers

9,384  
ext. citations

8.5  
avg, IF

6.59  
L-index

#	Paper	IF	Citations
134	In-situ photodeposition of cadmium sulfide nanocrystals on manganese dioxidenanorods with rich oxygen vacancies for boosting water-to-oxygen photooxidation.. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 613, 764-774	9.3	2
133	Optimization strategies on the advanced engineering of Co-based nanomaterials for electrochemical oxygen evolution. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 890, 161929	5.7	5
132	Hierarchical mesoporous S,N-codoped carbon nanostructures composed of Co/Co-Cu-S/carbon nanoplate arrays on carbon nanofibers as a self-supported air cathode for long-lasting rechargeable Zn-air batteries. <i>Science China Technological Sciences</i> , <b>2022</b> , 65, 693-703	3.5	2
131	Unveiling the cooperative roles of pyrrolic-N and carboxyl groups in biomass-derived hierarchical porous carbon nanosheets for high energy-power Zn-ion hybrid supercapacitors. <i>Applied Surface Science</i> , <b>2022</b> , 598, 153819	6.7	1
130	Integrating trifunctional Co@NC-CNTs@NiFe-LDH electrocatalysts with arrays of porous triangle carbon plates for high-power-density rechargeable Zn-air batteries and self-powered water splitting. <i>Chemical Engineering Journal</i> , <b>2022</b> , 446, 137049	14.7	6
129	Nitric acid-assisted growth of InVO <sub>4</sub> nanobelts on protonated ultrathin C <sub>3</sub> N <sub>4</sub> nanosheets as an S-scheme photocatalyst with tunable oxygen vacancies for boosting CO <sub>2</sub> conversion. <i>Chemical Engineering Journal</i> , <b>2021</b> , 434, 133867	14.7	4
128	Engineering hierarchical porous ternary Co-Mn-Cu-S nanodisk arrays for ultra-high-capacity hybrid supercapacitors.. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 612, 298-307	9.3	0
127	Two-step nitrogen and sulfur doping in porous carbon dodecahedra for Zn-ion hybrid supercapacitors with long term stability. <i>Chemical Engineering Journal</i> , <b>2021</b> , 431, 133250	14.7	8
126	Accelerating Triple Transport in Zinc-Air Batteries and Water Electrolysis by Spatially Confining Co Nanoparticles in Breathable Honeycomb-Like Macroporous N-Doped Carbon. <i>Small</i> , <b>2021</b> , 17, e2103517 <sup>11</sup>	11	7
125	Fabrication of an Au -Cys-Mo Electrocatalyst for Efficient Nitrogen Reduction to Ammonia under Ambient Conditions. <i>Small</i> , <b>2021</b> , 17, e2100372	11	10
124	Recent advances in the synthesis of non-carbon two-dimensional electrode materials for the aqueous electrolyte-based supercapacitors. <i>Chinese Chemical Letters</i> , <b>2021</b> , 32, 3733-3733	8.1	1
123	Synergistic effects of Fe and Mn dual-doping in CoS ultrathin nanosheets for high-performance hybrid supercapacitors. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 590, 226-237	9.3	16
122	Zn-ion hybrid supercapacitors: Achievements, challenges and future perspectives. <i>Nano Energy</i> , <b>2021</b> , 85, 105942	17.1	80
121	Molecule-assisted modulation of the high-valence Co <sup>3+</sup> in 3D honeycomb-like Co <sub>x</sub> S <sub>y</sub> networks for high-performance solid-state asymmetric supercapacitors. <i>Science China Materials</i> , <b>2021</b> , 64, 840-851	7.1	36
120	Formation of mesoporous Co/CoS/Metal-N-C@S, N-codoped hairy carbon polyhedrons as an efficient trifunctional electrocatalyst for Zn-air batteries and water splitting. <i>Chemical Engineering Journal</i> , <b>2021</b> , 403, 126385	14.7	72
119	New types of hybrid electrolytes for supercapacitors. <i>Journal of Energy Chemistry</i> , <b>2021</b> , 57, 219-232	12	38
118	Approach of fermi level and electron-trap level in cadmium sulfide nanorods via molybdenum doping with enhanced carrier separation for boosted photocatalytic hydrogen production. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 583, 661-671	9.3	43

117	Formation of sandwiched leaf-like CNTs-Co/ZnCo <sub>2</sub> O <sub>4</sub> @NC-CNTs nanohybrids for high-power-density rechargeable Zn-air batteries. <i>Nano Energy</i> , <b>2021</b> , 82, 105710	17.1	59
116	Visible-Light-Responsive Heterostructured Nanophotocatalysts for Organic Pollutants Decomposition. <i>Environmental Chemistry for A Sustainable World</i> , <b>2021</b> , 35-84	0.8	
115	Precise regulation of pyrrole-type single-atom Mn-N <sub>4</sub> sites for superior pH-universal oxygen reduction <b>2021</b> , 3, 856		10
114	Designed preparation of CoS/Co/MoC nanoparticles incorporated in N and S dual-doped porous carbon nanofibers for high-performance Zn-air batteries. <i>Chinese Chemical Letters</i> , <b>2021</b> , 32, 2243-2248	8.1	6
113	One-step phosphorization preparation of gradient-P-doped CdS/CoP hybrid nanorods having multiple channel charge separation for photocatalytic reduction of water. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 596, 431-441	9.3	26
112	Oxygen-vacancy-assisted construction of FeOOH/CdS heterostructure as an efficient bifunctional photocatalyst for CO <sub>2</sub> conversion and water oxidation. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 293, 120203	21.8	31
111	pH-induced hydrothermal synthesis of BiWO nanoplates with controlled crystal facets for switching bifunctional photocatalytic water oxidation/reduction activity. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 602, 868-879	9.3	8
110	Trifunctional electrocatalyst of N-doped graphitic carbon nanosheets encapsulated with CoFe alloy nanocrystals: The key roles of bimetal components and high-content graphitic-N. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 298, 120512	21.8	27
109	Construction of sugar-gourd-shaped CdS/Co <sub>1-x</sub> S hollow hetero-nanostructure as an efficient Z-scheme photocatalyst for hydrogen generation. <i>Chemical Engineering Journal</i> , <b>2020</b> , 400, 125925	14.7	48
108	An efficient and stable NiFe selenides/nitrogen-doped carbon nanotubes in situ-derived electrocatalyst for oxygen evolution reaction. <i>Journal of Materials Science</i> , <b>2020</b> , 55, 13927-13937	4.3	8
107	Realizing efficient natural sunlight-driven photothermal selective catalytic reduction of nitrogen oxides by AlN <sub>x</sub> assisted W doped Fe <sub>2</sub> O <sub>3</sub> nanosheets. <i>Solar Energy Materials and Solar Cells</i> , <b>2020</b> , 208, 110395	6.4	5
106	A one-pot "shielding-to-etching" strategy to synthesize amorphous MoS modified CoS/CoSe heterostructured nanotube arrays for boosted energy-saving H generation. <i>Nanoscale</i> , <b>2020</b> , 12, 991-1001	7.7	23
105	Thickness-dependent carrier separation in Bi <sub>2</sub> Fe <sub>4</sub> O <sub>9</sub> nanoplates with enhanced photocatalytic water oxidation. <i>Chemical Engineering Journal</i> , <b>2020</b> , 385, 123929	14.7	39
104	Hierarchical molybdenum-doped cobaltous hydroxide nanotubes assembled by cross-linked porous nanosheets with efficient electronic modulation toward overall water splitting. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 562, 400-408	9.3	13
103	Visible-Light-Driven Electrocatalytic Oxygen Evolution Reaction: NiFe <sub>2</sub> O <sub>4</sub> /NiFe layered Double Hydroxide Z-Scheme Heteronanoshet as a Model. <i>Energy Technology</i> , <b>2020</b> , 8, 2000607	3.5	4
102	Hierarchical Cu <sub>2</sub> S@NiCo-LDH double-shelled nanotube arrays with enhanced electrochemical performance for hybrid supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 22163-22174	13	67
101	One-step construction of a transition-metal surface decorated with metal sulfide nanoparticles: A high-efficiency electrocatalyst for hydrogen generation. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 558, 1-8	9.3	19
100	Hierarchical MoS <sub>2</sub> /NiCo <sub>2</sub> S <sub>4</sub> @C urchin-like hollow microspheres for asymmetric supercapacitors. <i>Chemical Engineering Journal</i> , <b>2020</b> , 380, 122544	14.7	86

- 99 Enhanced Photoactivity and Photostability for Visible-Light-Driven Water Oxidation over BiFeO<sub>3</sub> Porous Nanotubes by Modification of Mo Doping and Carbon Nanocoating. *ChemNanoMat*, **2020**, 6, 1325-1331 <sup>3.5</sup> 16
- 98 Facile in situ fabrication of Co nanoparticles embedded in 3D N-enriched mesoporous carbon foam electrocatalyst with enhanced activity and stability toward oxygen reduction reaction. *Journal of Materials Science*, **2019**, 54, 5412-5423 4.3 37
- 97 Selective light absorber-assisted single nickel atom catalysts for ambient sunlight-driven CO methanation. *Nature Communications*, **2019**, 10, 2359 17.4 99
- 96 A facile sequential ion exchange strategy to synthesize CoSe/FeSe double-shelled hollow nanocuboids for the highly active and stable oxygen evolution reaction. *Nanoscale*, **2019**, 11, 10738-10745 <sup>7.7</sup> 51
- 95 Facile in-situ growth of NiP/FeP nanohybrids on Ni foam for highly efficient urea electrolysis. *Journal of Colloid and Interface Science*, **2019**, 541, 279-286 9.3 70
- 94 Construction of CoO/Co-Cu-S Hierarchical Tubular Heterostructures for Hybrid Supercapacitors. *Angewandte Chemie*, **2019**, 131, 15587-15593 3.6 25
- 93 Construction of CoO/Co-Cu-S Hierarchical Tubular Heterostructures for Hybrid Supercapacitors. *Angewandte Chemie - International Edition*, **2019**, 58, 15441-15447 16.4 217
- 92 Construction of mesoporous Cu-doped Co<sub>9</sub>S<sub>8</sub> rectangular nanotube arrays for high energy density all-solid-state asymmetric supercapacitors. *Journal of Materials Chemistry A*, **2019**, 7, 5333-5343 13 97
- 91 Electronic modulation of composite electrocatalysts derived from layered NiFeMn triple hydroxide nanosheets for boosted overall water splitting. *Nanoscale*, **2019**, 11, 20797-20808 7.7 17
- 90 Beyond CoO: a versatile amorphous cobalt species as an efficient cocatalyst for visible-light-driven photocatalytic water oxidation. *Chemical Communications*, **2019**, 55, 14050-14053 5.8 33
- 89 A new photocatalyst based on Co(CO<sub>3</sub>)<sub>0.5</sub>(OH)·1.1H<sub>2</sub>O/Bi<sub>2</sub>WO<sub>6</sub> nanocomposites for high-efficiency cocatalyst-free O<sub>2</sub> evolution. *Chemical Engineering Journal*, **2019**, 359, 924-932 14.7 37
- 88 One-Step Solvothermal Formation of Pt Nanoparticles Decorated Pt<sup>2+</sup>-Doped Fe<sub>2</sub>O<sub>3</sub> Nanoplates with Enhanced Photocatalytic O<sub>2</sub> Evolution. *ACS Catalysis*, **2019**, 9, 1211-1219 13.1 125
- 87 A Room-Temperature Postsynthetic Ligand Exchange Strategy to Construct Mesoporous Fe-Doped CoP Hollow Triangle Plate Arrays for Efficient Electrocatalytic Water Splitting. *Small*, **2018**, 14, e1704233 <sup>11</sup> 178
- 86 Graphene Layers-Wrapped Fe/Fe<sub>5</sub>C<sub>2</sub> Nanoparticles Supported on N-doped Graphene Nanosheets for Highly Efficient Oxygen Reduction. *Advanced Energy Materials*, **2018**, 8, 1702476 21.8 162
- 85 Construction of hierarchical Ni<sub>2</sub>Co<sub>2</sub>P hollow nanobricks with oriented nanosheets for efficient overall water splitting. *Energy and Environmental Science*, **2018**, 11, 872-880 35.4 564
- 84 Electrospinning preparation of Sn<sup>4+</sup>-doped BiFeO<sub>3</sub> nanofibers as efficient visible-light-driven photocatalyst for O<sub>2</sub> evolution. *Journal of Alloys and Compounds*, **2018**, 766, 274-283 5.7 28
- 83 Formation of 1D chain-like Fe<sub>3</sub>O<sub>4</sub>@C/Pt sandwich nanocomposites and their magnetically recyclable catalytic property. *Applied Surface Science*, **2018**, 457, 1136-1141 6.7 9
- 82 Reduced CoNi<sub>2</sub>S<sub>4</sub> nanosheets with enhanced conductivity for high-performance supercapacitors. *Electrochimica Acta*, **2018**, 278, 33-41 6.7 78

81	Scalable fabrication of $Zn_xCd_{1-x}S$ double-shell hollow nanospheres for highly efficient hydrogen production. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 239, 309-316	21.8	64
80	Construction of hierarchical FeP/Ni <sub>2</sub> P hollow nanospindles for efficient oxygen evolution. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 14103-14111	13	77
79	Fabrication of Porous Cu-Doped BiVO <sub>4</sub> Nanotubes as Efficient Oxygen-Evolving Photocatalysts. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 2589-2599	5.6	45
78	Facile preparation of ternary Ag <sub>2</sub> CO <sub>3</sub> /Ag/PANI composite nanorods with enhanced photoactivity and stability. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 4521-4531	4.3	14
77	A facile sacrificial template method to synthesize one-dimensional porous CdO/CdFe <sub>2</sub> O <sub>4</sub> hybrid nanoneedles with superior adsorption performance. <i>RSC Advances</i> , <b>2017</b> , 7, 5093-5100	3.7	8
76	One-Step Solvothermal Synthesis of Petalous Carbon-Coated Cu-Doped CdS Nanocomposites with Enhanced Photocatalytic Hydrogen Production. <i>Langmuir</i> , <b>2017</b> , 33, 6719-6726	4	55
75	Unusual formation of tetragonal microstructures from nitrogen-doped carbon nanocapsules with cobalt nanocores as a bi-functional oxygen electrocatalyst. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 2271-2279	13	68
74	Band-gap engineering of porous BiVO <sub>4</sub> nanoshuttles by Fe and Mo co-doping for efficient photocatalytic water oxidation. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 2045-2054	6.8	43
73	Passivation of defect states in anatase TiO <sub>2</sub> hollow spheres with Mg doping: Realizing efficient photocatalytic overall water splitting. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 202, 127-133	21.8	96
72	Glucose-assisted transformation of Ni-doped-ZnO@carbon to a Ni-doped-ZnO@void@SiO <sub>2</sub> core-shell nanocomposite photocatalyst. <i>RSC Advances</i> , <b>2016</b> , 6, 38653-38661	3.7	19
71	Facile synthesis of porous Bi <sub>2</sub> O <sub>3</sub> -BiVO <sub>4</sub> p-n heterojunction composite microrods with highly efficient photocatalytic degradation of phenol. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 688, 1080-1087	5.7	42
70	Facile one-pot solvothermal preparation of Mo-doped Bi <sub>2</sub> WO <sub>6</sub> biscuit-like microstructures for visible-light-driven photocatalytic water oxidation. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 13242-13250	13	75
69	Carbon-coated Fe <sub>3</sub> O <sub>4</sub> microspheres with a porous multideck-cage structure for highly reversible lithium storage. <i>Chemical Communications</i> , <b>2015</b> , 51, 6921-4	5.8	54
68	Direct coating ZnO nanocrystals onto 1D Fe <sub>3</sub> O <sub>4</sub> /C composite microrods as highly efficient and reusable photocatalysts for water treatment. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 637, 301-307	5.7	20
67	Facile fabrication of mesoporous BiOCl/(BiO) <sub>2</sub> CO <sub>3</sub> /Bi <sub>2</sub> O <sub>3</sub> ternary flower-like heterostructured microspheres with high visible-light-driven photoactivity. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 22413-22420	13	23
66	Facile formation of mesoporous BiVO <sub>4</sub> /Ag/AgCl heterostructured microspheres with enhanced visible-light photoactivity. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 9033-9	5.1	93
65	Facile formation of Ag <sub>2</sub> WO <sub>4</sub> /AgX (X = Cl, Br, I) hybrid nanorods with enhanced visible-light-driven photoelectrochemical properties. <i>Materials Research Bulletin</i> , <b>2015</b> , 61, 315-320	5.1	44
64	Facile synthesis of Z-scheme Ag <sub>2</sub> CO <sub>3</sub> /Ag/AgBr ternary heterostructured nanorods with improved photostability and photoactivity. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 5474-5481	13	113

63	One-pot magnetic field induced formation of Fe <sub>3</sub> O <sub>4</sub> /C composite microrods with enhanced lithium storage capability. <i>Small</i> , <b>2014</b> , 10, 2815-9, 2742	11	107
62	Carbon nanocoating: an effective nanoreactor towards well-defined carbon-coated GaN hollow nanospindles. <i>Nanoscale</i> , <b>2014</b> , 6, 3051-4	7.7	9
61	Facile preparation of 2D sandwich-like CdS nanoparticles/nitrogen-doped reduced graphene oxide hybrid nanosheets with enhanced photoelectrochemical properties. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 19815-19821	13	41
60	Controllable growth of SnS <sub>2</sub> /SnO <sub>2</sub> heterostructured nanoplates via a hydrothermal-assisted self-hydrolysis process and their visible-light-driven photocatalytic reduction of Cr(VI). <i>RSC Advances</i> , <b>2014</b> , 4, 29698-29701	3.7	34
59	Rapid formation of Ag(n)X(X = S, Cl, PO <sub>4</sub> , C <sub>2</sub> O <sub>4</sub> ) nanotubes via an acid-etching anion exchange reaction. <i>Nanoscale</i> , <b>2014</b> , 6, 5612-5	7.7	20
58	Directly coat TiO <sub>2</sub> on hydrophobic NaYF <sub>4</sub> :Yb,Tm nanoplates and regulate their photocatalytic activities with the core size. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 13486-13491	13	55
57	Facile Growth of Cu <sub>2</sub> O Nanowires on Reduced Graphene Sheets with High Nonenzymatic Electrocatalytic Activity Toward Glucose. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 811-815	3.8	16
56	Formation of Mesoporous Heterostructured BiVO <sub>4</sub> /Bi <sub>2</sub> S <sub>3</sub> Hollow Discoids with Enhanced Photoactivity. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 6027-6031	3.6	85
55	Controllable one-pot synthesis of various one-dimensional Bi <sub>2</sub> S <sub>3</sub> nanostructures and their enhanced visible-light-driven photocatalytic reduction of Cr(VI). <i>Journal of Alloys and Compounds</i> , <b>2014</b> , 611, 335-340	5.7	35
54	Formation of mesoporous heterostructured BiVO <sub>4</sub> /Bi <sub>2</sub> S <sub>3</sub> hollow discoids with enhanced photoactivity. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 5917-21	16.4	250
53	Formation of MS-Ag and MS (M = Pb, Cd, Zn) nanotubes via microwave-assisted cation exchange and their enhanced photocatalytic activities. <i>Nanoscale</i> , <b>2013</b> , 5, 10864-7	7.7	43
52	Facile Cl <sup>-</sup> mediated hydrothermal synthesis of large-scale Ag nanowires from AgCl hydrosol. <i>CrystEngComm</i> , <b>2013</b> , 15, 2598	3.3	26
51	Effects of nano-TiO <sub>2</sub> on photosynthetic characteristics of <i>Ulmus elongata</i> seedlings. <i>Environmental Pollution</i> , <b>2013</b> , 176, 63-70	9.3	110
50	Microwave-assisted deposition of metal sulfide/oxide nanocrystals onto a 3D hierarchical flower-like TiO <sub>2</sub> nanostructure with improved photocatalytic activity. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 8101	13	59
49	One-pot solvothermal synthesis of multi-shelled Fe <sub>2</sub> O <sub>3</sub> hollow spheres with enhanced visible-light photocatalytic activity. <i>Journal of Alloys and Compounds</i> , <b>2013</b> , 551, 440-443	5.7	54
48	Synthesis of Mesoporous SiO <sub>2</sub> @TiO <sub>2</sub> Core/Shell Nanospheres with Enhanced Photocatalytic Properties. <i>Particle and Particle Systems Characterization</i> , <b>2013</b> , 30, 306-310	3.1	34
47	Facile growth of ZnO nanocrystals on nitrogen-doped carbon nanotubes for visible-light photodegradation of dyes. <i>Materials Letters</i> , <b>2013</b> , 100, 278-281	3.3	19
46	Uniform hamburger-like mesoporous carbon-incorporated ZnO nanoarchitectures: One-pot solvothermal synthesis, high adsorption and visible-light photocatalytic decolorization of dyes. <i>Applied Catalysis B: Environmental</i> , <b>2013</b> , 138-139, 1-8	21.8	89



45	Carbon-coated CdS petalous nanostructures with enhanced photostability and photocatalytic activity. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 5636-9	16.4	310
44	Facile one-pot synthesis of uniform TiO <sub>2</sub> -Ag hybrid hollow spheres with enhanced photocatalytic activity. <i>Dalton Transactions</i> , <b>2013</b> , 42, 1122-8	4.3	106
43	Carbon-Coated CdS Petalous Nanostructures with Enhanced Photostability and Photocatalytic Activity. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 5746-5749	3.6	106
42	Innentitelbild: Carbon-Coated CdS Petalous Nanostructures with Enhanced Photostability and Photocatalytic Activity (Angew. Chem. 21/2013). <i>Angewandte Chemie</i> , <b>2013</b> , 125, 5520-5520	3.6	3
41	Facile synthesis of Ag <sub>2</sub> WO <sub>4</sub> /AgCl nanorods for excellent photocatalytic properties. <i>Materials Letters</i> , <b>2013</b> , 91, 129-132	3.3	43
40	Electrostatic self-assembly of TiO <sub>2</sub> nanoparticles onto carbon spheres with enhanced adsorption capability for Cr(VI). <i>Materials Letters</i> , <b>2012</b> , 68, 174-177	3.3	22
39	One-step synthesis and self-organization of polypyrrole ultrathin films inlaid with Prussian blue nanoparticles induced by a drop of toluene solution on water surface. <i>Thin Solid Films</i> , <b>2012</b> , 520, 2026-2031	2.3	6
38	A magnetically separable photocatalyst based on nest-like Fe <sub>3</sub> O <sub>4</sub> /ZnO double-shelled hollow structures with enhanced photocatalytic activity. <i>Nanoscale</i> , <b>2012</b> , 4, 183-7	7.7	231
37	Microwave-Assisted Synthesis of Porous Ag <sub>2</sub> S/Ag Hybrid Nanotubes with High Visible-Light Photocatalytic Activity. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 11669-11672	3.6	38
36	Innenr�ktitelbild: Microwave-Assisted Synthesis of Porous Ag <sub>2</sub> S/Ag Hybrid Nanotubes with High Visible-Light Photocatalytic Activity (Angew. Chem. 46/2012). <i>Angewandte Chemie</i> , <b>2012</b> , 124, 11807-11807	3.6	
35	Microwave-assisted synthesis of porous Ag <sub>2</sub> S-Ag hybrid nanotubes with high visible-light photocatalytic activity. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 11501-4	16.4	206
34	Self-assembly of TiO <sub>2</sub> composite microspheres: Facile synthesis, characterization and photocatalytic activities. <i>CrystEngComm</i> , <b>2012</b> , 14, 7118	3.3	12
33	Mesoporous silica-coated NaYF <sub>4</sub> nanocrystals: facile synthesis, in vitro bioimaging and photodynamic therapy of cancer cells. <i>RSC Advances</i> , <b>2012</b> , 2, 12263	3.7	26
32	Photocatalytic studies of CdS nanoparticles assembled on carbon microsphere surfaces with different interface structures: from amorphous to graphite-like carbon. <i>CrystEngComm</i> , <b>2012</b> , 14, 4507	3.3	18
31	Assembling carbon-coated Fe <sub>2</sub> O <sub>3</sub> hollow nanohorns on the CNT backbone for superior lithium storage capability. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 5252-5256	35.4	708
30	Microwave-assisted non-aqueous route to deposit well-dispersed ZnO nanocrystals on reduced graphene oxide sheets with improved photoactivity for the decolorization of dyes under visible light. <i>Applied Catalysis B: Environmental</i> , <b>2012</b> , 125, 425-431	21.8	149
29	Facile one-step microwave-assisted route towards Ni nanospheres/reduced graphene oxide hybrids for non-enzymatic glucose sensing. <i>Sensors</i> , <b>2012</b> , 12, 4860-9	3.8	69
28	Microwave-assisted synthesis of porous CdO/CdS core-shell nanoboxes with enhanced visible-light-driven photocatalytic reduction of Cr(VI). <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 13895		79

27	Microwave-assisted route to fabricate coaxial ZnO/C/CdS nanocables with enhanced visible light-driven photocatalytic activity. <i>CrystEngComm</i> , <b>2012</b> , 14, 7686	3.3	48
26	Facile Low-Temperature Synthesis of Carbon Nanotube/ Nanohybrids with Enhanced Visible-Light-Driven Photocatalytic Activity. <i>International Journal of Photoenergy</i> , <b>2012</b> , 2012, 1-6	2.1	10
25	Solvothermal Synthesis of Nickel Glycolate Polymer and NiO Microtubes and Their Cr(VI) Absorbing Properties. <i>Advanced Materials Research</i> , <b>2012</b> , 465, 210-214	0.5	2
24	Magnetic-field induced formation of 1D Fe <sub>3</sub> O <sub>4</sub> /C/CdS coaxial nanochains as highly efficient and reusable photocatalysts for water treatment. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 18359		134
23	A microwave-assisted rapid route to synthesize ZnO/ZnS core-shell nanostructures via controllable surface sulfidation of ZnO nanorods. <i>CrystEngComm</i> , <b>2011</b> , 13, 3438	3.3	118
22	Carbon/Metal-Sulfide Composite Template: A New Facile Route Toward Well-Defined Oxide Hollow Nanospheres. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 1667-1669	3.8	8
21	Magnetite (Fe <sub>3</sub> O <sub>4</sub> ) tetrakaidecahedral microcrystals: Synthesis, characterization, and micro-Raman study. <i>Materials Characterization</i> , <b>2011</b> , 62, 148-151	3.9	63
20	Synthesis of MWCNT/nickel glycolate polymer core-shell nanostructures and their nonenzymatic electrocatalytic activity toward glucose. <i>Materials Chemistry and Physics</i> , <b>2011</b> , 130, 10-13	4.4	14
19	Silica-based complex nanorattles as multifunctional carrier for anticancer drug. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 8052		40
18	Facile microemulsion route to coat carbonized glucose on upconversion nanocrystals as high luminescence and biocompatible cell-imaging probes. <i>Nanotechnology</i> , <b>2010</b> , 21, 315105	3.4	28
17	A Facile and Generic Strategy to Synthesize Large-Scale Carbon Nanotubes. <i>Journal of Nanomaterials</i> , <b>2010</b> , 2010, 1-5	3.2	5
16	Seed-mediated synthesis of NaY F <sub>4</sub> :Y <sup>b</sup> , Er/NaGdF <sub>4</sub> nanocrystals with improved upconversion fluorescence and MR relaxivity. <i>Nanotechnology</i> , <b>2010</b> , 21, 125602	3.4	134
15	ZnO/ZnFe <sub>2</sub> O <sub>4</sub> Magnetic Fluorescent Bifunctional Hollow Nanospheres: Synthesis, Characterization, and Their Optical/Magnetic Properties. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 17455-17459	3.8	57
14	Decoration of ZnO nanocrystals on the surface of shuttle-shaped Mn <sub>2</sub> O <sub>3</sub> and its magnetic-optical properties. <i>CrystEngComm</i> , <b>2010</b> , 12, 2687	3.3	15
13	Coating colloidal carbon spheres with CdS nanoparticles: microwave-assisted synthesis and enhanced photocatalytic activity. <i>Langmuir</i> , <b>2010</b> , 26, 18570-5	4	145
12	Facile synthesis of magnetic metal (Mn, Co, Fe, and Ni) oxide nanosheets. <i>Materials Letters</i> , <b>2010</b> , 64, 1095-1098	3.3	12
11	Temperature-triggered self-assembly of ZnO: from nanocrystals to nanorods to tablets. <i>Inorganic Chemistry</i> , <b>2007</b> , 46, 11031-5	5.1	24
10	Synthesis of monodispersed CdS nanoballs through irradiation route and building core-shell structure CdS@SiO <sub>2</sub> . <i>Materials Research Bulletin</i> , <b>2007</b> , 42, 2211-2218	5.1	12



9	Preparation of well uniform-sized and monodisperse ZnS nanoballs by Irradiation method. <i>Materials Letters</i> , <b>2007</b> , 61, 115-118	3-3	10
8	Synthesis and Characterization of Semiconductor Nanomaterials and Micromaterials via Gamma-irradiation Route. <i>Journal of Cluster Science</i> , <b>2007</b> , 18, 371-387	3	17
7	Monodisperse ZnO Nanodots: Synthesis, Characterization, and Optoelectronic Properties. <i>Journal of Physical Chemistry C</i> , <b>2007</b> , 111, 9757-9760	3.8	27
6	Synthesis of monodispersed single-crystal compass-shaped Mn <sub>3</sub> O <sub>4</sub> via gamma-ray irradiation. <i>Materials Letters</i> , <b>2006</b> , 60, 383-385	3-3	32
5	Room-temperature irradiation route to synthesize a large-scale single-crystalline ZnO hexangular prism. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 7280-2	5-1	42
4	Synthesis of hollow lead sulfide microspheres. <i>Materials Letters</i> , <b>2005</b> , 59, 234-237	3-3	14
3	Preparation of hollow CdSe nanospheres. <i>Materials Letters</i> , <b>2004</b> , 58, 2911-2913	3-3	22
2	Preparation of ZnS nanocrystals in network of hydrogel. <i>Materials Letters</i> , <b>2003</b> , 57, 1312-1316	3-3	15
1	A novel route to prepare CdSe hollow structures. <i>Materials Letters</i> , <b>2003</b> , 57, 3137-3139	3-3	9