
Wolfgang Ahrens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8989568/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	6.3	5,010
2	The IDEFICS cohort: design, characteristics and participation in the baseline survey. International Journal of Obesity, 2011, 35, S3-S15.	1.6	306
3	Prevalence of overweight and obesity in European children below the age of 10. International Journal of Obesity, 2014, 38, S99-S107.	1.6	249
4	Multicenter Case-Control Study of Exposure to Environmental Tobacco Smoke and Lung Cancer in Europe. Journal of the National Cancer Institute, 1998, 90, 1440-1450.	3.0	232
5	Metabolic syndrome in young children: definitions and results of the IDEFICS study. International Journal of Obesity, 2014, 38, S4-S14.	1.6	228
6	Objectively measured physical activity in European children: the IDEFICS study. International Journal of Obesity, 2014, 38, S135-S143.	1.6	182
7	Lung cancer and cigarette smoking in Europe: An update of risk estimates and an assessment of inter-country heterogeneity. International Journal of Cancer, 2001, 91, 876-887.	2.3	174
8	Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 941-948.	2.5	150
9	Reproducibility of food consumption frequencies derived from the Children's Eating Habits Questionnaire used in the IDEFICS study. International Journal of Obesity, 2011, 35, S61-S68.	1.6	149
10	Intra- and inter-observer reliability in anthropometric measurements in children. International Journal of Obesity, 2011, 35, S45-S51.	1.6	146
11	Early Childhood Electronic Media Use as a Predictor of Poorer Well-being. JAMA Pediatrics, 2014, 168, 485.	3.3	142
12	Physical fitness reference standards in European children: the IDEFICS study. International Journal of Obesity, 2014, 38, S57-S66.	1.6	142
13	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. Oral Oncology, 2011, 47, 725-731.	0.8	140
14	Understanding and preventing childhood obesity and related disorders—IDEFICS: A European multilevel epidemiological approach. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, 302-308.	1.1	127
15	Gender differences in lung cancer risk by smoking: a multicentre case–control study in Germany and Italy. British Journal of Cancer, 2000, 82, 227-233.	2.9	122
16	Taste preferences in association with dietary habits and weight status in European children: results from the IDEFICS study. International Journal of Obesity, 2012, 36, 27-34.	1.6	120
17	Human Papillomavirus Infections and Upper Aero-Digestive Tract Cancers: The ARCAGE Study. Journal of the National Cancer Institute, 2013, 105, 536-545.	3.0	115
18	The Possible Role of Radiofrequency Radiation in the Development of Uveal Melanoma. Epidemiology, 2001. 12. 7-12.	1.2	114

#	Article	IF	CITATIONS
19	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 caseâ€control studies from 27 countries. International Journal of Cancer, 2015, 136, 1125-1139.	2.3	112
20	A Standard Tool for the Analysis of Occupational Lung Cancer in Epidemiologic Studies. International Journal of Occupational and Environmental Health, 1998, 4, 236-240.	1.2	110
21	Mediterranean diet, overweight and body composition in children from eight European countries: Cross-sectional and prospective results from the IDEFICS study. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 205-213.	1.1	110
22	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. PLoS ONE, 2018, 13, e0192999.	1.1	107
23	Television habits in relation to overweight, diet and taste preferences in European children: the IDEFICS study. European Journal of Epidemiology, 2012, 27, 705-715.	2.5	100
24	Percentile reference values for anthropometric body composition indices in European children from the IDEFICS study. International Journal of Obesity, 2014, 38, S15-S25.	1.6	100
25	Occupational risk factors for lung cancer: a case-control study in West Germany. International Journal of Epidemiology, 1998, 27, 549-560.	0.9	98
26	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. Oral Oncology, 2014, 50, 616-625.	0.8	98
27	ls Previous Respiratory Disease a Risk Factor for Lung Cancer?. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 549-559.	2.5	97
28	Cancer mortality among European asphalt workers: An international epidemiological study. II. Exposure to bitumen fume and other agents. American Journal of Industrial Medicine, 2003, 43, 28-39.	1.0	96
29	Cancer mortality among European asphalt workers: An international epidemiological study. I. Results of the analysis based on job titles. American Journal of Industrial Medicine, 2003, 43, 18-27.	1.0	94
30	Factors that Influence Weekday Sleep Duration in European Children. Sleep, 2011, 34, 633-639.	0.6	91
31	Determinant factors of physical fitness in European children. International Journal of Public Health, 2016, 61, 573-582.	1.0	91
32	Cohort Profile: The transition from childhood to adolescence in European children–how I.Family extends the IDEFICS cohort. International Journal of Epidemiology, 2017, 46, dyw317.	0.9	89
33	The IDEFICS community-oriented intervention programme: a new model for childhood obesity prevention in Europe?. International Journal of Obesity, 2011, 35, S16-S23.	1.6	80
34	Evaluation of the Children's Eating Habits Questionnaire used in the IDEFICS study by relating urinary calcium and potassium to milk consumption frequencies among European children. International Journal of Obesity, 2011, 35, S69-S78.	1.6	76
35	Lung cancer and cigarette smoking in women: A multicenter case-control study in Europe. International Journal of Cancer, 2000, 88, 820-827.	2.3	75
36	Influence of physical fitness on cardio-metabolic risk factors in European children. The IDEFICS study. International Journal of Obesity, 2016, 40, 1119-1125.	1.6	74

#	Article	IF	CITATIONS
37	Assessment of diet, physical activity and biological, social and environmental factors in a multi-centre European project on diet- and lifestyle-related disorders in children (IDEFICS). Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 279-289.	0.8	72
38	Exposure–Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case–Control Studies. Epidemiology, 2017, 28, 288-299.	1.2	71
39	Young children's screen activities, sweet drink consumption and anthropometry: results from a prospective European study. European Journal of Clinical Nutrition, 2014, 68, 223-228.	1.3	70
40	Dietary patterns and longitudinal change in body mass in European children: a follow-up study on the IDEFICS multicenter cohort. European Journal of Clinical Nutrition, 2013, 67, 1042-1049.	1.3	69
41	Incidence and relative risk of hearing disorders in professional musicians. Occupational and Environmental Medicine, 2014, 71, 472-476.	1.3	69
42	Combined effects of smoking and HPV16 in oropharyngeal cancer. International Journal of Epidemiology, 2016, 45, 752-761.	0.9	67
43	Physical Activity, Screen Time, and Sleep Duration of Children Aged 6–9 Years in 25 Countries: An Analysis within the WHO European Childhood Obesity Surveillance Initiative (COSI) 2015–2017. Obesity Facts, 2021, 14, 32-44.	1.6	64
44	Control Response Proportions in Population-Based Case-Control Studies in Germany. Epidemiology, 1999, 10, 181-183.	1.2	63
45	Blood lipids among young children in Europe: results from the European IDEFICS study. International Journal of Obesity, 2014, 38, S67-S75.	1.6	63
46	Blood pressure reference values for European non-overweight school children: The IDEFICS study. International Journal of Obesity, 2014, 38, S48-S56.	1.6	61
47	Sleep Duration and Overweight in European Children: Is the Association Modified by Geographic Region?. Sleep, 2011, 34, 885-90.	0.6	59
48	Retrospective Assessment of Asbestos ExposureI. Case-Control Analysis in a Study of Lung Cancer: Efficiency of Job-Specific Questionnaires and Job Exposure Matrices. International Journal of Epidemiology, 1993, 22, S83-S95.	0.9	56
49	Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. American Journal of Industrial Medicine, 2003, 43, 3-17.	1.0	56
50	Design and results of the pretest of the IDEFICS study. International Journal of Obesity, 2011, 35, S30-S44.	1.6	55
51	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2013, 178, 1513-1525.	1.6	55
52	Occupational risk factors for lung cancer in women: Results of a case-control study in Germany. , 1999, 36, 90-100.		54
53	Effects of a communityâ€oriented obesity prevention programme on indicators of body fatness in preschool and primary school children. Main results from the IDEFICS study. Obesity Reviews, 2015, 16, 16-29.	3.1	52
54	Domain-Specific Self-Reported and Objectively Measured Physical Activity in Children. International Journal of Environmental Research and Public Health, 2017, 14, 242.	1.2	51

#	Article	IF	CITATIONS
55	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. European Journal of Cancer Prevention, 2009, 18, 76-84.	0.6	50
56	Occupational Risks for Lung Cancer among Nonsmokers. Epidemiology, 2000, 11, 532-538.	1.2	49
57	Circulating microRNAs are deregulated in overweight/obese children: preliminary results of the I.Family study. Genes and Nutrition, 2016, 11, 7.	1.2	48
58	Welding fumes and lung cancer: a meta-analysis of case-control and cohort studies. Occupational and Environmental Medicine, 2019, 76, 422-431.	1.3	47
59	A Case–Control Study of Lung Cancer Nested in a Cohort of European Asphalt Workers. Environmental Health Perspectives, 2010, 118, 1418-1424.	2.8	46
60	Reference values for leptin and adiponectin in children below the age of 10 based on the IDEFICS cohort. International Journal of Obesity, 2014, 38, S32-S38.	1.6	46
61	Adherence to the obesity-related lifestyle intervention targets in the IDEFICS study. International Journal of Obesity, 2014, 38, S144-S151.	1.6	46
62	Occupational exposure to organic dust increases lung cancer risk in the general population. Thorax, 2012, 67, 111-116.	2.7	45
63	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Case–Control Studies. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 412-421.	2.5	44
64	Risk factors for extrahepatic biliary tract carcinoma in men: medical conditions and lifestyle. European Journal of Gastroenterology and Hepatology, 2007, 19, 623-630.	0.8	43
65	Clustering of lifestyle behaviours and relation to body composition in European children. The IDEFICS study. European Journal of Clinical Nutrition, 2015, 69, 811-816.	1.3	43
66	Exposure to Welding Fumes, Hexavalent Chromium, or Nickel and Risk of Lung Cancer. American Journal of Epidemiology, 2019, 188, 1984-1993.	1.6	43
67	European multi-centre case–control study on risk factors for rare cancers of unknown aetiology. European Journal of Cancer, 2005, 41, 601-612.	1.3	36
68	Circulating microRNAs are associated with early childhood obesity: results of the I.Family Study. Genes and Nutrition, 2019, 14, 2.	1.2	36
69	Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. Occupational and Environmental Medicine, 2002, 59, 410-414.	1.3	34
70	Predictors and correlates of taste preferences in European children: The IDEFICS study. Food Quality and Preference, 2013, 27, 128-136.	2.3	34
71	Lung cancer risk among bricklayers in a pooled analysis of case–control studies. International Journal of Cancer, 2015, 136, 360-371.	2.3	34
72	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposure–Response Analysis of 14 Case–Control Studies. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 402-411.	2.5	34

#	Article	IF	CITATIONS
73	Environmental Tobacco Smoke and Lung Cancer. Epidemiology, 1998, 9, 672-675.	1.2	33
74	Influence of sample collection and preanalytical sample processing on the analyses of biological markers in the European multicentre study IDEFICS. International Journal of Obesity, 2011, 35, S104-S112.	1.6	33
75	Adolescent Milk Fat and Galactose Consumption and Testicular Germ Cell Cancer. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2189-2195.	1.1	32
76	Occupation and risk of upper aerodigestive tract cancer: The ARCAGE study. International Journal of Cancer, 2012, 130, 2397-2406.	2.3	32
77	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. Oral Oncology, 2019, 94, 47-57.	0.8	32
78	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case–control studies. Scandinavian Journal of Work, Environment and Health, 2015, 41, 467-477.	1.7	32
79	Pester power and its consequences: do European children's food purchasing requests relate to diet and weight outcomes?. Public Health Nutrition, 2016, 19, 2393-2403.	1.1	31
80	Analysis of the association of leptin and adiponectin concentrations with metabolic syndrome in children: Results from the IDEFICS study. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 543-551.	1.1	31
81	Polygenic risk for obesity and its interaction with lifestyle and sociodemographic factors in European children and adolescents. International Journal of Obesity, 2021, 45, 1321-1330.	1.6	31
82	Food intake and inflammation in European children: the IDEFICS study. European Journal of Nutrition, 2016, 55, 2459-2468.	4.6	30
83	Epidemiologische Methoden. , 2012, , .		30
84	Reference values of whole-blood fatty acids by age and sex from European children aged 3–8 years. International Journal of Obesity, 2014, 38, S86-S98.	1.6	29
85	Children's sleep quality: relation with sleep duration and adiposity. Public Health, 2014, 128, 488-490.	1.4	29
86	Adherence to combined lifestyle factors and their contribution to obesity in the IDEFICS study. Obesity Reviews, 2015, 16, 138-150.	3.1	29
87	Sensory taste preferences and taste sensitivity and the association of unhealthy food patterns with overweight and obesity in primary school children in Europe—a synthesis of data from the IDEFICS study. Flavour, 2015, 4, .	2.3	29
88	Towards microbiome-informed dietary recommendations for promoting metabolic and mental health: Opinion papers of the MyNewGut project. Clinical Nutrition, 2018, 37, 2191-2197.	2.3	29
89	Impact of a community based healthâ€promotion programme in 2―to 9â€yearâ€old children in Europe on markers of the metabolic syndrome, the IDEFICS study. Obesity Reviews, 2015, 16, 41-56.	3.1	27
90	Prospective associations between social vulnerabilities and children's weight status. Results from the IDEFICS study. International Journal of Obesity, 2018, 42, 1691-1703.	1.6	27

#	Article	IF	CITATIONS
91	Primary Prevention from the Epidemiology Perspective: Three Examples from the Practice. BMC Medical Research Methodology, 2010, 10, 10.	1.4	26
92	Determinants of Attrition to Follow-Up in a Multicentre Cohort Study in Children-Results from the IDEFICS Study. Epidemiology Research International, 2013, 2013, 1-9.	0.2	26
93	Reference values of bone stiffness index and C-terminal telopeptide in healthy European children. International Journal of Obesity, 2014, 38, S76-S85.	1.6	26
94	Prospective associations between socioeconomically disadvantaged groups and metabolic syndrome risk in European children. Results from the IDEFICS study. International Journal of Cardiology, 2018, 272, 333-340.	0.8	26
95	C-reactive protein reference percentiles among pre-adolescent children in Europe based on the IDEFICS study population. International Journal of Obesity, 2014, 38, S26-S31.	1.6	25
96	Sports Contribute to Total Moderate to Vigorous Physical Activity in School Children. Medicine and Science in Sports and Exercise, 2019, 51, 1653-1661.	0.2	25
97	Occupational wood dust exposure and the risk of laryngeal cancer: A population based caseâ€control study in Germany. American Journal of Industrial Medicine, 2008, 51, 648-655.	1.0	24
98	Effectiveness of the IDEFICS intervention on objectively measured physical activity and sedentary time in European children. Obesity Reviews, 2015, 16, 57-67.	3.1	24
99	Microbiota and lifestyle interactions through the lifespan. Trends in Food Science and Technology, 2016, 57, 265-272.	7.8	24
100	Metabolic status in children and its transitions during childhood and adolescence—the IDEFICS/I.Family study. International Journal of Epidemiology, 2019, 48, 1673-1683.	0.9	21
101	Early Life Factors and Inter-Country Heterogeneity in BMI Growth Trajectories of European Children: The IDEFICS Study. PLoS ONE, 2016, 11, e0149268.	1.1	20
102	Performance of different exposure assessment approaches in a study of bitumen fume exposure and lung cancer mortality. American Journal of Industrial Medicine, 2003, 43, 40-48.	1.0	19
103	TAS1R3andUCN2Transcript Levels in Blood Cells Are Associated With Sugary and Fatty Food Consumption in Children. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3556-3564.	1.8	19
104	Occupational risk factors for lung cancer among young men. Scandinavian Journal of Work, Environment and Health, 1999, 25, 422-429.	1.7	19
105	Occupational prestige, social mobility and the association with lung cancer in men. BMC Cancer, 2016, 16, 395.	1.1	18
106	Implementation of the IDEFICS intervention across European countries: perceptions of parents and relationship with BMI. Obesity Reviews, 2015, 16, 78-88.	3.1	17
107	The role of lifestyle and non-modifiable risk factors in the development of metabolic disturbances from childhood to adolescence. International Journal of Obesity, 2020, 44, 2236-2245.	1.6	17
108	Social Media and Children's and Adolescents' Diets: A Systematic Review of the Underlying Social and Physiological Mechanisms. Advances in Nutrition, 2022, 13, 913-937.	2.9	17

#	Article	IF	CITATIONS
109	Process evaluation of the IDEFICS school intervention: putting the evaluation of the effect on children's objectively measured physical activity and sedentary time in context. Obesity Reviews, 2015, 16, 89-102.	3.1	16
110	What do children understand? Communicating health behavior in a European multicenter study. Zeitschrift Fur Gesundheitswissenschaften, 2010, 18, 391-401.	0.8	15
111	Lung Cancer Among Firefighters. Journal of Occupational and Environmental Medicine, 2016, 58, 1137-1143.	0.9	15
112	Associations between sleep duration and insulin resistance in European children and adolescents considering the mediating role of abdominal obesity. PLoS ONE, 2020, 15, e0235049.	1.1	15
113	Elevated Cancer Mortality in a German Cohort of Bitumen Workers: Extended Follow-Up Through 2004. Journal of Occupational and Environmental Hygiene, 2009, 6, 555-561.	0.4	14
114	Association between the number of fungiform papillae on the tip of the tongue and sensory taste perception in children. Food and Nutrition Research, 2017, 61, 1348865.	1.2	14
115	Attrition in the European Child Cohort IDEFICS/I.Family: Exploring Associations Between Attrition and Body Mass Index. Frontiers in Pediatrics, 2018, 6, 212.	0.9	14
116	Occupational exposure to endocrine-disrupting compounds and biliary tract cancer among men. Scandinavian Journal of Work, Environment and Health, 2007, 33, 387-396.	1.7	14
117	Associations between comorbidities and advanced stage diagnosis of lung, breast, colorectal, and prostate cancer: A systematic review and meta-analysis. Cancer Epidemiology, 2021, 75, 102054.	0.8	14
118	Association between bone stiffness and nutritional biomarkers combined with weight-bearing exercise, physical activity, and sedentary time in preadolescent children. A case–control study. Bone, 2015, 78, 142-149.	1.4	13
119	Relationship Between Markers of Body Fat and Calcaneal Bone Stiffness Differs Between Preschool and Primary School Children: Results from the IDEFICS Baseline Survey. Calcified Tissue International, 2012, 91, 276-285.	1.5	12
120	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. Occupational and Environmental Medicine, 2013, 70, 810-814.	1.3	12
121	Associations between exclusive breastfeeding and physical fitness during childhood. European Journal of Nutrition, 2018, 57, 545-555.	1.8	12
122	Association of Infant Feeding Patterns with Taste Preferences in European Children and Adolescents: A Retrospective Latent Profile Analysis. Nutrients, 2019, 11, 1040.	1.7	12
123	Childhood Obesity: Prevalence Worldwide - Synthesis Part I. , 2011, , 219-235.		12
124	Familial aggregation and socio-demographic correlates of taste preferences in European children. BMC Nutrition, 2017, 3, 87.	0.6	11
125	The Impact of Adding Sugars to Milk and Fruit on Adiposity and Diet Quality in Children: A Cross-Sectional and Longitudinal Analysis of the Identification and Prevention of Dietary- and Lifestyle-Induced Health Effects in Children and Infants (IDEFICS) Study. Nutrients, 2018, 10, 1350.	1.7	11
126	Lung cancer risk in painters: results from the SYNERGY pooled case–control study consortium. Occupational and Environmental Medicine, 2021, 78, 269-278.	1.3	11

#	Article	IF	CITATIONS
127	The 12p13.33/RAD52 Locus and Genetic Susceptibility to Squamous Cell Cancers of Upper Aerodigestive Tract. PLoS ONE, 2015, 10, e0117639.	1.1	10
128	Dietary Patterns in Primary School are of Prospective Relevance for the Development of Body Composition in Two German Pediatric Populations. Nutrients, 2018, 10, 1442.	1.7	10
129	Relative Validity of a Food and Beverage Preference Questionnaire to Characterize Taste Phenotypes in Children Adolescents and Adults. Nutrients, 2019, 11, 1453.	1.7	10
130	A within-sibling pair analysis of lifestyle behaviours and BMI z-score in the multi-centre I.Family study. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 580-589.	1.1	10
131	Factors associated with habitual time spent in different physical activity intensities using multiday accelerometry. Scientific Reports, 2020, 10, 774.	1.6	10
132	Assessment of Fruit and Vegetables Intake with Biomarkers in Children and Adolescents and Their Level of Validation: A Systematic Review. Metabolites, 2022, 12, 126.	1.3	10
133	Circulating miRNAs Are Associated with Inflammation Biomarkers in Children with Overweight and Obesity: Results of the I.Family Study. Genes, 2022, 13, 632.	1.0	10
134	Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Case–Control Studies (SYNERGY). Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1433-1441.	1.1	10
135	Filling the gap: international reference values for health care in children. International Journal of Obesity, 2014, 38, S2-S3.	1.6	9
136	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209.	0.9	9
137	Digital Media Use in Association with Sensory Taste Preferences in European Children and Adolescents—Results from the I.Family Study. Foods, 2021, 10, 377.	1.9	9
138	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. Oral Diseases, 2023, 29, 1565-1578.	1.5	9
139	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. American Journal of Epidemiology, 2013, 178, 1355-1365.	1.6	8
140	The association of emotion-driven impulsiveness, cognitive inflexibility and decision-making with weight status in European adolescents. International Journal of Obesity, 2018, 42, 655-661.	1.6	8
141	Cross-sectional associations between objectively measured sleep characteristics and body mass index in European children and adolescents. Sleep Medicine, 2021, 84, 32-39.	0.8	8
142	Media use trajectories and risk of metabolic syndrome in European children and adolescents: the IDEFICS/I.Family cohort. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 134.	2.0	8
143	Mortality in a German Cohort of Asphalt Workers with Potential Bitumen Exposure. Journal of Occupational and Environmental Hygiene, 2007, 4, 201-208.	0.4	6
144	Sex differences in the longitudinal associations between body composition and bone stiffness index in European children and adolescents. Bone, 2020, 131, 115162.	1.4	6

2

#	Article	IF	CITATIONS
145	Identification and Characterization of Human Observational Studies in Nutritional Epidemiology on Gut Microbiomics for Joint Data Analysis. Nutrients, 2021, 13, 3292.	1.7	6
146	Commentary: Socioeconomic status: more than a confounder?. International Journal of Epidemiology, 2004, 33, 806-807.	0.9	5
147	Carpenters, Cabinetmakers, and Risk of Testicular Germ Cell Cancer. Journal of Occupational and Environmental Medicine, 2005, 47, 299-305.	0.9	5
148	Children's propensity to consume sugar and fat predicts regular alcohol consumption in adolescence. Public Health Nutrition, 2018, 21, 3202-3209.	1.1	5
149	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case–control studies within the INHANCE Consortium. Journal of Epidemiology and Community Health, 2021, 75, 779-787.	2.0	5
150	Retrospective exposure assessment. , 2003, , 103-118.		5
151	Lifestyle and metabolic risk factors in patients with early-onset myocardial infarction: a case-control study. European Journal of Preventive Cardiology, 0, , .	0.8	5
152	Sample selection and outcome evaluation in primary prevention. Zeitschrift Fur Gesundheitswissenschaften, 2007, 15, 93-99.	0.8	4
153	Biliary tract cancer in male printers and typesetters in the European rare cancer case-control study: TableÂ1. Occupational and Environmental Medicine, 2014, 71, 591.2-592.	1.3	4
154	Association between variants of neuromedin U gene and taste thresholds and food preferences in European children: Results from the IDEFICS study. Appetite, 2019, 142, 104376.	1.8	4
155	Prediction of survival of HPV16-negative, p16-negative oral cavity cancer patients using a 13-gene signature: A multicenter study using FFPE samples. Oral Oncology, 2020, 100, 104487.	0.8	4
156	Associations Between Psychosocial Well-Being, Stressful Life Events and Emotion-Driven Impulsiveness in European Adolescents. Journal of Youth and Adolescence, 2022, 51, 1106-1117.	1.9	4
157	Urinary Mineral Concentrations in European Pre-Adolescent Children and Their Association with Calcaneal Bone Quantitative Ultrasound Measurements. International Journal of Environmental Research and Public Health, 2016, 13, 471.	1.2	3
158	The temporal relationship between parental concern of overeating and childhood obesity considering genetic susceptibility: longitudinal results from the IDEFICS/I.Family study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 139.	2.0	3
159	Rare cancers of unknown etiology: lessons learned from a European multi-center case–control study. European Journal of Epidemiology, 2020, 35, 937-948.	2.5	2
160	Auswertung epidemiologischer Studien. , 2012, , 243-345.		2
161	Epidemiologische Studien. , 2012, , 53-119.		2

162 An Introduction to Epidemiology. , 2005, , 1-40.

#	Article	IF	CITATIONS
163	Reproducibility of the Blood and Urine Exposome: A Systematic Literature Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1683-1692.	1.1	2
164	School- and Leisure Time Factors Are Associated With Sitting Time of German and Irish Children and Adolescents During School: Results of a DEDIPAC Feasibility Study. Frontiers in Sports and Active Living, 2020, 2, 93.	0.9	1
165	Application of two job indices for general occupational demands in a pooled analysis of case–control studies on lung cancer. Scandinavian Journal of Work, Environment and Health, 2021, 47, 475-481.	1.7	1
166	Lung cancer risk in male workers occupationally exposed to diesel motor emissions in Germany. , 1999, 36, 405.		1
167	Design and Planning of Epidemiological Studies. , 2014, , 473-524.		1
168	An Introduction to Epidemiology. , 2014, , 3-41.		1
169	Epidemiologische Maßzahlen. , 2012, , 15-52.		1
170	The IDEFICS/I.Family Studies: Design and Methods of a Large European Child Cohort. Springer Series on Epidemiology and Public Health, 2019, , 1-24.	0.5	1
171	Potential interest of InsR, CPT1A, SLC27A2, FASN and PPARα expression in blood cells as biomarkers of dyslipidemia in children. Proceedings of the Nutrition Society, 2013, 72, .	0.4	0
172	Reply to the letter to the editor: "Socioeconomic status and childhood metabolic syndrome― International Journal of Cardiology, 2019, 283, 190-191.	0.8	0
173	"Breakfast like a king, lunch like a prince, and dinner like a pauper― how do European children and adolescents eat?. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0
174	Durchführung epidemiologischer Studien. , 2012, , 203-241.		0
175	Epidemiologische Methoden in den Gesundheitswissenschaften. The Springer Reference Pflegerapie, Gesundheit, 2019, , 103-117.	0.2	Ο
176	Title is missing!. , 2020, 15, e0235049.		0
177	Title is missing!. , 2020, 15, e0235049.		0
178	Title is missing!. , 2020, 15, e0235049.		0
179	Title is missing!. , 2020, 15, e0235049.		0
180	Title is missing!. , 2020, 15, e0235049.		0

#	Article	IF	CITATIONS
181	Title is missing!. , 2020, 15, e0235049.		0