
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8990364/publications.pdf Version: 2024-02-01



SHUN KOHSAKA

#	Article	IF	CITATIONS
1	National survey of percutaneous coronary intervention during the COVID-19 pandemic in Japan: second report of the Japanese Association of Cardiovascular Intervention and Therapeutics. Cardiovascular Intervention and Therapeutics, 2022, 37, 264-268.	1.2	7
2	Evaluation of Quality of Care for US Veterans With Recent-Onset Heart Failure With Reduced Ejection Fraction. JAMA Cardiology, 2022, 7, 130.	3.0	19
3	JCS/JHRS 2021 Guideline Focused Update on Non-Pharmacotherapy of Cardiac Arrhythmias. Circulation Journal, 2022, 86, 337-363.	0.7	23
4	JCS/JSCVS 2018 Guideline on Revascularization of Stable Coronary Artery Disease. Circulation Journal, 2022, 86, 477-588.	0.7	38
5	Impact of Left Ventricular Chamber Size on Outcome in Heart Failure with Preserved Ejection Fraction. International Heart Journal, 2022, 63, 62-72.	0.5	3
6	JCS/JHRS 2021 guideline focused update on nonâ€pharmacotherapy of cardiac arrhythmias. Journal of Arrhythmia, 2022, 38, 1-30.	0.5	6
7	Japanese Nationwide PCI (J-PCI) Registry Annual Report 2019: patient demographics and in-hospital outcomes. Cardiovascular Intervention and Therapeutics, 2022, 37, 243-247.	1.2	35
8	Personalized Target Heart Rate for Patients with Heart Failure and Reduced Ejection Fraction. Journal of Personalized Medicine, 2022, 12, 50.	1.1	2
9	Machine learning prediction model of acute kidney injury after percutaneous coronary intervention. Scientific Reports, 2022, 12, 749.	1.6	9
10	JCS 2022 Guideline Focused Update on Diagnosis and Treatment in Patients With Stable Coronary Artery Disease. Circulation Journal, 2022, 86, 882-915.	0.7	37
11	Practice Patterns and Outcomes of Transcatheter Aortic Valve Replacement in the United States and Japan: A Report From Joint Data Harmonization Initiative of STS/ACC TVT and Jâ€TVT. Journal of the American Heart Association, 2022, 11, e023848.	1.6	15
12	Conventional medical therapy in heart failure patients eligible for the PARADIGM-HF, DAPA-HF, and SHIFT trials. International Journal of Cardiology, 2022, 359, 76-83.	0.8	2
13	Machine learning models for prediction of adverse events after percutaneous coronary intervention. Scientific Reports, 2022, 12, 6262.	1.6	11
14	Multimorbidity, guidelineâ€directed medical therapies, and associated outcomes among hospitalized heart failure patients. ESC Heart Failure, 2022, 9, 2500-2510.	1.4	12
15	Overview of inâ€hospital outcomes in patients undergoing percutaneous coronary intervention with the revived directional coronary atherectomy. Catheterization and Cardiovascular Interventions, 2022, 100, 51-58.	0.7	3
16	Potential association with malnutrition and allocation of combination medical therapies in hospitalized heart failure patients with reduced ejection fraction. Scientific Reports, 2022, 12, 8318.	1.6	6
17	Association of ambient temperature and acute heart failure with preserved and reduced ejection fraction. ESC Heart Failure, 2022, 9, 2899-2908.	1.4	2
18	Contrast-Associated Acute Kidney Injury After Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2022, 15, 1283.	1.1	0

#	Article	IF	CITATIONS
19	Assessment of thromboembolism risk in COVID-19 patients with cardiovascular disease risk factors: Analysis of a Japanese Nationwide Registry. Thrombosis Research, 2022, 216, 90-96.	0.8	1
20	Effectiveness and Safety of Apixaban in over 3.9 Million People with Atrial Fibrillation: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2022, 11, 3788.	1.0	5
21	Mechanical circulatory support devices for elective percutaneous coronary interventions: novel insights from the Japanese nationwide J-PCI registry. European Heart Journal Open, 2022, 2, .	0.9	7
22	Clinical Presentation and In-Hospital Outcomes of Acute Myocardial Infarction in Young Patients. JACC Asia, 2022, 2, 574-585.	0.5	3
23	Association of decreasing hemoglobin levels with the incidence of acute kidney injury after percutaneous coronary intervention: a prospective multi-center study. Heart and Vessels, 2021, 36, 330-336.	0.5	8
24	Appropriateness rating for the application of optimal medical therapy and multidisciplinary care among heart failure patients. ESC Heart Failure, 2021, 8, 300-308.	1.4	5
25	Timeâ€sensitive approach in the management of acute heart failure. ESC Heart Failure, 2021, 8, 204-221.	1.4	17
26	Prognostic Understanding and Preference for the Communication Process with Physicians in Hospitalized Heart Failure Patients. Journal of Cardiac Failure, 2021, 27, 318-326.	0.7	11
27	Incidence of adverse cardiovascular events in typeÂ2 diabetes mellitus patients after initiation of glucose″owering agents: A populationâ€based community study from the Shizuoka Kokuho database. Journal of Diabetes Investigation, 2021, 12, 1452-1461.	1.1	9
28	Independent and cumulative association of clinical and morphological heart failure with long-term outcome after percutaneous coronary intervention. Journal of Cardiology, 2021, 77, 41-47.	0.8	3
29	Author's reply: Letter to the editor in response to Akita et al. (2020). European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, e60-e60.	1.4	0
30	Symptom burden and treatment perception in patients with atrial fibrillation, with and without a family history of atrial fibrillation. Heart and Vessels, 2021, 36, 267-276.	0.5	3
31	To the Future and Beyond: Recent Advances in the Application of Percutaneous Coronary Intervention. Journal of Clinical Medicine, 2021, 10, 177.	1.0	0
32	In-hospital Bleeding Outcomes of Oral Anticoagulant and Dual Antiplatelet Therapy During Percutaneous Coronary Intervention: An Analysis From the Japanese Nationwide Registry. Journal of Cardiovascular Pharmacology, 2021, 78, 221-227.	0.8	0
33	Abnormal Liver Function Tests and Long-Term Outcomes in Patients Discharged after Acute Heart Failure. Journal of Clinical Medicine, 2021, 10, 1730.	1.0	1
34	Inâ€hospital outcomes and usage of embolic protection devices in percutaneous coronary intervention for coronary artery bypass grafts: Insights from a Japanese nationwide registry. Catheterization and Cardiovascular Interventions, 2021, 98, E356-E364.	0.7	0
35	Bleeding avoidance strategies and percutaneous coronary intervention outcomes: A 10-year observation from a Japanese Multicenter Registry. American Heart Journal, 2021, 235, 113-124.	1.2	2
36	Revisiting the Role of Guideline-Directed Medical Therapy for Patients with Heart Failure and Severe Functional Mitral Regurgitation. Cardiology Clinics, 2021, 39, 255-265.	0.9	1

#	Article	IF	CITATIONS
37	Clinical and Biomarker Profiles and Prognosis of Elderly Patients With Coronavirus Disease 2019 (COVID-19) With Cardiovascular Diseases and/or Risk Factors. Circulation Journal, 2021, 85, 921-928.	0.7	22
38	Contemporary Management of Stable Coronary Artery Disease ― Implications of the ISCHEMIA Trial ―. Circulation Journal, 2021, 85, 1919-1927.	0.7	3
39	Transcatheter Aortic Valve Replacement in Patients With a Small Annulus ― From the Japanese Nationwide Registry (J-TVT) ―. Circulation Journal, 2021, 85, 967-976.	0.7	8
40	Sudden cardiac death after acute decompensation in heart failure patients: implications of discharge haemoglobin levels. ESC Heart Failure, 2021, 8, 3917-3928.	1.4	2
41	Inflammatory and Hypercoagulable Biomarkers and Clinical Outcomes in COVID-19 Patients. Journal of Clinical Medicine, 2021, 10, 3086.	1.0	4
42	Evidenceâ€ŧoâ€₽ractice Gap for Preventing Procedureâ€Related Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Intervention. Journal of the American Heart Association, 2021, 10, e020047.	1.6	3
43	Preferences on advance care planning and endâ€ofâ€life care in patients hospitalized for heart failure. ESC Heart Failure, 2021, 8, 5102-5111.	1.4	7
44	Phenomapping in patients experiencing worsening renal function during hospitalization for acute heart failure. ESC Heart Failure, 2021, , .	1.4	5
45	Different Impact of Beta-Blockers on Long-Term Mortality in Heart Failure Patients with and without Chronic Obstructive Pulmonary Disease. Journal of Clinical Medicine, 2021, 10, 4378.	1.0	4
46	One-Year Outcome After Percutaneous Coronary Intervention for Acute Coronary Syndrome ― An Analysis of 20,042 Patients From a Japanese Nationwide Registry ―. Circulation Journal, 2021, 85, 1756-1767.	0.7	24
47	Assessment of Physical Activity Using Waist-Worn Accelerometers in Hospitalized Heart Failure Patients and Its Relationship with Kansas City Cardiomyopathy Questionnaire. Journal of Clinical Medicine, 2021, 10, 4103.	1.0	1
48	Characteristics and in-hospital outcomes of patients undergoing balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension: a time-trend analysis from the Japanese nationwide registry. Open Heart, 2021, 8, e001721.	0.9	8
49	Temporal trends in tolvaptan use after revision of national heart failure guidelines in Japan. Scientific Reports, 2021, 11, 19360.	1.6	5
50	Baseline and Postprocedural Health Status Outcomes in Contemporary Patients With Atrial Fibrillation Who Underwent Catheter Ablation: A Report from the Japanese Outpatient Registry. Journal of the American Heart Association, 2021, 10, e019983.	1.6	5
51	Percutaneous coronary intervention in side branch coronary arteries: Insights from the Japanese nationwide registry. IJC Heart and Vasculature, 2021, 36, 100856.	0.6	3
52	Renin–angiotensin–aldosterone system inhibitors and SARS-CoV-2 infection: an analysis from the veteran's affairs healthcare system. American Heart Journal, 2021, 240, 46-57.	1.2	4
53	Female sex as an independent predictor of high bleeding risk among East Asian percutaneous coronary intervention patients: A sex difference analysis. Journal of Cardiology, 2021, 78, 431-438.	0.8	6
54	Association of Non-Invasive Positive Pressure Ventilation with Short-Term Clinical Outcomes in Patients Hospitalized for Acute Decompensated Heart Failure. Journal of Clinical Medicine, 2021, 10, 5092.	1.0	2

#	Article	IF	CITATIONS
55	Process of Care Assessment in Patients With Chronic Total Occlusion. Circulation Journal, 2021, , .	0.7	0
56	Abstract 10170: Mode of Death After Heart Failure Hospitalization in Elderly Patients. Circulation, 2021, 144, .	1.6	0
57	Impact of reduced-dose prasugrel vs. standard-dose clopidogrel on in-hospital outcomes of percutaneous coronary intervention in 62Â737 patients with acute coronary syndromes: a nationwide registry study in Japan. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 231-238.	1.4	19
58	Procedure- and Hospital-Level Variation of Deep Sternal Wound Infection From All-Japan Registry. Annals of Thoracic Surgery, 2020, 109, 547-554.	0.7	6
59	Long-Term Outcomes According to Etiology May Alter Under Different Circumstances. JACC: Heart Failure, 2020, 8, 83-84.	1.9	2
60	In-hospital outcome in patients presenting with acute coronary syndrome with left main coronary artery disease: A report from Japanese prospective multicenter percutaneous coronary intervention registry. Journal of Cardiology, 2020, 75, 635-640.	0.8	4
61	Incidence and In-Hospital Outcomes of Patients Presenting With Stent Thrombosis (from the Japanese) Tj ETQq1 720-726.	1 0.7843 0.7	14 rgBT /Ov 6
62	Association of the Hemoglobin to Serum Creatinine Ratio with In-Hospital Adverse Outcomes after Percutaneous Coronary Intervention among Non-Dialysis Patients: Insights from a Japanese Nationwide Registry (J-PCI Registry). Journal of Clinical Medicine, 2020, 9, 3612.	1.0	5
63	Transradial Percutaneous Coronary Intervention in Patients With Advanced Chronic Kidney Disease. Cardiovascular Revascularization Medicine, 2020, 21, 1138-1143.	0.3	2
64	Outcomes With IVUS-Guided PCI. JACC: Cardiovascular Interventions, 2020, 13, 2579-2580.	1.1	3
65	Hospital meal intake in acute heart failure patients and its association with long-term outcomes. Open Heart, 2020, 7, e001248.	0.9	3
66	Delay in seeking treatment before emergent heart failure readmission and its association with clinical phenotype. Journal of Intensive Care, 2020, 8, 65.	1.3	2
67	Derivation and Validation of Clinical Prediction Models for Rapid Risk Stratification for Time-Sensitive Management for Acute Heart Failure. Journal of Clinical Medicine, 2020, 9, 3394.	1.0	4
68	Trends in Left Ventricular Ejection Fraction for Patients With a New Diagnosis of Heart Failure. Circulation: Heart Failure, 2020, 13, e006743.	1.6	4
69	Applicability and Eligibility of the International Study of Comparative Health Effectiveness with Medical and Invasive Approaches (ISCHEMIA) for Patients who Underwent Revascularization with Percutaneous Coronary Intervention. Journal of Clinical Medicine, 2020, 9, 2889.	1.0	9
70	Population Density Analysis of Percutaneous Coronary Intervention for ST‣egment–Elevation Myocardial Infarction in Japan. Journal of the American Heart Association, 2020, 9, e016952.	1.6	10
71	Comparative Trends in Percutaneous Coronary Intervention in Japan and the United States, 2013 to 2017. Journal of the American College of Cardiology, 2020, 76, 1328-1340.	1.2	93
72	Natriuretic Peptide Measurement Is Key to a Solution in the Clinical Trial and Clinical Practice. JACC: Heart Failure, 2020, 8, 782-783.	1.9	0

#	Article	IF	CITATIONS
73	Scoring System for Identification of "Survival Advantage―after Successful Percutaneous Coronary Intervention in Patients with Chronic Total Occlusion. Journal of Clinical Medicine, 2020, 9, 1319.	1.0	5
74	Prognostic Implications of Early and Midrange Readmissions After Acute Heart Failure Hospitalizations: A Report From a Japanese Multicenter Registry. Journal of the American Heart Association, 2020, 9, e014949.	1.6	29
75	Multicentre randomised controlled trial of balloon pulmonary angioplasty and riociguat in patients with chronic thromboembolic pulmonary hypertension: protocol for the MR BPA study. BMJ Open, 2020, 10, e028831.	0.8	17
76	Contemporary use and trends in percutaneous coronary intervention in Japan: an outline of the J-PCI registry. Cardiovascular Intervention and Therapeutics, 2020, 35, 218-226.	1.2	88
77	Outcome of Percutaneous Coronary Intervention in Relation to the Institutional Volume of Coronary Artery Bypass Surgery. Journal of Clinical Medicine, 2020, 9, 1267.	1.0	4
78	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 606-615.	5.5	67
79	JCS 2020 Guideline Focused Update on Antithrombotic Therapy in Patients With Coronary Artery Disease. Circulation Journal, 2020, 84, 831-865.	0.7	197
80	Prediction of sudden cardiac death in Japanese heart failure patients: international validation of the Seattle Proportional Risk Model. Europace, 2020, 22, 588-597.	0.7	18
81	Electrocardiographic ST-T Abnormities Are Associated With Stroke Risk in the REGARDS Study. Stroke, 2020, 51, 1100-1106.	1.0	7
82	Initial Invasive or Conservative Strategy for Stable Coronary Disease. New England Journal of Medicine, 2020, 382, 1395-1407.	13.9	1,508
83	Antithrombotic Strategy for Patients with Acute Coronary Syndrome: A Perspective from East Asia. Journal of Clinical Medicine, 2020, 9, 1963.	1.0	18
84	Discrepancy in recognition of symptom burden among patients with atrial fibrillation. American Heart Journal, 2020, 226, 240-249.	1.2	12
85	Optimal sampling in derivation studies was associated with improved discrimination in external validation for heart failure prognostic models. Journal of Clinical Epidemiology, 2020, 121, 71-80.	2.4	4
86	Ischemic and Bleeding Events Among Patients With Acute Coronary Syndrome Associated With Low-Dose Prasugrel vs Standard-Dose Clopidogrel Treatment. JAMA Network Open, 2020, 3, e202004.	2.8	18
87	Exploring Triaging and Short-Term Outcomes of Early Invasive Strategy in Non-ST Segment Elevation Acute Coronary Syndrome: A Report from Japanese Multicenter Registry. Journal of Clinical Medicine, 2020, 9, 1106.	1.0	3
88	Treatment strategies and subsequent changes in the patient-reported quality-of-life among elderly patients with atrial fibrillation. American Heart Journal, 2020, 222, 83-92.	1.2	14
89	Beta blockers versus calcium channel blockers for provocation of vasospastic angina after drug-eluting stent implantation: a multicentre prospective randomised trial. Open Heart, 2020, 7, e001406.	0.9	7
90	Association of Diagnostic Codingâ€Based Frailty and Outcomes in Patients With Heart Failure: A Report From the Veterans Affairs Health System. Journal of the American Heart Association, 2020, 9, e016502.	1.6	12

#	Article	IF	CITATIONS
91	Benefit and harm of intravenous vasodilators across the clinical profile spectrum in acute cardiogenic pulmonary oedema patients. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 448-458.	0.4	5
92	Implementation of Percutaneous Coronary Intervention During the COVID-19 Pandemic in Japan ― Nationwide Survey Report of the Japanese Association of Cardiovascular Intervention and Therapeutics for Cardiovascular Disease ―. Circulation Journal, 2020, 84, 2185-2189.	0.7	23
93	Identification of Patient-Related Factors in Stent Thrombosis. Circulation Journal, 2020, 84, 1464-1466.	0.7	3
94	Validation and Recalibration of Seattle Heart Failure Model in Japanese Acute Heart Failure Patients. Journal of Cardiac Failure, 2019, 25, 561-567.	0.7	26
95	A Cluster Analysis of the Japanese Multicenter Outpatient Registry of Patients With Atrial Fibrillation. American Journal of Cardiology, 2019, 124, 871-878.	0.7	24
96	Younger―vs Olderâ€Old Patients with Heart Failure with Preserved Ejection Fraction. Journal of the American Geriatrics Society, 2019, 67, 2123-2128.	1.3	8
97	Outcomes of acute coronary syndrome patients with concurrent extra-cardiac vascular disease in the era of transradial coronary intervention: A retrospective multicenter cohort study. PLoS ONE, 2019, 14, e0223215.	1.1	8
98	Association Between Current and Future Annual Hospital Percutaneous Coronary Intervention Mortality Rates. JAMA Cardiology, 2019, 4, 1077.	3.0	5
99	Real-world use of intravascular ultrasound in Japan: a report from contemporary multicenter PCI registry. Heart and Vessels, 2019, 34, 1728-1739.	0.5	26
100	Novel Approach for Visualizing Multiple Domains of Quality of Life Scales. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005573.	0.9	1
101	Length of hospital stay and its impact on subsequent early readmission in patients with acute heart failure: a report from the WET-HF Registry. Heart and Vessels, 2019, 34, 1777-1788.	0.5	18
102	Hyperkalemia in Real-World Patients Under Continuous Medical Care in Japan. Kidney International Reports, 2019, 4, 1248-1260.	0.4	47
103	Discrepancy between patient-reported quality of life and the prognostic assessment of Japanese patients hospitalized with acute heart failure. Heart and Vessels, 2019, 34, 1464-1470.	0.5	5
104	Prognostic Impact of Previous Hospitalization in Acute Heart Failure Patients. Circulation Journal, 2019, 83, 1261-1268.	0.7	28
105	Assessment of Sex Differences in the Initial Symptom Burden, Applied Treatment Strategy, and Quality of Life in Japanese Patients With Atrial Fibrillation. JAMA Network Open, 2019, 2, e191145.	2.8	33
106	Comparison of Outcomes After Percutaneous Coronary Intervention in Elderly Patients, Including 10Â628 Nonagenarians: Insights From a Japanese Nationwide Registry (Jâ€₽CI Registry). Journal of the American Heart Association, 2019, 8, e011183.	1.6	55
107	Association of renin-angiotensin system inhibitors with long-term outcomes in patients with systolic heart failure and moderate-to-severe kidney function impairment. European Journal of Internal Medicine, 2019, 62, 58-66.	1.0	13
108	Cohort profile: patient characteristics and quality-of-life measurements for newly-referred patients with atrial fibrillation—Keio interhospital Cardiovascular Studies-atrial fibrillation (KiCS-AF). BMJ Open, 2019, 9, e032746.	0.8	19

#	Article	IF	CITATIONS
109	Risk stratification model for in-hospital death in patients undergoing percutaneous coronary intervention: a nationwide retrospective cohort study in Japan. BMJ Open, 2019, 9, e026683.	0.8	21
110	Clinical implications of the blood urea nitrogen/creatinine ratio in heart failure and their association with haemoconcentration. ESC Heart Failure, 2019, 6, 1274-1282.	1.4	17
111	JCS 2017/JHFS 2017 Guideline on Diagnosis and Treatment of Acute and Chronic Heart Failure ― Digest Version ―. Circulation Journal, 2019, 83, 2084-2184.	0.7	446
112	Contemporary trend of reduced-dose non-vitamin K anticoagulants in Japanese patients with atrial fibrillation: A cross-sectional analysis of a multicenter outpatient registry. Journal of Cardiology, 2019, 73, 14-21.	0.8	16
113	Treatment strategy modification and its implication on the medical cost of fractional flow reserve-guided percutaneous coronary intervention in Japan. Journal of Cardiology, 2019, 73, 38-44.	0.8	11
114	An overview of percutaneous coronary intervention in dialysis patients: Insights from a Japanese nationwide registry. Catheterization and Cardiovascular Interventions, 2019, 94, E1-E8.	0.7	16
115	JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. Circulation Journal, 2019, 83, 1085-1196.	0.7	324
116	Clinical Scenario Classification for Characterization and Outcome Prediction of Acute Decompensated Heart Failure Under Contemporary Phenotyping. Circulation Reports, 2019, 1, 162-170.	0.4	8
117	Incidence of hospital-acquired hyponatremia by the dose and type of diuretics among patients with acute heart failure and its association with long-term outcomes. Journal of Cardiology, 2018, 71, 550-556.	0.8	10
118	CVIT expert consensus document on primary percutaneous coronary intervention (PCI) for acute myocardial infarction (AMI) in 2018. Cardiovascular Intervention and Therapeutics, 2018, 33, 178-203.	1.2	79
119	Relation of Baseline Hemoglobin Level to In-Hospital Outcomes in Patients Who Undergo Percutaneous Coronary Intervention (from a Japanese Multicenter Registry). American Journal of Cardiology, 2018, 121, 695-702.	0.7	22
120	Long-Term Prognostic Significance of Plasma B-Type Natriuretic Peptide Level in Patients With Acute Heart Failure With Reduced, Mid-Range, and Preserved Ejection Fractions. American Journal of Cardiology, 2018, 121, 731-738.	0.7	32
121	Performance of the MAGGIC heart failure risk score and its modification with the addition of discharge natriuretic peptides. ESC Heart Failure, 2018, 5, 610-619.	1.4	65
122	Characteristics and in-hospital outcomes in young patients presenting with acute coronary syndrome treated by percutaneous coronary intervention. Cardiovascular Intervention and Therapeutics, 2018, 33, 154-162.	1.2	10
123	Impact of Triggering Events on Outcomes of Acute Heart Failure. American Journal of Medicine, 2018, 131, 156-164.e2.	0.6	5
124	Time Trend in Interest and Satisfaction Towards Clinical Training and Academic Activities Among Early-Career Cardiologists ― The Japanese Circulation Society Post-Graduate Training Survey ―. Circulation Journal, 2018, 82, 423-429.	0.7	1
125	Stroke After Percutaneous Coronary Intervention in the Era of Transradial Intervention. Circulation: Cardiovascular Interventions, 2018, 11, e006761.	1.4	34
126	Impact of catheter-induced iatrogenic coronary artery dissection with or without postprocedural flow impairment: A report from a Japanese multicenter percutaneous coronary intervention registry. PLoS ONE, 2018, 13, e0204333.	1.1	34

#	Article	IF	CITATIONS
127	9â€Year Trend in the Management of Acute Heart Failure in Japan: AÂReport From the National Consortium of Acute Heart Failure Registries. Journal of the American Heart Association, 2018, 7, e008687.	1.6	146
128	Differences of in-hospital outcomes within patients undergoing percutaneous coronary intervention at institutions with high versus low procedural volume: a report from the Japanese multicentre percutaneous coronary intervention registry. Open Heart, 2018, 5, e000781.	0.9	5
129	Sexâ€Dependent Phenotypic Variability of an <i>SCN5A</i> Mutation: Brugada Syndrome and Sick Sinus Syndrome. Journal of the American Heart Association, 2018, 7, e009387.	1.6	15
130	Mortality after admission for heart failure in the UK compared with Japan. Open Heart, 2018, 5, e000811.	0.9	10
131	Effects of body habitus on contrast-induced acute kidney injury after percutaneous coronary intervention. PLoS ONE, 2018, 13, e0203352.	1.1	9
132	Outcome of hospitalised heart failure in Japan and the United Kingdom stratified by plasma N-terminal pro-B-type natriuretic peptide. Clinical Research in Cardiology, 2018, 107, 1103-1110.	1.5	12
133	Learning Curve for Transcatheter Aortic Valve Implantation Under a Controlled Introduction System ― Initial Analysis of a Japanese Nationwide Registry ―. Circulation Journal, 2018, 82, 1951-1958.	0.7	21
134	Validation of U.S. mortality prediction models for hospitalized heart failure in the United Kingdom and Japan. European Journal of Heart Failure, 2018, 20, 1179-1190.	2.9	21
135	Consequence of reimbursement policy alteration for urgent PCI in Japan. Lancet, The, 2018, 391, 2208-2209.	6.3	11
136	Incidence and predictors of bleeding complications after percutaneous coronary intervention. Journal of Cardiology, 2017, 69, 272-279.	0.8	42
137	Comparison of Outcomes of Women Versus Men With Non–ST-elevation Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention (from the Japanese Nationwide Registry). American Journal of Cardiology, 2017, 119, 826-831.	0.7	36
138	Relation of ST-Segment Elevation Myocardial Infarction to Daily Ambient Temperature and Air Pollutant Levels in a Japanese Nationwide Percutaneous Coronary Intervention Registry. American Journal of Cardiology, 2017, 119, 872-880.	0.7	43
139	Current use of guideline-based medical therapy in elderly patients admitted with acute heart failure with reduced ejection fraction and its impact on event-free survival. International Journal of Cardiology, 2017, 235, 162-168.	0.8	46
140	Outcomes After Percutaneous Coronary Intervention of Acute Coronary Syndrome Complicated With Cardiopulmonary Arrest (from a Japanese Multicenter Registry). American Journal of Cardiology, 2017, 119, 1173-1178.	0.7	10
141	Impact of Institutional and Operator Volume on Short-Term Outcomes of Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2017, 10, 918-927.	1.1	64
142	C-REACTIVE PROTEIN IN NON-ST ELEVATION MYOCARDIAL INFARCTION PATIENTS IS USEFUL IN IMPROVING DISCRIMINATION OF CONVENTIONAL RISK SCORE: A REPORT FROM MULTICENTER PCI REGISTRY. Journal of the American College of Cardiology, 2017, 69, 294.	1.2	2
143	Prognostic Impact of Subsequent Acute Coronary Syndrome and Unplanned Revascularization on Longâ€Term Mortality After an Index Percutaneous Coronary Intervention: A Report From a Japanese Multicenter Registry. Journal of the American Heart Association, 2017, 6, .	1.6	9
144	Impact of Hemodialysis on Procedural Outcomes of Percutaneous Coronary Intervention for Chronic Total Occlusion: Insights From the Japanese Multicenter Registry. Journal of the American Heart Association, 2017, 6, .	1.6	6

#	Article	IF	CITATIONS
145	Predictors of high cost after percutaneous coronary intervention: A review from Japanese multicenter registry overviewing the influence of procedural complications. American Heart Journal, 2017, 194, 61-72.	1.2	15
146	Effect of Compliance to Updated AHA/ACC Performance and Quality Measures Among Patients With Atrial Fibrillation on Outcome (from Japanese Multicenter Registry). American Journal of Cardiology, 2017, 120, 595-600.	0.7	9
147	Tachycardia-Induced J-Wave Changes in Patients With and Without Idiopathic Ventricular Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	2.1	18
148	Inconsistent Dosing of Non–Vitamin K OralÂAnticoagulants. Journal of the American College of Cardiology, 2017, 70, 118.	1.2	6
149	Barriers Associated With Door-to-Balloon Delay in Contemporary Japanese Practice. Circulation Journal, 2017, 81, 815-822.	0.7	17
150	Patterns of statin non-prescription in patients with established coronary artery disease: A report from a contemporary multicenter Japanese PCI registry. PLoS ONE, 2017, 12, e0182687.	1.1	11
151	Effect of Obesity on the Prognostic Impact of Atrial Fibrillation in Heart Failure With Preserved Ejection Fraction. Circulation Journal, 2017, 81, 966-973.	0.7	16
152	Incidence and Determinants of Complications in Rotational Atherectomy. Circulation: Cardiovascular Interventions, 2016, 9, .	1.4	88
153	Degree of dyspnoea in patients with non-ST-elevation acute coronary syndrome: A report from Japanese multicenter registry. International Journal of Clinical Practice, 2016, 70, 978-987.	0.8	1
154	Performance and Validation of the U.S.ÂNCDRÂAcute Kidney Injury Prediction Model in Japan. Journal of the American College of Cardiology, 2016, 67, 1715-1722.	1.2	51
155	Validation of the Seattle Heart Failure Model in Japanese heart failure patients. International Journal of Cardiology, 2016, 203, 87-89.	0.8	6
156	Intensive statin therapy stabilizes C-reactive protein, but not chemokine in stable coronary artery disease treated with an everolimus-eluting stent. Coronary Artery Disease, 2016, 27, 405-411.	0.3	6
157	Letter by Inohara et al Regarding Article, "Temporal Trends in Percutaneous Coronary Intervention Appropriateness: Insights From the Clinical Outcomes Assessment Program― Circulation, 2016, 133, e423.	1.6	2
158	Use of renin-angiotensin system inhibitors after coronary interventions in patients with the guideline-based indications: A report from a Japanese multicenter registry. International Journal of Cardiology, 2016, 225, 362-364.	0.8	0
159	Validation of the european SCORE risk chart in the healthy middle-aged Japanese. Atherosclerosis, 2016, 252, 116-121.	0.4	9
160	International Collaborative Partnership for the Study of Atrial Fibrillation (INTERAF): Rationale, Design, and Initial Descriptives. Journal of the American Heart Association, 2016, 5, .	1.6	18
161	Effect of Smoking Status on Clinical Outcome and Efficacy of Clopidogrel in Acute Coronary Syndrome. Circulation Journal, 2016, 80, 1590-1599.	0.7	14
162	Correlation of Pre- and In-Hospital Systolic Blood Pressure in Acute Heart Failure Patients and the Prognostic Implicationsã€ê– Report From the Tokyo Cardiac Care Unit Network Emergency Medical Service Database –. Circulation Journal, 2016, 80, 2473-2481.	0.7	11

SHUN KOHSAKA

#	Article	IF	CITATIONS
163	Early vs. late reverse ventricular remodeling in patients with cardiomyopathy. Journal of Cardiology, 2016, 68, 57-63.	0.8	8
164	Validation of the Get With The Guideline–Heart Failure risk score in Japanese patients and the potential improvement of its discrimination ability by the inclusion of B-type natriuretic peptide level. American Heart Journal, 2016, 171, 33-39.	1.2	78
165	Independent Prognostic Value of Single and Multiple Non-Specific 12-Lead Electrocardiographic Findings for Long-Term Cardiovascular Outcomes: A Prospective Cohort Study. PLoS ONE, 2016, 11, e0157563.	1.1	4
166	Application of appropriate use criteria for percutaneous coronary intervention in Japan. World Journal of Cardiology, 2016, 8, 456-63.	0.5	6
167	Outcomes of Percutaneous Coronary Intervention Performed With or Without Preprocedural Dual Antiplatelet Therapy. Circulation Journal, 2015, 79, 2598-2607.	0.7	9
168	Clinical Reasoning Web-based Prototypic Module for Tutors Teaching 5 th Grade Medical Students : A Pilot Randomized Study. General Medicine, 2015, 16, 13-25.	0.1	2
169	Gender Differences in In-Hospital Clinical Outcomes after Percutaneous Coronary Interventions: An Insight from a Japanese Multicenter Registry. PLoS ONE, 2015, 10, e0116496.	1.1	24
170	An international comparison of patients undergoing percutaneous coronary intervention: A collaborative study of the National Cardiovascular Data Registry (NCDR) and Japan Cardiovascular Database–Keio interhospital Cardiovascular Studies (JCD-KiCS). American Heart Journal, 2015, 170, 1077-1085.	1.2	68
171	Location of the Culprit Coronary Lesion and Its Association With Delay in Door-to-Balloon Time (from a Multicenter Registry of Primary Percutaneous Coronary Intervention). American Journal of Cardiology, 2015, 115, 581-586.	0.7	19
172	Frequency and safety of intracoronary acetylcholine provocation testing compared to coronary interventions: Analysis of a contemporary Japanese multicenter PCI registry. International Journal of Cardiology, 2015, 183, 171-172.	0.8	2
173	Reply. American Journal of Cardiology, 2015, 116, 338.	0.7	0
174	Application of the United States acute heart failure risk prediction model in Japanese patients; analysis from a contemporary multicenter registry. International Journal of Cardiology, 2015, 195, 323-325.	0.8	2
175	Real-World Use and Appropriateness of Coronary Interventions for Chronic Total Occlusion (from a) Tj ETQq1 1 ().784314 i 0.7	rgBT /Overloc
176	Effect of Estimated Plasma Volume Reduction on Renal Function for Acute Heart Failure Differs Between Patients With Preserved and Reduced Ejection Fraction. Circulation: Heart Failure, 2015, 8, 527-532.	1.6	34
177	Development and Validation of a Pre-Percutaneous Coronary Intervention Risk Model of Contrast-Induced Acute Kidney Injury With an Integer Scoring System. American Journal of Cardiology, 2015, 115, 1636-1642.	0.7	39
178	Use of Intra-aortic Balloon Pump in a Japanese Multicenter Percutaneous Coronary Intervention Registry. JAMA Internal Medicine, 2015, 175, 1980.	2.6	21
179	Impact of Body Mass Index on In-Hospital Complications in Patients Undergoing Percutaneous Coronary Intervention in a Japanese Real-World Multicenter Registry. PLoS ONE, 2015, 10, e0124399.	1.1	46
180	Angiographic Lesion Complexity Score and In-Hospital Outcomes after Percutaneous Coronary Intervention. PLoS ONE, 2015, 10, e0127217.	1.1	12

#	Article	IF	CITATIONS
181	Hypothesis of Long-Term Outcome after Coronary Revascularization in Japanese Patients Compared to Multiethnic Groups in the US. PLoS ONE, 2015, 10, e0128252.	1.1	11
182	The Prevalence of Clinically Significant Ischemia in Patients Undergoing Percutaneous Coronary Intervention: A Report from the Multicenter Registry. PLoS ONE, 2015, 10, e0133568.	1.1	1
183	Time Interval from Symptom Onset to Hospital Care in Patients with Acute Heart Failure: A Report from the Tokyo Cardiac Care Unit Network Emergency Medical Service Database. PLoS ONE, 2015, 10, e0142017.	1.1	12
184	Prognostic Implication of Physical Signs of Congestion in Acute Heart Failure Patients and Its Association with Steady-State Biomarker Levels. PLoS ONE, 2014, 9, e96325.	1.1	28
185	Prognostic Impact of Renal Dysfunction Does Not Differ According to the Clinical Profiles of Patients: Insight from the Acute Decompensated Heart Failure Syndromes (ATTEND) Registry. PLoS ONE, 2014, 9, e105596.	1.1	12
186	Appropriateness of coronary interventions in Japan by the US and Japanese standards. American Heart Journal, 2014, 168, 854-861.e11.	1.2	19
187	Radial coronary interventions and post-procedural complication rates in the real world: A report from a Japanese multicenter percutaneous coronary intervention registry. International Journal of Cardiology, 2014, 172, 226-227.	0.8	7
188	Cumulative impact of axial, structural, and repolarization ECG findings on long-term cardiovascular mortality among healthy individuals in Japan: National Integrated Project for Prospective Observation of Non-Communicable Disease and its Trends in the Aged, 1980 and 1990. European Journal of Preventive Cardiology, 2014, 21, 1501-1508.	0.8	17
189	Prognostic impact of renal and hepatic dysfunction based on the MELD-XI score in patients with acute heart failure. International Journal of Cardiology, 2014, 176, 571-573.	0.8	31
190	Appropriateness Ratings of PercutaneousÂCoronary Intervention inÂJapan and Its Association With theÂTrend of Noninvasive Testing. JACC: Cardiovascular Interventions, 2014, 7, 1000-1009.	1.1	48
191	Attitudes of Early-Career Cardiologists in Japan About Their Cardiovascular Training Programs. American Journal of Cardiology, 2014, 114, 629-634.	0.7	4
192	Use of Thrombolysis in Myocardial Infarction Risk Score to predict bleeding complications in patients with unstable angina and non-ST elevation myocardial infarction undergoing percutaneous coronary intervention. Cardiovascular Intervention and Therapeutics, 2013, 28, 242-249.	1.2	11
193	Safety of transradial approach for percutaneous coronary intervention in relation to body mass index: a report from a Japanese multicenter registry. Cardiovascular Intervention and Therapeutics, 2013, 28, 148-156.	1.2	23
194	Disparity in the Application of Guideline-Based Medical Therapy after Percutaneous Coronary Intervention: Analysis from the Japanese Prospective Multicenter Registry. American Journal of Cardiovascular Drugs, 2013, 13, 103-112.	1.0	7
195	Prognostic values of bundle branch blocks for cardiovascular mortality in Japanese (24year) Tj ETQq1 1 0.78431	4 rgBT /O\ 9.4	verlock 10 TF 5
196	Impact of Periprocedural Bleeding on Incidence of Contrast-Induced Acute Kidney Injury inÂPatients Treated With Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2013, 62, 1260-1266.	1.2	122
197	Impact of Coronary Dominance on In-Hospital Outcomes after Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome. PLoS ONE, 2013, 8, e72672.	1.1	29
198	Long-Term Outcome of Healthy Participants with Atrial Premature Complex: A 15-Year Follow-Up of the NIPPON DATA 90 Cohort. PLoS ONE, 2013, 8, e80853.	1.1	29

#	Article	IF	CITATIONS
199	Discharge heart rate and future events among Japanese patients with acute heart failure receiving beta-blocker therapy. World Journal of Cardiovascular Diseases, 2013, 03, 159-167.	0.0	1
200	Impact of Diabetes Among Revascularized Patients in Japan and the U.S Diabetes Care, 2012, 35, 654-659.	4.3	9
201	Association Between Prehospital Time Interval and Short-Term Outcome in Acute Heart Failure Patients. Journal of Cardiac Failure, 2011, 17, 742-747.	0.7	54
202	Comparison between working day and holiday acute coronary syndrome presentation. International Journal of Cardiology, 2011, 153, 85-87.	0.8	5
203	Difference in Patient Profiles and Outcomes in Japanese Versus American Patients Undergoing Coronary Revascularization (Collaborative Study by CREDO-Kyoto and the Texas Heart Institute) Tj ETQq1 1 0.784	1301.≉1 rgBT	/ © øerlock
204	Anticoagulation for heart failure: selecting the best therapy. Expert Review of Cardiovascular Therapy, 2009, 7, 1209-1217.	0.6	2
205	Long-term clinical outcome of coronary artery stenting or coronary artery bypass grafting in patients with multiple-vessel disease. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 500-506.	0.4	8
206	Increased risk of incident stroke associated with the cyclooxygenase 2 (COX-2) Gâ^'765C polymorphism in African-Americans: The Atherosclerosis Risk in Communities Study. Atherosclerosis, 2008, 196, 926-930.	0.4	50
207	Coronary Angiography Using Noninvasive Imaging Techniques of Cardiac CT and MRI. Current Cardiology Reviews, 2008, 4, 323-330.	0.6	22
208	Brugada-Type Electrocardiographic Changes in a Febrile Patient of African Descent. American Journal of the Medical Sciences, 2006, 332, 97-99.	0.4	7
209	Electrocardiographic Left Atrial Abnormalities and Risk of Ischemic Stroke. Stroke, 2005, 36, 2481-2483.	1.0	69
210	Harmonic contrast transesophageal echocardiography of a soft-parts sarcoma metastatic to the heart. Texas Heart Institute Journal, 2005, 32, 610-1.	0.1	1
211	Direct stenting and placement of a distal protection device after laser angioplasty in a saphenous vein graft with severe stenosis. Journal of Invasive Cardiology, 2005, 17, 160-2.	0.4	0