Etienne Baranoff

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8990722/etienne-baranoff-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84	5,758 citations	39	75
papers		h-index	g-index
88	6,122 ext. citations	7	5.56
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
84	A novel donor moiety 9,9,9?9?-tetramethyl-9,9?10,10?-tetrahydro-2,10?-biacridine via one-pot CH arylation for TADF emitters and their application in highly efficient solution-processable OLEDs. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 8971-8979	7.1	6
83	Ultrafast Intersystem Crossing and Structural Dynamics of [Pt(ppy)(Bupz)]. <i>Inorganic Chemistry</i> , 2020 , 59, 14643-14653	5.1	10
82	Capturing the interplay between spinBrbit coupling and non-Condon effects on the photoabsorption spectra of Ru and Os dyes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 6564-6570	7.1	2
81	Linearly polarized electroluminescence from ionic iridium complex-based metallomesogens: the effect of aliphatic-chain on their photophysical properties. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 32	.9 8 -33)9 ²³
80	Iridium-based emitters containing pendant triphenylene moieties for bluish-green OLEDs with improved efficiency upon thermal annealing. <i>New Journal of Chemistry</i> , 2017 , 41, 1773-1780	3.6	10
79	Iridium Complexes as Photoactive Center for Light Harvesting and Solar Cell Applications 2017 , 655-68	31	4
78	Soft Materials and Soft Salts Based on Iridium Complexes 2017 , 111-126		
77	Blue-emitting cationic iridium(III) complexes featuring pyridylpyrimidine ligands and their use in sky-blue electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 9638-9650	7.1	32
76	Tris-heteroleptic Iridium Complexes Based on Cyclometalated Ligands with Different Cores. <i>Inorganic Chemistry</i> , 2017 , 56, 11565-11576	5.1	18
75	Synthesis and Characterization of a Series of Bis-homoleptic Cycloruthenates with Terdentate Ligands as a Family of Panchromatic Dyes. <i>Inorganic Chemistry</i> , 2017 , 56, 9903-9912	5.1	4
74	Tuning the oxidation potential of 2-phenylpyridine-based iridium complexes to improve the performance of bluish and white OLEDs. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3738-3746	7.1	25
73	Influence of integrated alkyl-chain length on the mesogenic and photophysical properties of platinum-based metallomesogens and their application for polarized white OLEDs. <i>Dyes and Pigments</i> , 2016 , 133, 238-247	4.6	24
72	Blue and Green Phosphorescent Liquid-Crystalline Iridium Complexes with High Hole Mobility. <i>Chemistry - A European Journal</i> , 2016 , 22, 1618-21	4.8	21
71	Influence of the donor size in panchromatic DEAEA dyes bearing 5-phenyl-5H-dibenzo-[b,f]azepine units for dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2016 , 127, 204	4- 2 12	13
70	A triphenylene-based small molecule compatibiliser using incompatible pendent chains. <i>RSC Advances</i> , 2016 , 6, 10655-10661	3.7	1
69	High performance optical oxygen sensors based on iridium complexes exhibiting interchromophore energy shuttling. <i>Analyst, The</i> , 2016 , 141, 3090-7	5	17
68	Recent progress in luminescent liquid crystal materials: design, properties and application for linearly polarised emission. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 7993-8005	7.1	116

(2013-2015)

67	First-Row Transition Metal Complexes for the Conversion of Light into Electricity and Electricity into Light. <i>Green Chemistry and Sustainable Technology</i> , 2015 , 61-90	1.1	2
66	UV-visible Absorption Study of the Self-association of Non-ionic Chromonic Triphenylenes TP6EOnM (n = 2, 3, 4) in Dilute Aqueous Solutions: Impact of Chain Length on Aggregation. <i>Chimia</i> , 2015 , 69, 520-3	1.3	3
65	Firpic: archetypal blue phosphorescent emitter for electroluminescence. <i>Dalton Transactions</i> , 2015 , 44, 8318-29	4.3	148
64	Copper(I) complexes as alternatives to iridium(III) complexes for highly efficient oxygen sensing. <i>Chemical Communications</i> , 2015 , 51, 11401-4	5.8	18
63	Ligand-centred fluorescence and electronic relaxation cascade at vibrational time scales in transition-metal complexes. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 4475-80	6.4	23
62	Synthesis and properties of novel near-infrared dye based on BODIPY and diketopyrrolopyrrole units. <i>Materials Letters</i> , 2015 , 139, 130-133	3.3	8
61	Ruthenium complexes with tridentate ligands for dye-sensitized solar cells. <i>Polyhedron</i> , 2014 , 82, 37-49	2.7	15
60	Fluorine-free blue-green emitters for light-emitting electrochemical cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 5793-5804	7.1	52
59	Direct observation of reversible electronic energy transfer involving an iridium center. <i>Inorganic Chemistry</i> , 2014 , 53, 2677-82	5.1	43
58	Structure-property relationships based on Hammett constants in cyclometalated iridium(III) complexes: their application to the design of a fluorine-free FIrPic-like emitter. <i>Dalton Transactions</i> , 2014 , 43, 5667-79	4.3	85
57	Correlating the Lifetime and Fluorine Content of Iridium(III) Emitters in Green Light-Emitting Electrochemical Cells. <i>Chemistry of Materials</i> , 2013 , 25, 3391-3397	9.6	67
56	Organometallic chemistry. Annual Reports on the Progress of Chemistry Section B, 2013, 109, 207		1
55	Charged bis-cyclometalated iridium(III) complexes with carbene-based ancillary ligands. <i>Inorganic Chemistry</i> , 2013 , 52, 10292-305	5.1	96
54	High performance optical sensing nanocomposites for low and ultra-low oxygen concentrations using phase-shift measurements. <i>Analyst, The</i> , 2013 , 138, 4607-17	5	16
53	A deep-blue emitting charged bis-cyclometallated iridium(III) complex for light-emitting electrochemical cells. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 58-68	7.1	77
52	Tuning the photophysical properties of cationic iridium(III) complexes containing cyclometallated 1-(2,4-difluorophenyl)-1H-pyrazole through functionalized 2,2Fbipyridine ligands: blue but not blue enough. <i>Dalton Transactions</i> , 2013 , 42, 1073-87	4.3	46
51	Low Current Density Driving Leads to Efficient, Bright and Stable Green Electroluminescence. <i>Advanced Energy Materials</i> , 2013 , 3, 1338-1343	21.8	42
50	Ultrafast Relaxation Dynamics of Osmium B olypyridine Complexes in Solution. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 15958-15966	3.8	32

49	A cobalt complex redox shuttle for dye-sensitized solar cells with high open-circuit potentials. <i>Nature Communications</i> , 2012 , 3, 631	17.4	498
48	Bright blue phosphorescence from cationic bis-cyclometalated iridium(III) isocyanide complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 2263-71	5.1	64
47	Stable Green Electroluminescence from an Iridium Tris-Heteroleptic Ionic Complex. <i>Chemistry of Materials</i> , 2012 , 24, 1896-1903	9.6	80
46	Acid-induced degradation of phosphorescent dopants for OLEDs and its application to the synthesis of tris-heteroleptic iridium(III) bis-cyclometalated complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 215-24	5.1	147
45	Organometallic chemistry. Annual Reports on the Progress of Chemistry Section B, 2012, 108, 71		4
44	Efficient orange light-emitting electrochemical cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 19264		54
43	Near-UV to red-emitting charged bis-cyclometallated iridium(III) complexes for light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2012 , 41, 180-91	4.3	113
42	Nanocomposites Containing Neutral Blue Emitting Cyclometalated Iridium(III) Emitters for Oxygen Sensing. <i>Chemistry of Materials</i> , 2012 , 24, 2330-2338	9.6	60
41	Influence of halogen atoms on a homologous series of bis-cyclometalated iridium(III) complexes. <i>Inorganic Chemistry</i> , 2012 , 51, 799-811	5.1	97
40	Influence of Donor Groups of Organic D A Dyes on Open-Circuit Voltage in Solid-State Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 1572-1578	3.8	59
39	Bis(pyrazol-1-yl)methane as Non-Chromophoric Ancillary Ligand for Charged Bis-Cyclometalated Iridium(III) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 3209-3215	2.3	15
38	Subnanometer Ga2O3 tunnelling layer by atomic layer deposition to achieve 1.1 V open-circuit potential in dye-sensitized solar cells. <i>Nano Letters</i> , 2012 , 12, 3941-7	11.5	175
37	A Simple Approach to Room Temperature Phosphorescent Allenylidene Complexes. <i>Angewandte Chemie</i> , 2012 , 124, 8154-8157	3.6	3
36	A simple approach to room temperature phosphorescent allenylidene complexes. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 8030-3	16.4	18
35	A new generation of platinum and iodine free efficient dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 10631-9	3.6	77
34	Charged cyclometalated iridium(III) complexes that have large electrochemical gap. <i>Inorganica Chimica Acta</i> , 2012 , 383, 316-319	2.7	10
33	Materials, Devices, Fabrication, Characterization, and Applications for OLED Illumination and Display. <i>Advances in Materials Science and Engineering</i> , 2012 , 2012, 1-2	1.5	1
32	Enhanced light harvesting in mesoporous TiO2/P3HT hybrid solar cells using a porphyrin dye. <i>Chemical Communications</i> , 2011 , 47, 8244-6	5.8	55

(2009-2011)

31	Tris(2-(1H-pyrazol-1-yl)pyridine)cobalt(III) as p-type dopant for organic semiconductors and its application in highly efficient solid-state dye-sensitized solar cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 18042-5	16.4	630
30	Panchromatic engineering for dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2011 , 4, 842-	-8 5 74	294
29	Room-temperature combinatorial screening of cyclometallated iridium(III) complexes for a step towards molecular control of colour purity. <i>Dalton Transactions</i> , 2011 , 40, 6860-7	4.3	56
28	Cyclometalated iridium(III) complexes based on phenyl-imidazole ligand. <i>Inorganic Chemistry</i> , 2011 , 50, 451-62	5.1	87
27	Incorporating multiple energy relay dyes in liquid dye-sensitized solar cells. <i>ChemPhysChem</i> , 2011 , 12, 657-61	3.2	50
26	A bright tetranuclear iridium(III) complex. <i>Chemical Communications</i> , 2011 , 47, 2799-801	5.8	39
25	Dye-sensitized solar cells: A brief overview. <i>Solar Energy</i> , 2011 , 85, 1172-1178	6.8	615
24	Convenient synthesis of tridentate 2,6-di(pyrazol-1-yl)-4-carboxypyridine and tetradentate 6,6?-di(pyrazol-1-yl)-4,4?-dicarboxy-2,2?-bipyridine ligands. <i>Tetrahedron Letters</i> , 2011 , 52, 584-587	2	16
23	Phosphorescent energy relay dye for improved light harvesting response in liquid dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2010 , 3, 434	35.4	42
22	Dual-emitting Langmuir-Blodgett film-based organic light-emitting diodes. <i>Langmuir</i> , 2010 , 26, 11461-8	4	21
21	Novel luminescent Ir(III) dyes for developing highly sensitive oxygen sensing films. <i>Talanta</i> , 2010 , 82, 620-6	6.2	38
20	An inconvenient influence of iridium(III) isomer on OLED efficiency. <i>Dalton Transactions</i> , 2010 , 39, 8914	- 8 4.3	34
19	Cyclometallated iridium complexes as sensitizers for dye-sensitized solar cells. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 496-9	4.5	66
18	Convenient synthesis of functionalized 4,4?-disubstituted-2,2?-bipyridine with extended Esystem for dye-sensitized solar cell applications. <i>Tetrahedron Letters</i> , 2010 , 51, 6161-6165	2	19
17	An ester-substituted iridium complex for efficient vacuum-processed organic light-emitting diodes. <i>ChemSusChem</i> , 2009 , 2, 305-8	8.3	18
16	Panchromatic Response in Solid-State Dye-Sensitized Solar Cells Containing Phosphorescent Energy Relay Dyes. <i>Angewandte Chemie</i> , 2009 , 121, 9441-9444	3.6	11
15	Panchromatic response in solid-state dye-sensitized solar cells containing phosphorescent energy relay dyes. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 9277-80	16.4	89
14	Cyclometallated iridium complexes for conversion of light into electricity and electricity into light. Journal of Organometallic Chemistry, 2009 , 694, 2661-2670	2.3	183

13	Molecular ionic junction for enhanced electronic charge transfer. <i>Langmuir</i> , 2009 , 25, 79-83	4	8
12	White-light phosphorescence emission from a single molecule: application to OLED. <i>Chemical Communications</i> , 2009 , 4672-4	5.8	85
11	Sublimation not an innocent technique: a case of bis-cyclometalated iridium emitter for OLED. <i>Inorganic Chemistry</i> , 2008 , 47, 6575-7	5.1	72
10	A Triphenylamine/Bis(terpyridine)IrIII Dyad for the Assembly of Charge-Separation Constructs with Improved Performances. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 5189-5198	2.3	13
9	Light intensity effects on photoinduced charge separation parameters in a molecular triad based on an Iridium(III) bis(terpyridine) unit. <i>ChemPhysChem</i> , 2007 , 8, 1943-9	3.2	12
8	A triad based on an iridium(III) bisterpyridine complex leading to a charge-separated state with a 120-micros lifetime at room temperature. <i>Chemistry - A European Journal</i> , 2006 , 12, 6592-606	4.8	71
7	From Photoinduced Charge Separation to Light-driven Molecular Machines. <i>Structure and Bonding</i> , 2006 , 41-78	0.9	26
6	Luminescent Iridium(III)-Terpyridine Complexes Interplay of Ligand Centred and Charge Transfer States. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 1312-1318	2.3	48
5	A pseudo-rotaxane based on an iridium(III)Bopper(I) dyad. New Journal of Chemistry, 2004, 28, 1091-109	953.6	17
4	Dyads containing iridium(III) bis-terpyridine as photoactive center: synthesis and electron transfer study. <i>Inorganic Chemistry</i> , 2004 , 43, 3057-66	5.1	66
3	From ruthenium(II) to iridium(III): 15 years of triads based on bis-terpyridine complexes. <i>Chemical Society Reviews</i> , 2004 , 33, 147-55	58.5	313
2	Photochemical or thermal chelate exchange in the ruthenium coordination sphere of complexes of the Ru(phen)(2)L family (L = diimine or dinitrile ligands). <i>Inorganic Chemistry</i> , 2002 , 41, 1215-22	5.1	70
1	A photochromic system based on photochemical or thermal chelate exchange on Ru(phen)2L2+ (L = diimine or dinitrile ligand). <i>Chemical Communications</i> , 2000 , 1935-1936	5.8	19