

Matthias Altmeyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8990750/publications.pdf>

Version: 2024-02-01

64
papers

6,187
citations

109264

35
h-index

118793

62
g-index

70
all docs

70
docs citations

70
times ranked

8188
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | ATR Prohibits Replication Catastrophe by Preventing Global Exhaustion of RPA. <i>Cell</i> , 2013, 155, 1088-1103. | 13.5 | 714 |
| 2 | Liquid demixing of intrinsically disordered proteins is seeded by poly(ADP-ribose). <i>Nature Communications</i> , 2015, 6, 8088. | 5.8 | 463 |
| 3 | A macrodomain-containing histone rearranges chromatin upon sensing PARP1 activation. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 923-929. | 3.6 | 382 |
| 4 | Proteome-wide Identification of Poly(ADP-Ribosyl)ation Targets in Different Genotoxic Stress Responses. <i>Molecular Cell</i> , 2013, 52, 272-285. | 4.5 | 315 |
| 5 | Poly(ADP-Ribose) Polymerase 1 Participates in the Phase Entrainment of Circadian Clocks to Feeding. <i>Cell</i> , 2010, 142, 943-953. | 13.5 | 309 |
| 6 | Molecular mechanism of poly(ADP-ribosyl)ation by PARP1 and identification of lysine residues as ADP-ribose acceptor sites. <i>Nucleic Acids Research</i> , 2009, 37, 3723-3738. | 6.5 | 295 |
| 7 | Phase separation of 53BP1 determines liquid-like behavior of DNA repair compartments. <i>EMBO Journal</i> , 2019, 38, e101379. | 3.5 | 294 |
| 8 | Phase Separation: Linking Cellular Compartmentalization to Disease. <i>Trends in Cell Biology</i> , 2016, 26, 547-558. | 3.6 | 291 |
| 9 | TRIP12 and UBR5 Suppress Spreading of Chromatin Ubiquitylation at Damaged Chromosomes. <i>Cell</i> , 2012, 150, 697-709. | 13.5 | 282 |
| 10 | PARP1 ADP-ribosylates lysine residues of the core histone tails. <i>Nucleic Acids Research</i> , 2010, 38, 6350-6362. | 6.5 | 226 |
| 11 | Readers of poly(ADP-ribose): designed to be fit for purpose. <i>Nucleic Acids Research</i> , 2016, 44, 993-1006. | 6.5 | 198 |
| 12 | 53BP1 fosters fidelity of homology-directed DNA repair. <i>Nature Structural and Molecular Biology</i> , 2016, 23, 714-721. | 3.6 | 194 |
| 13 | ADP-ribosyltransferases, an update on function and nomenclature. <i>FEBS Journal</i> , 2022, 289, 7399-7410. | 2.2 | 150 |
| 14 | A short G1 phase imposes constitutive replication stress and fork remodelling in mouse embryonic stem cells. <i>Nature Communications</i> , 2016, 7, 10660. | 5.8 | 149 |
| 15 | Quantitative analysis of the binding affinity of poly(ADP-ribose) to specific binding proteins as a function of chain length. <i>Nucleic Acids Research</i> , 2007, 35, e143-e143. | 6.5 | 133 |
| 16 | The NBS1-Treacle complex controls ribosomal RNA transcription in response to DNA damage. <i>Nature Cell Biology</i> , 2014, 16, 792-803. | 4.6 | 127 |
| 17 | A Mechanism for Controlled Breakage of Under-replicated Chromosomes during Mitosis. <i>Developmental Cell</i> , 2016, 39, 740-755. | 3.1 | 105 |
| 18 | Replication-Coupled Dilution of H4K20me2 Guides 53BP1 to Pre-replicative Chromatin. <i>Cell Reports</i> , 2017, 19, 1819-1831. | 2.9 | 93 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | CtIP-Mediated Fork Protection Synergizes with BRCA1 to Suppress Genomic Instability upon DNA Replication Stress. <i>Molecular Cell</i> , 2018, 72, 568-582.e6. | 4.5 | 93 |
| 20 | Analysis of PARP inhibitor toxicity by multidimensional fluorescence microscopy reveals mechanisms of sensitivity and resistance. <i>Nature Communications</i> , 2018, 9, 2678. | 5.8 | 90 |
| 21 | The Ubiquitin Ligase TRIP12 Limits PARP1 Trapping and Constrains PARP Inhibitor Efficiency. <i>Cell Reports</i> , 2020, 32, 107985. | 2.9 | 68 |
| 22 | Poly(ADP-ribose) polymerase 1 at the crossroad of metabolic stress and inflammation in aging. <i>Aging</i> , 2009, 1, 458-469. | 1.4 | 68 |
| 23 | Sumoylation of poly(ADP-ribose) polymerase 1 inhibits its acetylation and restrains transcriptional coactivator function. <i>FASEB Journal</i> , 2009, 23, 3978-3989. | 0.2 | 66 |
| 24 | Sequential role of RAD51 paralog complexes in replication fork remodeling and restart. <i>Nature Communications</i> , 2020, 11, 3531. | 5.8 | 63 |
| 25 | Efficient Pre-mRNA Cleavage Prevents Replication-Stress-Associated Genome Instability. <i>Molecular Cell</i> , 2019, 73, 670-683.e12. | 4.5 | 62 |
| 26 | Inherited DNA lesions determine G1 duration in the next cell cycle. <i>Cell Cycle</i> , 2018, 17, 24-32. | 1.3 | 59 |
| 27 | The Chromatin Scaffold Protein SAFB1 Renders Chromatin Permissive for DNA Damage Signaling. <i>Molecular Cell</i> , 2013, 52, 206-220. | 4.5 | 57 |
| 28 | Identification of lysines 36 and 37 of PARP-2 as targets for acetylation and auto-ADP-ribosylation. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 2274-2283. | 1.2 | 56 |
| 29 | Activation of homologous recombination in G1 preserves centromeric integrity. <i>Nature</i> , 2021, 600, 748-753. | 13.7 | 56 |
| 30 | Biomolecular condensates at sites of DNA damage: More than just a phase. <i>DNA Repair</i> , 2021, 106, 103179. | 1.3 | 51 |
| 31 | Combined inhibition of Aurora-A and ATR kinases results in regression of MYCN-amplified neuroblastoma. <i>Nature Cancer</i> , 2021, 2, 312-326. | 5.7 | 50 |
| 32 | To spread or not to spread—chromatin modifications in response to DNA damage. <i>Current Opinion in Genetics and Development</i> , 2013, 23, 156-165. | 1.5 | 46 |
| 33 | Chromatin modifiers Mdm2 and RNF2 prevent RNA:DNA hybrids that impair DNA replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11311-E11320. | 3.3 | 44 |
| 34 | The Hammer and the Dance of Cell Cycle Control. <i>Trends in Biochemical Sciences</i> , 2021, 46, 301-314. | 3.7 | 42 |
| 35 | Interplay between Ubiquitin, SUMO, and Poly(ADP-Ribose) in the Cellular Response to Genotoxic Stress. <i>Frontiers in Genetics</i> , 2016, 7, 63. | 1.1 | 40 |
| 36 | Ubiquitin Phosphorylation at Thr12 Modulates the DNA Damage Response. <i>Molecular Cell</i> , 2020, 80, 423-436.e9. | 4.5 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | AHNAK controls 53BP1-mediated p53 response by restraining 53BP1 oligomerization and phase separation. <i>Molecular Cell</i> , 2021, 81, 2596-2610.e7. | 4.5 | 37 |
| 38 | Inhibition of ADP Ribosylation Prevents and Cures <i>Helicobacter</i> -Induced Gastric Preneoplasia. <i>Cancer Research</i> , 2010, 70, 5912-5922. | 0.4 | 34 |
| 39 | Mitochondrial NAD ⁺ Controls Nuclear ARTD1-Induced ADP-Ribosylation. <i>Molecular Cell</i> , 2021, 81, 340-354.e5. | 4.5 | 31 |
| 40 | Absence of Poly(ADP-Ribose) Polymerase 1 Delays the Onset of <i>Salmonella enterica</i> Serovar Typhimurium-Induced Gut Inflammation. <i>Infection and Immunity</i> , 2010, 78, 3420-3431. | 1.0 | 29 |
| 41 | Basal CHK1 activity safeguards its stability to maintain intrinsic S-phase checkpoint functions. <i>Journal of Cell Biology</i> , 2019, 218, 2865-2875. | 2.3 | 29 |
| 42 | CHD7 and 53BP1 regulate distinct pathways for the re-ligation of DNA double-strand breaks. <i>Nature Communications</i> , 2020, 11, 5775. | 5.8 | 28 |
| 43 | Dealing with DNA lesions: When one cell cycle is not enough. <i>Current Opinion in Cell Biology</i> , 2021, 70, 27-36. | 2.6 | 24 |
| 44 | Impaired oxidative stress response characterizes HUWE1-promoted X-linked intellectual disability. <i>Scientific Reports</i> , 2017, 7, 15050. | 1.6 | 21 |
| 45 | A lncRNA to repair DNA. <i>EMBO Reports</i> , 2015, 16, 1413-1414. | 2.0 | 18 |
| 46 | FAN1-MLH1 interaction affects repair of DNA interstrand cross-links and slipped-CAG/CTG repeats. <i>Science Advances</i> , 2021, 7, . | 4.7 | 17 |
| 47 | RPA shields inherited DNA lesions for post-mitotic DNA synthesis. <i>Nature Communications</i> , 2021, 12, 3827. | 5.8 | 16 |
| 48 | TIRR inhibits the 53BP1-p53 complex to alter cell-fate programs. <i>Molecular Cell</i> , 2021, 81, 2583-2595.e6. | 4.5 | 16 |
| 49 | PKC \pm and HMGB1 antagonistically control hydrogen peroxide-induced poly-ADP-ribose formation. <i>Nucleic Acids Research</i> , 2016, 44, 7630-7645. | 6.5 | 15 |
| 50 | The iron-sulfur helicase DDX11 promotes the generation of single-stranded DNA for CHK1 activation. <i>Life Science Alliance</i> , 2020, 3, e201900547. | 1.3 | 15 |
| 51 | Replicated chromatin curtails 53BP1 recruitment in BRCA1-proficient and BRCA1-deficient cells. <i>Life Science Alliance</i> , 2021, 4, e202101023. | 1.3 | 14 |
| 52 | Importin alpha binding and nuclear localization of PARP-2 is dependent on lysine 36, which is located within a predicted classical NLS. <i>BMC Cell Biology</i> , 2008, 9, 39. | 3.0 | 13 |
| 53 | Guarding against Collateral Damage during Chromatin Transactions. <i>Cell</i> , 2013, 153, 1431-1434. | 13.5 | 13 |
| 54 | The CDK1-TOPBP1-PLK1 axis regulates the Bloom syndrome helicase BLM to suppress crossover recombination in somatic cells. <i>Science Advances</i> , 2022, 8, eabk0221. | 4.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | ATR Prohibits Replication Catastrophe by Preventing Global Exhaustion of RPA. <i>Cell</i> , 2014, 156, 374. | 13.5 | 12 |
| 56 | Cell Cycle Resolved Measurements of Poly(ADP-Ribose) Formation and DNA Damage Signaling by Quantitative Image-Based Cytometry. <i>Methods in Molecular Biology</i> , 2017, 1608, 57-68. | 0.4 | 6 |
| 57 | RNAi Screening Uncovers a Synthetic Sick Interaction between CtIP and the BARD1 Tumor Suppressor. <i>Cells</i> , 2022, 11, 643. | 1.8 | 2 |
| 58 | Addicted to PAR?. <i>Cell Cycle</i> , 2012, 11, 3916-3916. | 1.3 | 1 |
| 59 | Cells take a break when they are TIAR ed. <i>EMBO Reports</i> , 2019, 20, . | 2.0 | 1 |
| 60 | Identifying ADP-ribosylation targets by chemical genetics. <i>Translational Cancer Research</i> , 2016, 5, S1163-S1166. | 0.4 | 1 |
| 61 | When the RAP (80) fades out, you can hear BRCA1 RING. <i>EMBO Reports</i> , 2021, 22, e54116. | 2.0 | 1 |
| 62 | Characterization of poly(ADP-ribose)â€“protein interactions using a novel microarray-based approach. <i>Experimental Gerontology</i> , 2007, 42, 141. | 1.2 | 0 |
| 63 | The memory remains. <i>Aging</i> , 2018, 10, 516-517. | 1.4 | 0 |
| 64 | Quantitative analysis of PARP inhibitor toxicity by multidimensional fluorescence microscopy. <i>Protocol Exchange</i> , 0, , . | 0.3 | 0 |