

Mirjana StajiÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8991286/publications.pdf>

Version: 2024-02-01

59
papers

995
citations

516215

16
h-index

454577

30
g-index

59
all docs

59
docs citations

59
times ranked

1180
citing authors

#	ARTICLE	IF	CITATIONS
1	"GANODERMA LUCIDUM AND G. TSUGAE â€“ A WELL-KNOWN LIGNIN DEGRADING SPECIES AS TRANSFORMATORS OF INSUFFICIENTLY UTILIZED LIGNOCELLULOSIC WASTE". Cellulose Chemistry and Technology, 2022, 56, 593-601.	0.5	2
2	Obtaining Cellulose-Available Raw Materials by Pretreatment of Common Agro-Forestry Residues With Pleurotus spp.. Frontiers in Bioengineering and Biotechnology, 2021, 9, 720473.	2.0	4
3	â€œGreenâ€ approach in utilization of common agroforestry residues by Laetiporus sulphureus enzymesâ€™ cocktail. Zbornik Matice Srpske Za Prirodne Nauke, 2021, , 49-57.	0.0	0
4	HYPsizYGUS MARMOREUS â€“ A NOVEL POTENT DEGRADER OF LIGNOCELLULOSE RESIDUES. Cellulose Chemistry and Technology, 2020, 54, 977-982.	0.5	2
5	Do Ganoderma lucidum and Salvia officinalis extracts exhibit synergistic antioxidant and antineurodegenerative effects?. Journal of Food Measurement and Characterization, 2019, 13, 3357-3365.	1.6	4
6	Mushrooms as Potential Natural Cytostatics. , 2019, , 143-168.		3
7	Stimulation of Wood Degradation by Daedaleopsis confragosa and D. tricolor. Applied Biochemistry and Biotechnology, 2019, 187, 1371-1383.	1.4	5
8	Pleurotus ostreatus and Laetiporus sulphureus (Agaricomycetes): Possible Agents against Alzheimer and Parkinson Diseases. International Journal of Medicinal Mushrooms, 2019, 21, 275-289.	0.9	6
9	Wheat Straw Degradation by Trametes gibbosa: The Effect of Calcium Ions. Waste and Biomass Valorization, 2018, 9, 1903-1908.	1.8	4
10	Mushrooms as Potent Sources of New Biofungicides. Current Pharmaceutical Biotechnology, 2018, 18, 1055-1066.	0.9	5
11	Degradation of beech wood and wheat straw by Trametes gibbosa. Wood Science and Technology, 2017, 51, 1227-1247.	1.4	12
12	Biological activities and chemical composition of Salvia amplexicaulis Lam. extracts. Industrial Crops and Products, 2017, 105, 1-9.	2.5	47
13	Potential of selected fungal species to degrade wheat straw, the most abundant plant raw material in Europe. BMC Plant Biology, 2017, 17, 249.	1.6	21
14	Antioxidative potential of daedaleopsis tricolor basidiocarps and mycelium. Zbornik Matice Srpske Za Prirodne Nauke, 2017, , 19-27.	0.0	1
15	Antifungal, Antioxidative, and Genoprotective Properties of Extracts from the Blushing Bracket Mushroom, Daedaleopsis confragosa (Agaricomycetes). International Journal of Medicinal Mushrooms, 2017, 19, 509-520.	0.9	2
16	Ganoderma lucidum - from tradition to modern medicine. Zbornik Matice Srpske Za Prirodne Nauke, 2017, , 151-161.	0.0	2
17	Species of Genus Ganoderma (Agaricomycetes) Fermentation Broth: A Novel Antioxidant and Antimicrobial Agent. International Journal of Medicinal Mushrooms, 2016, 18, 397-404.	0.9	8
18	Induction of wheat straw delignification by Trametes species. Scientific Reports, 2016, 6, 26529.	1.6	18

#	ARTICLE	IF	CITATIONS
19	Role of Mushroom Mn-Oxidizing Peroxidases in Biomass Conversion. <i>Biofuel and Biorefinery Technologies</i> , 2016, , 251-269.	0.1	5
20	Degradation of wheat straw and oak sawdust by <i>Ganoderma applanatum</i> . <i>International Biodeterioration and Biodegradation</i> , 2016, 114, 39-44.	1.9	28
21	Genoprotective Capacity of Alternatively Cultivated Lingzhi or Reishi Medicinal Mushroom, <i>Ganoderma lucidum</i> (Agaricomycetes), Basidiocarps. <i>International Journal of Medicinal Mushrooms</i> , 2016, 18, 1061-1069.	0.9	3
22	Antioxidative and antimicrobial potentials of <i>Parmelia saxatilis</i> and <i>Pseudovernia furfuracea</i> . <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2016, , 9-18.	0.0	1
23	Activity of Mn-Oxidizing Peroxidases of <i>Ganoderma lucidum</i> Depending on Cultivation Conditions. <i>BioResources</i> , 2015, 11, .	0.5	3
24	Antigenotoxic Effect of <i>Trametes</i> spp. Extracts against DNA Damage on Human Peripheral White Blood Cells. <i>Scientific World Journal</i> , The, 2015, 2015, 1-10.	0.8	13
25	Fungicide sensitivity of <i>Trichoderma</i> spp. from <i>Agaricus bisporus</i> farms in Serbia. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2015, 50, 607-613.	0.7	17
26	Effects of Selenium Presence in Mycelia of <i>Ganoderma</i> species (Higher Basidiomycetes) on Their Medicinal Properties. <i>International Journal of Medicinal Mushrooms</i> , 2015, 17, 11-20.	0.9	5
27	Potential of <i>Pleurotus ostreatus</i> Mycelium for Selenium Absorption. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.	0.8	26
28	Antioxidant, antifungal and anticancer activities of se-enriched <i>Pleurotus</i> spp. mycelium extracts. <i>Archives of Biological Sciences</i> , 2014, 66, 1379-1388.	0.2	14
29	The effect of trace elements on wheat straw degradation by <i>Trametes gibbosa</i> . <i>International Biodeterioration and Biodegradation</i> , 2014, 96, 152-156.	1.9	14
30	Biological activity of <i>Ganoderma lucidum</i> basidiocarps cultivated on alternative and commercial substrate. <i>Journal of Ethnopharmacology</i> , 2014, 155, 312-319.	2.0	59
31	Potential of <i>Trametes</i> species to degrade lignin. <i>International Biodeterioration and Biodegradation</i> , 2013, 85, 52-56.	1.9	37
32	Lignin degradation by selected fungal species. <i>Bioresource Technology</i> , 2013, 138, 117-123.	4.8	125
33	Oxidative Stress and Species of Genus <i>Ganoderma</i> (Higher Basidiomycetes). <i>International Journal of Medicinal Mushrooms</i> , 2013, 15, 21-28.	0.9	8
34	Potential Enrichment of Medicinal Mushrooms with Selenium to Obtain New Dietary Supplements. <i>International Journal of Medicinal Mushrooms</i> , 2013, 15, 449-455.	0.9	15
35	Antioxidant Protective Effects of Mushroom Metabolites. <i>Current Topics in Medicinal Chemistry</i> , 2013, 13, 2660-2676.	1.0	33
36	<i>Trametes suaveolens</i> as ligninolytic enzyme producer. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2013, , 437-444.	0.0	5

#	ARTICLE	IF	CITATIONS
37	Impact of fungicides used for wheat treatment on button mushroom cultivation. <i>Pesticidi i Fitomedicina = Pesticides and Phytomedicine</i> , 2012, 27, 9-14.	0.1	2
38	Interaction of Trace Elements and Ligninolytic Enzymes in <i>Pleurotus eryngii</i> . <i>Biological Trace Element Research</i> , 2011, 143, 1202-1208.	1.9	10
39	Dynamics of ligninolytic enzyme production in <i>Ganoderma applanatum</i> depending on cultivation type. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2011, , 327-331.	0.0	0
40	Ligninolytic enzyme production by <i>Lenzites betulinus</i> on selected plant raw materials. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2011, , 333-338.	0.0	0
41	A Comparative Assessment of the Potential of Polysaccharide Production and Intracellular Sugar Composition within Lingzhi or Reishi Medicinal Mushroom, <i>Ganoderma lucidum</i> (W.Curt.:Fr.)P. Karst. (Aphyllophoromycetideae). <i>International Journal of Medicinal Mushrooms</i> , 2011, 13, 153-158.	0.9	11
42	Intraspecific Diversity within <i>Ganoderma lucidum</i> in the Production of Laccase and Mn-Oxidizing Peroxidases During Plant Residues Fermentation. <i>Applied Biochemistry and Biotechnology</i> , 2010, 162, 408-415.	1.4	19
43	Toxicity of biofungicide Timorex 66 EC to <i>Cladobotryum dendroides</i> and <i>Agaricus bisporus</i> . <i>Crop Protection</i> , 2010, 29, 290-294.	1.0	22
44	Sensitivity of <i>Mycogone pernicioso</i> , Pathogen of Culinary-Medicinal Button Mushroom <i>Agaricus bisporus</i> (J. Lge) Imbach (Agaricomycetideae), to Selected Fungicides and Essential Oils. <i>International Journal of Medicinal Mushrooms</i> , 2010, 12, 91-98.	0.9	15
45	Toxicity of fungicides with different modes of action to <i>Cladobotryum dendroides</i> and <i>Agaricus bisporus</i> . <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2009, 44, 823-827.	0.7	11
46	<i>In vitro</i> toxicity of selected fungicides from the groups of benzimidazoles and demethylation inhibitors to <i>Cladobotryum dendroides</i> and <i>Agaricus bisporus</i> . <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2009, 44, 365-370.	0.7	24
47	Biology of <i>Pleurotus eryngii</i> and role in biotechnological processes: a review. <i>Critical Reviews in Biotechnology</i> , 2009, 29, 55-66.	5.1	64
48	Effect of cultivation conditions on ligninolytic enzyme production by <i>Ganoderma carnosum</i> . <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2009, , 289-295.	0.0	4
49	Optimization of Submerged Cultivation Conditions for Extra- and Intracellular Polysaccharide Production by Medicinal Ling Zhi or Reishi Mushroom <i>Ganoderma lucidum</i> (W. Curt.: Fr.) P. Karst. (Aphyllophoromycetideae). <i>International Journal of Medicinal Mushrooms</i> , 2008, 10, 351-360.	0.9	11
50	Fungicide sensitivity of selected <i>Verticillium fungicola</i> isolates from <i>Agaricus bisporus</i> farms. <i>Archives of Biological Sciences</i> , 2008, 60, 151-157.	0.2	13
51	Ability of <i>Pleurotus eryngii</i> mycelium to absorb selenium depending on the selenium source and concentration in medium. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2007, , 227-233.	0.0	0
52	Influence of the cultivation conditions on ligninolytic enzyme production in <i>Pleurotus pulmonarius</i> . <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2007, , 303-312.	0.0	2
53	Effect of different carbon and nitrogen sources on laccase and peroxidases production by selected <i>Pleurotus</i> species. <i>Enzyme and Microbial Technology</i> , 2006, 38, 65-73.	1.6	163
54	Effect of Copper and Manganese Ions on Activities of Laccase and Peroxidases in Three <i>Pleurotus</i> Species Grown on Agricultural Wastes. <i>Applied Biochemistry and Biotechnology</i> , 2006, 128, 087-096.	1.4	23

#	ARTICLE	IF	CITATIONS
55	Effect of medium pH and cultivation period on mycelial biomass, polysaccharide, and ligninolytic enzyme production by <i>Ganoderma lucidum</i> from Montenegro. Archives of Biological Sciences, 2006, 58, 179-182.	0.2	3
56	Ligninolytic enzyme production in <i>Pleurotus eryngii</i> depending on the medium composition and cultivation conditions. Zbornik Matice Srpske Za Prirodne Nauke, 2005, , 269-276.	0.0	0
57	Screening of Laccase, Manganese Peroxidase, and Versatile Peroxidase Activities of the Genus <i>Pleurotus</i> in Media With Some Raw Plant Materials as Carbon Sources. Applied Biochemistry and Biotechnology, 2004, 117, 155-164.	1.4	25
58	Mycelial Growth of Edible and Medicinal Oyster Mushroom [<i>Pleurotus ostreatus</i> (Jacq.: Fr.) Kumm.] on Selenium-Enriched Media. International Journal of Medicinal Mushrooms, 2002, 4, 4.	0.9	13
59	DEVELOPMENT OF REPRODUCTIVE STRUCTURES OF <i>Phomopsis helianthi</i> Munt.-Cvet. et al. AND <i>Phoma macdonaldii</i> Boerema ON SUNFLOWER SEEDS / DESARROLLO DE ORGANOS REPRODUCTIVOS DE <i>Phomopsis helianthi</i> Munt.-Cvet. et al. Y <i>Phoma macdonaldii</i> Boerema EN LAS SEMILLAS DE GIRASOL / DÉVELOPPEMENT DES ORGANES REPRODUCTEURS DU <i>Phomopsis helianthi</i> Munt.-Cvet. et al. ET DE <i>Phoma macdonaldii</i> Boerema SUR LES ACHÈNES DE TOURNESOL. Heli, 2001, 24, 83-94.	0.0	3