

Peter M Van Endert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8991686/publications.pdf>

Version: 2024-02-01

156
papers

14,678
citations

31902

53
h-index

19136

118
g-index

306
all docs

306
docs citations

306
times ranked

16735
citing authors

#	ARTICLE	IF	CITATIONS
1	Calreticulin exposure dictates the immunogenicity of cancer cell death. <i>Nature Medicine</i> , 2007, 13, 54-61.	15.2	2,580
2	Immunogenic death of colon cancer cells treated with oxaliplatin. <i>Oncogene</i> , 2010, 29, 482-491.	2.6	937
3	Mechanisms of pre-apoptotic calreticulin exposure in immunogenic cell death. <i>EMBO Journal</i> , 2009, 28, 578-590.	3.5	683
4	ER α phagosome fusion defines an MHC class I cross-presentation compartment in dendritic cells. <i>Nature</i> , 2003, 425, 397-402.	13.7	669
5	A viral inhibitor of peptide transporters for antigen presentation. <i>Nature</i> , 1995, 375, 415-418.	13.7	596
6	Anticancer Chemotherapy-Induced Intratumoral Recruitment and Differentiation of Antigen-Presenting Cells. <i>Immunity</i> , 2013, 38, 729-741.	6.6	572
7	Concerted peptide trimming by human ERAP1 and ERAP2 aminopeptidase complexes in the endoplasmic reticulum. <i>Nature Immunology</i> , 2005, 6, 689-697.	7.0	420
8	Calreticulin exposure is required for the immunogenicity of γ -irradiation and UVC light-induced apoptosis. <i>Cell Death and Differentiation</i> , 2007, 14, 1848-1850.	5.0	420
9	The co-translocation of ERp57 and calreticulin determines the immunogenicity of cell death. <i>Cell Death and Differentiation</i> , 2008, 15, 1499-1509.	5.0	298
10	Identifying MHC Class I Epitopes by Predicting the TAP Transport Efficiency of Epitope Precursors. <i>Journal of Immunology</i> , 2003, 171, 1741-1749.	0.4	290
11	Cutting Edge: Invariant $\gamma\delta$ 14 NKT Cells Are Required for Allergen-Induced Airway Inflammation and Hyperreactivity in an Experimental Asthma Model. <i>Journal of Immunology</i> , 2003, 171, 1637-1641.	0.4	287
12	A sequential model for peptide binding and transport by the transporters associated with antigen processing. <i>Immunity</i> , 1994, 1, 491-500.	6.6	275
13	Pancreatic $\gamma\delta$ T-Cells Limit Autoimmune Diabetes via an Immunoregulatory Antimicrobial Peptide Expressed under the Influence of the Gut Microbiota. <i>Immunity</i> , 2015, 43, 304-317.	6.6	247
14	IRAP Identifies an Endosomal Compartment Required for MHC Class I Cross-Presentation. <i>Science</i> , 2009, 325, 213-217.	6.0	226
15	Functional expression and purification of the ABC transporter complex associated with antigen processing (TAP) in insect cells. <i>FEBS Letters</i> , 1994, 351, 443-447.	1.3	183
16	Ecto α -calreticulin in immunogenic chemotherapy. <i>Immunological Reviews</i> , 2007, 220, 22-34.	2.8	183
17	The peptide-binding motif for the human transporter associated with antigen processing.. <i>Journal of Experimental Medicine</i> , 1995, 182, 1883-1895.	4.2	179
18	CD8 $^+$ T-Cell Responses Identify $\gamma\delta$ T-Cell Autoimmunity in Human Type 1 Diabetes. <i>Diabetes</i> , 2007, 56, 613-621.	0.3	172

#	ARTICLE	IF	CITATIONS
19	Antigen processing influences HIV-specific cytotoxic T lymphocyte immunodominance. <i>Nature Immunology</i> , 2009, 10, 636-646.	7.0	170
20	Cytotoxic T cells specific for glutamic acid decarboxylase in autoimmune diabetes.. <i>Journal of Experimental Medicine</i> , 1995, 181, 1923-1927.	4.2	167
21	Neuropilin-1 Is Involved in Human T-Cell Lymphotropic Virus Type 1 Entry. <i>Journal of Virology</i> , 2006, 80, 6844-6854.	1.5	163
22	A sensitive method for detecting proliferation of rare autoantigen-specific human T cells. <i>Journal of Immunological Methods</i> , 2003, 283, 173-183.	0.6	159
23	Characteristics of peptide and major histocompatibility complex class I/beta 2-microglobulin binding to the transporters associated with antigen processing (TAP1 and TAP2).. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 12716-12720.	3.3	149
24	Control of cross-presentation during dendritic cell maturation. <i>European Journal of Immunology</i> , 2004, 34, 398-407.	1.6	134
25	Autoreactive T cell Responses in Insulin-dependent (Type 1) Diabetes Mellitus. Report of the First International Workshop for Standardization of T cell assays. <i>Journal of Autoimmunity</i> , 1999, 13, 267-282.	3.0	121
26	The Role of Endoplasmic Reticulum-Associated Aminopeptidase 1 in Immunity to Infection and in Cross-Presentation. <i>Journal of Immunology</i> , 2007, 178, 2241-2248.	0.4	93
27	Expression of Endoplasmic Reticulum Aminopeptidases in EBV-B Cell Lines from Healthy Donors and in Leukemia/Lymphoma, Carcinoma, and Melanoma Cell Lines. <i>Journal of Immunology</i> , 2006, 176, 4869-4879.	0.4	88
28	ERAP1-ERAP2 dimers trim MHC I-bound precursor peptides; implications for understanding peptide editing. <i>Scientific Reports</i> , 2016, 6, 28902.	1.6	88
29	Human Transporters Associated with Antigen Processing (Taps) Select Epitope Precursor Peptides for Processing in the Endoplasmic Reticulum and Presentation to T Cells. <i>Journal of Experimental Medicine</i> , 1999, 190, 1227-1240.	4.2	86
30	Altered expression of endoplasmic reticulum aminopeptidases ERAP1 and ERAP2 in transformed non-lymphoid human tissues. <i>Journal of Cellular Physiology</i> , 2008, 216, 742-749.	2.0	85
31	Therapy of experimental type 1 diabetes by isolated Sertoli cell xenografts alone. <i>Journal of Experimental Medicine</i> , 2009, 206, 2511-2526.	4.2	84
32	Gut Microbiota-Stimulated Innate Lymphoid Cells Support Î²-Defensin 14 Expression in Pancreatic Endocrine Cells, Preventing Autoimmune Diabetes. <i>Cell Metabolism</i> , 2018, 28, 557-572.e6.	7.2	84
33	Are there unique autoantigens triggering autoimmune diseases?. <i>Immunological Reviews</i> , 1998, 164, 139-155.	2.8	83
34	Efficient MHC Class I-Independent Amino-Terminal Trimming of Epitope Precursor Peptides in the Endoplasmic Reticulum. <i>Immunity</i> , 2001, 15, 467-476.	6.6	83
35	The Frequency and Immunodominance of Islet-Specific CD8+ T-cell Responses Change after Type 1 Diabetes Diagnosis and Treatment. <i>Diabetes</i> , 2008, 57, 1312-1320.	0.3	83
36	ERAP1-ERAP2 Dimerization Increases Peptide-Trimming Efficiency. <i>Journal of Immunology</i> , 2014, 193, 901-908.	0.4	83

#	ARTICLE	IF	CITATIONS
37	Genes regulating MHC class I processing of antigen. <i>Current Opinion in Immunology</i> , 1999, 11, 82-88.	2.4	78
38	Cytotoxic T Lymphocyte Epitopes of HIV-1 Nef. <i>Journal of Experimental Medicine</i> , 2000, 191, 239-252.	4.2	77
39	Immunosuppression by Mutated Calreticulin Released from Malignant Cells. <i>Molecular Cell</i> , 2020, 77, 748-760.e9.	4.5	77
40	Identification of Naturally Processed HLA-A2--Restricted Proinsulin Epitopes by Reverse Immunology. <i>Diabetes</i> , 2005, 54, 2053-2059.	0.3	76
41	Peptidases trimming MHC class I ligands. <i>Current Opinion in Immunology</i> , 2013, 25, 90-96.	2.4	76
42	Multiple functions of insulin-degrading enzyme: a metabolic crosslight?. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2017, 52, 554-582.	2.3	73
43	Post-proteasomal and proteasome-independent generation of MHC class I ligands. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 1553-1567.	2.4	71
44	Catalytic site inhibition of insulin-degrading enzyme by a small molecule induces glucose intolerance in mice. <i>Nature Communications</i> , 2015, 6, 8250.	5.8	71
45	microRNA 125a Regulates MHC-I Expression on Esophageal Adenocarcinoma Cells, Associated With Suppression of Antitumor Immune Response and Poor Outcomes of Patients. <i>Gastroenterology</i> , 2018, 155, 784-798.	0.6	70
46	Features of TAP-independent MHC class I ligands revealed by quantitative mass spectrometry. <i>European Journal of Immunology</i> , 2008, 38, 1503-1510.	1.6	68
47	Compartmentalized MHC class I antigen processing enhances immunosurveillance by circumventing the law of mass action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6964-6969.	3.3	68
48	Production of an antigenic peptide by insulin-degrading enzyme. <i>Nature Immunology</i> , 2010, 11, 449-454.	7.0	67
49	Beyond the proteasome: trimming, degradation and generation of MHC class I ligands by auxiliary proteases. <i>Molecular Immunology</i> , 2002, 39, 203-215.	1.0	66
50	A proteasome-independent, TAP-independent pathway for cross-presentation of phagocytosed antigen. <i>EMBO Reports</i> , 2011, 12, 1257-1264.	2.0	66
51	Liver-Primed Memory T Cells Generated under Noninflammatory Conditions Provide Anti-infectious Immunity. <i>Cell Reports</i> , 2013, 3, 779-795.	2.9	65
52	High Affinity Presentation of an Autoantigenic Peptide in Type I Diabetes by an HLA Class II Protein Encoded in a Haplotype Protecting From Disease. <i>Journal of Autoimmunity</i> , 1997, 10, 375-386.	3.0	57
53	Conventional Dendritic Cells Require IRAP-Rab14 Endosomes for Efficient Cross-Presentation. <i>Journal of Immunology</i> , 2012, 188, 1840-1846.	0.4	57
54	Asparagine Endopeptidase Controls Anti-Influenza Virus Immune Responses through TLR7 Activation. <i>PLoS Pathogens</i> , 2012, 8, e1002841.	2.1	55

#	ARTICLE	IF	CITATIONS
55	Endocytic Recycling of MHC Class I Molecules in Non-professional Antigen Presenting and Dendritic Cells. <i>Frontiers in Immunology</i> , 2018, 9, 3098.	2.2	55
56	Intracellular recycling and cross-presentation by MHC class I molecules. <i>Immunological Reviews</i> , 2016, 272, 80-96.	2.8	54
57	Identification of target actin content and polymerization status as a mechanism of tumor resistance after cytolytic T lymphocyte pressure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1428-1433.	3.3	51
58	ERAP1 Gene Expression Is Influenced by Nonsynonymous Polymorphisms Associated With Predisposition to Spondyloarthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 1525-1534.	2.9	51
59	Powering the peptide pump: TAP crosstalk with energetic nucleotides. <i>Trends in Biochemical Sciences</i> , 2002, 27, 454-461.	3.7	50
60	Quantifying Recruitment of Cytosolic Peptides for HLA Class I Presentation: Impact of TAP Transport. <i>Journal of Immunology</i> , 2003, 170, 2977-2984.	0.4	49
61	ZnT8 Is a Major CD8+ T Cell-Recognized Autoantigen in Pediatric Type 1 Diabetes. <i>Diabetes</i> , 2012, 61, 1779-1784.	0.3	49
62	The elusive case for a role of mimicry in autoimmune diseases. <i>Molecular Immunology</i> , 2004, 40, 1095-1102.	1.0	46
63	Complexity, contradictions, and conundrums: studying post-proteasomal proteolysis in HLA class I antigen presentation. <i>Immunological Reviews</i> , 2005, 207, 42-59.	2.8	46
64	Optimization and Structure-Activity Relationships of Phosphinic Pseudotriptide Inhibitors of Aminopeptidases That Generate Antigenic Peptides. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 9107-9123.	2.9	45
65	Distinct Functions of the ATP Binding Cassettes of Transporters Associated with Antigen Processing. <i>Journal of Biological Chemistry</i> , 2001, 276, 22107-22113.	1.6	44
66	Sensitivity of mass spectrometry analysis depends on the shape of the filtration unit used for filter aided sample preparation (FASP). <i>Proteomics</i> , 2016, 16, 1852-1857.	1.3	43
67	Immunization of HLA Class I Transgenic Mice Identifies Autoantigenic Epitopes Eliciting Dominant Responses in Type 1 Diabetes Patients. <i>Journal of Immunology</i> , 2007, 178, 7458-7466.	0.4	41
68	Distinct molecular mechanisms leading to deficient expression of ER-resident aminopeptidases in melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 1273-1284.	2.0	41
69	Human CD3 Transgenic Mice: Preclinical Testing of Antibodies Promoting Immune Tolerance. <i>Science Translational Medicine</i> , 2011, 3, 68ra10.	5.8	41
70	The Role of Insulin-Regulated Aminopeptidase in MHC Class I Antigen Presentation. <i>Frontiers in Immunology</i> , 2012, 3, 57.	2.2	41
71	Characterizing the N-Terminal Processing Motif of MHC Class I Ligands. <i>Journal of Immunology</i> , 2008, 180, 3210-3217.	0.4	39
72	Differential proteasomal processing of hydrophobic and hydrophilic protein regions: Contribution to cytotoxic T lymphocyte epitope clustering in HIV-1-Nef. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 7755-7760.	3.3	38

#	ARTICLE	IF	CITATIONS
73	Substrate selection by transporters associated with antigen processing occurs during peptide binding to TAP. <i>Molecular Immunology</i> , 1998, 35, 427-433.	1.0	37
74	Identification of peptides from autoantigens GAD65 and IA-2 that bind to HLA class II molecules predisposing to or protecting from type 1 diabetes. <i>Diabetes</i> , 1999, 48, 1937-1947.	0.3	36
75	A Long N-terminal-extended Nested Set of Abundant and Antigenic Major Histocompatibility Complex Class I Natural Ligands from HIV Envelope Protein. <i>Journal of Biological Chemistry</i> , 2006, 281, 6358-6365.	1.6	36
76	Secondary anchor polymorphism in the HA-1 minor histocompatibility antigen critically affects MHC stability and TCR recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3889-3894.	3.3	36
77	Tapasin Enhances Assembly of Transporters Associated with Antigen Processing-dependent and -independent Peptides with HLA-A2 and HLA-B27 Expressed in Insect Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 31349-31358.	1.6	35
78	Analysis of Direct and Cross-Presentation of Antigens in TPPII Knockout Mice ¹ . <i>Journal of Immunology</i> , 2007, 179, 8137-8145.	0.4	35
79	Equivalent Specificity of Peripheral Blood and Islet-Infiltrating CD8+ T Lymphocytes in Spontaneously Diabetic HLA-A2 Transgenic NOD Mice. <i>Journal of Immunology</i> , 2008, 180, 5430-5438.	0.4	35
80	A Detailed Analysis of the Murine TAP Transporter Substrate Specificity. <i>PLoS ONE</i> , 2008, 3, e2402.	1.1	35
81	UNC93B1 interacts with the calcium sensor STIM1 for efficient antigen cross-presentation in dendritic cells. <i>Nature Communications</i> , 2017, 8, 1640.	5.8	34
82	Activation of cellular death programs associated with immunosenescence-like phenotype in TPPII knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5177-5182.	3.3	33
83	Innate Immune Signals Induce Anterograde Endosome Transport Promoting MHC Class I Cross-Presentation. <i>Cell Reports</i> , 2018, 24, 3568-3581.	2.9	33
84	T cells in the pathogenesis of type 1 diabetes. <i>Current Diabetes Reports</i> , 2008, 8, 101-106.	1.7	32
85	3,4-Diaminobenzoic Acid Derivatives as Inhibitors of the Oxytocinase Subfamily of M1 Aminopeptidases with Immune-Regulating Properties. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 1524-1543.	2.9	32
86	Peptide trimming by endoplasmic reticulum aminopeptidases: Role of MHC class I binding and ERAP dimerization. <i>Human Immunology</i> , 2019, 80, 290-295.	1.2	32
87	Modulation of antigen presentation by autoreactive B cell clones specific for GAD65 from a type I diabetic patient. <i>Clinical and Experimental Immunology</i> , 2004, 135, 74-84.	1.1	31
88	A Region of Tapasin That Affects I _d Binding and Assembly. <i>Journal of Immunology</i> , 2001, 167, 4443-4449.	0.4	30
89	CTL Escape Mediated by Proteasomal Destruction of an HIV-1 Cryptic Epitope. <i>PLoS Pathogens</i> , 2011, 7, e1002049.	2.1	30
90	Role of Nucleotides and Peptide Substrate for Stability and Functional State of the Human ABC Family Transporters Associated with Antigen Processing. <i>Journal of Biological Chemistry</i> , 1999, 274, 14632-14638.	1.6	29

#	ARTICLE	IF	CITATIONS
91	TAP-Dependent and -Independent Peptide Import into Dendritic Cell Phagosomes. <i>Journal of Immunology</i> , 2016, 197, 3454-3463.	0.4	29
92	The transporter associated with antigen processing (TAP) is active in a post-ER compartment. <i>Journal of Cell Science</i> , 2010, 123, 4271-4279.	1.2	28
93	Running the gauntlet: from peptide generation to antigen presentation by MHC class I. <i>Tissue Antigens</i> , 2011, 78, 161-170.	1.0	27
94	Contribution of annexin A1 to anticancer immunosurveillance. <i>Oncolmunology</i> , 2019, 8, e1647760.	2.1	27
95	IRAP-dependent endosomal T cell receptor signalling is essential for T cell responses. <i>Nature Communications</i> , 2020, 11, 2779.	5.8	27
96	Fusion Proteins for Versatile Antigen Targeting to Cell Surface Receptors Reveal Differential Capacity to Prime Immune Responses. <i>Journal of Immunology</i> , 2010, 184, 6855-6864.	0.4	26
97	A chaperone-assisted high yield system for the production of HLA-DR4 tetramers in insect cells. <i>Journal of Immunological Methods</i> , 2004, 285, 253-264.	0.6	25
98	Lysyl tRNA synthetase is required for the translocation of calreticulin to the cell surface in immunogenic death. <i>Cell Cycle</i> , 2010, 9, 3144-3149.	1.3	25
99	Constitutive transduction of peptide transporter and HLA genes restores antigen processing function and cytotoxic T cell-mediated immune recognition of human melanoma cells. , 1998, 75, 590-595.		23
100	Serum-free culture medium and IL-7 costimulation increase the sensitivity of ELISpot detection. <i>Journal of Immunological Methods</i> , 2008, 333, 61-70.	0.6	23
101	Calreticulin Promotes Folding of Functional Human Leukocyte Antigen Class I Molecules in Vitro. <i>Journal of Biological Chemistry</i> , 2004, 279, 54210-54215.	1.6	21
102	Tolerogenic Iron Oxide Nanoparticles in Type 1 Diabetes: Biodistribution and Pharmacokinetics Studies in Nonobese Diabetic Mice. <i>Small</i> , 2018, 14, e1802053.	5.2	21
103	Identification of mimicry peptides based on sequential motifs of epitopes derived from 65-kDa glutamic acid decarboxylase. <i>European Journal of Immunology</i> , 1998, 28, 1902-1910.	1.6	20
104	Role of tripeptidyl peptidase II in MHC class I antigen processing – the end of controversies?. <i>European Journal of Immunology</i> , 2008, 38, 609-613.	1.6	20
105	CD4+T Cell Proliferation in Response to GAD and Proinsulin in Healthy, Pre-diabetic, and Diabetic Donors. <i>Annals of the New York Academy of Sciences</i> , 2004, 1037, 16-21.	1.8	19
106	Detection of low-frequency human antigen-specific CD4+ T _H 1 cells using MHC class II multimer bead sorting and immunoscope analysis. <i>European Journal of Immunology</i> , 2004, 34, 2841-2949.	1.6	19
107	Peptide selection for presentation by HLA class I: A role for the human transporter associated with antigen processing?. <i>Immunologic Research</i> , 1996, 15, 265-279.	1.3	17
108	Study of Antigen-Processing Steps Reveals Preferences Explaining Differential Biological Outcomes of Two HLA-A2-Restricted Immunodominant Epitopes from Human Immunodeficiency Virus Type 1. <i>Journal of Virology</i> , 2002, 76, 10219-10225.	1.5	17

#	ARTICLE	IF	CITATIONS
109	In vivo activation of invariant V α 14 natural killer T cells by α -galactosylceramide sequentially induces Fas-dependent and -independent cytotoxicity. <i>European Journal of Immunology</i> , 2004, 34, 1381-1388.	1.6	17
110	Molecular and Functional Diversity of Distinct Subpopulations of the Stressed Insulin-Secreting Cell's Vesiculome. <i>Frontiers in Immunology</i> , 2020, 11, 1814.	2.2	17
111	Design of a HIV-1-derived HLA-B07.02-restricted polyepitope construct. <i>Aids</i> , 2009, 23, 1945-1954.	1.0	16
112	MHC Class I Cross-Presentation: Stage Lights on Sec22b. <i>Trends in Immunology</i> , 2017, 38, 618-621.	2.9	16
113	The Role of Insulin Regulated Aminopeptidase in Endocytic Trafficking and Receptor Signaling in Immune Cells. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 583556.	1.6	16
114	Kinesin-1 regulates antigen cross-presentation through the scission of tubulations from early endosomes in dendritic cells. <i>Nature Communications</i> , 2020, 11, 1817.	5.8	16
115	HLA Class I Epitope Discovery in Type 1 Diabetes. <i>Annals of the New York Academy of Sciences</i> , 2006, 1079, 190-197.	1.8	15
116	HIV-1 Adaptation to Antigen Processing Results in Population-Level Immune Evasion and Affects Subtype Diversification. <i>Cell Reports</i> , 2014, 7, 448-463.	2.9	15
117	Structural analysis of two HLA-DR-presented autoantigenic epitopes: crucial role of peripheral but not central peptide residues for T-cell receptor recognition. <i>Molecular Immunology</i> , 2000, 37, 813-825.	1.0	14
118	Screening Identifies Thimerosal as a Selective Inhibitor of Endoplasmic Reticulum Aminopeptidase 1. <i>ACS Medicinal Chemistry Letters</i> , 2016, 7, 681-685.	1.3	14
119	Inhibitory and stimulatory signaling via immunoglobulin receptors: dichotomous responses elicited in clonal B cell populations. <i>European Journal of Immunology</i> , 1992, 22, 1229-1235.	1.6	13
120	Discordant differentiation antigen pattern in a case of Richter's syndrome with monoclonal idiotype expression and immunoglobulin gene rearrangement. <i>British Journal of Cancer</i> , 1990, 62, 248-252.	2.9	11
121	Impact of the TAP-like transporter in antigen presentation and phagosome maturation. <i>Molecular Immunology</i> , 2019, 113, 75-86.	1.0	11
122	Compromised mitochondrial quality control triggers lipin1-related rhabdomyolysis. <i>Cell Reports Medicine</i> , 2021, 2, 100370.	3.3	11
123	Beta cell antigens in type 1 diabetes: triggers in pathogenesis and therapeutic targets. <i>F1000Research</i> , 2016, 5, 728.	0.8	11
124	Deletion of the Fission Yeast Homologue of Human Insulinase Reveals a TORC1-Dependent Pathway Mediating Resistance to Proteotoxic Stress. <i>PLoS ONE</i> , 2013, 8, e67705.	1.1	11
125	Local anesthetics elicit immune-dependent anticancer effects. , 2022, 10, e004151.		11
126	Peptide specificity of high-titer anti-glutamic acid decarboxylase (GAD)65 autoantibodies. <i>Immunology Letters</i> , 1998, 62, 123-130.	1.1	10

#	ARTICLE	IF	CITATIONS
127	Providing ligands for MHC class I molecules. Cellular and Molecular Life Sciences, 2011, 68, 1467-1469.	2.4	10
128	Insulin-regulated aminopeptidase and its compartment in dendritic cells. Molecular Immunology, 2013, 55, 153-155.	1.0	10
129	Preparation of Dendritic Cells by In Vitro Cultures. Methods in Molecular Biology, 2013, 960, 351-357.	0.4	10
130	Endoplasmic Reticulum Targeting Alters Regulation of Expression and Antigen Presentation of Proinsulin. Journal of Immunology, 2014, 192, 4957-4966.	0.4	9
131	A unique CD8+ T lymphocyte signature in pediatric type 1 diabetes. Journal of Autoimmunity, 2016, 73, 54-63.	3.0	9
132	IRAP Endosomes Control Phagosomal Maturation in Dendritic Cells. Frontiers in Cell and Developmental Biology, 2020, 8, 585713.	1.8	9
133	Beta cell antigens in type 1 diabetes: triggers in pathogenesis and therapeutic targets. F1000 Biology Reports, 2010, 2, 75.	4.0	9
134	HLA-Associated Heterogeneity of the Humoral Response to Islet Antigens in Insulin-dependent Diabetes. Journal of Autoimmunity, 1995, 8, 645-657.	3.0	8
135	The role of MHC class I recycling and Arf6 in cross-presentation by murine dendritic cells. Life Science Alliance, 2019, 2, e201900464.	1.3	8
136	Characterization of antigenic peptide epitopes by reverse immunology: Induction of cytotoxic T lymphocytes specific for exogenous peptide only. , 1997, 72, 912-915.		5
137	Designing Peptide Vaccines for Cellular Cross-Presentation. Biologicals, 2001, 29, 285-288.	0.5	5
138	Dendritic cells: open for presentation business. Nature Immunology, 2005, 6, 7-8.	7.0	5
139	Antigen processing and recognition. Current Opinion in Immunology, 2007, 19, 63-65.	2.4	5
140	No Major Role for Insulin-Degrading Enzyme in Antigen Presentation by MHC Molecules. PLoS ONE, 2014, 9, e88365.	1.1	5
141	Discovery of Selective Nanomolar Inhibitors for Insulin-Regulated Aminopeptidase Based on Î±-Hydroxy-Î²-amino Acid Derivatives of Bestatin. Journal of Medicinal Chemistry, 2022, 65, 10098-10117.	2.9	5
142	Toll-like Receptor 9: AEP Takes Control. Immunity, 2009, 31, 696-698.	6.6	4
143	Trimming of MHC Class I Ligands by ERAP Aminopeptidases. Methods in Molecular Biology, 2019, 1988, 31-43.	0.4	4
144	Preparing Antigens Suitable for Cross-presentation Assays In Vitro and In Vivo. Methods in Molecular Biology, 2013, 960, 389-400.	0.4	3

#	ARTICLE	IF	CITATIONS
145	Identification of mimicry peptides based on sequential motifs of epitopes derived from 65-kDa glutamic acid decarboxylase. , 1998, 28, 1902.		1
146	Unexpected lack of specificity of a rabbit polyclonal TAP-L (ABCB9) antibody. F1000Research, 2015, 4, 125.	0.8	1
147	Epitope length variants balance protective immune responses and viral escape in HIV-1 infection. Cell Reports, 2022, 38, 110449.	2.9	1
148	Morphometric analysis of the endocrine pancreas in streptozotocin-diabetic rats kept on different dietary regimens. Research in Experimental Medicine, 1988, 188, 79-86.	0.7	0
149	P16-23. Antigen processing influences HIV-specific cytotoxic T lymphocyte immunodominance. Retrovirology, 2009, 6, .	0.9	0
150	Asparagine endopeptidase is required for optimum TLR7 signaling and for influenza virus elimination in vivo. Molecular Immunology, 2012, 51, 24.	1.0	0
151	Irap is required for normal phagosome and endosome maturation in dendritic cells. Molecular Immunology, 2012, 51, 34.	1.0	0
152	Endoplasmic Reticulum Aminopeptidase 2. , 2013, , 434-438.		0
153	Beware the algorithm. ELife, 2021, 10, .	2.8	0
154	Regulation of transporters associated with antigen processing (TAPs) by nucleotide binding to, and hydrolysis by, Walker consensus sequences. Advances in Experimental Medicine and Biology, 2001, 495, 79-82.	0.8	0
155	Origin and Processing of MHC-I Ligands. , 2016, , 225-232.		0
156	Crosstalk Between Gut Microbiota, Innate Lymphoid Cells and Endocrine Cells in the Pancreas Regulates Autoimmune Diabetes. SSRN Electronic Journal, 0, , .	0.4	0