

S Louis Bridges Jr

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8993162/s-louis-bridges-jr-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

4,092
citations

25
h-index

63
g-index

87
ext. papers

5,048
ext. citations

7
avg, IF

4.45
L-index

#	Paper	IF	Citations
74	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
73	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 1-25	4.7	717
72	A randomized comparative effectiveness study of oral triple therapy versus etanercept plus methotrexate in early aggressive rheumatoid arthritis: the treatment of Early Aggressive Rheumatoid Arthritis Trial. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2824-35		271
71	The influence of genetic variation in the HLA-DRB1 and LTA-TNF regions on the response to treatment of early rheumatoid arthritis with methotrexate or etanercept. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2750-6		140
70	Genome-wide association study and gene expression analysis identifies CD84 as a predictor of response to etanercept therapy in rheumatoid arthritis. <i>PLoS Genetics</i> , 2013 , 9, e1003394	6	127
69	The HLA-DRB1 shared epitope is associated with susceptibility to rheumatoid arthritis in African Americans through European genetic admixture. <i>Arthritis and Rheumatism</i> , 2008 , 58, 349-58		68
68	IFN γ induces epigenetic programming of human T-bet B cells and promotes TLR7/8 and IL-21 induced differentiation. <i>ELife</i> , 2019 , 8,	8.9	65
67	The immunoglobulin kappa light chain repertoire expressed in the synovium of a patient with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1992 , 35, 905-13		56
66	Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , 2016 , 7, 12460	17.4	54
65	Development of gellan gum containing formulations for transdermal drug delivery: Component evaluation and controlled drug release using temperature responsive nanogels. <i>International Journal of Pharmaceutics</i> , 2016 , 509, 465-476	6.5	53
64	Plasma carboxypeptidase B downregulates inflammatory responses in autoimmune arthritis. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3517-27	15.9	50
63	Characterization of genetic loci that affect susceptibility to inflammatory bowel diseases in African Americans. <i>Gastroenterology</i> , 2015 , 149, 1575-1586	13.3	47
62	Most common single-nucleotide polymorphisms associated with rheumatoid arthritis in persons of European ancestry confer risk of rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3547-53		47
61	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015 , 44, 1706-21	7.8	43
60	Type 1 Diabetes Risk in African-Ancestry Participants and Utility of an Ancestry-Specific Genetic Risk Score. <i>Diabetes Care</i> , 2019 , 42, 406-415	14.6	39
59	Single-nucleotide polymorphisms in tumor necrosis factor receptor genes: definition of novel haplotypes and racial/ethnic differences. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2045-50		38
58	Differential response of serum amyloid A to different therapies in early rheumatoid arthritis and its potential value as a disease activity biomarker. <i>Arthritis Research and Therapy</i> , 2016 , 18, 108	5.7	36

57	A novel single nucleotide polymorphism and five probable haplotypes in the 5Tflanking region of the IL-6 gene in African-Americans. <i>Genes and Immunity</i> , 1999 , 1, 166-7	4.4	35
56	Expression of recombination-activating genes and terminal deoxynucleotidyl transferase and secondary rearrangement of immunoglobulin kappa light chains in rheumatoid arthritis synovial tissue. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2275-84		32
55	Anti-cyclic citrullinated peptide antibody and rheumatoid factor isotypes in African Americans with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3057-9		29
54	Effect of Drug Therapy on Net Cholesterol Efflux Capacity of High-Density Lipoprotein-Enriched Serum in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2099-105	9.5	28
53	HLA-DRB1-associated rheumatoid arthritis risk at multiple levels in African Americans: hierarchical classification systems, amino acid positions, and residues. <i>Arthritis and Rheumatology</i> , 2014 , 66, 3274-82	9.5	28
52	Fine-mapping, trans-ancestral and genomic analyses identify causal variants, cells, genes and drug targets for type 1 diabetes. <i>Nature Genetics</i> , 2021 , 53, 962-971	36.3	28
51	Genetic influences on susceptibility to rheumatoid arthritis in African-Americans. <i>Human Molecular Genetics</i> , 2019 , 28, 858-874	5.6	26
50	Radiographic severity of rheumatoid arthritis in African Americans: results from a multicenter observational study. <i>Arthritis Care and Research</i> , 2010 , 62, 624-31	4.7	26
49	Increased pretreatment serum IFN- γ ratio predicts non-response to tumour necrosis factor α inhibition in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1757-62	2.4	25
48	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018 , 18, 528-538	3.5	25
47	Integration of sequence data from a Consanguineous family with genetic data from an outbred population identifies PLB1 as a candidate rheumatoid arthritis risk gene. <i>PLoS ONE</i> , 2014 , 9, e87645	3.7	24
46	A functional RANKL polymorphism associated with younger age at onset of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2864-75		24
45	The Science Behind Biosimilars: Entering a New Era of Biologic Therapy. <i>Arthritis and Rheumatology</i> , 2018 , 70, 334-344	9.5	23
44	Association of anti-peptidyl arginine deiminase antibodies with radiographic severity of rheumatoid arthritis in African Americans. <i>Arthritis Research and Therapy</i> , 2016 , 18, 241	5.7	23
43	and autoantibodies define scleroderma subtypes and risk in African and European Americans and suggest a role for molecular mimicry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 552-562	11.5	23
42	Measurement of erythrocyte methotrexate polyglutamate levels: ready for clinical use in rheumatoid arthritis?. <i>Current Rheumatology Reports</i> , 2010 , 12, 342-7	4.9	22
41	Update on autoantibodies in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2004 , 6, 343-50	4.9	22
40	A rheumatoid factor from a normal individual encoded by VH2 and V kappa II gene segments. <i>Arthritis and Rheumatism</i> , 1992 , 35, 900-4		18

39	Polyarteritis nodosa and microscopic polyangiitis: etiologic and diagnostic considerations. <i>Current Rheumatology Reports</i> , 2002 , 4, 75-82	4.9	17
38	Severity of Hypertension Mediates the Association of Hyperuricemia With Stroke in the REGARDS Case Cohort Study. <i>Hypertension</i> , 2020 , 75, 246-256	8.5	17
37	Systemic levels of anti-PAD4 autoantibodies correlate with airway obstruction in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2019 , 18, 636-645	4.1	17
36	Repositioning drugs by targeting network modules: a Parkinson's disease case study. <i>BMC Bioinformatics</i> , 2017 , 18, 532	3.6	16
35	Association of single-nucleotide polymorphisms in CCR6, TAGAP, and TNFAIP3 with rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1355-8		15
34	Chronic Inflammation in Rheumatoid Arthritis and Mediators of Skeletal Muscle Pathology and Physical Impairment: A Review. <i>Arthritis Care and Research</i> , 2019 , 71, 173-177	4.7	14
33	Expression of Interferon- γ Receptor Genes in Peripheral Blood Mononuclear Cells Is Associated With Rheumatoid Arthritis and Its Radiographic Severity in African Americans. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1165-70	9.5	13
32	The genetics of rheumatoid arthritis: influences on susceptibility, severity, and treatment response. <i>Current Rheumatology Reports</i> , 1999 , 1, 164-71	4.9	13
31	Simple regression for correcting ΔCt bias in RT-qPCR low-density array data normalization. <i>BMC Genomics</i> , 2015 , 16, 82	4.5	12
30	Dense Genotyping of Immune-Related Regions Identifies Loci for Rheumatoid Arthritis Risk and Damage in African Americans. <i>Molecular Medicine</i> , 2017 , 23, 177-187	6.2	12
29	Rationale and design of the randomized evaluation of an Ambulatory Care Pharmacist-Led Intervention to Optimize Urate Lowering Pathways (RAM-P-UP) Study. <i>Contemporary Clinical Trials</i> , 2016 , 50, 106-15	2.3	12
28	ImmunoChip identifies novel, and replicates known, genetic risk loci for rheumatoid arthritis in black South Africans. <i>Molecular Medicine</i> , 2014 , 20, 341-9	6.2	12
27	Gene expression patterns in peripheral blood cells associated with radiographic severity in African Americans with early rheumatoid arthritis. <i>Rheumatology International</i> , 2013 , 33, 129-37	3.6	10
26	A genome-wide association study identifies SLC8A3 as a susceptibility locus for ACPA-positive rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 1106-11	3.9	10
25	An African ancestry-specific allele of CTLA4 confers protection against rheumatoid arthritis in African Americans. <i>PLoS Genetics</i> , 2009 , 5, e1000424	6	9
24	Brief Report: Whole-Exome Sequencing to Identify Rare Variants and Gene Networks That Increase Susceptibility to Scleroderma in African Americans. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1654-1660	9.5	8
23	Effect of Serum Urate Lowering With Allopurinol on Blood Pressure in Young Adults: A Randomized, Controlled, Crossover Trial. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1514-1522	9.5	8
22	Beyond Autoantibodies: Biologic Roles of Human Autoreactive B Cells in Rheumatoid Arthritis Revealed by RNA-Sequencing. <i>Arthritis and Rheumatology</i> , 2019 , 71, 529-541	9.5	8

21	HLA-C: An Accomplice in Rheumatic Diseases. <i>ACR Open Rheumatology</i> , 2019 , 1, 571-579	3.5	7
20	CDR3 fingerprinting of immunoglobulin kappa light chains expressed in rheumatoid arthritis. Evidence of antigenic selection or dysregulation of gene rearrangement in B cells. <i>Annals of the New York Academy of Sciences</i> , 1997 , 815, 423-6	6.5	7
19	Update on pathogenic mechanisms of systemic necrotizing vasculitis. <i>Current Rheumatology Reports</i> , 2008 , 10, 430-5	4.9	7
18	Diminished cytokine-induced Jak/STAT signaling is associated with rheumatoid arthritis and disease activity. <i>PLoS ONE</i> , 2021 , 16, e0244187	3.7	7
17	Exercise Medicine for Osteoarthritis: Research Strategies to Maximize Effectiveness. <i>Arthritis Care and Research</i> , 2016 , 68, 288-91	4.7	6
16	Integrative Approaches to Understanding the Pathogenic Role of Genetic Variation in Rheumatic Diseases. <i>Rheumatic Disease Clinics of North America</i> , 2017 , 43, 449-466	2.4	6
15	Gout is associated with an increased risk for incident heart failure among older adults: the REasons for Geographic And Racial Differences in Stroke (REGARDS) cohort study. <i>Arthritis Research and Therapy</i> , 2020 , 22, 86	5.7	6
14	Personalized medicine in rheumatoid arthritis: hopes and challenges. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , 2007 , 65, 174-7		6
13	Recent advances in personalizing rheumatoid arthritis therapy and management. <i>Personalized Medicine</i> , 2009 , 6, 159-170	2.2	5
12	HLA-DRB1 Amino Acid Positions and Residues Associated with Antibody-positive Rheumatoid Arthritis in Black South Africans. <i>Journal of Rheumatology</i> , 2019 , 46, 138-144	4.1	5
11	Disruption of the preB Cell Receptor Complex Leads to Decreased Bone Mass. <i>Frontiers in Immunology</i> , 2019 , 10, 2063	8.4	4
10	Serum urate gene associations with incident gout, measured in the Framingham Heart Study, are modified by renal disease and not by body mass index. <i>Rheumatology International</i> , 2016 , 36, 263-70	3.6	3
9	HLA-DRB1 risk alleles for RA are associated with differential clinical responsiveness to abatacept and adalimumab: data from a head-to-head, randomized, single-blind study in autoantibody-positive early RA. <i>Arthritis Research and Therapy</i> , 2021 , 23, 245	5.7	3
8	Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arthritis		2
7	Genetic correlations between traits associated with hyperuricemia, gout, and comorbidities. <i>European Journal of Human Genetics</i> , 2021 , 29, 1438-1445	5.3	2
6	Genetic influences on rheumatoid arthritis in African Americans. <i>Immunologic Research</i> , 2002 , 26, 15-26	4.3	1
5	Decreased Levels of STAT1 and Interferon-Induced STAT1 Phosphorylation in Rheumatoid Arthritis CD4 and CD8 T Cells. <i>ACR Open Rheumatology</i> , 2021 , 3, 277-283	3.5	1
4	A novel Mendelian randomization method with binary risk factor and outcome. <i>Genetic Epidemiology</i> , 2021 , 45, 549-560	2.6	1

3	A Novel Method to Combine Assessment of Benefit and Harm: Outcome Measures in Rheumatology 3B Methodology Applied to Two Active Comparator Trials. <i>Arthritis Care and Research</i> , 2019 , 71, 319-322	4.7	1
2	The Safety and Immunologic Effectiveness of the Live Varicella-Zoster Vaccine in Patients Receiving Tumor Necrosis Factor Inhibitor Therapy : A Randomized Controlled Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 1510-1518	8	1
1	Higher Serum Urate Levels Are Associated With an Increased Risk for Sudden Cardiac Death. <i>Journal of Rheumatology</i> , 2021 , 48, 1745-1753	4.1	0