

S Louis Bridges Jr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8993162/s-louis-bridges-jr-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

4,092
citations

25
h-index

63
g-index

87
ext. papers

5,048
ext. citations

7
avg, IF

4.45
L-index

#	Paper	IF	Citations
74	Genetic correlations between traits associated with hyperuricemia, gout, and comorbidities. <i>European Journal of Human Genetics</i> , 2021 , 29, 1438-1445	5.3	2
73	Decreased Levels of STAT1 and Interferon-Induced STAT1 Phosphorylation in Rheumatoid Arthritis CD4 and CD8 T Cells. <i>ACR Open Rheumatology</i> , 2021 , 3, 277-283	3.5	1
72	A novel Mendelian randomization method with binary risk factor and outcome. <i>Genetic Epidemiology</i> , 2021 , 45, 549-560	2.6	1
71	Fine-mapping, trans-ancestral and genomic analyses identify causal variants, cells, genes and drug targets for type 1 diabetes. <i>Nature Genetics</i> , 2021 , 53, 962-971	36.3	28
70	Higher Serum Urate Levels Are Associated With an Increased Risk for Sudden Cardiac Death. <i>Journal of Rheumatology</i> , 2021 , 48, 1745-1753	4.1	0
69	Effect of Serum Urate Lowering With Allopurinol on Blood Pressure in Young Adults: A Randomized, Controlled, Crossover Trial. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1514-1522	9.5	8
68	The Safety and Immunologic Effectiveness of the Live Varicella-Zoster Vaccine in Patients Receiving Tumor Necrosis Factor Inhibitor Therapy : A Randomized Controlled Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 1510-1518	8	1
67	HLA-DRB1 risk alleles for RA are associated with differential clinical responsiveness to abatacept and adalimumab: data from a head-to-head, randomized, single-blind study in autoantibody-positive early RA. <i>Arthritis Research and Therapy</i> , 2021 , 23, 245	5.7	3
66	Diminished cytokine-induced Jak/STAT signaling is associated with rheumatoid arthritis and disease activity. <i>PLoS ONE</i> , 2021 , 16, e0244187	3.7	7
65	Severity of Hypertension Mediates the Association of Hyperuricemia With Stroke in the REGARDS Case Cohort Study. <i>Hypertension</i> , 2020 , 75, 246-256	8.5	17
64	and autoantibodies define scleroderma subtypes and risk in African and European Americans and suggest a role for molecular mimicry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 552-562	11.5	23
63	Gout is associated with an increased risk for incident heart failure among older adults: the REasons for Geographic And Racial Differences in Stroke (REGARDS) cohort study. <i>Arthritis Research and Therapy</i> , 2020 , 22, 86	5.7	6
62	Disruption of the preB Cell Receptor Complex Leads to Decreased Bone Mass. <i>Frontiers in Immunology</i> , 2019 , 10, 2063	8.4	4
61	Genetic influences on susceptibility to rheumatoid arthritis in African-Americans. <i>Human Molecular Genetics</i> , 2019 , 28, 858-874	5.6	26
60	Type 1 Diabetes Risk in African-Ancestry Participants and Utility of an Ancestry-Specific Genetic Risk Score. <i>Diabetes Care</i> , 2019 , 42, 406-415	14.6	39
59	HLA-C: An Accomplice in Rheumatic Diseases. <i>ACR Open Rheumatology</i> , 2019 , 1, 571-579	3.5	7
58	IFN γ induces epigenetic programming of human T-bet B cells and promotes TLR7/8 and IL-21 induced differentiation. <i>ELife</i> , 2019 , 8,	8.9	65

57	Beyond Autoantibodies: Biologic Roles of Human Autoreactive B Cells in Rheumatoid Arthritis Revealed by RNA-Sequencing. <i>Arthritis and Rheumatology</i> , 2019 , 71, 529-541	9.5	8
56	Systemic levels of anti-PAD4 autoantibodies correlate with airway obstruction in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2019 , 18, 636-645	4.1	17
55	HLA-DRB1 Amino Acid Positions and Residues Associated with Antibody-positive Rheumatoid Arthritis in Black South Africans. <i>Journal of Rheumatology</i> , 2019 , 46, 138-144	4.1	5
54	Chronic Inflammation in Rheumatoid Arthritis and Mediators of Skeletal Muscle Pathology and Physical Impairment: A Review. <i>Arthritis Care and Research</i> , 2019 , 71, 173-177	4.7	14
53	A Novel Method to Combine Assessment of Benefit and Harm: Outcome Measures in Rheumatology 3B Methodology Applied to Two Active Comparator Trials. <i>Arthritis Care and Research</i> , 2019 , 71, 319-322	4.7	1
52	The Science Behind Biosimilars: Entering a New Era of Biologic Therapy. <i>Arthritis and Rheumatology</i> , 2018 , 70, 334-344	9.5	23
51	Brief Report: Whole-Exome Sequencing to Identify Rare Variants and Gene Networks That Increase Susceptibility to Scleroderma in African Americans. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1654-1660	9.5	8
50	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018 , 18, 528-538	3.5	25
49	Repositioning drugs by targeting network modules: a Parkinson's disease case study. <i>BMC Bioinformatics</i> , 2017 , 18, 532	3.6	16
48	Dense Genotyping of Immune-Related Regions Identifies Loci for Rheumatoid Arthritis Risk and Damage in African Americans. <i>Molecular Medicine</i> , 2017 , 23, 177-187	6.2	12
47	Integrative Approaches to Understanding the Pathogenic Role of Genetic Variation in Rheumatic Diseases. <i>Rheumatic Disease Clinics of North America</i> , 2017 , 43, 449-466	2.4	6
46	Rationale and design of the randomized evaluation of an Ambulatory Care Pharmacist-Led Intervention to Optimize Urate Lowering Pathways (RAmP-UP) Study. <i>Contemporary Clinical Trials</i> , 2016 , 50, 106-15	2.3	12
45	Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , 2016 , 7, 12460	17.4	54
44	Development of gellan gum containing formulations for transdermal drug delivery: Component evaluation and controlled drug release using temperature responsive nanogels. <i>International Journal of Pharmaceutics</i> , 2016 , 509, 465-476	6.5	53
43	Exercise Medicine for Osteoarthritis: Research Strategies to Maximize Effectiveness. <i>Arthritis Care and Research</i> , 2016 , 68, 288-91	4.7	6
42	Effect of Drug Therapy on Net Cholesterol Efflux Capacity of High-Density Lipoprotein-Enriched Serum in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2099-105	9.5	28
41	Serum urate gene associations with incident gout, measured in the Framingham Heart Study, are modified by renal disease and not by body mass index. <i>Rheumatology International</i> , 2016 , 36, 263-70	3.6	3
40	Increased pretreatment serum IFN- γ ratio predicts non-response to tumour necrosis factor α inhibition in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1757-62	2.4	25

39	Differential response of serum amyloid A to different therapies in early rheumatoid arthritis and its potential value as a disease activity biomarker. <i>Arthritis Research and Therapy</i> , 2016 , 18, 108	5.7	36
38	Association of anti-peptidyl arginine deiminase antibodies with radiographic severity of rheumatoid arthritis in African Americans. <i>Arthritis Research and Therapy</i> , 2016 , 18, 241	5.7	23
37	A genome-wide association study identifies SLC8A3 as a susceptibility locus for ACPA-positive rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 1106-11	3.9	10
36	2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 1-25	4.7	717
35	Simple regression for correcting Ct bias in RT-qPCR low-density array data normalization. <i>BMC Genomics</i> , 2015 , 16, 82	4.5	12
34	Expression of Interferon- γ Receptor Genes in Peripheral Blood Mononuclear Cells Is Associated With Rheumatoid Arthritis and Its Radiographic Severity in African Americans. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1165-70	9.5	13
33	Characterization of genetic loci that affect susceptibility to inflammatory bowel diseases in African Americans. <i>Gastroenterology</i> , 2015 , 149, 1575-1586	13.3	47
32	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015 , 44, 1706-21	7.8	43
31	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
30	Integration of sequence data from a Consanguineous family with genetic data from an outbred population identifies PLB1 as a candidate rheumatoid arthritis risk gene. <i>PLoS ONE</i> , 2014 , 9, e87645	3.7	24
29	ImmunoChip identifies novel, and replicates known, genetic risk loci for rheumatoid arthritis in black South Africans. <i>Molecular Medicine</i> , 2014 , 20, 341-9	6.2	12
28	HLA-DRB1-associated rheumatoid arthritis risk at multiple levels in African Americans: hierarchical classification systems, amino acid positions, and residues. <i>Arthritis and Rheumatology</i> , 2014 , 66, 3274-82	9.5	28
27	Gene expression patterns in peripheral blood cells associated with radiographic severity in African Americans with early rheumatoid arthritis. <i>Rheumatology International</i> , 2013 , 33, 129-37	3.6	10
26	Genome-wide association study and gene expression analysis identifies CD84 as a predictor of response to etanercept therapy in rheumatoid arthritis. <i>PLoS Genetics</i> , 2013 , 9, e1003394	6	127
25	A randomized comparative effectiveness study of oral triple therapy versus etanercept plus methotrexate in early aggressive rheumatoid arthritis: the treatment of Early Aggressive Rheumatoid Arthritis Trial. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2824-35		271
24	Association of single-nucleotide polymorphisms in CCR6, TAGAP, and TNFAIP3 with rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1355-8		15
23	Plasma carboxypeptidase B downregulates inflammatory responses in autoimmune arthritis. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3517-27	15.9	50
22	Measurement of erythrocyte methotrexate polyglutamate levels: ready for clinical use in rheumatoid arthritis?. <i>Current Rheumatology Reports</i> , 2010 , 12, 342-7	4.9	22

21	Radiographic severity of rheumatoid arthritis in African Americans: results from a multicenter observational study. <i>Arthritis Care and Research</i> , 2010 , 62, 624-31	4.7	26
20	A functional RANKL polymorphism associated with younger age at onset of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2864-75		24
19	Most common single-nucleotide polymorphisms associated with rheumatoid arthritis in persons of European ancestry confer risk of rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3547-53		47
18	An African ancestry-specific allele of CTLA4 confers protection against rheumatoid arthritis in African Americans. <i>PLoS Genetics</i> , 2009 , 5, e1000424	6	9
17	Recent advances in personalizing rheumatoid arthritis therapy and management. <i>Personalized Medicine</i> , 2009 , 6, 159-170	2.2	5
16	Update on pathogenic mechanisms of systemic necrotizing vasculitis. <i>Current Rheumatology Reports</i> , 2008 , 10, 430-5	4.9	7
15	The HLA-DRB1 shared epitope is associated with susceptibility to rheumatoid arthritis in African Americans through European genetic admixture. <i>Arthritis and Rheumatism</i> , 2008 , 58, 349-58		68
14	Personalized medicine in rheumatoid arthritis: hopes and challenges. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , 2007 , 65, 174-7		6
13	Anti-cyclic citrullinated peptide antibody and rheumatoid factor isotypes in African Americans with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3057-9		29
12	Update on autoantibodies in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , 2004 , 6, 343-50	4.9	22
11	The influence of genetic variation in the HLA-DRB1 and LTA-TNF regions on the response to treatment of early rheumatoid arthritis with methotrexate or etanercept. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2750-6		140
10	Single-nucleotide polymorphisms in tumor necrosis factor receptor genes: definition of novel haplotypes and racial/ethnic differences. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2045-50		38
9	Polyarteritis nodosa and microscopic polyangiitis: etiologic and diagnostic considerations. <i>Current Rheumatology Reports</i> , 2002 , 4, 75-82	4.9	17
8	Genetic influences on rheumatoid arthritis in African Americans. <i>Immunologic Research</i> , 2002 , 26, 15-26	4.3	1
7	Expression of recombination-activating genes and terminal deoxynucleotidyl transferase and secondary rearrangement of immunoglobulin kappa light chains in rheumatoid arthritis synovial tissue. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2275-84		32
6	A novel single nucleotide polymorphism and five probable haplotypes in the 5Tflanking region of the IL-6 gene in African-Americans. <i>Genes and Immunity</i> , 1999 , 1, 166-7	4.4	35
5	The genetics of rheumatoid arthritis: influences on susceptibility, severity, and treatment response. <i>Current Rheumatology Reports</i> , 1999 , 1, 164-71	4.9	13
4	CDR3 fingerprinting of immunoglobulin kappa light chains expressed in rheumatoid arthritis. Evidence of antigenic selection or dysregulation of gene rearrangement in B cells. <i>Annals of the New York Academy of Sciences</i> , 1997 , 815, 423-6	6.5	7

- 3 A rheumatoid factor from a normal individual encoded by VH2 and V kappa II gene segments. *Arthritis and Rheumatism*, **1992**, 35, 900-4 18
- 2 The immunoglobulin kappa light chain repertoire expressed in the synovium of a patient with rheumatoid arthritis. *Arthritis and Rheumatism*, **1992**, 35, 905-13 56
- 1 Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arthritis 2