

Mohd Amran Mohd Radzi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8993173/mohd-amran-mohd-radzi-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

2,754
citations

23
h-index

49
g-index

173
ext. papers

3,694
ext. citations

4
avg, IF

5.6
L-index

#	Paper	IF	Citations
143	Renewable sources-based automatic load frequency control of interconnected systems using chaotic atom search optimization. <i>Applied Soft Computing Journal</i> , 2022 , 119, 108574	7.5	4
142	Dynamic voltage restorer (DVR) enhancement in power quality mitigation with an adverse impact of unsymmetrical faults. <i>Energy Reports</i> , 2022 , 8, 871-882	4.6	2
141	Partial Discharge Localization in Oil through Acoustic Emission Technique Utilizing Fuzzy Logic. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2022 , 1-1	2.3	
140	Public Support for Feed-in-Tariff and Net Energy Metering Policies in Malaysia: The Role of Policy Information. <i>International Journal of Renewable Energy Development</i> , 2022 , 11, 694-702	1.5	0
139	New perturb and observe algorithm based on trapezoidal rule: Uniform and partial shading conditions. <i>Energy Conversion and Management</i> , 2022 , 264, 115738	10.6	1
138	Motor Current Signature Analysis-based Non-invasive Recognition of Mixed Eccentricity Fault in Line Start Permanent Magnet Synchronous Motor. <i>Electric Power Components and Systems</i> , 2021 , 49, 133-145	1	4
137	Investigation on Partial Discharge Localization in Oil Based on Time of Arrival Method 2021 ,		1
136	An Enhanced Adaptive Perturb and Observe Technique for Efficient Maximum Power Point Tracking Under Partial Shading Conditions. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3912	2.6	19
135	A Novel Hybrid Approach for Maximizing the Extracted Photovoltaic Power under Complex Partial Shading Conditions. <i>Sustainability</i> , 2020 , 12, 5786	3.6	5
134	A Matignon's Theorem Based Stability Analysis of Hybrid Power System for Automatic Load Frequency Control Using Atom Search Optimized FOPID Controller. <i>IEEE Access</i> , 2020 , 8, 168751-168772	3.5	18
133	A Comprehensive Review on Optimal Location and Sizing of Reactive Power Compensation Using Hybrid-Based Approaches for Power Loss Reduction, Voltage Stability Improvement, Voltage Profile Enhancement and Loadability Enhancement. <i>IEEE Access</i> , 2020 , 8, 222733-222765	3.5	15
132	The Effects of Number of Conducting Switches in a Cascaded Multilevel Inverter Output 2019 ,		2
131	A novel islanding detection technique using modified Slantlet transform in multi-distributed generation. <i>International Journal of Electrical Power and Energy Systems</i> , 2019 , 112, 460-475	5.1	19
130	Photovoltaic Boost DC/DC Converter for Power Led with Adaptive P&O-Fuzzy Maximum Power Point Tracking. <i>Lecture Notes in Electrical Engineering</i> , 2019 , 245-251	0.2	2
129	A Fast Fault Identification in a Grid-Connected Photovoltaic System Using Wavelet Multi-Resolution Singular Spectrum Entropy and Support Vector Machine. <i>Energies</i> , 2019 , 12, 2508	3.1	14
128	Lightning performance analysis of a rooftop grid-connected solar photovoltaic without external lightning protection system. <i>PLoS ONE</i> , 2019 , 14, e0219326	3.7	7
127	Shunt Active Power Filter: A Review on Phase Synchronization Control Techniques. <i>Electronics (Switzerland)</i> , 2019 , 8, 791	2.6	19

126	Mitigation of power quality problems using series active filter in a microgrid system. <i>International Journal of Power Electronics and Drive Systems</i> , 2019 , 10, 2245	1.5	5
125	Adaptive Linear Neural Network Approach for Three-Phase Four-Wire Active Power Filtering under Non-Ideal Grid and Unbalanced Load Scenarios. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 5304	2.6	2
124	Islanding detection method using ridgelet probabilistic neural network in distributed generation. <i>Neurocomputing</i> , 2019 , 329, 188-209	5.4	27
123	Fault detection of broken rotor bar in LS-PMSM using random forests. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018 , 116, 273-280	4.6	64
122	Dye Sensitized Solar Cell (DSSC) greenhouse shading: New insights for solar radiation manipulation. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 92, 171-186	16.2	74
121	Lightning protection on photovoltaic systems: A review on current and recommended practices. <i>Renewable and Sustainable Energy Reviews</i> , 2018 , 82, 1611-1619	16.2	33
120	Review of Control Techniques for HVAC Systems Nonlinearity Approaches Based on Fuzzy Cognitive Maps. <i>Energies</i> , 2018 , 11, 495	3.1	68
119	A Dual-Function Instantaneous Power Theory for Operation of Three-Level Neutral-Point-Clamped Inverter-Based Shunt Active Power Filter. <i>Energies</i> , 2018 , 11, 1592	3.1	5
118	Measurement-Based Modeling of a Semitransparent CdTe Thin-Film PV Module Based on a Custom Neural Network. <i>IEEE Access</i> , 2018 , 6, 34934-34947	3.5	8
117	Field data-based mathematical modeling by Bode equations and vector fitting algorithm for renewable energy applications. <i>PLoS ONE</i> , 2018 , 13, e0191478	3.7	4
116	Operation of Three-Level Inverter-Based Shunt Active Power Filter Under Nonideal Grid Voltage Conditions With Dual Fundamental Component Extraction. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 7558-7570	7.2	40
115	High Efficiency Portable Solar Generator utilizing Optimum Solar Panel Orientation 2018 ,		2
114	Artificial Intelligence based Fuzzy-MPPT Technique of H-Bridge Inverter for Grid-Connected Photovoltaic System 2018 ,		2
113	Implementation of the power transistor-assisted Sen transformer in steady-state load flow analysis. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 4182-4193	2.5	8
112	Islanding detection technique using Slantlet Transform and Ridgelet Probabilistic Neural Network in grid-connected photovoltaic system. <i>Applied Energy</i> , 2018 , 231, 645-659	10.7	22
111	On the Effect of Surge Protection Devices (SPDs) Placement for Grid-connected Solar PV Farm 2018 ,		2
110	PLL-Less Three-Phase Four-Wire SAPF with STF-dq0 Technique for Harmonics Mitigation under Distorted Supply Voltage and Unbalanced Load Conditions. <i>Energies</i> , 2018 , 11, 2143	3.1	3
109	An Illustrated Guide to Estimation of Water Velocity in Unregulated River for Hydrokinetic Performance Analysis Studies in East Malaysia. <i>Water (Switzerland)</i> , 2018 , 10, 1330	3	3

108	An Anti-Islanding Protection Technique Using a Wavelet Packet Transform and a Probabilistic Neural Network. <i>Energies</i> , 2018 , 11, 2701	3.1	18
107	Photovoltaic Integrated Shunt Active Power Filter with Simpler ADALINE Algorithm for Current Harmonic Extraction. <i>Energies</i> , 2018 , 11, 1152	3.1	7
106	Mutation Study of Malaysian Patients with Ornithine Transcarbamylase Deficiency: Clinical, Molecular, and Bioinformatics Analyses of Two Novel Missense Mutations of the Gene. <i>BioMed Research International</i> , 2018 , 2018, 4320831	3	0
105	Spatial matching of large-scale grid-connected photovoltaic power generation with utility demand in Peninsular Malaysia. <i>Applied Energy</i> , 2017 , 191, 663-688	10.7	25
104	Automated positioning dual-axis solar tracking system with precision elevation and azimuth angle control. <i>Energy</i> , 2017 , 124, 160-170	7.9	57
103	Neutral-point voltage deviation control for three-level inverter-based shunt active power filter with fuzzy-based dwell time allocation. <i>IET Power Electronics</i> , 2017 , 10, 429-441	2.2	15
102	Investigation of severity of voltage flicker caused by second harmonic. <i>IET Science, Measurement and Technology</i> , 2017 , 11, 363-370	1.5	8
101	DC-based smart PV-powered home energy management system based on voltage matching and RF module. <i>PLoS ONE</i> , 2017 , 12, e0185012	3.7	16
100	Lightning Surge Analysis on a Large Scale Grid-Connected Solar Photovoltaic System. <i>Energies</i> , 2017 , 10, 2149	3.1	23
99	Analysis of statistical features based on start-up current envelope for broken rotor bar fault detection in line start permanent magnet synchronous motor. <i>Electrical Engineering</i> , 2017 , 99, 187-201	1.5	1
98	Low cost wireless sensor monitoring system for photovoltaic (PV) array parameters 2017 ,		3
97	Modelling and simulation of battery electric vehicle by using MATLAB-Simulink 2017 ,		3
96	Significant insights into the operation of DC-link voltage control of a shunt active power filter using different control algorithms: a comparative study. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 2017 , 25, 2033-2043	0.9	1
95	Broken Rotor Bar Detection in LS-PMSM Based on Startup Current Analysis Using Wavelet Entropy Features. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 845	2.6	8
94	A Refined Self-Tuning Filter-Based Instantaneous Power Theory Algorithm for Indirect Current Controlled Three-Level Inverter-Based Shunt Active Power Filters under Non-sinusoidal Source Voltage Conditions. <i>Energies</i> , 2017 , 10, 277	3.1	10
93	A Self-Tuning Filter-Based Adaptive Linear Neuron Approach for Operation of Three-Level Inverter-Based Shunt Active Power Filters under Non-Ideal Source Voltage Conditions. <i>Energies</i> , 2017 , 10, 667	3.1	7
92	Modified Synchronous Reference Frame Based Shunt Active Power Filter with Fuzzy Logic Control Pulse Width Modulation Inverter. <i>Energies</i> , 2017 , 10, 758	3.1	23
91	A Design of a Hybrid Non-Linear Control Algorithm. <i>Energies</i> , 2017 , 10, 1823	3.1	2

90	Control Algorithms of Shunt Active Power Filter for Harmonics Mitigation: A Review. <i>Energies</i> , 2017 , 10, 2038	3.1	58
89	Photovoltaic-Powered Smart Home System with Direct Current-Environment. <i>Journal of Computational and Theoretical Nanoscience</i> , 2017 , 14, 4158-4173	0.3	1
88	Artificial neural network based maximum power point tracking controller for photovoltaic standalone system. <i>International Journal of Green Energy</i> , 2016 , 13, 283-291	3	15
87	Estimation of solar radiation from digital elevation model in area of rough topography. <i>World Journal of Engineering</i> , 2016 , 13, 453-460	1.8	3
86	Comparison of developed FLC and P&O MPPT algorithms for improving PV system performance at variable irradiance conditions. <i>World Journal of Engineering</i> , 2016 , 13, 494-499	1.8	1
85	DC-DC converter for photovoltaic powered battery charger. <i>World Journal of Engineering</i> , 2016 , 13, 516-523	3	3
84	Realization of Single Phase to Three Phase Matrix Converter using SVPWM Algorithm. <i>Automatika</i> , 2016 , 57, 129-140	1.6	3
83	Investigation of harmonic components on voltage flicker measurement 2016 ,		1
82	Power transistor-assisted Sen Transformer: a novel approach to power flow control. <i>Electric Power Systems Research</i> , 2016 , 133, 228-240	3.5	9
81	Power loss due to soiling on solar panel: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 59, 1307-1316	16.2	430
80	DC-link capacitor voltage control for single-phase shunt active power filter with step size error cancellation in self-charging algorithm. <i>IET Power Electronics</i> , 2016 , 9, 323-335	2.2	31
79	Improved ADALINE Harmonics Extraction Algorithm for Boosting Performance of Photovoltaic Shunt Active Power Filter under Dynamic Operations. <i>Journal of Electrical Engineering and Technology</i> , 2016 , 11, 1714-1728	1.4	1
78	A Simplified Synchronous Reference Frame for Indirect Current Controlled Three-level Inverter-based Shunt Active Power Filters. <i>Journal of Power Electronics</i> , 2016 , 16, 1964-1980	0.9	19
77	Simplified Adaptive Linear Neuron Harmonics Extraction Algorithm for Dynamic Performance of Shunt Active Power Filter. <i>International Review on Modelling and Simulations</i> , 2016 , 9, 144	2.6	2
76	Three-phase three-level shunt active power filter with simplified synchronous reference frame 2016 ,		1
75	Equalization Technique for Balancing the Modulation Ratio Characteristics of the Single-Phase-to-Three-Phase Matrix Converter. <i>Scientific Programming</i> , 2016 , 2016, 1-10	1.4	0
74	Enhanced Instantaneous Power Theory with Average Algorithm for Indirect Current Controlled Three-Level Inverter-Based Shunt Active Power Filter under Dynamic State Conditions. <i>Mathematical Problems in Engineering</i> , 2016 , 2016, 1-12	1.1	12
73	Implementing a Novel Hybrid Maximum Power Point Tracking Technique in DSP via Simulink/MATLAB under Partially Shaded Conditions. <i>Energies</i> , 2016 , 9, 85	3.1	7

72	Fundamental Active Current Adaptive Linear Neural Networks for Photovoltaic Shunt Active Power Filters. <i>Energies</i> , 2016 , 9, 397	3.1	13
71	DC-Link Capacitor Voltage Regulation for Three-Phase Three-Level Inverter-Based Shunt Active Power Filter with Inverted Error Deviation Control. <i>Energies</i> , 2016 , 9, 533	3.1	21
70	A Photovoltaic-Based SEPIC Converter with Dual-Fuzzy Maximum Power Point Tracking for Optimal Buck and Boost Operations. <i>Energies</i> , 2016 , 9, 604	3.1	10
69	Adaptive Hybrid Fuzzy-Proportional Plus Crisp-Integral Current Control Algorithm for Shunt Active Power Filter Operation. <i>Energies</i> , 2016 , 9, 737	3.1	5
68	Broken rotor bar fault detection in line start permanent magnet synchronous motor using transient current signal 2016 ,		2
67	On the effect of lightning on a solar photovoltaic system 2016 ,		8
66	On the performance of a polycrystalline PV panel under different impulse voltages and temperatures 2016 ,		3
65	Hybrid FFT-ADALINE algorithm with fast estimation of harmonics in power system. <i>IET Signal Processing</i> , 2016 , 10, 855-864	1.7	7
64	Spatial energy predictions from large-scale photovoltaic power plants located in optimal sites and connected to a smart grid in Peninsular Malaysia. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 66, 79-94	16.2	25
63	New design approach to MIMO nonlinear controller for direct expansion air conditioning system in building automation system 2015 ,		1
62	Novel hybrid maximum power point tracking algorithm for PV systems under partially shaded conditions 2015 ,		3
61	Optimization and comparison analysis for application of PV panels in three villages. <i>Energy Science and Engineering</i> , 2015 , 3, 145-152	3.4	11
60	Impact of Inverter Controller on Efficiency and Islanding of Photovoltaic Distributed Generation. <i>Applied Mechanics and Materials</i> , 2015 , 785, 167-171	0.3	
59	Effect of temperature on a poly-crystalline solar panel in large scale solar plants in Malaysia 2015 ,		6
58	2015 ,		1
57	Broken rotor bar detection in LS-PMSMs based on statistical features analysis of start-up current envelope 2015 ,		4
56	Statistical features analysis of transient current signal for broken bars fault detection in LS-PMSMs 2015 ,		1
55	Wireless Sensors System for Broken Rotor bar Fault Monitoring using Wavelet Analysis. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 99, 012029	0.4	1

54	Dual Search Maximum Power Point (DSMPP) Algorithm Based on Mathematical Analysis under Shaded Conditions. <i>Energies</i> , 2015 , 8, 12116-12146	3.1	5
53	The Study of Operation Modes and Control Strategies of a Multidirectional MC for Battery Based System. <i>Mathematical Problems in Engineering</i> , 2015 , 2015, 1-14	1.1	
52	A Simple Predictive Method of Critical Flicker Detection for Human Healthy Precaution. <i>Mathematical Problems in Engineering</i> , 2015 , 2015, 1-10	1.1	3
51	Power consumption and size minimization of a wireless sensor node in automation system application 2015 ,		2
50	The effect of temperature on a mono-crystalline solar PV panel 2015 ,		15
49	Mathematical design and analysis of anti-lock brake system for electric vehicle based on brake-by-wire technology. <i>International Journal of Electric and Hybrid Vehicles</i> , 2015 , 7, 303	0.7	
48	Embracing new agriculture commodity through integration of Java Tea as high Value Herbal crops in solar PV farms. <i>Journal of Cleaner Production</i> , 2015 , 91, 71-77	10.3	24
47	Dual Function of Unified Adaptive Linear Neurons Based Fundamental Component Extraction Algorithm for Shunt Active Power Filter Operation. <i>International Review of Electrical Engineering</i> , 2015 , 10, 544	1.9	7
46	Development of adaptive perturb and observe-fuzzy control maximum power point tracking for photovoltaic boost dc/dc converter. <i>IET Renewable Power Generation</i> , 2014 , 8, 183-194	2.9	164
45	Short Circuit Power based fault location algorithm in distribution networks 2014 ,		1
44	Assessment of hybrid renewable power sources for rural electrification in Malaysia. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 30, 299-305	16.2	95
43	A comparative study of three types of grid connected photovoltaic systems based on actual performance. <i>Energy Conversion and Management</i> , 2014 , 78, 8-13	10.6	31
42	A new cascaded multilevel inverter topology with minimum number of conducting switches 2014 ,		14
41	Power system security enhancement and loss reduction using the SMART power flow controller 2014 ,		2
40	On the fault location algorithm for distribution networks in presence of DG 2014 ,		2
39	Single Phase Shunt Active Power Filter with Simplified ADALINE Neural Network 2014 ,		2
38	Static Eccentricity Fault Recognition in Three-Phase Line Start Permanent Magnet Synchronous Motor Using Finite Element Method. <i>Mathematical Problems in Engineering</i> , 2014 , 2014, 1-12	1.1	13
37	Novel modulation method for multidirectional matrix converter. <i>Scientific World Journal, The</i> , 2014 , 2014, 645734	2.2	2

36	Evaluation of Fuzzy Logic Subsets Effects on Maximum Power Point Tracking for Photovoltaic System. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-13	2.1	21
35	Improved Maintenance for Energy Optimization in the Calcium Compound Processing Industry. <i>Applied Mechanics and Materials</i> , 2014 , 564, 747-751	0.3	
34	Decreasing of grid-tied PV power output due to thick haze phenomena in Malaysia 2014 ,		1
33	Diagnosis of static eccentricity fault in line start permanent magnet synchronous motor 2014 ,		1
32	Performance analysis of line-start permanent magnet synchronous motor in presence of rotor fault 2014 ,		4
31	Optimal design of hybrid renewable energy system based on solar and biomass for halal products research institute, UPM 2014 ,		3
30	Cut-Off solar charge controller as an alternative towards system efficiency optimization 2014 ,		1
29	GPS based portable dual-axis solar tracking system using astronomical equation 2014 ,		11
28	Predicting power output of photovoltaic systems with solar radiation model 2014 ,		5
27	Performance Test Conditions for Direct Temperature Elements of Multiple PV Array Configurations in Malaysia. <i>Energy Procedia</i> , 2014 , 61, 2387-2390	2.3	5
26	Optimal allocation of sen transformer for Active Power Loss Reduction 2014 ,		3
25	Modelling and Prediction of Photovoltaic Power Output Using Artificial Neural Networks. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-10	2.1	56
24	Modelling of photovoltaic array temperature in a tropical site using generalized extreme value distribution. <i>Journal of Renewable and Sustainable Energy</i> , 2014 , 6, 033134	2.5	4
23	The present and future of smart power grid in developing countries. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 29, 828-834	16.2	98
22	Calculating electrical and thermal characteristics of multiple PV array configurations installed in the tropics. <i>Energy Conversion and Management</i> , 2013 , 75, 418-424	10.6	15
21	Simulation of single-phase shunt active power filter with fuzzy logic controller for power quality improvement 2013 ,		2
20	A general approach toward building integrated photovoltaic systems and its implementation barriers: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 22, 527-538	16.2	62
19	A current and future study on non-isolated DCDC converters for photovoltaic applications. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 17, 216-227	16.2	159

18	Integration of dual intelligent algorithms in shunt active power filter 2013 ,		1
17	Role of FACTS devices in improving penetration of renewable energy 2013 ,		8
16	Application of smart power grid in developing countries 2013 ,		10
15	Comparison of ANN and P&O MPPT methods for PV applications under changing solar irradiation 2013 ,		17
14	A modified artificial neural network (ANN) algorithm to control shunt active power filter (SAPF) for current harmonics reduction 2013 ,		3
13	Adaptive unified neural network for dynamic power quality compensation 2013 ,		1
12	Field Measurement of PV Array Temperature for Tracking and Concentrating 1 k WpGenerators Installed in Malaysia. <i>International Journal of Photoenergy</i> , 2013 , 2013, 1-8	2.1	4
11	An Energy Management initiative for the Calcium Compound Processing Industry. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2013 , 46, 2075-2080		0
10	Multi-objective optimization of a stand-alone hybrid renewable energy system by using evolutionary algorithms: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 3364-3369	16.2	282
9	Hybrid renewable energy systems in remote areas of equatorial countries 2012 ,		2
8	Adaptive P&O-fuzzy control MPPT for PV boost dc-dc converter 2012 ,		10
7	Communication for Distributed Renewable Generations (DRGs): A review on the penetration to Smart Grids (SGs) 2012 ,		8
6	DSP-based flexible digital hysteresis in switched capacitor active power filter. <i>IEICE Electronics Express</i> , 2010 , 7, 621-627	0.5	3
5	Neural Network and Bandless Hysteresis Approach to Control Switched Capacitor Active Power Filter for Reduction of Harmonics. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 1477-1484	8.9	75
4	Neural network based detection in switched capacitor filter for harmonic mitigation 2008 ,		3
3	2007 ,		17
2			4
1	Basic design aspects of micro hydro power plant and its potential development in Malaysia		17

