

# Sangeeta R Banerjee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8993449/publications.pdf>

Version: 2024-02-01

68  
papers

3,837  
citations

125106

35  
h-index

139680

61  
g-index

71  
all docs

71  
docs citations

71  
times ranked

4665  
citing authors

#	ARTICLE	IF	CITATIONS
1	An Improved <sup>211</sup> At-Labeled Agent for PSMA-Targeted $\alpha$ -Therapy. <i>Journal of Nuclear Medicine</i> , 2022, 63, 259-267.	2.8	28
2	A Series of PSMA-Targeted Near-Infrared Fluorescent Imaging Agents. <i>Biomolecules</i> , 2022, 12, 405.	1.8	1
3	Preclinical evaluation of <sup>213</sup> Bi- <sup>225</sup> Ac-labeled low-molecular-weight compounds for radiopharmaceutical therapy of prostate cancer. <i>Journal of Nuclear Medicine</i> , 2021, 62, jnumed.120.256388.	2.8	17
4	Dual contrast agents for fluorescence and photoacoustic imaging: evaluation in a murine model of prostate cancer. <i>Nanoscale</i> , 2021, 13, 9217-9228.	2.8	19
5	Prostate-specific membrane antigen (PSMA)-targeted photodynamic therapy enhances the delivery of PSMA-targeted magnetic nanoparticles to PSMA-expressing prostate tumors. <i>Nanotheranostics</i> , 2021, 5, 182-196.	2.7	12
6	A prostate-specific membrane antigen (PSMA)-targeted prodrug with a favorable in vivo toxicity profile. <i>Scientific Reports</i> , 2021, 11, 7114.	1.6	20
7	Preclinical Evaluation of <sup>203</sup> Pb/ <sup>212</sup> Pb-Labeled Low-Molecular-Weight Compounds for Targeted Radiopharmaceutical Therapy of Prostate Cancer. <i>Journal of Nuclear Medicine</i> , 2020, 61, 80-88.	2.8	59
8	Auger radiopharmaceutical therapy targeting prostate-specific membrane antigen in a micrometastatic model of prostate cancer. <i>Theranostics</i> , 2020, 10, 2888-2896.	4.6	28
9	<sup>177</sup> Lu-labeled low-molecular-weight agents for PSMA-targeted radiopharmaceutical therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2545-2557.	3.3	40
10	Evaluation of PSMA-Targeted PAMAM Dendrimer Nanoparticles in a Murine Model of Prostate Cancer. <i>Molecular Pharmaceutics</i> , 2019, 16, 2590-2604.	2.3	29
11	MRI Assessment of Prostate-Specific Membrane Antigen (PSMA) Targeting by a PSMA-Targeted Magnetic Nanoparticle: Potential for Image-Guided Therapy. <i>Molecular Pharmaceutics</i> , 2019, 16, 2060-2068.	2.3	15
12	Evaluation of <sup>111</sup> In-DOTA-5D3, a Surrogate SPECT Imaging Agent for Radioimmunotherapy of Prostate-Specific Membrane Antigen. <i>Journal of Nuclear Medicine</i> , 2019, 60, 400-406.	2.8	19
13	Salicylic Acid-Based Polymeric Contrast Agents for Molecular Magnetic Resonance Imaging of Prostate Cancer. <i>Chemistry - A European Journal</i> , 2018, 24, 7235-7242.	1.7	11
14	A hyaluronic acid binding peptide-polymer system for treating osteoarthritis. <i>Biomaterials</i> , 2018, 183, 93-101.	5.7	69
15	<sup>111</sup> In- and IRDye800CW-Labeled PLA-PEG Nanoparticle for Imaging Prostate-Specific Membrane Antigen-Expressing Tissues. <i>Biomacromolecules</i> , 2017, 18, 201-209.	2.6	43
16	A dextran-based probe for the targeted magnetic resonance imaging of tumours expressing prostate-specific membrane antigen. <i>Nature Biomedical Engineering</i> , 2017, 1, 977-982.	11.6	58
17	Developing imidazoles as CEST MRI pH sensors. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 304-312.	0.4	47
18	Preclinical Comparative Study of <sup>68</sup> Ga-Labeled DOTA, NOTA, and HBED-CC Chelated Radiotracers for Targeting PSMA. <i>Bioconjugate Chemistry</i> , 2016, 27, 1447-1455.	1.8	54

#	ARTICLE	IF	CITATIONS
19	Ultrahigh affinity Raman probe for targeted live cell imaging of prostate cancer. <i>Chemical Science</i> , 2016, 7, 6779-6785.	3.7	42
20	PSMA-specific theranostic nanoplex for combination of TRAIL gene and 5-FC prodrug therapy of prostate cancer. <i>Biomaterials</i> , 2016, 80, 57-67.	5.7	36
21	Nanoconjugation of PSMA-Targeting Ligands Enhances Perinuclear Localization and Improves Efficacy of Delivered Alpha-Particle Emitters against Tumor Endothelial Analogues. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 106-113.	1.9	27
22	Imaging, Biodistribution, and Dosimetry of Radionuclide-Labeled PD-L1 Antibody in an Immunocompetent Mouse Model of Breast Cancer. <i>Cancer Research</i> , 2016, 76, 472-479.	0.4	140
23	[ <sup>64</sup> Cu]XYIMSR-06: A dual-motif CAIX ligand for PET imaging of clear cell renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 56471-56479.	0.8	49
24	Synthesis and Evaluation of Gd <sup>III</sup> -Based Magnetic Resonance Contrast Agents for Molecular Imaging of Prostate-Specific Membrane Antigen. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10778-10782.	7.2	57
25	Anthranilic acid analogs as diamagnetic CEST MRI contrast agents that feature an intramolecular $\pi$ -bond shifted hydrogen. <i>Contrast Media and Molecular Imaging</i> , 2015, 10, 74-80.	0.4	28
26	Evaluation of a PSMA-targeted BNF nanoparticle construct. <i>Nanoscale</i> , 2015, 7, 4432-4442.	2.8	35
27	Design and assembly of supramolecular dual-modality nanoprobe. <i>Nanoscale</i> , 2015, 7, 9462-9466.	2.8	16
28	Preclinical Evaluation of <sup>86</sup> Y-Labeled Inhibitors of Prostate-Specific Membrane Antigen for Dosimetry Estimates. <i>Journal of Nuclear Medicine</i> , 2015, 56, 628-634.	2.8	35
29	Imaging of carbonic anhydrase IX with an <sup>111</sup> In-labeled dual-motif inhibitor. <i>Oncotarget</i> , 2015, 6, 33733-33742.	0.8	44
30	Tuning Phenols with Intramolecular Bond Shifted Hydrogens (IM $\pi$ SHY) as diaCEST MRI Contrast Agents. <i>Chemistry - A European Journal</i> , 2014, 20, 15824-15832.	1.7	43
31	<sup>64</sup> Cu-Labeled Inhibitors of Prostate-Specific Membrane Antigen for PET Imaging of Prostate Cancer. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 2657-2669.	2.9	103
32	PSMA-Targeted Low Molecular Weight Urea-siRNA Conjugates for Targeted Knockdown of DNA-PK and Radiosensitization of Prostate Cancer Cell Lines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, S798-S799.	0.4	0
33	Heterobivalent Agents Targeting PSMA and Integrin $\alpha$ <sub>v</sub> $\beta$ <sub>3</sub> . <i>Bioconjugate Chemistry</i> , 2014, 25, 393-405.	1.8	38
34	Clinical applications of Gallium-68. <i>Applied Radiation and Isotopes</i> , 2013, 76, 2-13.	0.7	194
35	Effect of Chelators on the Pharmacokinetics of <sup>99m</sup> Tc-Labeled Imaging Agents for the Prostate-Specific Membrane Antigen (PSMA). <i>Journal of Medicinal Chemistry</i> , 2013, 56, 6108-6121.	2.9	57
36	Salicylic Acid and Analogues as diaCEST MRI Contrast Agents with Highly Shifted Exchangeable Proton Frequencies. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 8116-8119.	7.2	73

#	ARTICLE	IF	CITATIONS
37	Synthesis and Biological Evaluation of Low Molecular Weight Fluorescent Imaging Agents for the Prostate-Specific Membrane Antigen. <i>Bioconjugate Chemistry</i> , 2012, 23, 2377-2385.	1.8	84
38	PSMA-Targeted Theranostic Nanoplex for Prostate Cancer Therapy. <i>ACS Nano</i> , 2012, 6, 7752-7762.	7.3	95
39	A Modular Strategy to Prepare Multivalent Inhibitors of Prostate-Specific Membrane Antigen (PSMA). <i>Oncotarget</i> , 2011, 2, 1244-1253.	0.8	53
40	Sequential SPECT and Optical Imaging of Experimental Models of Prostate Cancer with a Dual Modality Inhibitor of the Prostate-Specific Membrane Antigen. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9167-9170.	7.2	106
41	Probing In Vivo Trafficking of Polymer/DNA Micellar Nanoparticles Using SPECT/CT Imaging. <i>Molecular Therapy</i> , 2011, 19, 1626-1635.	3.7	42
42	<sup>68</sup> Ga-Labeled Inhibitors of Prostate-Specific Membrane Antigen (PSMA) for Imaging Prostate Cancer. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 5333-5341.	2.9	196
43	Optimization of peptide-based inhibitors of prostate-specific antigen (PSA) as targeted imaging agents for prostate cancer. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4888-4893.	1.4	31
44	Comprehensive Radiolabeling, Stability, and Tissue Distribution Studies of Technetium-99m Single Amino Acid Chelates (SAAC). <i>Bioconjugate Chemistry</i> , 2009, 20, 1625-1633.	1.8	43
45	A low molecular weight PSMA-based fluorescent imaging agent for cancer. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 624-629.	1.0	124
46	Synthesis and Evaluation of Technetium-99m- and Rhenium-Labeled Inhibitors of the Prostate-Specific Membrane Antigen (PSMA). <i>Journal of Medicinal Chemistry</i> , 2008, 51, 4504-4517.	2.9	223
47	Interactions between Human Glutamate Carboxypeptidase II and Urea-Based Inhibitors: Structural Characterization. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 7737-7743.	2.9	138
48	Characterization of a targeted nanoparticle functionalized with a urea-based inhibitor of prostate-specific membrane antigen (PSMA). <i>Cancer Biology and Therapy</i> , 2008, 7, 974-982.	1.5	70
49	A new bifunctional amino acid chelator targeting the glucose transporter. <i>Inorganica Chimica Acta</i> , 2006, 359, 1603-1612.	1.2	28
50	Design and synthesis of site directed maleimide bifunctional chelators for technetium and rhenium. <i>Dalton Transactions</i> , 2005, , 3886.	1.6	40
51	A new tricarbonylrhenium(I) compound incorporating the tridentate ligand N,N-bis(2-picolyl)-2-ethanolamine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, m275-m277.	0.4	4
52	A New Strategy for the Preparation of Peptide-Targeted Technetium and Rhenium Radiopharmaceuticals. The Automated Solid-Phase Synthesis, Characterization, Labeling, and Screening of a Peptide-Ligand Library Targeted at the Formyl Peptide Receptor. <i>Bioconjugate Chemistry</i> , 2005, 16, 1189-1195.	1.8	23
53	A convenient solid-phase synthesis methodology for preparing peptide-derived molecular imaging agents— Synthesis, characterization, and in vitro screening of Tc(I) and Re(I) chemotactic peptide conjugates. <i>Canadian Journal of Chemistry</i> , 2005, 83, 2060-2066.	0.6	10
54	Site directed maleimide bifunctional chelators for the M(CO) <sub>3</sub> <sup>+</sup> core (M = <sup>99m</sup> Tc, Re). <i>Chemical Communications</i> , 2005, , 1784.	2.2	34

#	ARTICLE	IF	CITATIONS
55	New directions in the coordination chemistry of $^{99m}\text{Tc}$ : a reflection on technetium core structures and a strategy for new chelate design. <i>Nuclear Medicine and Biology</i> , 2005, 32, 1-20.	0.3	183
56	N,N-Bis(2-mercaptoethyl)methylamine: A New Coligand for Tc-99m Labeling of Hydrazinonicotinamide Peptides. <i>Bioconjugate Chemistry</i> , 2005, 16, 885-902.	1.8	18
57	Direct Reductive Alkylation of Amino Acids: Synthesis of Bifunctional Chelates for Nuclear Imaging. <i>Synthesis</i> , 2004, 2004, 1759-1766.	1.2	7
58	A metal-mediated dimerization of the ligand bis(N,N-diethylamino)carbeniumdithiocarboxylate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, m208-m209.	0.4	4
59	Complexes of the fac- $\{\text{Re}(\text{CO})_3\}^+$ core with tridentate ligands derived from arylpiperazines. <i>Inorganica Chimica Acta</i> , 2004, 357, 1499-1516.	1.2	47
60	Bifunctional chelates with aliphatic amine donors for labeling of biomolecules with the $\{\text{Tc}(\text{CO})_3\}^+$ and $\{\text{Re}(\text{CO})_3\}^+$ cores: the crystal and molecular structure of $[\text{Re}(\text{CO})_3\{(\text{H}_2\text{NCH}_2\text{CH}_2)_2\text{N}(\text{CH}_2)_4\text{CO}_2\text{Me}\}]\text{Br}$ . <i>Inorganic Chemistry Communication</i> , 2004, 7, 481-484.	1.8	21
61	Bridging the Gap between in Vitro and in Vivo Imaging: Isostructural Re and $^{99m}\text{Tc}$ Complexes for Correlating Fluorescence and Radioimaging Studies. <i>Journal of the American Chemical Society</i> , 2004, 126, 8598-8599.	6.6	200
62	A New Strategy for the Preparation of Peptide-Targeted Radiopharmaceuticals Based on an Fmoc-Lysine-Derived Single Amino Acid Chelate (SAAC). Automated Solid-Phase Synthesis, NMR Characterization, and in Vitro Screening of fMLF(SAAC)G and fMLF[(SAAC) $^{\text{Re}}(\text{CO})_3$ ]+G. <i>Bioconjugate Chemistry</i> , 2004, 15, 128-136.	1.8	112
63	Rhenium tricarbonyl core complexes with ligands derived from arylpiperazines. The structures of $[\text{Re}(\text{CO})_3\{\text{NC}_5\text{H}_4\text{CH}_2\text{N}(\text{H})\text{CH}_2\text{CH}_2\text{C}_6\text{H}_4\text{phenpip}\}]\text{Br}$ , $[\text{Re}(\text{CO})_3\{\text{NC}_5\text{H}_4\text{CH}_2\text{N}(\text{CH}_2)_3\text{C}_6\text{H}_4\text{phenpipH}\}]\text{Br}_2$ and $[\text{Re}(\text{CO})_3\{\text{CH}_3\text{N}_2\text{C}_3\text{H}_2\text{CH}_2\text{O}_2\text{CCH}_2\text{N}(\text{CH}_2)_3\text{C}_6\text{H}_4\text{phenpipH}_2\}]\text{BrCl}$ . <i>Inorganic Chemistry Communication</i> , 2003, 6, 1099-1103.	1.8	17
64	$\{\text{Re}(\text{CO})_3\}$ Core Complexes with Bifunctional Single Amino Acid Chelates. <i>Inorganic Chemistry</i> , 2002, 41, 5795-5802.	1.9	18
65	Bifunctional Single Amino Acid Chelates for Labeling of Biomolecules with the $\{\text{Tc}(\text{CO})_3\}^+$ and $\{\text{Re}(\text{CO})_3\}^+$ Cores. Crystal and Molecular Structures of $[\text{ReBr}(\text{CO})_3(\text{H}_2\text{NCH}_2\text{C}_5\text{H}_4\text{N})]$ , $[\text{Re}(\text{CO})_3\{(\text{C}_5\text{H}_4\text{NCH}_2)_2\text{NH}\}]\text{Br}$ , $[\text{Re}(\text{CO})_3\{(\text{C}_5\text{H}_4\text{NCH}_2)_2\text{NCH}_2\text{CO}_2\text{H}\}]\text{Br}$ , $[\text{Re}(\text{CO})_3\{X(Y)\text{NCH}_2\text{CO}_2\text{CH}_2\text{CH}_3\}]\text{Br}$ (X = Y = 2-pyridylmethyl; X = 2-pyridylmethyl, Y =) <i>Tj ETQq1 1 0.784314 rgBT</i> <sup>171</sup> Overlock IO Tf 50	1.9	171
66	Rhenium(I) carbonyl complexes of bis(N,N-diethylamino)carbeniumdithiocarboxylate, a novel inner-salt type sulfur donor ligand. Spectroscopic and structural studies. <i>Inorganica Chimica Acta</i> , 2002, 340, 155-162.	1.2	16
67	Chemistry of the Rhenium Azopyridine Family: An Oxo Parent and Derivatives Thereof Including a Novel Oxo Imido Dimer. <i>Inorganic Chemistry</i> , 2000, 39, 6-13.	1.9	51
68	Variable-Valent $\text{Re}^{\text{NAr}}$ Species. A Family of $\text{Re}^{\text{VINAr}}$ Amide Complexes and Their $\text{Re}^{\text{VNAr}}$ Imine Precursors Related by Oxygen Atom Transfer. <i>Inorganic Chemistry</i> , 1997, 36, 3595-3601.	1.9	26