Kyungwon Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8994632/publications.pdf

Version: 2024-02-01

43601 44444 12,832 344 50 95 citations g-index h-index papers 351 351 351 11463 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical Differences in Patients Infected with Fusobacterium and Antimicrobial Susceptibility of Fusobacterium Isolates Recovered at a Tertiary-Care Hospital in Korea. Annals of Laboratory Medicine, 2022, 42, 188-195.	1.2	11
2	Substantial Improvement in Nontuberculous Mycobacterial Identification Using ASTA MicroIDSys Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry with an Upgraded Database. Annals of Laboratory Medicine, 2022, 42, 358-362.	1.2	4
3	Microorganisms Isolated from Urine Cultures and Their Antimicrobial Susceptibility Patterns at a Commercial Laboratory during 2018-2020. Korean Journal of Healthcare-Associated Infection Control and Prevention, 2022, 27, 51-58.	0.1	1
4	Longitudinal study of meningococcal carriage rates in university entrants living in a dormitory in South Korea. PLoS ONE, 2021, 16, e0244716.	1.1	2
5	Prevalence and Molecular Epidemiology of Extended-Spectrum-β-Lactamase (ESBL)-Producing <i>Escherichia coli</i> From Multiple Sectors of the Swine Industry in Korea: A Korean Nationwide Monitoring Program for a One Health Approach to Combat Antimicrobial Resistance. Annals of Laboratory Medicine. 2021. 41. 285-292.	1.2	10
6	Innovation in Clinical Microbiology Testing. Korean Journal of Healthcare-Associated Infection Control and Prevention, 2021, 26, 42-44.	0.1	0
7	First Identification of IMP-1 Metallo- \hat{l}^2 -Lactamase in <i>Delftia tsuruhatensis</i> From a Clinical Specimen. Annals of Laboratory Medicine, 2021, 41, 436-438.	1.2	7
8	Prevalence and Molecular Epidemiology of Extended-Spectrum-Î ² -Lactamase (ESBL)-Producing Escherichia coli from Multiple Sectors of Poultry Industry in Korea. Antibiotics, 2021, 10, 1050.	1.5	7
9	Evaluation of Disk carbapenemase test using improved disks for rapid detection and differentiation of clinical isolates of carbapenemase-producing Enterobacterales. Journal of Infection and Chemotherapy, 2021, 27, 1205-1211.	0.8	O
10	National Academy of Medicine of Korea (NAMOK) Key Statements on COVID-19. Journal of Korean Medical Science, 2021, 36, e287.	1.1	7
11	Whole-Genome Analysis of blaCTX-M-55-Carrying Escherichia coli Among Pigs, Farm Environment, and Farm Workers. Annals of Laboratory Medicine, 2020, 40, 180-183.	1.2	6
12	Prevalence and Risk Factors for Extended-Spectrum \hat{l}^2 -Lactamase-Producing <i>Klebsiella pneumoniae</i> Colonization in Intensive Care Units. Annals of Laboratory Medicine, 2020, 40, 164-168.	1.2	3
13	Performance evaluation of a new matrix-assisted laser desorption/ionization time-of-flight mass spectrometry, ASTA MicroIDSys system, in bacterial identification against clinical isolates of anaerobic bacteria. Anaerobe, 2020, 61, 102131.	1.0	9
14	An agar plate-based modified carbapenem inactivation method (p-mCIM) for detection of carbapenemase-producing Enterobacteriaceae. Journal of Microbiological Methods, 2020, 168, 105781.	0.7	3
15	Risk Factors for Carbapenemase-Producing Enterobacterales Infection or Colonization in a Korean Intensive Care Unit: A Case–Control Study. Antibiotics, 2020, 9, 680.	1.5	17
16	Fusobacterium nucleatum in biopsied tissues from colorectal cancer patients and alcohol consumption in Korea. Scientific Reports, 2020, 10, 19915.	1.6	10
17	The First Case of Ochrobactrum pseudogrignonense Bacteremia in Korea. Annals of Laboratory Medicine, 2020, 40, 331-333.	1.2	3
18	Isolation of Non-Hydrogen Sulfide-Producing Salmonella enterica Serovar Infantis from a Clinical Sample: the First Case in Korea. Annals of Laboratory Medicine, 2020, 40, 334-336.	1.2	1

#	Article	IF	CITATIONS
19	An Outbreak of KPC-Producing Klebsiella pneumoniae Linked with an Index Case of Community-Acquired KPC-Producing Isolate: Epidemiological Investigation and Whole Genome Sequencing Analysis. Microbial Drug Resistance, 2019, 25, 1475-1483.	0.9	7
20	First Case of <i>Trueperella bernardiae</i> Bacteremia in an Immunocompromised Patient in Korea. Annals of Laboratory Medicine, 2019, 39, 593-595.	1.2	7
21	Modification and evaluation of the Triton Hodge test for screening carbapenemase-producing Enterobacteriaceae. Diagnostic Microbiology and Infectious Disease, 2019, 95, 114872.	0.8	3
22	Septicemia Caused by <i>Herbaspirillum huttiense</i> Secondary to Pneumonia. Annals of Laboratory Medicine, 2019, 39, 340-342.	1.2	13
23	Emergence and Spread of Cephalosporin-Resistant <i>Neisseria gonorrhoeae</i> with Mosaic <i>penA</i> Alleles, South Korea, 2012–2017. Emerging Infectious Diseases, 2019, 25, 416-424.	2.0	17
24	Colonization Prevalence and Risk Factor Analysis of Carbapenem-Resistant Acinetobacter baumannii in an Intensive Care Unit without Outbreaks. Korean Journal of Healthcare-Associated Infection Control and Prevention, 2019, 24, 81.	0.1	1
25	Risk Factors for <i>Elizabethkingia</i> Acquisition and Clinical Characteristics of Patients, South Korea. Emerging Infectious Diseases, 2019, 25, 42-51.	2.0	35
26	Antimicrobial Susceptibility Patterns of Anaerobic Bacterial Clinical Isolates From 2014 to 2016, Including Recently Named or Renamed Species. Annals of Laboratory Medicine, 2019, 39, 190-199.	1.2	37
27	Characteristics of Faecal Microbiota in Korean Patients with <i>Clostridioides difficile</i> Li>-associated Diarrhea. Infection and Chemotherapy, 2019, 51, 365.	1.0	5
28	Two Cases of Chickenpox Developed from an Immunocompromised Patient with Localized Herpes Zoster. Korean Journal of Healthcare-Associated Infection Control and Prevention, 2019, 24, 103.	0.1	0
29	Molecular Characterization of <i>Pseudomonas putida</i> Group Isolates Carrying <i>bla</i> _{VIM-2} Disseminated in a University Hospital in Korea. Microbial Drug Resistance, 2018, 24, 627-634.	0.9	9
30	Prevalence and serogroup changes of Neisseria meningitidis in South Korea, 2010–2016. Scientific Reports, 2018, 8, 5292.	1.6	8
31	Antifungal susceptibilities to amphotericin B, triazoles and echinocandins of 77 clinical isolates of cryptic Aspergillus species in multicenter surveillance in Korea. Medical Mycology, 2018, 56, 501-505.	0.3	11
32	The Usefulness of Active Surveillance Culture of Extended-Spectrum β-Lactamase-Producing Escherichia coli in ICU Settings without Outbreak in the Situation of Wide Spread of Sequence Type 131 ESBL-Producing E. coli in Community. Annals of Clinical Microbiology, 2018, 21, 28.	0.3	1
33	Trends in South Korean antimicrobial use and association with changes in Escherichia coli resistance rates: 12-year ecological study using a nationwide surveillance and antimicrobial prescription database. PLoS ONE, 2018, 13, e0209580.	1.1	20
34	1489. Trends in Antimicrobial Resistance in <i>N. gonorrhoeae</i> Isolated in Korea During 2015–2017. Open Forum Infectious Diseases, 2018, 5, S460-S461.	0.4	0
35	Recent Increase in the Incidence of TEM-135 \hat{l}^2 -Lactamase-harboring Neisseria gonorrhoeae in Korea. Annals of Laboratory Medicine, 2018, 38, 324-330.	1.2	5
36	Parabacteroides chongii sp. nov., isolated from blood of a patient with peritonitis. Journal of Microbiology, 2018, 56, 722-726.	1.3	14

#	Article	IF	CITATIONS
37	Increasing Incidence of Listeriosis and Infection-associated Clinical Outcomes. Annals of Laboratory Medicine, 2018, 38, 102-109.	1.2	42
38	Extensively Drug-Resistant <i>Escherichia coli</i> Sequence Type 1642 Carrying an IncX3 Plasmid Containing the <i>bla</i> _{KPC-2} Gene Associated with Transposon Tn <i>4401a</i> Annals of Laboratory Medicine, 2018, 38, 17-22.	1.2	20
39	Same-Day Identification and Antimicrobial Susceptibility Testing of Bacteria in Positive Blood Culture Broths Using Short-Term Incubation on Solid Medium with the MicroFlex LT, Vitek-MS, and Vitek2 Systems. Annals of Laboratory Medicine, 2018, 38, 235-241.	1.2	11
40	Seasonal and Temperature-Associated Increase in Community-Onset Acinetobacter baumannii Complex Colonization or Infection. Annals of Laboratory Medicine, 2018, 38, 266-270.	1.2	20
41	Abrupt Increase in Rate of Imipenem Resistance in Acinetobacter baumannii Complex Strains Isolated from General Hospitals in Korea and Correlation With Carbapenem Administration During 2002?2013. Annals of Laboratory Medicine, 2018, 38, 179-181.	1.2	5
42	Impact of matrix-assisted laser desorption/ionization time of flight mass spectrometric evaluation on the clinical outcomes of patients with bacteremia and fungemia in clinical settings lacking an antimicrobial stewardship program: a pre-post quasi experimental study. BMC Infectious Diseases, 2018, 18, 385.	1.3	19
43	Changes in Antimicrobial Usage Patterns in Korea: 12-Year Analysis Based on Database of the National Health Insurance Service-National Sample Cohort. Scientific Reports, 2018, 8, 12210.	1.6	22
44	Multilocus Sequence Typing (MLST) Genotypes of Candida glabrata Bloodstream Isolates in Korea: Association With Antifungal Resistance, Mutations in Mismatch Repair Gene (Msh2), and Clinical Outcomes. Frontiers in Microbiology, 2018, 9, 1523.	1.5	38
45	Utility of Conventional Culture and MALDI-TOF MS for Identification of Microbial Communities in Bronchoalveolar Lavage Fluid in Comparison with the GS Junior Next Generation Sequencing System. Annals of Laboratory Medicine, 2018, 38, 110-118.	1.2	29
46	Risk factors and molecular features of sequence type (ST) 131 extended-Spectrum-β-lactamase-producing Escherichia coli in community-onset female genital tract infections. BMC Infectious Diseases, 2018, 18, 250.	1.3	11
47	Correlation of Aminoglycoside Consumption and Amikacin- or Gentamicin-Resistant <i>Pseudomonas aeruginosa</i> in Long-Term Nationwide Analysis: Is Antibiotic Cycling an Effective Policy for Reducing Antimicrobial Resistance?. Annals of Laboratory Medicine, 2018, 38, 176-178.	1.2	9
48	An Imported Case of <i>Brucella melitensis</i> Infection in South Korea. Infection and Chemotherapy, 2018, 50, 149.	1.0	4
49	Performance of Microflex LT Biotyper and VITEK MS for Routine Identification of Yeasts. Annals of Laboratory Medicine, 2018, 38, 487-489.	1.2	6
50	Risk factors for mortality in patients with Pseudomonas aeruginosa pneumonia: Clinical impact of mucA gene mutation. Respiratory Medicine, 2018, 140, 27-31.	1.3	4
51	Outbreak of KPC-2-producing Enterobacteriaceae caused by clonal dissemination of Klebsiella pneumoniae ST307 carrying an IncX3-type plasmid harboring a truncated Tn4401a. Diagnostic Microbiology and Infectious Disease, 2017, 87, 343-348.	0.8	49
52	In vitro activity of tigecycline alone and antimicrobial combinations against clinical Neisseria gonorrhoeae isolates. Diagnostic Microbiology and Infectious Disease, 2017, 87, 160-162.	0.8	6
53	Genetic and biochemical characterisation of CTX-M-37 extended-spectrum \hat{l}^2 -lactamase from an Enterobacter cloacae clinical isolate from Mongolia. Journal of Global Antimicrobial Resistance, 2017, 10, 3-7.	0.9	3
54	Risk Factors and Molecular Features of Sequence Type (ST) 131 Extended-spectrum \hat{l}^2 -Lactamase-producing Escherichia coli in Community-onset Bacteremia. Scientific Reports, 2017, 7, 14640.	1.6	24

#	Article	IF	CITATIONS
55	The blaOXA-23-associated transposons in the genome of Acinetobacter spp. represent an epidemiological situation of the species encountering carbapenems. Journal of Antimicrobial Chemotherapy, 2017, 72, 2708-2714.	1.3	37
56	Clinical and molecular characteristics of community-acquired Clostridium difficile infections in comparison with those of hospital-acquired C.Âdifficile. Anaerobe, 2017, 48, 42-46.	1.0	16
57	Levofloxacin Efflux and <i>smeD</i> in Clinical Isolates of <i>Stenotrophomonas maltophilia</i> Microbial Drug Resistance, 2017, 23, 163-168.	0.9	21
58	Relative Prevalence and Antimicrobial Susceptibility of Clinical Isolates of Elizabethkingia Species Based on 16S rRNA Gene Sequencing. Journal of Clinical Microbiology, 2017, 55, 274-280.	1.8	91
59	Community-onset extended-spectrum- \hat{l}^2 -lactamase-producing Escherichia coli sequence type 131 at two Korean community hospitals: The spread of multidrug-resistant E. coli to the community via healthcare facilities. International Journal of Infectious Diseases, 2017, 54, 39-42.	1.5	31
60	Comparison of a New Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry Platform, ASTA MicroIDSys, With Bruker Biotyper for Species Identification. Annals of Laboratory Medicine, 2017, 37, 531-535.	1,2	17
61	Performance of Matrix-Assisted Laser Desorption Ionization Time-of-Fight Mass Spectrometry for Rapid Discrimination of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA): First Report of a Relation Between Protein Peaks and MRSA <i>spa</i> Type. Annals of Laboratory Medicine, 2017, 37, 553-555.	1.2	5
62	Drug Resistance Patterns of Multidrug- and Extensively Drug-Resistant Tuberculosis in Korea: Amplification of Resistance to Oral Second-line Drugs. Annals of Laboratory Medicine, 2017, 37, 323-326.	1.2	6
63	Fecal Calprotectin Level Reflects the Severity of <i>Clostridium difficile</i> Infection. Annals of Laboratory Medicine, 2017, 37, 53-57.	1.2	33
64	Increasing Resistance to Extended-Spectrum Cephalosporins, Fluoroquinolone, and Carbapenem in Gram-Negative Bacilli and the Emergence of Carbapenem Non-Susceptibility in <i>Klebsiella pneumoniae</i> : Analysis of Korean Antimicrobial Resistance Monitoring System (KARMS) Data From 2013 to 2015. Annals of Laboratory Medicine, 2017, 37, 231-239.	1.2	94
65	MALDI-TOF-MS Fingerprinting Provides Evidence of Urosepsis caused by Aerococcus urinae. Infection and Chemotherapy, 2017, 49, 227.	1.0	2
66	Colistin Resistance in Escherichia coli Isolates From Patients With Bloodstream Infection in Korea. Annals of Laboratory Medicine, 2017, 37, 172-173.	1.2	3
67	Massilia variansIsolated from a Clinical Specimen. Infection and Chemotherapy, 2017, 49, 219.	1.0	4
68	Whole genome and transcriptome analysis reveal MALDI-TOF MS and SDS-PAGE have limited performance for the detection of the key outer membrane protein in carbapenem-resistant <i>Klebsiella pneumoniae </i> isolates. Oncotarget, 2017, 8, 84818-84826.	0.8	4
69	Panel strain of <i>Klebsiella pneumoniae</i> for beta-lactam antibiotic evaluation: their phenotypic and genotypic characterization. PeerJ, 2017, 5, e2896.	0.9	23
70	Molecular epidemiology and resistome analysis of multidrug-resistant ST11 Klebsiella pneumoniae strain containing multiple copies of extended-spectrum \hat{l}^2 -lactamase genes using whole-genome sequencing. New Microbiologica, 2017, 40, 38-44.	0.1	11
71	Nationwide Survey of Blood Culture Protocol in Clinical Microbiology Laboratories in Korea. Annals of Clinical Microbiology, 2016, 19, 97.	0.3	0
72	Increase of <i>Clostridium difficile</i> in Community; Another Worrisome Burden for Public Health. Annals of Clinical Microbiology, 2016, 19, 7.	0.3	9

#	Article	IF	CITATIONS
73	Persistent Bordetella petrii Infection Related to Bone Fractures. Annals of Laboratory Medicine, 2016, 36, 70-72.	1.2	o
74	<i>In Vitro</i> Synergistic Effects of Antimicrobial Combinations on Extensively Drug-Resistant <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> Isolates. Annals of Laboratory Medicine, 2016, 36, 138-144.	1.2	14
75	Application of Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry to Screen the Extended-Spectrum \hat{l}^2 -Lactamase-Producing ST131Escherichia coliStrains. Annals of Clinical Microbiology, 2016, 19, 65.	0.3	3
76	Korean National Healthcare-associated Infections Surveillance System, Intensive Care Unit Module Report: Summary of Data from July 2014 through June 2015. Korean Journal of Healthcare-Associated Infection Control and Prevention, 2016, 21, 37.	0.1	13
77	Molecular Epidemiology and Characterization of Carbapenemase-ProducingEnterobacteriaceaelsolated at a University Hospital in Korea during 4-Year Period. Annals of Clinical Microbiology, 2016, 19, 39.	0.3	15
78	Prediction of Putative Resistance Islands in a Carbapenem-Resistant Acinetobacter baumannii Global Clone 2 Clinical Isolate. Annals of Laboratory Medicine, 2016, 36, 320-324.	1.2	12
79	First Case Report of Human Infection With <i>Ochrobactrum tritici</i> Causing Bacteremia and Cholecystitis. Annals of Laboratory Medicine, 2016, 36, 278-280.	1.2	6
80	Increasing Incidence of High-Level Tetracycline-ResistantNeisseria gonorrhoeaedue to Clonal Spread and Foreign Import. Yonsei Medical Journal, 2016, 57, 350.	0.9	3
81	The Resistance Mechanism and Clonal Distribution of Tigecycline-Nonsusceptible <i>Klebsiella pneumoniae</i> Isolates in Korea. Yonsei Medical Journal, 2016, 57, 641.	0.9	19
82	Fecal Transplantation using a Nasoenteric Tube during an Initial Episode of Severe <i>Clostridium difficile</i> Infection. Infection and Chemotherapy, 2016, 48, 31.	1.0	5
83	Burkholderia Sepsis in Children as a Hospital-Acquired Infection. Yonsei Medical Journal, 2016, 57, 97.	0.9	13
84	Xpert CARBA-R Assay for the Detection of Carbapenemase-Producing Organisms in Intensive Care Unit Patients of a Korean Tertiary Care Hospital. Annals of Laboratory Medicine, 2016, 36, 162-165.	1.2	26
85	Anaerobic Bacteremia: Impact of Inappropriate Therapy on Mortality. Infection and Chemotherapy, 2016, 48, 91.	1.0	41
86	Disk Carbapenemase Test for the Rapid Detection of KPC-, NDM-, and Other Metallo-Î ² -Lactamase-Producing Gram-Negative Bacilli. Annals of Laboratory Medicine, 2016, 36, 434-440.	1.2	8
87	Comparison of E,E-Farnesol Secretion and the Clinical Characteristics of Candida albicans Bloodstream Isolates from Different Multilocus Sequence Typing Clades. PLoS ONE, 2016, 11, e0148400.	1.1	10
88	Identification of <i>Acinetobacter</i> Species Using Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry. Annals of Laboratory Medicine, 2016, 36, 325-334.	1.2	47
89	Whole Genome Sequencing for Investigation of a Hospital Outbreak of Klebsiella pneumoniae Carbapenemase (KPC)–Producing Klebsiella pneumoniae (KPN) Linked with an Index Case of Community-Acquired KPC-Producing KPN Infection. Open Forum Infectious Diseases, 2016, 3, .	0.4	0
90	Characterization and complete genome sequence analysis of two ⟨i⟩Myoviral⟨ i⟩ bacteriophages infecting clinical carbapenemâ€resistant ⟨i⟩Acinetobacter baumannii⟨ i⟩ isolates. Journal of Applied Microbiology, 2016, 121, 68-77.	1.4	20

#	Article	IF	CITATIONS
91	Two non-otic cases of POM-1 metallo- \hat{l}^2 -lactamase-producing Pseudomonas otitidis infection: Necrotizing fasciitis and pan-peritonitis. Journal of Global Antimicrobial Resistance, 2016, 7, 157-158.	0.9	7
92	<i>In Vivo</i> Application of Bacteriophage as a Potential Therapeutic Agent To Control OXA-66-Like Carbapenemase-Producing Acinetobacter baumannii Strains Belonging to Sequence Type 357. Applied and Environmental Microbiology, 2016, 82, 4200-4208.	1.4	49
93	Resistance Mechanisms and Clinical Features of Fluconazole-Nonsusceptible Candida tropicalis Isolates Compared with Fluconazole-Less-Susceptible Isolates. Antimicrobial Agents and Chemotherapy, 2016, 60, 3653-3661.	1.4	52
94	Clonal Dissemination of Pseudomonas aeruginosa Sequence Type 235 Isolates Carrying <i>bla</i> _{IMP-6} and Emergence of <i>bla</i> _{GES-24} and <i>bla</i> _{IMP-10} on Novel Genomic Islands PAGI-15 and -16 in South Korea. Antimicrobial Agents and Chemotherapy, 2016, 60, 7216-7223.	1.4	74
95	In vitro antimicrobial synergy of colistin with rifampicin and carbapenems against colistin-resistant Acinetobacter baumannii clinical isolates. Diagnostic Microbiology and Infectious Disease, 2016, 86, 184-189.	0.8	27
96	New treatment options for infections caused by increasingly antimicrobial-resistant <i>Neisseria gonorrhoeae</i> . Expert Review of Anti-Infective Therapy, 2016, 14, 243-256.	2.0	11
97	Bacteroides nordii and Bacteroides salyersiae Isolated from Post-operative Peritonitis Patients. Laboratory Medicine Online, 2016, 6, 111.	0.0	1
98	Characterization ofbftGenes among EnterotoxigenicBacteroides fragilisIsolates from Extraintestinal Specimens at a University Hospital in Korea. Korean Journal of Clinical Laboratory Science, 2016, 48, 82-87.	0.1	1
99	<i>Campylobacter hyointestinalis</i> Isolated From a Human Stool Specimen. Annals of Laboratory Medicine, 2015, 35, 657-659.	1.2	25
100	Bacteroides faecisandBacteroides intestinalisRecovered from Clinical Specimens of Human Intestinal Origin. Yonsei Medical Journal, 2015, 56, 292.	0.9	6
101	Increasing Carbapenem-Resistant Gram-Negative Bacilli and Decreasing Metallo-β-Lactamase Producers over Eight Years from Korea. Yonsei Medical Journal, 2015, 56, 572.	0.9	7
102	The <i> sul1 </i> Gene in <i> Stenotrophomonas maltophilia </i> With High-Level Resistance to Trimethoprim/Sulfamethoxazole. Annals of Laboratory Medicine, 2015, 35, 246-249.	1.2	48
103	Establishing Quality Control Ranges for Antimicrobial Susceptibility Testing of Escherichia coli, Pseudomonas aeruginosa, and Staphylococcus aureus: A Cornerstone to Develop Reference Strains for Korean Clinical Microbiology Laboratories. Annals of Laboratory Medicine, 2015, 35, 635-638.	1.2	3
104	Contamination of the Hospital Environmental by Pathogenic Bacteria and Infection Control. Korean Journal of Nosocomial Infection Control, 2015, 20, 1.	1.5	17
105	Direct Identification of Urinary Tract Pathogens From Urine Samples Using the Vitek MS System Based on Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry. Annals of Laboratory Medicine, 2015, 35, 416-422.	1.2	41
106	Characteristics of Metallo- \hat{l}^2 -Lactamase-Producing <i>Pseudomonas aeruginosa</i> in Korea. Infection and Chemotherapy, 2015, 47, 33.	1.0	30
107	Clinical Usefulness of the 2010 Clinical and Laboratory Standards Institute Revised Breakpoints for Cephalosporin Use in the Treatment of Bacteremia Caused by Escherichia colior Klebsiellaspp Bio Med Research International, 2015, 2015, 1-8.	0.9	5
108	Antimicrobial Susceptibility of Clinical Isolates of Bacteroides fragilis Group Organisms Recovered from 2009 to 2012 in a Korean Hospital. Annals of Laboratory Medicine, 2015, 35, 94-98.	1.2	11

#	Article	IF	CITATIONS
109	Active Surveillance of Multidrug-Resistant Organisms with Rapid Detection Methods for Infection Control. Annals of Clinical Microbiology, 2015, 18, 103.	0.3	4
110	Risk Factors for Prolonged Carriage and Reacquisition of Vancomycin-resistant Enterococci. Korean Journal of Nosocomial Infection Control, 2015, 20, 19.	1.5	4
111	Korean Nosocomial Infections Surveillance System, Intensive Care Unit Module Report: Summary of Data from July 2013 through June 2014. Korean Journal of Nosocomial Infection Control, 2015, 20, 49.	1.5	10
112	Epidemiology and Characteristics of Metallo- \hat{l}^2 -Lactamase-Producing (i) Pseudomonas aeruginosa (i). Infection and Chemotherapy, 2015, 47, 81.	1.0	202
113	Evaluation of VITEK Mass Spectrometry (MS), a Matrix-Assisted Laser Desorption Ionization Time-of-Flight MS System for Identification of Anaerobic Bacteria. Annals of Laboratory Medicine, 2015, 35, 69-75.	1.2	31
114	Detection of Carbapenemases in ClinicalEnterobacteriaceaelsolates Using the VITEK AST-N202 Card. Infection and Chemotherapy, 2015, 47, 167.	1.0	17
115	Comparison of MALDI-TOF MS, Housekeeping Gene Sequencing, and 16S rRNA Gene Sequencing for Identification of <i>Aeromonas </i> Clinical Isolates. Yonsei Medical Journal, 2015, 56, 550.	0.9	39
116	Insufficient Discriminatory Power of Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry Dendrograms to Determine the Clonality of Multi-Drug-ResistantAcinetobacter baumanniilsolates from an Intensive Care Unit. BioMed Research International, 2015, 2015, 1-8.	0.9	18
117	Emergence and Spread of OXA-48-Like Carbapenemase-Producing Enterobacteriaceae. Korean Journal of Nosocomial Infection Control, 2015, 20, 7.	1.5	1
118	Multicenter Study of Antimicrobial Susceptibility of Anaerobic Bacteria in Korea in 2012. Annals of Laboratory Medicine, 2015, 35, 479-486.	1.2	27
119	<i>In Vitro</i> Activity of Tedizolid Against Gram-Positive Bacteria in Patients With Skin and Skin Structure Infections and Hospital-Acquired Pneumonia: A Korean Multicenter Study. Annals of Laboratory Medicine, 2015, 35, 523-530.	1.2	21
120	<i>In Vivo</i> Selection of Pan-Drug Resistant <i>Acinetobacter baumannii</i> during Antibiotic Treatment. Yonsei Medical Journal, 2015, 56, 928.	0.9	16
121	Emergence of decreased susceptibility and resistance to extended-spectrum cephalosporins in <i>Neisseria gonorrhoeae</i> in Korea. Journal of Antimicrobial Chemotherapy, 2015, 70, 2536-2542.	1.3	33
122	Comparative evaluation of two matrix-assisted laser desorption ionization time-of-flight mass spectrometry (MALDI-TOF MS) systems, Vitek MS and Microflex LT, for the identification of Gram-positive cocci routinely isolated in clinical microbiology laboratories. Journal of Microbiological Methods, 2015, 113, 13-15.	0.7	17
123	Complete genome sequence of the siphoviral bacteriophage î'ï-R3177, which lyses an OXA-66-producing carbapenem-resistant Acinetobacter baumannii isolate. Archives of Virology, 2015, 160, 3157-3160.	0.9	6
124	Two Cases of Campylobacter jejuni Bacteremia from Patients with Diarrhea. Annals of Clinical Microbiology, 2014, 17, 69.	0.3	0
125	Characterization of the Multidrug-Resistant <i>Acinetobacter</i> Species Causing a Nosocomial Outbreak at Intensive Care Units in a Korean Teaching Hospital: Suggesting the Correlations with the Clinical and Environmental Samples, Including Respiratory Tract-related Instruments. Annals of Clinical Microbiology, 2014, 17, 29.	0.3	7
126	Molecular Detection of Fluoroquinolone Resistance in Multidrug-ResistantMycobacterium tuberculosisIsolates. Annals of Clinical Microbiology, 2014, 17, 80.	0.3	2

#	Article	IF	CITATIONS
127	Evaluation of a Rapid Membrane Enzyme Immunoassay for the Simultaneous Detection of Glutamate Dehydrogenase and Toxin for the Diagnosis of Clostridium difficile Infection. Annals of Laboratory Medicine, 2014, 34, 235-239.	1.2	20
128	Clinical Factors Associated with Acquisition of Resistance to Levofloxacin inStenotrophomonas maltophilia. Yonsei Medical Journal, 2014, 55, 987.	0.9	10
129	Risk Factors and Molecular Epidemiology of Community-Onset Extended-Spectrum β-Lactamase-Producing <i>Escherichia coli</i>	0.9	29
130	Increase in the Prevalence of Carbapenem-Resistant <i>Acinetobacter</i> Isolates and Ampicillin-Resistant Non-Typhoidal <i>Salmonella</i> Species in Korea: A KONSAR Study Conducted in 2011. Infection and Chemotherapy, 2014, 46, 84.	1.0	35
131	Recent Trends in Antimicrobial Resistance in Intensive Care Units in Korea. Korean Journal of Nosocomial Infection Control, 2014, 19, 29.	1.5	21
132	Profiling bacterial community in upper respiratory tracts. BMC Infectious Diseases, 2014, 14, 583.	1.3	66
133	Clonality and Resistome Analysis of KPC-ProducingKlebsiella pneumoniaeStrain Isolated in Korea Using Whole Genome Sequencing. BioMed Research International, 2014, 2014, 1-6.	0.9	30
134	Complete genome sequence of the bacteriophage YMC/09/04/R1988 MRSA BP: a lytic phage from a methicillin-resistantStaphylococcus aureusisolate. FEMS Microbiology Letters, 2014, 359, 144-146.	0.7	7
135	In vivo emergence of colistin resistance in Acinetobacter baumannii clinical isolates of sequence type 357 during colistin treatment. Diagnostic Microbiology and Infectious Disease, 2014, 79, 362-366.	0.8	47
136	Molecular epidemiology of Pseudomonas aeruginosa clinical isolates from Korea producing \hat{l}^2 -lactamases with extended-spectrum activity. Diagnostic Microbiology and Infectious Disease, 2014, 79, 373-377.	0.8	22
137	High burden of antimicrobial drug resistance in Asia. Journal of Global Antimicrobial Resistance, 2014, 2, 141-147.	0.9	55
138	The changes of PCR ribotype and antimicrobial resistance of Clostridium difficile in a tertiary care hospital over 10 years. Journal of Medical Microbiology, 2014, 63, 819-823.	0.7	43
139	Risk factors for mortality in patients with bloodstream infections caused by carbapenem-resistant Pseudomonas aeruginosa: clinical impact of bacterial virulence and strains on outcome. Diagnostic Microbiology and Infectious Disease, 2014, 80, 130-135.	0.8	33
140	Loop-mediated isothermal amplification of vanA gene enables a rapid and naked-eye detection of vancomycin-resistant enterococci infection. Journal of Microbiological Methods, 2014, 104, 61-66.	0.7	15
141	Risk factors for the acquisition of carbapenem-resistant Escherichia coli at a tertiary care center in South Korea: A matched case-control study. American Journal of Infection Control, 2014, 42, 621-625.	1.1	39
142	Epidemiology and clinical features of toxigenic culture-confirmed hospital-onset Clostridium difficile infection: a multicentre prospective study in tertiary hospitals of South Korea. Journal of Medical Microbiology, 2014, 63, 1542-1551.	0.7	35
143	The Evaluation of Recovery Rate ofNeisseria gonorrhoeaein Two Bacterial Transport Swab Systems and Prevalence of Co-Infection after Delayed Transport. Annals of Clinical Microbiology, 2014, 17, 110.	0.3	0
144	Evaluation of the Selective Enrichment Culture to Recover Clostridium difficile. Korean Journal of Clinical Laboratory Science, 2014, 46, 140-142.	0.1	0

#	Article	IF	CITATIONS
145	Comparison of pulsed-field gel electrophoresis & repetitive sequence-based PCR methods for molecular epidemiological studies of Escherichia coli clinical isolates. Indian Journal of Medical Research, 2014, 140, 679-85.	0.4	3
146	Increasing prevalence of blaOXA-23-carrying Acinetobacter baumannii and the emergence of blaOXA-182-carrying Acinetobacter nosocomialis in Korea. Diagnostic Microbiology and Infectious Disease, 2013, 77, 160-163.	0.8	18
147	Coexistence of mupirocin and antiseptic resistance in methicillin-resistant Staphylococcus aureus isolates from Korea. Diagnostic Microbiology and Infectious Disease, 2013, 75, 308-312.	0.8	33
148	Comparison of matrix-assisted laser desorption ionization–time-of-flight mass spectrometry assay with conventional methods for detection of IMP-6, VIM-2, NDM-1, SIM-1, KPC-1, OXA-23, and OXA-51 carbapenemase-producing Acinetobacter spp., Pseudomonas aeruginosa, and Klebsiella pneumoniae. Diagnostic Microbiology and Infectious Disease, 2013, 77, 227-230.	0.8	36
149	Correlations between aminoglycoside consumption and aminoglycoside resistance in Gram-negative bacteria at a tertiary-care hospital in South Korea from 2001 to 2011. International Journal of Antimicrobial Agents, 2013, 41, 394-395.	1.1	4
150	Trend of methicillin-resistant Staphylococcus aureus (MRSA) bacteremia in an institution with a high rate of MRSA after the reinforcement of antibiotic stewardship and hand hygiene. American Journal of Infection Control, 2013, 41, e39-e43.	1.1	38
151	Performance of the Vitek MS matrix-assisted laser desorption ionization time-of-flight mass spectrometry system for identification of Gram-positive cocci routinely isolated in clinical microbiology laboratories. Journal of Medical Microbiology, 2013, 62, 1301-1306.	0.7	33
152	Dissemination of metallo-Â-lactamase-producing Pseudomonas aeruginosa of sequence type 235 in Asian countries. Journal of Antimicrobial Chemotherapy, 2013, 68, 2820-2824.	1.3	54
153	First Outbreak of KPC-2-Producing Klebsiella pneumoniae Sequence Type 258 in a Hospital in South Korea. Journal of Clinical Microbiology, 2013, 51, 3877-3879.	1.8	30
154	Accuracy of Species-Level Identification of Yeast Isolates from Blood Cultures from 10 University Hospitals in South Korea by Use of the Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry-Based Vitek MS System. Journal of Clinical Microbiology, 2013, 51, 3063-3065.	1.8	25
155	Comparison of the Vitek 2, MicroScan, and Etest Methods with the Agar Dilution Method in Assessing Colistin Susceptibility of Bloodstream Isolates of Acinetobacter Species from a Korean University Hospital. Journal of Clinical Microbiology, 2013, 51, 1924-1926.	1.8	46
156	Clonal Change of <i>bla</i> _{SIM-1} -Carrying <i>Acinetobacter</i> spp. from 2003 to 2008 in the Hospital Where It Was Initially Discovered. Microbial Drug Resistance, 2013, 19, 37-41.	0.9	13
157	Antimicrobial Susceptibility of <i>Stenotrophomonas maltophilia </i> Isolates from Korea, and the Activity of Antimicrobial Combinations against the Isolates. Journal of Korean Medical Science, 2013, 28, 62.	1.1	48
158	In Vitro Fluconazole and Voriconazole Susceptibilities of Candida Bloodstream Isolates in Korea: Use of the CLSI and EUCAST Epidemiological Cutoff Values. Annals of Laboratory Medicine, 2013, 33, 167-173.	1.2	13
159	Distribution of Yeast and Mold Species Isolated from Clinical Specimens at 12 Hospitals in Korea during 2011. Annals of Clinical Microbiology, 2013, 16, 92.	0.3	8
160	Weissella confusa Bacteremia in an Immune-Competent Patient with Underlying Intramural Hematomas of the Aorta. Annals of Laboratory Medicine, 2013, 33, 459-462.	1.2	20
161	Tuberculin Skin Test and Boosted Reactions among Newly Employed Healthcare Workers: An Observational Study. PLoS ONE, 2013, 8, e64563.	1.1	10
162	CTX-M-55-Type Extended-Spectrum \hat{l}^2 -lactamase- Producing Shigella sonnei Isolated from a Korean Patient Who Had Travelled to China. Annals of Laboratory Medicine, 2013, 33, 141-144.	1.2	27

#	Article	IF	CITATIONS
163	Antimicrobial Resistance and Molecular Epidemiologic Characteristics of <i>Neisseria gonorrhoeae</i> Isolated from Korea in 2013. Annals of Clinical Microbiology, 2013, 16, 182.	0.3	2
164	Loss ofblaVIM-2andblaIMP-1during the Storage of Gram-Negative Bacilli, Antimicrobial Susceptibility of the Gene-Lost Strain, and Location of the Gene in the Cell. Annals of Clinical Microbiology, 2013, 16, 120.	0.3	2
165	Trends in Isolation and Antimicrobial Susceptibility of Enteropathogenic Bacteria in 2001-2010 at a Korean Tertiary Care Hospital. Annals of Clinical Microbiology, 2013, 16, 45.	0.3	7
166	Serotyping and Antimicrobial Susceptibility of <i>Salmonella</i> spp.: Nationwide Multicenter Study in Korea. Japanese Journal of Infectious Diseases, 2013, 66, 284-289.	0.5	6
167	Detection of Clostridium difficile toxin A/B genes by multiplex real-time PCR for the diagnosis of C. difficile infection. Journal of Medical Microbiology, 2012, 61, 274-277.	0.7	26
168	Complete Genome Sequence of the Podoviral Bacteriophage YMC/09/02/B1251 ABA BP, Which Causes the Lysis of an OXA-23-Producing Carbapenem-Resistant Acinetobacter baumannii Isolate from a Septic Patient. Journal of Virology, 2012, 86, 12437-12438.	1.5	38
169	Chromosomal cephalosporinase in Enterobacter hormaechei as an ancestor of ACT-1 plasmid-mediated AmpC \hat{l}^2 -lactamase. Journal of Medical Microbiology, 2012, 61, 94-100.	0.7	7
170	Nosocomial Clustering of NDM-1-Producing Klebsiella pneumoniae Sequence Type 340 Strains in Four Patients at a South Korean Tertiary Care Hospital. Journal of Clinical Microbiology, 2012, 50, 1433-1436.	1.8	56
171	Resistance to carbapenems in sequence type 11 Klebsiella pneumoniae is related to DHA-1 and loss of OmpK35 and/or OmpK36. Journal of Medical Microbiology, 2012, 61, 239-245.	0.7	51
172	Evaluation of Double-Disk Potentiation and Disk Potentiation Tests Using Dipicolinic Acid for Detection of Metallo-β-Lactamase-Producing Pseudomonas spp. and Acinetobacter spp. Journal of Clinical Microbiology, 2012, 50, 3227-3232.	1.8	21
173	POM-1 metallo-β-lactamase–producing Pseudomonas otitidis isolate from a patient with chronic otitis media. Diagnostic Microbiology and Infectious Disease, 2012, 72, 295-296.	0.8	7
174	Dissemination of multidrug-resistant Escherichia coli in Korean veterinary hospitals. Diagnostic Microbiology and Infectious Disease, 2012, 73, 195-199.	0.8	50
175	Evaluation of the Xpert Clostridium difficile Assay for the Diagnosis of Clostridium difficile Infection. Annals of Laboratory Medicine, 2012, 32, 355-358.	1.2	43
176	Development of Arthrobacter woluwensis Bacteremia in a Patient with Multiple Myeloma: A Case Report and Comprehensive Literature Review. Infection and Chemotherapy, 2012, 44, 205.	1.0	3
177	Antifungal Susceptibility to Amphotericin B, Fluconazole, Voriconazole, and Flucytosine in Candida Bloodstream Isolates from 15 Tertiary Hospitals in Korea. Annals of Laboratory Medicine, 2012, 32, 426-428.	1.2	16
178	A Korean Nationwide Surveillance Study for Non-Typhoidal < i>Salmonella < /i>Isolated in Humans and Food Animals from 2006 to 2008: Extended-Spectrum \hat{l}^2 -Lactamase, Plasmid-Mediated AmpC \hat{l}^2 -Lactamase, and Plasmid-Mediated Quinolone Resistance < i > qnr < /i > Genes. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2012, 15, 14.	0.5	8
179	Antimicrobial Resistance of <i>Neisseria gonorrhoeae </i> lsolated in Korea. Journal of Bacteriology and Virology, 2012, 42, 9.	0.0	1
180	Antimicrobial Susceptibility of <i> Stenotrophomonas maltophilia </i> Isolates from a Korean Tertiary Care Hospital. Yonsei Medical Journal, 2012, 53, 439.	0.9	21

#	Article	IF	Citations
181	Evaluation of a ChromIDC. difficileAgar for the Isolation ofClostridium difficile. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2012, 15, 88.	0.5	4
182	Evaluation of Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry for Identification of Aerobic Bacteria in a Clinical Microbiology Laboratory. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2012, 15, 60.	0.5	5
183	Carbapenem-ResistantAcinetobacter baumannii. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2012, 15, 1.	0.5	3
184	Identification of novel immunogenic human leukocyte antigenâ€A*2402â€binding epitopes of human papillomavirus type 16 E7 for immunotherapy against human cervical cancer. Cancer, 2012, 118, 2173-2183.	2.0	13
185	Comparison of the genetic structures surrounding qnrA1 in Korean Enterobacter cloacae and Chinese Escherichia coli Strains isolated in the early 2000s: Evidence for qnrA mobilization via Inc HI2 type plasmid. Journal of Microbiology, 2012, 50, 166-169.	1.3	1
186	A Case of Catheter-Related Bloodstream Infection byTsukamurella inchonensisin a Pediatric Patient Receiving Home Intravenous Antibiotic Treatment. Laboratory Medicine Online, 2012, 2, 105.	0.0	2
187	Molecular mechanisms of carbapenem resistance in Enterobacter cloacae clinical isolates from Korea and clinical outcome. Annals of Clinical and Laboratory Science, 2012, 42, 281-6.	0.2	11
188	Characterization of IncF plasmids carrying the blaCTX-M-14 gene in clinical isolates of Escherichia coli from Korea. Journal of Antimicrobial Chemotherapy, 2011, 66, 1263-1268.	1.3	77
189	Biofilm formation and genotyping of (i) Candida haemulonii, Candida pseudohaemulonii (i), and a proposed new species ((i) Candida auris (i)) isolates from Korea. Medical Mycology, 2011, 49, 98-102.	0.3	115
190	Occurrence of IncFII plasmids carrying the blaCTX-M-15 gene in Salmonella enterica serovar Enteritidis sequence type 11 in Korea. Diagnostic Microbiology and Infectious Disease, 2011, 71, 171-173.	0.8	6
191	First Isolation ofStreptococcus gallolyticussubsp.pasteurianusfrom a Korean Patient with Severe Septic Shock. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2011, 14, 144.	0.5	4
192	Subcutaneous Phaeohyphomycosis Caused by <i>Phaeoacremonium</i> Species in a Kidney Transplant Patient: The First Case in Korea. Annals of Laboratory Medicine, 2011, 31, 201-204.	1.2	15
193	Pseudo-outbreak of Brevundimonas diminuta. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2011, 14, 115.	0.5	2
194	The Characteristics of Metallo-β-Lactamase-Producing Gram-Negative Bacilli Isolated from Sputum and Urine: A Single Center Experience in Korea. Yonsei Medical Journal, 2011, 52, 351.	0.9	9
195	Emergence of Clostridium difficile Ribotype 027 in Korea. Annals of Laboratory Medicine, 2011, 31, 191-196.	1.2	32
196	Isolation of a Klebsiella pneumoniae Isolate of Sequence Type 258 Producing KPC-2 Carbapenemase in Korea. Annals of Laboratory Medicine, 2011, 31, 298-301.	1.2	18
197	Multidrug-Resistant <i>Acinetobacter</i> spp.: Increasingly Problematic Nosocomial Pathogens. Yonsei Medical Journal, 2011, 52, 879.	0.9	121
198	Further Increases in Carbapenem-, Amikacin-, and Fluoroquinolone-Resistant Isolates of Acinetobacter spp. and P. aeruginosa in Korea: KONSAR Study 2009. Yonsei Medical Journal, 2011, 52, 793.	0.9	63

#	Article	IF	CITATIONS
199	Emergence of Escherichia coli Sequence Type ST131 Carrying both the <i>bla</i> _{GES-5} and <i>bla</i> _{CTX-M-15} Genes. Antimicrobial Agents and Chemotherapy, 2011, 55, 2974-2975.	1.4	24
200	A Novel Insertion Sequence, IS <i>Aba10</i> , Inserted into IS <i>Aba1</i> Adjacent to the <i>bla</i> _{OXA-23} Gene and Disrupting the Outer Membrane Protein Gene <i>car0</i> in <i>Acinetobacter baumannii</i> Antimicrobial Agents and Chemotherapy, 2011, 55, 361-363.	1.4	57
201	Prevalence of Plasmid-Mediated Quinolone Resistance and Mutations in the Gyrase and Topoisomerase IV Genes in <i>Salmonella</i> Solated from 12 Tertiary-Care Hospitals in Korea. Microbial Drug Resistance, 2011, 17, 551-557.	0.9	33
202	Genetic Diversity among Korean Candida albicans Bloodstream Isolates: Assessment by Multilocus Sequence Typing and Restriction Endonuclease Analysis of Genomic DNA by Use of BssHII. Journal of Clinical Microbiology, 2011, 49, 2572-2577.	1.8	57
203	Interspecies Dissemination of the $\langle i \rangle$ bla $\langle i \rangle$ Gene Encoding PER-1 Extended-Spectrum \hat{I}^2 -Lactamase. Antimicrobial Agents and Chemotherapy, 2011, 55, 1305-1307.	1.4	27
204	Metallo- \hat{l}^2 -Lactamase Production by <i>Pseudomonas otitidis</i> : a Species-Related Trait. Antimicrobial Agents and Chemotherapy, 2011, 55, 118-123.	1.4	36
205	Chromosome-Encoded AmpC and CTX-M Extended-Spectrum \hat{i}^2 -Lactamases in Clinical Isolates of <i>Proteus mirabilis</i> from Korea. Antimicrobial Agents and Chemotherapy, 2011, 55, 1414-1419.	1.4	54
206	Carbapenem-non-susceptible Acinetobacter baumannii of sequence type 92 or its single-locus variants with a G428T substitution in zone 2 of the rpoB gene. Journal of Antimicrobial Chemotherapy, 2011, 66, 66-72.	1.3	30
207	Dissemination of IMP-6 metallo-Â-lactamase-producing Pseudomonas aeruginosa sequence type 235 in Korea. Journal of Antimicrobial Chemotherapy, 2011, 66, 2791-2796.	1.3	51
208	Trends in Antimicrobial Resistance of Neisseria gonorrhoeae Isolated From Korean Patients From 2000 to 2006. Sexually Transmitted Diseases, 2011, 38, 1082-1086.	0.8	22
209	Biochemical Characterization of the TEM-107 Extended-Spectrum \hat{I}^2 -Lactamase in a Klebsiella pneumoniae Isolate from South Korea. Antimicrobial Agents and Chemotherapy, 2011, 55, 5930-5932.	1.4	3
210	Evaluation of an Automated Instrument, PREVI Isola $\hat{A}^{@}$ for Inoculation of Body Fluids and Urine Samples onto Agar Plates. Laboratory Medicine Online, 2011, 1, 105.	0.0	2
211	In Vitro Activities of Ceftriaxone-Sulbactam against Major Aerobic and Anaerobic Bacteria from Clinical Samples. Laboratory Medicine Online, 2011, 1, 209.	0.0	1
212	Clostridium tertium Bacteremia in a Non-neutropenic Patient with Small Bowel Obstruction. Infection and Chemotherapy, 2011, 43, 355.	1.0	0
213	Trend of Bacterial Resistance for the Past 50 Years in Korea and Future Perspectives - Gram-negative Bacteria. Infection and Chemotherapy, 2011, 43, 458.	1.0	4
214	Genetic diversity of chromosomal metallo- \hat{l}^2 -lactamase genes in clinical isolates of Elizabethkingia meningoseptica from Korea. Journal of Microbiology, 2010, 48, 358-364.	1.3	25
215	Two Cases ofClostridium citroniaeBacteremia in Cancer Patients. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2010, 13, 125.	0.5	0
216	Molecular and Phenotypic Characteristics of 16S rRNA Methylase-producing Gram-negative Bacilli. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2010, 13, 19.	0.5	2

#	Article	IF	CITATIONS
217	Carbapenem Resistance Mechanisms and Molecular Epidemiology of Acinetobacter spp. from Four Hospitals in Seoul and Gyeonggi Province in 2006. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2010, 13, 27.	0.5	3
218	Investigation of Toxin Gene Diversity, Molecular Epidemiology, and Antimicrobial Resistance of <i>Clostridium difficile</i> Isolated from 12 Hospitals in South Korea. Annals of Laboratory Medicine, 2010, 30, 491-497.	1.2	63
219	Increase of Ceftazidime- and Fluoroquinolone-Resistant <i>Klebsiella pneumoniae</i> and Imipenem-Resistant <i>Acinetobacter</i> spp. in Korea: Analysis of KONSAR Study Data from 2005 and 2007. Yonsei Medical Journal, 2010, 51, 901.	0.9	42
220	First Report of Brain Abscess Associated with <i>Pseudozyma</i> species in a Patient with Astrocytoma. Annals of Laboratory Medicine, 2010, 30, 284-288.	1.2	20
221	Three Cases of (i) Moraxella osloensis (i) Meningitis: A Difficult Experience in Species Identification and Determination of Clinical Significance. Journal of Korean Medical Science, 2010, 25, 501.	1.1	21
222	Identification of Bacterial and Fungal Isolates by Sequence Analysis of 16S rRNA and Internal Transcribed Spacer. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2010, 13, 34.	0.5	3
223	Various penA mutations together with mtrR, porB and ponA mutations in Neisseria gonorrhoeae isolates with reduced susceptibility to cefixime or ceftriaxone. Journal of Antimicrobial Chemotherapy, 2010, 65, 669-675.	1.3	90
224	Antimicrobial Susceptibility Patterns for Recent Clinical Isolates of Anaerobic Bacteria in South Korea. Antimicrobial Agents and Chemotherapy, 2010, 54, 3993-3997.	1.4	28
225	Comparative In Vitro Activities of Torezolid (DA-7157) against Clinical Isolates of Aerobic and Anaerobic Bacteria in South Korea. Antimicrobial Agents and Chemotherapy, 2010, 54, 5381-5386.	1.4	25
226	Multicenter surveillance of species distribution and antifungal susceptibilities of <i>Candida</i> bloodstream isolates in South Korea. Medical Mycology, 2010, 48, 669-674.	0.3	47
227	First Report of Bloodstream Infection Caused by <i>Pseudomonas fulva</i> Journal of Clinical Microbiology, 2010, 48, 2656-2657.	1.8	20
228	Outbreak of Meropenem-Resistant < i > Serratia marcescens < /i > Comediated by Chromosomal AmpC \hat{l}^2 -Lactamase Overproduction and Outer Membrane Protein Loss. Antimicrobial Agents and Chemotherapy, 2010, 54, 5057-5061.	1.4	42
229	Characteristics of clinical isolates of Acinetobacter genomospecies 10 carrying two different metallo-β-lactamases. International Journal of Antimicrobial Agents, 2010, 36, 259-263.	1.1	26
230	Extensively drug-resistant Acinetobacter baumannii: risk factors for acquisition and prevalent OXA-type carbapenemases—a multicentre study. International Journal of Antimicrobial Agents, 2010, 36, 430-435.	1.1	36
231	Improved performance of the modified Hodge test with MacConkey agar for screening carbapenemase-producing Gram-negative bacilli. Journal of Microbiological Methods, 2010, 83, 149-152.	0.7	62
232	DNA microarray-based identification of bacterial and fungal pathogens in bloodstream infections. Molecular and Cellular Probes, 2010, 24, 44-52.	0.9	38
233	New cfiA variant and novel insertion sequence elements in carbapenem-resistant Bacteroides fragilis isolates from Korea. Diagnostic Microbiology and Infectious Disease, 2010, 66, 343-348.	0.8	27
234	Geographic variation in the frequency of isolation and fluconazole and voriconazole susceptibilities of Candida glabrata: an assessment from the ARTEMIS DISK Global Antifungal Surveillance Program. Diagnostic Microbiology and Infectious Disease, 2010, 67, 162-171.	0.8	72

#	Article	IF	CITATIONS
235	Molecular characterization of toxin A-negative, toxin B-positive variant strains of Clostridium difficile isolated in Korea. Diagnostic Microbiology and Infectious Disease, 2010, 67, 198-201.	0.8	15
236	Prevalence and diversity of carbapenemases among imipenem-nonsusceptible Acinetobacter isolates in Korea: emergence of a novel OXA-182. Diagnostic Microbiology and Infectious Disease, 2010, 68, 432-438.	0.8	44
237	Role of OXA-23 and AdeABC efflux pump for acquiring carbapenem resistance in an Acinetobacter baumannii strain carrying the blaOXA-66 gene. Annals of Clinical and Laboratory Science, 2010, 40, 43-8.	0.2	29
238	Comparison of 3 Phenotypic-detection Methods for Identifying Plasmid-mediated AmpC β-lactamase-producing Escherichia coli, Klebsiella pneumoniae, and Proteus mirabilis Strains. Annals of Laboratory Medicine, 2009, 29, 448-454.	1.2	19
239	Metallo- \hat{l}^2 -Lactamase-Producing Pseudomonas spp. in Korea: High Prevalence of Isolates with VIM-2 Type and Emergence of Isolates with IMP-1 Type. Yonsei Medical Journal, 2009, 50, 335.	0.9	33
240	The First Case of Antibiotic-associated Colitis by Clostridium difficile PCR Ribotype 027 in Korea. Journal of Korean Medical Science, 2009, 24, 520.	1.1	44
241	Prevalence of the Extended-Spectrum β-Lactamase and qnr Genes in Clinical Isolates of Escherichia coli. Annals of Laboratory Medicine, 2009, 29, 218-223.	1.2	22
242	Resistance Trends of Bacteroides fragilis Group Over an 8-Year Period, 1997-2004, in Korea. Annals of Laboratory Medicine, 2009, 29, 293-298.	1.2	12
243	The relationship between antifungal usage and antifungal susceptibility in clinical isolates of <i>Candida </i> : a multicenter Korean study. Medical Mycology, 2009, 47, 296-304.	0.3	25
244	<i>Candida haemulonii</i> and Closely Related Species at 5 University Hospitals in Korea: Identification, Antifungal Susceptibility, and Clinical Features. Clinical Infectious Diseases, 2009, 48, e57-e61.	2.9	253
245	Vancomycin-resistant enterococci bacteremia: Risk factors for mortality and influence of antimicrobial therapy on clinical outcome. Journal of Infection, 2009, 58, 182-190.	1.7	46
246	Outbreak by meropenem-resistant Pseudomonas aeruginosa producing IMP-6 metallo-β-lactamase in a Korean hospital. Diagnostic Microbiology and Infectious Disease, 2009, 63, 115-117.	0.8	26
247	Spread of CTX-M–type extended-spectrum β-lactamases among bloodstream isolates of Escherichia coli and Klebsiella pneumoniae from a Korean hospital. Diagnostic Microbiology and Infectious Disease, 2009, 63, 76-80.	0.8	33
248	Population structure and distribution of virulence-related genes of Bacteroides fragilis isolates from Korea and Japan. Diagnostic Microbiology and Infectious Disease, 2009, 64, 340-343.	0.8	2
249	In vivo selection of carbapenem-resistant Klebsiella pneumoniae by OmpK36 loss during meropenem treatment. Diagnostic Microbiology and Infectious Disease, 2009, 65, 447-449.	0.8	33
250	Comparative in vitro activity of tigecycline and other antimicrobials against Gram-negative and Gram-positive organisms collected from the Asia-Pacific Rim as part of the Tigecycline Evaluation and Surveillance Trial (TEST). International Journal of Antimicrobial Agents, 2009, 33, 130-136.	1.1	36
251	Wide dissemination of OXA-type carbapenemases in clinical Acinetobacter spp. isolates from South Korea. International Journal of Antimicrobial Agents, 2009, 33, 520-524.	1.1	64
252	Identification of HLA-A*2402-restricted HCMV immediate early-1 (IE-1) epitopes as targets for CD8+ HCMV-specific cytotoxic T lymphocytes. Journal of Translational Medicine, 2009, 7, 72.	1.8	13

#	Article	IF	CITATIONS
253	Characterization of a New Metallo- \hat{l}^2 -Lactamase Gene, <i>bla</i> < _{NDM-1} , and a Novel Erythromycin Esterase Gene Carried on a Unique Genetic Structure in <i>Klebsiella pneumoniae</i> Sequence Type 14 from India. Antimicrobial Agents and Chemotherapy, 2009, 53, 5046-5054.	1.4	2,065
254	Recovery of Both Vancomycin-Resistant Enterococci and Methicillin-Resistant <i>Staphylococcus aureus</i> From Culture of a Single Clinical Specimen From Colonized or Infected Patients. Infection Control and Hospital Epidemiology, 2009, 30, 130-138.	1.0	14
255	CTX-M-14 and CTX-M-15 enzymes are the dominant type of extended-spectrum β-lactamase in clinical isolates of Escherichia coli from Korea. Journal of Medical Microbiology, 2009, 58, 261-266.	0.7	75
256	Clinical Features and Prognostic Factors of Anaerobic Infections: A 7-Year Retrospective Study. Korean Journal of Internal Medicine, 2009, 24, 13.	0.7	20
257	Recent Trends of Anaerobic Bacteria Isolated from Clinical Specimens and Clinical Characteristics of Anaerobic Bacteremia. Infection and Chemotherapy, 2009, 41, 216.	1.0	9
258	In vitro Activities of Mecillinam Against Clinical Isolates of Enterobacteriaceae. Infection and Chemotherapy, 2009, 41, 174.	1.0	0
259	Multicentre study of the prevalence of toxigenic Clostridium difficile in Korea: results of a retrospective study 2000–2005. Journal of Medical Microbiology, 2008, 57, 697-701.	0.7	52
260	Risk factors and outcomes of bloodstream infections with metallo-β-lactamase-producing Acinetobacter. Scandinavian Journal of Infectious Diseases, 2008, 40, 234-240.	1.5	25
261	Increasing Prevalence of Toxin A-Negative, Toxin B-Positive Isolates of <i>Clostridium difficile</i> in Korea: Impact on Laboratory Diagnosis. Journal of Clinical Microbiology, 2008, 46, 1116-1117.	1.8	69
262	A Case of Necrotizing Fasciitis Due to <i>Streptococcus agalactiae</i> , <i>Arcanobacterium haemolyticum</i> , and <i>Finegoldia magna</i> in a Dog-bitten Patient with Diabetes. Annals of Laboratory Medicine, 2008, 28, 191-195.	1.2	17
263	Detection of CTX-M-Type Extended-Spectrum \hat{l}^2 -Lactamase in Clinical Isolates of Chromosomal AmpC \hat{l}^2 -Lactamase-ProducingEnterobacteriaceaefrom Korea and Their Molecular Characteristics. Taehan Imsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2008, 11, 90.	0.5	2
264	Efficacy of the Arbekacin and Teicoplanin Combination on Glycopeptide Intermediate Staphylococcus aureus in a Rabbit Model of Endocarditis. Infection and Chemotherapy, 2008, 40, 102.	1.0	1
265	Molecular Epidemiology of Community-Associated Antimicrobial-Resistant <i>Staphylococcus aureus</i> in Seoul, Korea (2003): Pervasiveness of Multidrug-Resistant SCC <i>mec</i> Type II Methicillin-Resistant <i>S. aureus</i> . Microbial Drug Resistance, 2007, 13, 178-185.	0.9	10
266	Diversity of Ampicillin Resistance Genes and Antimicrobial Susceptibility Patterns in Haemophilus influenzae Strains Isolated in Korea. Antimicrobial Agents and Chemotherapy, 2007, 51, 453-460.	1.4	67
267	In Vitro Activities of CG400549, a Novel Fabl Inhibitor, against Recently Isolated Clinical Staphylococcal Strains in Korea. Antimicrobial Agents and Chemotherapy, 2007, 51, 2591-2593.	1.4	40
268	Prevalence and mechanisms of decreased susceptibility to carbapenems in Klebsiella pneumoniae isolates. Diagnostic Microbiology and Infectious Disease, 2007, 57, 85-91.	0.8	23
269	Reduced imipenem susceptibility in Klebsiella pneumoniae clinical isolates with plasmid-mediated CMY-2 and DHA-1 \hat{l}^2 -lactamases co-mediated by porin loss. International Journal of Antimicrobial Agents, 2007, 29, 201-206.	1.1	56
270	High prevalence of SHV-12 and the emergence of CTX-M-12 in clinical isolates of Klebsiella pneumoniae from Korea. International Journal of Antimicrobial Agents, 2007, 29, 362-364.	1.1	5

#	Article	IF	Citations
271	Species Distribution and Susceptibility to Azole Antifungals of Candida Bloodstream Isolates from Eight University Hospitals in Korea. Yonsei Medical Journal, 2007, 48, 779.	0.9	44
272	Accessory Gene Regulator Group Polymorphisms in Methicillin-Resistant Staphylococcus aureus: An Association with Clinical Significance. Yonsei Medical Journal, 2007, 48, 176.	0.9	10
273	The first detection of CTX-M-14 extended-spectrum β-lactamase among diverse β-lactamase–producing Proteus mirabilis clinical isolates. Diagnostic Microbiology and Infectious Disease, 2006, 54, 237-239.	0.8	7
274	Dissemination of 16S rRNA methylase-mediated highly amikacin-resistant isolates of Klebsiella pneumoniae and Acinetobacter baumannii in Korea. Diagnostic Microbiology and Infectious Disease, 2006, 56, 305-312.	0.8	99
275	Comparison of Efficacy of Cefoperazone/Sulbactam and Imipenem/Cilastatin for Treatment of Acinetobacter Bacteremia. Yonsei Medical Journal, 2006, 47, 63.	0.9	44
276	Prevalence of Inducible Clindamycin Resistance in Staphylococcal Isolates at a Korean Tertiary Care Hospital. Yonsei Medical Journal, 2006, 47, 480.	0.9	19
277	High Prevalence of Ceftazidime-Resistant Klebsiella pneumoniae and Increase of Imipenem-Resistant Pseudomonas aeruginosa and Acinetobacter spp. in Korea: a KONSAR Program in 2004. Yonsei Medical Journal, 2006, 47, 634.	0.9	46
278	Bacteriological findings and antimicrobial susceptibility in chronic sinusitis with nasal polyp. Acta Oto-Laryngologica, 2006, 126, 489-497.	0.3	31
279	Co-production of 16S rRNA methylases and extended-spectrum Â-lactamases in AmpC-producing Enterobacter cloacae, Citrobacter freundii and Serratia marcescens in Korea. Journal of Antimicrobial Chemotherapy, 2006, 58, 907-908.	1.3	27
280	Occurrence of extended-spectrum \hat{l}^2 -lactamases and plasmid-mediated AmpC \hat{l}^2 -lactamases among Korean isolates of Proteus mirabilis. Journal of Antimicrobial Chemotherapy, 2006, 57, 156-158.	1.3	12
281	Increasing Prevalence and Diversity of Metallo- \hat{l}^2 -Lactamases in Pseudomonas spp., Acinetobacter spp., and Enterobacteriaceae from Korea. Antimicrobial Agents and Chemotherapy, 2006, 50, 1884-1886.	1.4	45
282	Prevalence and Clinical Implications of Staphylococcus aureus with a Vancomycin MIC of $4\hat{A}\mu g/ml$ in Korea. Microbial Drug Resistance, 2006, 12, 33-38.	0.9	14
283	Prevalence of Plasmid-mediated AmpCβ-Lactamases inEscherichia coliandKlebsiella pneumoniaein Korea. Microbial Drug Resistance, 2006, 12, 44-49.	0.9	57
284	Vancomycin-Tolerant Streptococcus pneumoniae in Korea. Journal of Clinical Microbiology, 2006, 44, 3524-3528.	1.8	20
285	Further Increase of Vancomycin-Resistant Enterococcus faecium, Amikacin- and Fluoroquinolone-Resistant Klebsiella pneumoniae, and Imipenem-Resistant Acinetobacter spp. in Korea: 2003 KONSAR Surveillance. Yonsei Medical Journal, 2006, 47, 43.	0.9	31
286	Differences in T Serotypes and <i>emm</i> Genotypes of Group A Streptococci Obtained from Invasive and Non-invasive Streptococcal Infections. Korean Journal of Pediatric Infectious Diseases, 2006, 13, 106.	0.1	0
287	The Association of Delta Neutrophil with Severity of Sepsis Blood, 2006, 108, 5504-5504.	0.6	1
288	Outbreaks of imipenem-resistant Acinetobacter baumannii producing carbapenemases in Korea. Journal of Microbiology, 2006, 44, 423-31.	1.3	55

#	Article	IF	Citations
289	Mortality risk factors of Acinetobacter baumannii bacteraemia. Internal Medicine Journal, 2005, 35, 599-603.	0.5	55
290	Vancomycin-resistant Enterococcal Bacteremia in a Hematology Unit: Molecular Epidemiology and Analysis of Clinical Course. Journal of Korean Medical Science, 2005, 20, 169.	1.1	19
291	Emergence and Wide Dissemination of CTX-M-type ESBLs, and CMY-2- and DHA-1-type AmpC \hat{l}^2 -Lactamases in Korean Respiratory Isolates of Klebsiella pneumoniae. Journal of Korean Medical Science, 2005, 20, 961.	1.1	19
292	Nosocomial Outbreak of Pediatric Gastroenteritis Caused by CTX-M-14-Type Extended-Spectrum β-Lactamase-Producing Strains of Salmonella enterica Serovar London. Journal of Clinical Microbiology, 2005, 43, 3519-3521.	1.8	26
293	Molecular Characterization of Vancomycin-Resistant Enterococcus faecium Isolates from Korea. Journal of Clinical Microbiology, 2005, 43, 2303-2306.	1.8	52
294	Investigation of a Nosocomial Outbreak of Imipenem-Resistant Acinetobacter baumannii Producing the OXA-23 \hat{I}^2 -Lactamase in Korea. Journal of Clinical Microbiology, 2005, 43, 2241-2245.	1.8	143
295	Dissemination of SHV-12 and CTX-M-type extended-spectrum \hat{I}^2 -lactamases among clinical isolates of Escherichia coli and Klebsiella pneumoniae and emergence of GES-3 in Korea. Journal of Antimicrobial Chemotherapy, 2005, 56, 698-702.	1.3	113
296	Novel Acquired Metallo- \hat{l}^2 -Lactamase Gene, bla SIM- 1 , in a Class 1 Integron from Acinetobacter baumannii Clinical Isolates from Korea. Antimicrobial Agents and Chemotherapy, 2005, 49, 4485-4491.	1.4	293
297	Evaluation of Etest MBL for Detection of bla IMP-1 and bla VIM-2 Allele-Positive Clinical Isolates of Pseudomonas spp. and Acinetobacter spp. Journal of Clinical Microbiology, 2005, 43, 942-944.	1.8	41
298	Investigation of a nosocomial outbreak of Acinetobacter baumannii producing PER-1 extended-spectrum \hat{l}^2 -lactamase in an intensive care unit. Journal of Hospital Infection, 2005, 59, 242-248.	1.4	26
299	Occurrence of extended-spectrum \hat{l}^2 -lactamases among chromosomal AmpC-producing Enterobacter cloacae, Citrobacter freundii, and Serratia marcescens in Korea and investigation of screening criteria. Diagnostic Microbiology and Infectious Disease, 2005, 51, 265-269.	0.8	62
300	Plasmid-mediated, inducible AmpC \hat{l}^2 -lactamase (DHA-1)-producing Enterobacteriaceae at a Korean hospital: wide dissemination in Klebsiella pneumoniae and Klebsiella oxytoca and emergence in Proteus mirabilis. Diagnostic Microbiology and Infectious Disease, 2005, 53, 65-70.	0.8	20
301	Evaluation of phenotypic screening methods for detecting plasmid-mediated AmpC β-lactamases–producing isolates of Escherichia coli and Klebsiella pneumoniae. Diagnostic Microbiology and Infectious Disease, 2005, 53, 319-323.	0.8	23
302	Outbreaks of Serratia marcescens bacteriuria in a neurosurgical intensive care unit of a tertiary care teaching hospital: A clinical, epidemiologic, and laboratory perspective. American Journal of Infection Control, 2005, 33, 595-601.	1.1	44
303	Increasing Prevalence of Vancomycin-Resistant Enterococci, and Cefoxitin-, Imipenem- and Fluoroquinolone-Resistant Gram-Negative Bacilli: A KONSAR Study in 2002. Yonsei Medical Journal, 2004, 45, 598.	0.9	34
304	Increasing Prevalence of Vancomycin-Resistant <i>Enterococcus faecium</i> , Expanded-Spectrum Cephalosporin-Resistant <i>Klebsiella pneumoniae</i> , and Imipenem-Resistant <i>Pseudomonas aeruginosa</i> in Korea: KONSAR Study in 2001. Journal of Korean Medical Science, 2004, 19, 8.	1.1	33
305	Epidemiological characteristics and molecular basis of fluoroquinolone-resistant Neisseria gonorrhoeae strains isolated in Korea and nearby countries. Journal of Antimicrobial Chemotherapy, 2004, 54, 451-455.	1.3	20
306	Emergence of Multidrug-Resistant Salmonella enterica Serovar Typhi in Korea. Antimicrobial Agents and Chemotherapy, 2004, 48, 4130-4135.	1.4	28

#	Article	IF	Citations
307	Distribution of Insertion Sequences Associated with Tn 1546 -Like Elements among Enterococcus faecium Isolates from Patients in Korea. Journal of Clinical Microbiology, 2004, 42, 1897-1902.	1.8	45
308	Synergic in-vitro activity of imipenem and sulbactam against Acinetobacter baumannii. Clinical Microbiology and Infection, 2004, 10, 1098-1101.	2.8	36
309	PROTEKT 1999–2000: a multicentre study of the antibiotic susceptibility of respiratory tract pathogens in Hong Kong, Japan and South Korea. International Journal of Antimicrobial Agents, 2004, 23, 44-51.	1.1	47
310	In Vitro Activities of DA-7867, a Novel Oxazolidinone, against Recent Clinical Isolates of Aerobic and Anaerobic Bacteria. Antimicrobial Agents and Chemotherapy, 2004, 48, 352-357.	1.4	29
311	Metallo- \hat{l}^2 -lactamase-producing Gram-negative bacilli in Korean Nationwide Surveillance of Antimicrobial Resistance group hospitals in 2003: Continued prevalence of VIM-producing pseudomonas spp. and increase of IMP-producing Acinetobacter spp. Diagnostic Microbiology and Infectious Disease. 2004, 50, 51-58.	0.8	61
312	Sudden increase of vancomycin-resistant enterococcal infections in a Korean tertiary care hospital: possible consequences of increased use of oral vancomycin. Journal of Infection and Chemotherapy, 2003, 9, 62-67.	0.8	37
313	Diversity of TEM-52 extended-spectrum Â-lactamase-producing non-typhoidal Salmonella isolates in Korea. Journal of Antimicrobial Chemotherapy, 2003, 52, 493-496.	1.3	50
314	Characterization of a new integron containing VIM-2, a metallo- beta-lactamase gene cassette, in a clinical isolate of Enterobacter cloacae. Journal of Antimicrobial Chemotherapy, 2003, 51, 397-400.	1.3	68
315	Evaluation of the Hodge Test and the Imipenem-EDTA Double-Disk Synergy Test for Differentiating Metallo-β-Lactamase-Producing Isolates of Pseudomonas spp. and Acinetobacter spp. Journal of Clinical Microbiology, 2003, 41, 4623-4629.	1.8	445
316	High Prevalence of PER-1 Extended-Spectrum \hat{l}^2 -Lactamase-Producing Acinetobacter spp. in Korea. Antimicrobial Agents and Chemotherapy, 2003, 47, 1749-1751.	1.4	98
317	Heterogeneity of Macrolide-Lincosamide-Streptogramin B Resistance Phenotypes in Enterococci. Antimicrobial Agents and Chemotherapy, 2003, 47, 3415-3420.	1.4	32
318	Korean Nationwide Surveillance of Antimicrobial Resistance in 2000 with Special Reference to Vancomycin Resistance in Enterococci, and Expanded-Spectrum Cephalosporin and Imipenem Resistance in Gram-Negative Bacilli. Yonsei Medical Journal, 2003, 44, 571.	0.9	10
319	VIM- and IMP-Type Metallo-ß-lactamase–Producing∢i>Pseudomonas∢/i>spp. and∢i>Acinetobacter∢/i>spp. in Korean Hospitals. Emerging Infectious Diseases, 2003, 9, 868-871.	2.0	138
320	Molecular characterization of metallo-b-lactamase-producing Acinetobacter baumannii and Acinetobacter genomospecies 3 from Korea: identification of two new integrons carrying the blaVIM-2 gene cassettes. Journal of Antimicrobial Chemotherapy, 2002, 49, 837-840.	1.3	139
321	bla VIM-2 Cassette-Containing Novel Integrons in Metallo- \hat{l}^2 -Lactamase-Producing Pseudomonas aeruginosa and Pseudomonas putida Isolates Disseminated in a Korean Hospital. Antimicrobial Agents and Chemotherapy, 2002, 46, 1053-1058.	1.4	179
322	Simple Microdilution Test for Detection of Metallo-β-Lactamase Production in Pseudomonas aeruginosa. Journal of Clinical Microbiology, 2002, 40, 4388-4390.	1.8	77
323	A new integron carrying VIM-2 metallo- \hat{l}^2 -lactamase gene cassette in a Serratia marcescens isolate. Diagnostic Microbiology and Infectious Disease, 2002, 42, 217-219.	0.8	60
324	Further modification of the Hodge test to screen AmpC \hat{l}^2 -lactamase (CMY-1)-producing strains of Escherichia coli and Klebsiella pneumoniae. Journal of Microbiological Methods, 2002, 51, 407-410.	0.7	37

#	Article	IF	CITATIONS
325	Imipenem-EDTA Disk Method for Differentiation of Metallo- $\hat{1}^2$ -Lactamase-Producing Clinical Isolates of Pseudomonas spp. and Acinetobacter spp. Journal of Clinical Microbiology, 2002, 40, 3798-3801.	1.8	428
326	Antimicrobial Resistance Surveillance of Bacteria in 1999 in Korea with a Special Reference to Resistance of Enterococci to Vancomycin and Gram-Negative Bacilli to Third Generation Cephalosporin, Imipenem, and Fluoroquinolone. Journal of Korean Medical Science, 2001, 16, 262.	1.1	28
327	The emergence of erythromycin-resistant Streptococcus pyogenes in Seoul, Korea. Journal of Infection and Chemotherapy, 2001, 7, 81-86.	0.8	25
328	Modified Hodge and EDTA-disk synergy tests to screen metallo-β-lactamase-producing strains of Pseudomonas and Acinetobactet species. Clinical Microbiology and Infection, 2001, 7, 88-91.	2.8	390
329	Evaluation of Efficiency of Screening Extended-Spectrum β-Lactamase-Producing Escherichia coli and Klebsiella pneumoniae in Hospitals Where the Bacteria Are Increasingly Prevalent. Journal of Clinical Microbiology, 2001, 39, 3696-3699.	1.8	2
330	Modification of Cycloserine Cefoxitin Fructose Agar to Suppress Growth of Yeasts from Stool Specimens. Anaerobe, 2000, 6, 269-271.	1.0	5
331	Trends in serotypes and antimicrobial susceptibility of group B streptococci isolated in Korea. Journal of Infection and Chemotherapy, 2000, 6, 93-97.	0.8	22
332	Present situation of antimicrobial resistance in Korea. Journal of Infection and Chemotherapy, 2000, 6, 189-195.	0.8	53
333	Emerging antimicrobial resistance, plasmid profile and pulsed-field gel electrophoresis pattern of the endonuclease-digested genomic DNA ofNeisseria gonorrhoeae. Yonsei Medical Journal, 2000, 41, 381.	0.9	6
334	Korean Nationwide Surveillance of Antimicrobial Resistance of Bacteria in 1998. Yonsei Medical Journal, 2000, 41, 497.	0.9	36
335	Axenic cultivation and characterization of Giardia lamblia isolated from humans in Korea. Korean Journal of Parasitology, 1999, 37, 121.	0.5	6
336	Incidence, epidemiology and evolution of reduced susceptibility to ciprofloxacin in Neisseria gonorrhoeae in Korea. Clinical Microbiology and Infection, 1998, 4, 627-633.	2.8	7
337	Korean Nationwide Surveillance of Antimicrobial Resistance of bacteria in 1997. Yonsei Medical Journal, 1998, 39, 569.	0.9	31
338	Plasmid-encoded AmpC \hat{l}^2 -lactamases: how far have we gone 10 years after the discovery?. Yonsei Medical Journal, 1998, 39, 520.	0.9	82
339	Antimicrobial resistance patterns of <i>Bacteroides fragilis</i> group organisms in Korea. Yonsei Medical Journal, 1998, 39, 578.	0.9	11
340	Nocardiaosteomyelitis in a pachymeningitis patient: an example of a difficult case to treat with antimicrobial agents. Yonsei Medical Journal, 1998, 39, 604.	0.9	7
341	Spread of the Serotype 23F Multidrug-Resistant <i>Streptococcus pneumoniae</i> Clone to South Korea. Microbial Drug Resistance, 1997, 3, 105-109.	0.9	35
342	Pulsed-field gel electrophoresis (PFGE) pattern of genomic DNA of penicillin-resistant pneumococci in Korea, where the resistance rate is very high. Clinical Microbiology and Infection, 1997, 3, 380-382.	2.8	1

Kyungwon Lee

#	Article	lF	CITATIONS
343	Emerging Resistance of Anaerobic Bacteria to Antimicrobial Agents in South Korea. Clinical Infectious Diseases, 1996, 23, S73-S77.	2.9	24
344	Trend of isolation and serotypes of group B streptococci in Korea. Yonsei Medical Journal, 1993, 34, 78.	0.9	7