James A Blumenthal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8995055/publications.pdf

Version: 2024-02-01

209 papers

29,778 citations

64 h-index 169 g-index

212 all docs

212 docs citations

times ranked

212

23123 citing authors

#	Article	IF	CITATIONS
1	Impact of Psychological Factors on the Pathogenesis of Cardiovascular Disease and Implications for Therapy. Circulation, 1999, 99, 2192-2217.	1.6	2,323
2	Longitudinal Assessment of Neurocognitive Function after Coronary-Artery Bypass Surgery. New England Journal of Medicine, 2001, 344, 395-402.	13.9	2,259
3	Efficacy and Safety of Exercise Training in Patients With Chronic Heart Failure. JAMA - Journal of the American Medical Association, 2009, 301, 1439.	3.8	1,694
4	Effects of Treating Depression and Low Perceived Social Support on Clinical Events After Myocardial Infarction. JAMA - Journal of the American Medical Association, 2003, 289, 3106.	3.8	1,579
5	Aerobic Exercise and Neurocognitive Performance: A Meta-Analytic Review of Randomized Controlled Trials. Psychosomatic Medicine, 2010, 72, 239-252.	1.3	1,289
6	Depression and Coronary Heart Disease. Circulation, 2008, 118, 1768-1775.	1.6	1,215
7	The epidemiology, pathophysiology, and management of psychosocial risk factors in cardiac practice. Journal of the American College of Cardiology, 2005, 45, 637-651.	1,2	1,102
8	Effects of Exercise Training on Older Patients With Major Depression. Archives of Internal Medicine, 1999, 159, 2349-56.	4.3	938
9	Depression as a Risk Factor for Poor Prognosis Among Patients With Acute Coronary Syndrome: Systematic Review and Recommendations. Circulation, 2014, 129, 1350-1369.	1.6	914
10	Exercise Treatment for Major Depression: Maintenance of Therapeutic Benefit at 10 Months. Psychosomatic Medicine, 2000, 62, 633-638.	1.3	800
11	Exercise and Pharmacotherapy in the Treatment of Major Depressive Disorder. Psychosomatic Medicine, 2007, 69, 587-596.	1.3	706
12	Depression, Heart Rate Variability, and Acute Myocardial Infarction. Circulation, 2001, 104, 2024-2028.	1.6	644
13	Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. Psychosomatic Medicine, 2004, 66, 305-315.	1.3	627
14	Depression as a risk factor for mortality after coronary artery bypass surgery. Lancet, The, 2003, 362, 604-609.	6.3	577
15	Type A Behavior, Hostility, and Coronary Atherosclerosis*. Psychosomatic Medicine, 1980, 42, 539-549.	1.3	534
16	Effects of Antidepressant Medication on Morbidity and Mortality in Depressed Patients After Myocardial Infarction. Archives of General Psychiatry, 2005, 62, 792.	13.8	469
17	Depression and Long-Term Mortality Risk in Patients With Coronary Artery Disease * *This study was supported in part by grants P01 HL36587, R01 HL43028, R01 HL44998, R01 HL45702, and R01 HL49572 from the National Heart, Lung and Blood Institute; and AG-09276, AG09663, 5P60 AG-11268, and P02 AG-12058 from the National Institute on Aging American Journal of Cardiology, 1996, 78, 613-617.	0.7	461
18	Effects of the DASH Diet Alone and in Combination With Exercise and Weight Loss on Blood Pressure and Cardiovascular Biomarkers in Men and Women With High Blood Pressure. Archives of Internal Medicine, 2010, 170, 126.	4.3	459

#	Article	IF	CITATIONS
19	A Short Social Support Measure for Patients Recovering From Myocardial Infarction. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003, 23, 398-403.	0.5	437
20	Exercise and the Treatment of Clinical Depression in Adults. Sports Medicine, 2002, 32, 741-760.	3.1	357
21	Effects of Exercise and Stress Management Training on Markers of Cardiovascular Risk in Patients With Ischemic Heart Disease. JAMA - Journal of the American Medical Association, 2005, 293, 1626.	3.8	329
22	Social Support and Coronary Heart Disease: Epidemiologic Evidence and Implications for Treatment. Psychosomatic Medicine, 2005, 67, 869-878.	1.3	282
23	Relationship of Depression to Death or Hospitalization in Patients With Heart Failure. Archives of Internal Medicine, 2007, 167, 367.	4.3	279
24	Effects of the Dietary Approaches to Stop Hypertension Diet, Exercise, and Caloric Restriction on Neurocognition in Overweight Adults With High Blood Pressure. Hypertension, 2010, 55, 1331-1338.	1.3	279
25	Central nervous system injury associated with cardiac surgery. Lancet, The, 2006, 368, 694-703.	6.3	270
26	Nighttime blood pressure dipping: the role of the sympathetic nervous system. American Journal of Hypertension, 2002, 15, 111-118.	1.0	260
27	Effects of Exercise Training on Depressive Symptoms in Patients With Chronic Heart Failure. JAMA - Journal of the American Medical Association, 2012, 308, 465-74.	3.8	239
28	Exercise as Treatment for Anxiety: Systematic Review and Analysis. Annals of Behavioral Medicine, 2015, 49, 542-556.	1.7	233
29	Exercise and Weight Loss Reduce Blood Pressure in Men and Women With Mild Hypertension. Archives of Internal Medicine, 2000, 160, 1947.	4.3	232
30	Depression and Late Mortality After Myocardial Infarction in the Enhancing Recovery in Coronary Heart Disease (ENRICHD) Study. Psychosomatic Medicine, 2004, 66, 466-474.	1.3	232
31	Carotid Intima-Media Thickness Progression as Surrogate Marker for Cardiovascular Risk. Circulation, 2020, 142, 621-642.	1.6	232
32	Impaired Endothelial Function in Coronary Heart Disease Patients With Depressive Symptomatology. Journal of the American College of Cardiology, 2005, 46, 656-659.	1.2	225
33	Stress Management and Exercise Training in Cardiac Patients With Myocardial Ischemia. Archives of Internal Medicine, 1997, 157, 2213.	4.3	216
34	Exercise and Pharmacological Treatment of Depressive Symptoms in Patients With Coronary Heart Disease. Journal of the American College of Cardiology, 2012, 60, 1053-1063.	1.2	210
35	Association of Anxiety and Depression With Allâ€Cause Mortality in Individuals With Coronary Heart Disease. Journal of the American Heart Association, 2013, 2, e000068.	1.6	210
36	Heart Failure and A Controlled Trial Investigating Outcomes of Exercise TraiNing (HF-ACTION): Design and rationale. American Heart Journal, 2007, 153, 201-211.	1.2	206

#	Article	IF	Citations
37	Depression as a risk factor for mortality after acute myocardial infarction. American Journal of Cardiology, 2003, 92, 1277-1281.	0.7	203
38	Enhancing Cardiac Rehabilitation With Stress Management Training. Circulation, 2016, 133, 1341-1350.	1.6	182
39	Secondary Prevention of Atherosclerotic Cardiovascular Disease in Older Adults. Circulation, 2013, 128, 2422-2446.	1.6	166
40	Mental Stress–Induced Ischemia in the Laboratory and Ambulatory Ischemia During Daily Life. Circulation, 1995, 92, 2102-2108.	1.6	149
41	Exercise and Pharmacotherapy in Patients With Major Depression: One-Year Follow-Up of the SMILE Study. Psychosomatic Medicine, 2011, 73, 127-133.	1.3	147
42	Exercise as a Treatment for Depression and Other Psychiatric Disorders. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 359-367.	1.2	146
43	Exercise training and depression in older adults. Neurobiology of Aging, 2005, 26, 119-123.	1.5	143
44	Role of Counseling to Promote Adherence in Healthy Lifestyle Medicine: Strategies to Improve Exercise Adherence and Enhance Physical Activity. Progress in Cardiovascular Diseases, 2017, 59, 455-462.	1.6	135
45	Failure of Exercise to Reduce Blood Pressure in Patients With Mild Hypertension. JAMA - Journal of the American Medical Association, 1991, 266, 2098.	3.8	129
46	Effects of the Dietary Approaches to Stop Hypertension Diet Alone and in Combination With Exercise and Caloric Restriction on Insulin Sensitivity and Lipids. Hypertension, 2010, 55, 1199-1205.	1.3	128
47	Effects of Exercise, Diet and Weight Loss on High Blood Pressure. Sports Medicine, 2004, 34, 307-316.	3.1	124
48	Comparison of high- and low-intensity exercise training early after acute myocardial infarction. American Journal of Cardiology, 1988, 61, 26-30.	0.7	120
49	Usefulness of psychosocial treatment of mental stress-induced myocardial ischemia in men. American Journal of Cardiology, 2002, 89, 164-168.	0.7	120
50	Determinants and Consequences of Adherence to the Dietary Approaches to Stop Hypertension Diet in African-American and White Adults with High Blood Pressure: Results from the ENCORE Trial. Journal of the Academy of Nutrition and Dietetics, 2012, 112, 1763-1773.	0.4	114
51	Social support and prognosis in patients at increased psychosocial risk recovering from myocardial infarction Health Psychology, 2007, 26, 418-427.	1.3	112
52	Depression in male and female patients undergoing cardiac surgery. British Journal of Clinical Psychology, 1995, 34, 119-128.	1.7	107
53	Impact of Cardiac Rehabilitation and Exercise Training on Psychological Risk Factors and Subsequent Prognosis in Patients With Cardiovascular Disease. Canadian Journal of Cardiology, 2016, 32, S365-S373.	0.8	104
54	Worsening Depressive Symptoms Are Associated With Adverse Clinical Outcomes in Patients With Heart Failure. Journal of the American College of Cardiology, 2011, 57, 418-423.	1.2	102

#	Article	IF	Citations
55	Exercise, Depression, and Mortality after Myocardial Infarction in the ENRICHD Trial. Medicine and Science in Sports and Exercise, 2004, 36, 746-755.	0.2	96
56	Binge eating disorder and night eating syndrome: Psychological and behavioral characteristics. International Journal of Eating Disorders, 2001, 30, 193-203.	2.1	92
57	Reduction of Left Ventricular Hypertrophy After Exercise and Weight Loss in Overweight Patients With Mild Hypertension. Archives of Internal Medicine, 2002, 162, 1333.	4.3	82
58	Blood Pressure Dipping: Ethnicity, Sleep Quality, and Sympathetic Nervous System Activity. American Journal of Hypertension, 2011, 24, 982-988.	1.0	81
59	Exercise Fails to Improve Neurocognition in Depressed Middle-Aged and Older Adults. Medicine and Science in Sports and Exercise, 2008, 40, 1344-1352.	0.2	79
60	Telephone-based coping skills training for patients awaiting lung transplantation Journal of Consulting and Clinical Psychology, 2006, 74, 535-544.	1.6	74
61	Psychiatric Disorder and Quality of Life in Patients Awaiting Lung Transplantation *. Chest, 2003, 124, 1682-1688.	0.4	73
62	Effects of a Telephone-Based Psychosocial Intervention for Patients Awaiting Lung Transplantation. Chest, 2002, 122, 1176-1184.	0.4	72
63	Lifestyle and neurocognition in older adults with cognitive impairments. Neurology, 2019, 92, e212-e223.	1.5	71
64	Effects of Exercise and Weight Loss on Mental Stress–Induced Cardiovascular Responses in Individuals With High Blood Pressure. Hypertension, 2000, 36, 171-176.	1.3	69
65	OPINION AND EVIDENCE. ACSM's Health and Fitness Journal, 2012, 16, 14-21.	0.3	69
66	Psychosocial Characteristics After Acute Myocardial Infarction: The ENRICHD Pilot Study. Journal of Cardiopulmonary Rehabilitation and Prevention, 2001, 21, 353-362.	0.5	66
67	Prediction of medical morbidity and mortality after acute myocardial infarction in patients at increased psychosocial risk in the Enhancing Recovery in Coronary Heart Disease Patients (ENRICHD) study. American Heart Journal, 2006, 152, 126-135.	1.2	66
68	The Long-Term Effects of Lifestyle Change on Blood Pressure: One-Year Follow-Up of the ENCORE Study. American Journal of Hypertension, 2014, 27, 734-741.	1.0	66
69	Association of Anxiety and Depression with Pulmonary-Specific Symptoms in Chronic Obstructive Pulmonary Disease. International Journal of Psychiatry in Medicine, 2013, 45, 189-202.	0.8	63
70	The DASH Diet and Insulin Sensitivity. Current Hypertension Reports, 2011, 13, 67-73.	1.5	61
71	Neurobehavioral Functioning and Survival Following Lung Transplantation. Chest, 2014, 145, 604-611.	0.4	61
72	Spirituality, Religion, and Clinical Outcomes in Patients Recovering From an Acute Myocardial Infarction. Psychosomatic Medicine, 2007, 69, 501-508.	1.3	59

#	Article	IF	CITATIONS
73	AHA Science Advisory. Progress in Cardiovascular Nursing, 2009, 24, 19-26.	0.5	57
74	Psychosocial Issues in the Assessment and Management of Patients Undergoing Lung Transplantation. Chest, 2006, 129, 1367-1374.	0.4	54
75	Effects of Lifestyle Modification on Patients With Resistant Hypertension: Results of the TRIUMPH Randomized Clinical Trial. Circulation, 2021, 144, 1212-1226.	1.6	54
76	Cerebrovascular Risk Factors, Vascular Disease, and Neuropsychological Outcomes in Adults With Major Depression. Psychosomatic Medicine, 2007, 69, 578-586.	1.3	52
77	The Effects of a Telehealth Coping Skills Intervention on Outcomes in Chronic Obstructive Pulmonary Disease. Psychosomatic Medicine, 2014, 76, 581-592.	1.3	50
78	Effects of Exercise Training on Bone Density in Older Men and Women. Journal of the American Geriatrics Society, 1991, 39, 1065-1070.	1.3	49
79	Understanding prognostic benefits of exercise and antidepressant therapy for persons with depression and heart disease: the UPBEAT study — rationale, design, and methodological issues. Clinical Trials, 2007, 4, 548-559.	0.7	48
80	Stress and coping in caregivers of patients awaiting solid organ transplantation. Clinical Transplantation, 2012, 26, 97-104.	0.8	48
81	Six-Minute-Walk Distance and Accelerometry Predict Outcomes in Chronic Obstructive Pulmonary Disease Independent of Global Initiative for Chronic Obstructive Lung Disease 2011 Group. Annals of the American Thoracic Society, 2015, 12, 349-356.	1.5	48
82	Nonpharmacologic Treatments for Depression in Patients With Coronary Heart Disease. Psychosomatic Medicine, 2005, 67, S58-S62.	1.3	47
83	Diet and Neurocognition: Review of Evidence and Methodological Considerations. Current Aging Science, 2010, 3, 57-66.	0.4	46
84	Coping and quality of life in patients awaiting lung transplantation. Journal of Psychosomatic Research, 2008, 65, 71-79.	1.2	44
85	Stress reactivity and exercise training in premenopausal and postmenopausal women Health Psychology, 1991, 10, 384-391.	1.3	43
86	Effects of Coping Skills Training on Quality of Life, Disease Biomarkers, and Clinical Outcomes in Patients With Heart Failure. Circulation: Heart Failure, 2017, 10, .	1.6	43
87	Depression and coronary heart disease: association and implications for treatment Cleveland Clinic Journal of Medicine, 2008, 75, S48-S48.	0.6	43
88	Biobehavioral approaches to the treatment of essential hypertension Journal of Consulting and Clinical Psychology, 2002, 70, 569-589.	1.6	42
89	Dimensions of Social Support and Depression in Patients at Increased Psychosocial Risk Recovering from Myocardial Infarction. International Journal of Behavioral Medicine, 2009, 16, 248-258.	0.8	42
90	Reproducibility of blood pressure dipping: Relation to day-to-day variability in sleep quality. Journal of the American Society of Hypertension, 2013, 7, 432-439.	2.3	42

#	Article	IF	CITATIONS
91	Effects of exercise and weight loss on depressive symptoms among men and women with hypertension. Journal of Psychosomatic Research, 2007, 63, 463-469.	1.2	38
92	Caregiver-assisted coping skills training for patients with COPD: background, design, and methodological issues for the INSPIRE-II study. Clinical Trials, 2009, 6, 172-184.	0.7	38
93	Intima-media thickness and age of first depressive episode. Biological Psychology, 2009, 80, 361-364.	1.1	37
94	Lifestyle modification for resistant hypertension: The TRIUMPH randomized clinical trial. American Heart Journal, 2015, 170, 986-994.e5.	1.2	37
95	The Effects of Exercise Training on Psychosocial Functioning After Myocardial Infarction. Journal of Cardiopulmonary Rehabilitation and Prevention, 1988, 8, 183-193.	0.5	36
96	Emotional distress and quality of life in caregivers of patients awaiting lung transplant. Journal of Psychosomatic Research, 2005, 59, 1-6.	1.2	36
97	Impact of aerobic exercise on neurobehavioral outcomes. Mental Health and Physical Activity, 2013, 6, 139-153.	0.9	34
98	Depressive symptoms and early mortality following lung transplantation: A pilot study. Clinical Transplantation, 2017, 31, e12874.	0.8	34
99	Comparison of treatment options for depression in heart failure: A network meta-analysis. Journal of Psychiatric Research, 2019, 108, 7-23.	1.5	33
100	Reactive hyperemia is associated with adverse clinical outcomes in heart failure. American Heart Journal, 2016, 178, 108-114.	1.2	32
101	Effects of Task Incentive on Cardiovascular Response in Type A and Type B Individuals. Psychophysiology, 1983, 20, 63-70.	1.2	31
102	Short-term behavioral effects of beta-adrenergic medications in men with mild hypertension. Clinical Pharmacology and Therapeutics, 1988, 43, 429-435.	2.3	31
103	Relationship of Genetic Variability and Depressive Symptoms to Adverse Events After Coronary Artery Bypass Graft Surgery. Psychosomatic Medicine, 2008, 70, 953-959.	1.3	31
104	Depression, social support, and clinical outcomes following lung transplantation: a single-center cohort study. Transplant International, 2018, 31, 495-502.	0.8	30
105	The Association between Physical Activity and Depression in Older Depressed Adults. Journal of Aging and Physical Activity, 1999, 7, 55-61.	0.5	29
106	Lifestyle and Neurocognition in Older Adults With Cardiovascular Risk Factors and Cognitive Impairment. Psychosomatic Medicine, 2017, 79, 719-727.	1.3	29
107	Effects of exercise and weight loss on blood pressure during daily life. Medicine and Science in Sports and Exercise, 2001, 33, 1635-1640.	0.2	28
108	Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. Psychosomatic Medicine, 2004, 66, 305-315.	1.3	28

#	Article	IF	Citations
109	Trajectories of depressive symptoms and subsequent cognitive decline in older adults: a pooled analysis of two longitudinal cohorts. Age and Ageing, 2022, 51, .	0.7	28
110	Serum Lipids, Neuroendocrine, and Cardiovascular Responses to Stress in Men and Women with Mild Hypertension. Behavioral Medicine, 1994, 19, 155-161.	1.0	27
111	Quality of life among hypertensive patients with a diuretic background who are taking atenolol and enalapril. Clinical Pharmacology and Therapeutics, 1990, 48, 447-454.	2.3	26
112	Ethnic differences in the treatment of depression in patients with ischemic heart disease. American Heart Journal, 2009, 157, 77-83.	1.2	26
113	Prognosis After Change in Left Ventricular Ejection Fraction During Mental Stress Testing in Patients With Stable Coronary Artery Disease. American Journal of Cardiology, 2010, 105, 25-28.	0.7	26
114	Management of depression in patients with coronary heart disease: association, mechanisms, and treatment implications for depressed cardiac patients. Expert Opinion on Pharmacotherapy, 2011, 12, 85-98.	0.9	26
115	Effects of Exercise and Sertraline on Measures of Coronary Heart Disease Risk in Patients With Major Depression: Results From the SMILE-II Randomized Clinical Trial. Psychosomatic Medicine, 2016, 78, 602-609.	1.3	26
116	Treatment of anxiety in patients with coronary heart disease: Rationale and design of the UNderstanding the benefits of exercise and escitalopram in anxious patients WIth coroNary heart Disease (UNWIND) randomized clinical trial. American Heart Journal, 2016, 176, 53-62.	1.2	26
117	Building research in diet and cognition: The BRIDGE randomized controlled trial. Contemporary Clinical Trials, 2017, 59, 87-97.	0.8	24
118	Treatment of Anxiety in Patients With Coronary Heart Disease: A Systematic Review. Psychosomatics, 2018, 59, 318-332.	2.5	24
119	Neurological Sequelae and Clinical Outcomes After Lung Transplantation. Transplantation Direct, 2018, 4, e353.	0.8	24
120	Memory performance by mild hypertensives following beta-adrenergic blockade. Psychopharmacology, 1986, 89, 20-4.	1.5	23
121	Effects of aerobic exercise on sexual functioning in depressed adults. Mental Health and Physical Activity, 2009, 2, 23-28.	0.9	22
122	Ethnic Differences in the Effects of the DASH Diet on Nocturnal Blood Pressure Dipping in Individuals with High Blood Pressure. American Journal of Hypertension, 2011, 24, 1338-1344.	1.0	22
123	Effect of Exercise, Escitalopram, or Placebo on Anxiety in Patients With Coronary Heart Disease. JAMA Psychiatry, 2021, 78, 1270.	6.0	22
124	A commentary on â€~Exercise and Depression' (): And the verdict is…. Mental Health and Physical Activity, 2009, 2, 97-99.	0.9	21
125	Nighttime Blood Pressure Dipping in Postmenopausal Women With Coronary Heart Disease. American Journal of Hypertension, 2012, 25, 1077-1082.	1.0	21
126	Blunted cyclic variation of heart rate predicts mortality risk in post-myocardial infarction, end-stage renal disease, and chronic heart failure patients. Europace, 2017, 19, euw222.	0.7	21

#	Article	IF	CITATIONS
127	The Effects of Ambulatory Blood Pressure Monitoring on Sleep Quality in Men and Women With Hypertension: Dipper vs. Nondipper and Race Differences. American Journal of Hypertension, 2019, 32, 54-60.	1.0	21
128	Survival Predictors of Heart Rate Variability After Myocardial Infarction With and Without Low Left Ventricular Ejection Fraction. Frontiers in Neuroscience, 2021, 15, 610955.	1.4	21
129	New frontiers in cardiovascular behavioral medicine: Comparative effectiveness of exercise and medication in treating depression. Cleveland Clinic Journal of Medicine, 2011, 78, S35-S43.	0.6	21
130	Anorexia Nervosa and Exercise. Sports Medicine, 1985, 2, 237-247.	3.1	20
131	Impact of Sleep Complaints and Depression Outcomes Among Participants in the Standard Medical Intervention and Long-Term Exercise Study of Exercise and Pharmacotherapy for Depression. Journal of Nervous and Mental Disease, 2014, 202, 167-171.	0.5	20
132	Circadian hemodynamics in men and women with high blood pressure. Journal of Hypertension, 2018, 36, 250-258.	0.3	20
133	Exercise therapy for depression in middle-aged and older adults: predictors of early dropout and treatment failure. Health Psychology, 2002, 21, 553-63.	1.3	20
134	Effects of exercise training on psychological functioning in healthy type a men. Psychology and Health, 1988, 2, 367-379.	1.2	19
135	Blood pressure reactivity to psychological stress is associated with clinical outcomes in patients with heart failure. American Heart Journal, 2017, 191, 82-90.	1.2	19
136	Can lifestyle modification improve neurocognition? Rationale and design of the ENLIGHTEN clinical trial. Contemporary Clinical Trials, 2013, 34, 60-69.	0.8	18
137	Physical activity and psychosocial function following cardiac rehabilitation: One-year follow-up of the ENHANCED study. General Hospital Psychiatry, 2017, 49, 32-36.	1.2	18
138	Sedentary Behavior and the Risk of Depression in Patients With Acute Coronary Syndromes. American Journal of Cardiology, 2018, 121, 1456-1460.	0.7	18
139	High-Mobility Group Box-1 Is Associated With Obesity, Inflammation, and Subclinical Cardiovascular Risk Among Young Adults. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 2776-2784.	1.1	18
140	Enhancing Standard Cardiac Rehabilitation With Stress Management Training. Journal of Cardiopulmonary Rehabilitation and Prevention, 2010, 30, 77-84.	1.2	17
141	Coping Effectively With Heart Failure (COPE-HF): Design and Rationale of a Telephone-Based Coping Skills Intervention. Journal of Cardiac Failure, 2011, 17, 201-207.	0.7	17
142	Longer Term Effects of Diet and Exercise on Neurocognition: 1â€Year Followâ€up of the ENLIGHTEN Trial. Journal of the American Geriatrics Society, 2020, 68, 559-568.	1.3	17
143	The modifying effects of social support on psychological outcomes in patients with heart failure Health Psychology, 2019, 38, 502-508.	1.3	17
144	The Inhibited Power Motive, Type A Behavior, and Patterns of Cardiovascular Response During the Structured Interview and Thematic Apperception Test. Journal of Human Stress, 1985, 11, 82-92.	0.7	16

#	Article	IF	CITATIONS
145	Obsessive and Compulsive Traits in Athletes. Sports Medicine, 1992, 14, 215-227.	3.1	16
146	Household Responsibilities, Income, and Ambulatory Blood Pressure Among Working Men and Women. Psychosomatic Medicine, 2011, 73, 200-205.	1.3	16
147	Microvascular Endothelial Function and Neurocognition Among Adults With Major Depressive Disorder. American Journal of Geriatric Psychiatry, 2018, 26, 1061-1069.	0.6	16
148	Psychiatric and Behavioral Aspects of Cardiovascular Disease: Epidemiology, Mechanisms, and Treatment. Revista Espanola De Cardiologia (English Ed), 2011, 64, 924-933.	0.4	15
149	Patterns and predictors of pain following lung transplantation. General Hospital Psychiatry, 2018, 50, 125-130.	1.2	15
150	Relationship of Clinic, Ambulatory, and Laboratory Stress Blood Pressure to Left Ventricular Mass in Overweight Men and Women With High Blood Pressure. Psychosomatic Medicine, 2002, 64, 247-257.	1.3	14
151	Nocturnal patterns of heart rate and the risk of mortality after acute myocardial infarction. American Heart Journal, 2014, 168, 117-125.	1.2	14
152	Prognostic Significance of Depression in Blacks With Heart Failure. Circulation: Heart Failure, 2015, 8, 497-503.	1.6	14
153	Effects of exercise and stress management training on nighttime blood pressure dipping in patients with coronary heart disease: A randomized, controlled trial. American Heart Journal, 2017, 183, 85-90.	1.2	14
154	Association of Depression and Unhealthy Lifestyle Behaviors in Chinese Patients With Acute Coronary Syndromes. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E1-E5.	1.2	14
155	Effect of satisfaction with social support on blood pressure in normotensive and borderline hypertensive men and women. International Journal of Behavioral Medicine, 1998, 5, 76-85.	0.8	13
156	Association of vascular health and neurocognitive performance in overweight adults with high blood pressure. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 559-566.	0.8	13
157	Association Between Insulin Resistance, Plasma Leptin, and Neurocognition in Vascular Cognitive Impairment. Journal of Alzheimer's Disease, 2019, 71, 921-929.	1.2	13
158	Acute Aerobic Exercise Induces Short-Term Reductions in Ambulatory Blood Pressure in Patients With Hypertension: A Systematic Review and Meta-Analysis. Hypertension, 2021, 78, 1844-1858.	1.3	13
159	Relation of mood ratings and neurohormonal responses during daily life in employed women. International Journal of Behavioral Medicine, 1997, 4, 1-16.	0.8	12
160	Relationship between exercise systolic blood pressure and left ventricular geometry in overweight, mildly hypertensive patients. Journal of Hypertension, 2004, 22, 399-405.	0.3	12
161	Development and psychometric properties of the Pulmonary-specific Quality-of-Life Scale in lung transplant patients. Journal of Heart and Lung Transplantation, 2015, 34, 1058-1065.	0.3	12
162	Racial differences in the association between heart rate variability and left ventricular mass. Experimental Physiology, 2017, 102, 764-772.	0.9	12

#	Article	IF	Citations
163	Depression, Immunosuppressant Levels, and Clinical Outcomes in Postlung Transplant Recipients. International Journal of Psychiatry in Medicine, 2020, 55, 421-436.	0.8	12
164	Task Incentives, Type A Behavior Pattern, and Verbal Problem Solving Performance1. Journal of Applied Social Psychology, 1980, 10, 101-114.	1.3	11
165	Psychologic Assessment in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 1985, 5, 208-218.	0.5	11
166	Targeting Lifestyle Change in Patients With Depression. Journal of the American College of Cardiology, 2013, 61, 631-634.	1.2	10
167	Biobehavioral Prognostic Factors in Chronic Obstructive Pulmonary Disease. Psychosomatic Medicine, 2016, 78, 153-162.	1.3	10
168	The role of comorbid anxiety in exercise and depression trials: Secondary analysis of the SMILEâ€II randomized clinical trial. Depression and Anxiety, 2021, 38, 124-133.	2.0	10
169	Depression and Cardiac Risk. Journal of Cardiopulmonary Rehabilitation and Prevention, 2005, 25, 78-79.	0.5	9
170	Changes in plasma volume associated with mental stress ischemia in patients with coronary artery disease. International Journal of Psychophysiology, 2006, 61, 143-148.	0.5	8
171	Cerebrovascular Risk Factors and Cerebral Hyperintensities among Middle-Aged and Older Adults With Major Depression. American Journal of Geriatric Psychiatry, 2010, 18, 848-852.	0.6	8
172	Metabolic and Neurocognitive Changes Following Lifestyle Modification: Examination of Biomarkers from the ENLIGHTEN Randomized Clinical Trial. Journal of Alzheimer's Disease, 2020, 77, 1793-1803.	1.2	8
173	Remote Therapy to Improve Outcomes in Lung Transplant Recipients: Design of the INSPIRE-III Randomized Clinical Trial. Transplantation Direct, 2020, 6, e535.	0.8	8
174	Cardiac Rehabilitation, Exercise Training, and Psychosocial Risk Factors: Reply. Journal of the American College of Cardiology, 2006, 47, 212-213.	1.2	7
175	Depression and prognosis in cardiac patients. , 2006, , 87-108.		7
176	Association between normal or mildly reduced kidney function, cardiovascular risk and biomarkers for atherosclerosis: results from the ENCORE trial. CKJ: Clinical Kidney Journal, 2017, 10, 666-671.	1.4	7
177	Actigraphy-Derived Sleep Efficiency Is Associated With Endothelial Function in Men and Women With Untreated Hypertension. American Journal of Hypertension, 2021, 34, 207-211.	1.0	7
178	No Laughing Matter. Journal of the American College of Cardiology, 2010, 55, 836.	1.2	6
179	Hemodynamics and Vascular Hypertrophy in African Americans and Caucasians With High Blood Pressure. American Journal of Hypertension, 2016, 29, 1380-1385.	1.0	6
180	Exercise Prescription Practices to Improve Mental Health. Journal of Psychiatric Practice, 2021, 27, 273-282.	0.3	6

#	Article	IF	Citations
181	Lifestyle modification and cognitive function among individuals with resistant hypertension: cognitive outcomes from the TRIUMPH trial. Journal of Hypertension, 2022, 40, 1359-1368.	0.3	6
182	The Influence of Endothelial Function and Myocardial Ischemia on Peak Oxygen Consumption in Patients with Coronary Artery Disease. International Journal of Vascular Medicine, 2012, 2012, 1-6.	0.4	5
183	Exercise to Combat Depression. JAMA - Journal of the American Medical Association, 2014, 312, 2166.	3.8	5
184	Influence of Kidney Function on Blood Pressure Response to Lifestyle Modifications: Secondary Analysis From the Exercise and Nutritional Interventions for Cardiovascular Health (ENCORE) Trial. Journal of Clinical Hypertension, 2016, 18, 1260-1267.	1.0	5
185	The Role of Salt Reduction in the Management of Hypertension. Journal of the American College of Cardiology, 2018, 71, 1597-1598.	1.2	5
186	Neurocognition in treatment-resistant hypertension. Journal of Hypertension, 2019, 37, 1040-1047.	0.3	5
187	Biobehavioral approaches to the treatment of essential hypertension. Journal of Consulting and Clinical Psychology, 2002, 70, 569-89.	1.6	5
188	Exercise, Cardiac Rehabilitation, and Post–Acute Coronary Syndrome Depression. JAMA Internal Medicine, 2014, 174, 165.	2.6	4
189	Lifestyle Interventions Reduce the Need for Guideline-Directed Antihypertensive Medication. American Journal of Hypertension, 2021, 34, 1100-1107.	1.0	4
190	Cerebrovascular Function, Vascular Risk, and Lifestyle Patterns in Resistant Hypertension. Journal of Alzheimer's Disease, 2022, , 1-13.	1.2	4
191	Association of Physical Fitness and Transient Myocardial Ischemia in Patients With Coronary Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 1995, 15, 431-438.	0.5	3
192	Treating depression in patients with heart disease: Is the glass half empty or half full?. American Heart Journal, 2009, 157, e35-e37.	1.2	3
193	I-CARE randomized clinical trial integrating depression and acute coronary syndrome care in low-resource hospitals in China: Design and rationale. American Heart Journal, 2018, 202, 109-115.	1.2	3
194	Vascular $\hat{l}\pm 1$ -Adrenergic Receptor Responsiveness in Masked Hypertension. American Journal of Hypertension, 2020, 33, 713-717.	1.0	3
195	Risk stratification after acute myocardial infarction by amplitude–frequency mapping of cyclic variation of heart rate. Annals of Noninvasive Electrocardiology, 2021, 26, e12825.	0.5	3
196	Longer term benefits of exercise and escitalopram in the treatment of anxiety in patients with coronary heart disease: Six month follow-up of the UNWIND randomized clinical trial. American Heart Journal, 2022, 251, 91-100.	1.2	3
197	Psychosocial Training and Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 104-106.	1.2	2
198	Assessment of Physical Activity in Research and Clinical Practice. , 2010, , 31-48.		2

#	Article	IF	CITATIONS
199	Effects of aerobic exercise on white matter hyperintensities: An exploratory analysis. General Hospital Psychiatry, 2018, 53, 84-85.	1.2	2
200	Missing ingredients for a lifestyle recipe to treat hypertension. Journal of Thoracic Disease, 2018, 10, 653-656.	0.6	2
201	Hypertension and infant outcomes: North Carolina pregnancy risks assessment monitoring system data. Pregnancy Hypertension, 2022, 28, 189-193.	0.6	2
202	Should stress management be incorporated into cardiac rehabilitation? Expert Review of Cardiovascular Therapy, 2012, 10, 135-137.	0.6	1
203	Worried to Death?. Circulation, 1999, 100, 1250-1252.	1.6	1
204	Exercise and Resistant Hypertensionâ€"Is Exercise Enough?. JAMA Cardiology, 2022, , .	3.0	1
205	Response to Does the Improvement in Insulin Sensitivity Mediate the Beneficial Effects of Weight Loss on Cognitive Function?. Hypertension, 2010, 56, .	1.3	0
206	When Something is Better Than Nothing: Response to Tully and Cosh. Psychosomatics, 2019, 60, 98-99.	2.5	0
207	Psychosocial Considerations in Coronary Heart Disease. , 2013, , 1053-1065.		O
208	Abstract 16435: Lifestyle Interventions Reduce Ten-Year Risk of Atherosclerotic Cardiovascular Disease as Predicted by the Pooled Cohort Equations. Circulation, 2014, 130, .	1.6	0
209	Randomized Clinical Trials in Behavioral Medicine. , 2018, , 111-136.		0