

# Philip Brainin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/899650/philip-brainin-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 papers	220 citations	9 h-index	14 g-index
33 ext. papers	324 ext. citations	3.4 avg, IF	3.78 L-index

#	Paper	IF	Citations
28	Reference values for left ventricular dimensions, systolic and diastolic function: a study from the Amazon Basin of Brazil. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 1	2.5	1
27	Prevalence of Cardiovascular Complications in Malaria: A Systematic Review and Meta-Analysis. <i>American Journal of Tropical Medicine and Hygiene</i> , <b>2021</b> ,	3.2	2
26	Usefulness of echocardiography for predicting ventricular tachycardia detected by implantable loop recorder in syncope patients. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 37, 3157-3166	2.5	1
25	The prognostic value of myocardial deformational patterns on all-cause mortality is modified by ischemic cardiomyopathy in patients with heart failure. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 37, 3137-3144	2.5	2
24	Sex differences in echocardiographic predictors of bradycardia detected by implantable loop recorder in patients with syncope and palpitations. <i>Echocardiography</i> , <b>2021</b> , 38, 1186-1194	1.5	
23	Early systolic lengthening by speckle tracking echocardiography predicts outcome after coronary artery bypass surgery. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 34, 100799	2.4	1
22	Heart failure associated with imported malaria: a nationwide Danish cohort study. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3521-3529	3.7	1
21	Prognostic Value of Early Systolic Lengthening by Strain Imaging in Type 2 Diabetes. <i>Journal of the American Society of Echocardiography</i> , <b>2021</b> , 34, 127-135	5.8	2
20	Cardiopulmonary alterations by ultrasound in a patient with uncomplicated mixed malaria infection: a case report from the Amazon Basin. <i>Malaria Journal</i> , <b>2021</b> , 20, 330	3.6	
19	Myocardial Postsystolic Shortening and Early Systolic Lengthening: Current Status and Future Directions. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	4
18	Regional distribution and severity of arterial calcification in patients with chronic kidney disease stages 1-5: a cross-sectional study of the Copenhagen chronic kidney disease cohort. <i>BMC Nephrology</i> , <b>2020</b> , 21, 534	2.7	7
17	Early diastolic strain rate by two-dimensional speckle tracking echocardiography is a predictor of coronary artery disease and cardiovascular events in stable angina pectoris. <i>International Journal of Cardiovascular Imaging</i> , <b>2020</b> , 36, 1249-1260	2.5	2
16	Body mass index and B-lines on lung ultrasonography in chronic and acute heart failure. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 1201-1209	3.7	10
15	Post-Systolic Shortening by Speckle Tracking Echocardiography Predicts Cardiac Events in Type 2 Diabetes. <i>JACC: Cardiovascular Imaging</i> , <b>2020</b> , 13, 1289-1291	8.4	4
14	Early Systolic Lengthening in Patients With ST-Segment-Elevation Myocardial Infarction: A Novel Predictor of Cardiovascular Events. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013835	6	9
13	The cardiac isovolumetric contraction time is an independent predictor of incident heart failure in the general population. <i>International Journal of Cardiology</i> , <b>2020</b> , 312, 81-86	3.2	1
12	Postsystolic shortening on echocardiography as a gateway to cardiac computed tomography in patients with suspected stable angina pectoris. <i>International Journal of Cardiovascular Imaging</i> , <b>2020</b> , 36, 309-316	2.5	4

11	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 147-157	3.7	5
10	Myocardial performance index is associated with cardiac computed tomography findings in patients with suspected coronary artery disease. <i>Echocardiography</i> , <b>2020</b> , 37, 1741-1748	1.5	
9	The cardiac isovolumetric contraction time is an independent predictor of incident atrial fibrillation and adverse outcomes following first atrial fibrillation event in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2020</b> , 21, 49-57	4.1	1
8	Duration of early systolic lengthening: prognostic potential in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2020</b> , 21, 1283-1290	4.1	8
7	Ability of non-physicians to perform and interpret lung ultrasound: A systematic review. <i>European Journal of Cardiovascular Nursing</i> , <b>2019</b> , 18, 474-483	3.3	14
6	Post-systolic shortening predicts heart failure following acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2019</b> , 276, 191-197	3.2	10
5	Post-systolic shortening: normal values and association with validated echocardiographic and invasive measures of cardiac function. <i>International Journal of Cardiovascular Imaging</i> , <b>2019</b> , 35, 327-337	2.5	12
4	Postsystolic Shortening by Speckle Tracking Echocardiography Is an Independent Predictor of Cardiovascular Events and Mortality in the General Population. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	22
3	The prognostic value of coronary endothelial and microvascular dysfunction in subjects with normal or non-obstructive coronary artery disease: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , <b>2018</b> , 254, 1-9	3.2	64
2	Usefulness of Postsystolic Shortening to Diagnose Coronary Artery Disease and Predict Future Cardiovascular Events in Stable Angina Pectoris. <i>Journal of the American Society of Echocardiography</i> , <b>2018</b> , 31, 870-879.e3	5.8	20
1	Presence of post-systolic shortening is an independent predictor of heart failure in patients following ST-segment elevation myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , <b>2018</b> , 34, 751-760	2.5	13