

Martina Mller-Nurasyid

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8997153/martina-muller-nurasyid-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207 papers	36,777 citations	77 h-index	191 g-index
233 ext. papers	46,729 ext. citations	15.5 avg, IF	6.08 L-index

#	Paper	IF	Citations
207	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
206	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015 , 518, 197-206	50.4	2687
205	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
204	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013 , 45, 1274-1283	36.3	1904
203	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010 , 467, 832-8	50.4	1514
202	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90	36.3	1482
201	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014 , 46, 1173-86	36.3	1339
200	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013 , 45, 25-33	36.3	1172
199	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
198	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015 , 518, 187-196	50.4	920
197	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014 , 46, 234-44	36.3	784
196	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016 , 536, 41-47	50.4	704
195	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012 , 44, 991-1005	36.3	621
194	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , 2013 , 45, 1345-52	36.3	597
193	Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , 2018 , 50, 524-537	36.3	536
192	Biological interpretation of genome-wide association studies using predicted gene functions. <i>Nature Communications</i> , 2015 , 6, 5890	17.4	489
191	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013 , 45, 501-12	36.3	437

190	Common genetic variants of the FADS1 FADS2 gene cluster and their reconstructed haplotypes are associated with the fatty acid composition in phospholipids. <i>Human Molecular Genetics</i> , 2006 , 15, 1745-56	5.6	433
189	Meta-analysis identifies six new susceptibility loci for atrial fibrillation. <i>Nature Genetics</i> , 2012 , 44, 670-5	36.3	429
188	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017 , 66, 2888-2902	29.0	414
187	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017 , 542, 186-190	50.4	412
186	Common variants in KCNN3 are associated with lone atrial fibrillation. <i>Nature Genetics</i> , 2010 , 42, 240-4	36.3	362
185	Genome-wide association study of PR interval. <i>Nature Genetics</i> , 2010 , 42, 153-9	36.3	340
184	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. <i>Science</i> , 2016 , 351, 1166-71	33.3	325
183	Coding Variation in ANGPTL4, LPL, and SVEP1 and the Risk of Coronary Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 1134-44	59.2	325
182	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017 , 49, 1758-1766	36.6	310
181	Common variants at ten loci modulate the QT interval duration in the QTSCD Study. <i>Nature Genetics</i> , 2009 , 41, 407-14	36.3	308
180	Variants in ZFHX3 are associated with atrial fibrillation in individuals of European ancestry. <i>Nature Genetics</i> , 2009 , 41, 879-81	36.3	307
179	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292
178	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
177	Quality control and conduct of genome-wide association meta-analyses. <i>Nature Protocols</i> , 2014 , 9, 1192-218	21.8	278
176	Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018 , 50, 1225-1233	36.3	277
175	Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. <i>PLoS Genetics</i> , 2013 , 9, e1003500	6	277
174	Genome-wide association analyses identify 143 risk variants and putative regulatory mechanisms for type 2 diabetes. <i>Nature Communications</i> , 2018 , 9, 2941	17.4	262
173	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. <i>Nature Genetics</i> , 2019 , 51, 245-257	36.3	259

172	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016 , 48, 1171-1184	36.3	251
171	Common variants in 22 loci are associated with QRS duration and cardiac ventricular conduction. <i>Nature Genetics</i> , 2010 , 42, 1068-76	36.3	249
170	Meta-analysis of genome-wide association studies identifies three new risk loci for atopic dermatitis. <i>Nature Genetics</i> , 2011 , 44, 187-92	36.3	244
169	The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015 , 47, 589-97	36.3	229
168	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015 , 47, 1294-1303	36.3	226
167	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015 , 47, 1282-1293	36.3	223
166	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002383	11.6	223
165	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018 , 50, 559-571	36.3	221
164	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015 , 11, e1005378	6	220
163	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013 , 45, 621-31	36.3	219
162	Association of early repolarization pattern on ECG with risk of cardiac and all-cause mortality: a population-based prospective cohort study (MONICA/KORA). <i>PLoS Medicine</i> , 2010 , 7, e1000314	11.6	205
161	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014 , 46, 826-36	36.3	199
160	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018 , 50, 26-41	36.3	186
159	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019 , 51, 804-814	36.3	181
158	Trans-ancestry meta-analyses identify rare and common variants associated with blood pressure and hypertension. <i>Nature Genetics</i> , 2016 , 48, 1151-1161	36.3	181
157	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017 , 49, 946-952	36.3	176
156	Genome-wide scan identifies TNIP1, PSORS1C1, and RHOB as novel risk loci for systemic sclerosis. <i>PLoS Genetics</i> , 2011 , 7, e1002091	6	176
155	Unraveling the polygenic architecture of complex traits using blood eQTL metaanalysis		175

154	Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. <i>Lancet Neurology, The</i> , 2016 , 15, 174-184	24.1	159
153	Genetically determined height and coronary artery disease. <i>New England Journal of Medicine</i> , 2015 , 372, 1608-18	59.2	152
152	Identifying gene targets for brain-related traits using transcriptomic and methylomic data from blood. <i>Nature Communications</i> , 2018 , 9, 2282	17.4	147
151	Systematic Evaluation of Pleiotropy Identifies 6 Further Loci Associated With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 823-836	15.1	146
150	Integrating genetic, transcriptional, and functional analyses to identify 5 novel genes for atrial fibrillation. <i>Circulation</i> , 2014 , 130, 1225-35	16.7	143
149	Chromosome 7p11.2 (EGFR) variation influences glioma risk. <i>Human Molecular Genetics</i> , 2011 , 20, 2897-904	30.4	129
148	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019 , 51, 1459-1474	36.3	122
147	Rare variants in PPARG with decreased activity in adipocyte differentiation are associated with increased risk of type 2 diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13127-32	11.5	121
146	Variants in the 3' untranslated region of the KCNQ1-encoded Kv7.1 potassium channel modify disease severity in patients with type 1 long QT syndrome in an allele-specific manner. <i>European Heart Journal</i> , 2012 , 33, 714-23	9.5	113
145	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
144	Independent susceptibility markers for atrial fibrillation on chromosome 4q25. <i>Circulation</i> , 2010 , 122, 976-84	16.7	109
143	Genome-wide association analysis identifies multiple loci related to resting heart rate. <i>Human Molecular Genetics</i> , 2010 , 19, 3885-94	5.6	106
142	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
141	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
140	Novel genetic markers associate with atrial fibrillation risk in Europeans and Japanese. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1200-1210	15.1	102
139	Leveraging cross-species transcription factor binding site patterns: from diabetes risk loci to disease mechanisms. <i>Cell</i> , 2014 , 156, 343-58	56.2	96
138	Common variants at 12q15 and 12q24 are associated with infant head circumference. <i>Nature Genetics</i> , 2012 , 44, 532-538	36.3	94
137	Genome-wide association study of kidney function decline in individuals of European descent. <i>Kidney International</i> , 2015 , 87, 1017-29	9.9	83

136	Genome-wide association studies of the PR interval in African Americans. <i>PLoS Genetics</i> , 2011 , 7, e1001304	8.2	82
135	Genomics of 1 million parent lifespans implicates novel pathways and common diseases and distinguishes survival chances. <i>ELife</i> , 2019 , 8,	8.9	82
134	Cardiometabolic effects of genetic upregulation of the interleukin 1 receptor antagonist: a Mendelian randomisation analysis. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 243-53	18.1	81
133	Mendelian randomization integrating GWAS and eQTL data reveals genetic determinants of complex and clinical traits. <i>Nature Communications</i> , 2019 , 10, 3300	17.4	78
132	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
131	Genome-wide association analysis of high-density lipoprotein cholesterol in the population-based KORA study sheds new light on intergenic regions. <i>Circulation: Cardiovascular Genetics</i> , 2008 , 1, 10-20		77
130	Identification and functional characterization of G6PC2 coding variants influencing glycemic traits define an effector transcript at the G6PC2-ABCB11 locus. <i>PLoS Genetics</i> , 2015 , 11, e1004876	6	76
129	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1435-1448	15.1	76
128	Novel multiple sclerosis susceptibility loci implicated in epigenetic regulation. <i>Science Advances</i> , 2016 , 2, e1501678	14.3	75
127	Large-scale genome-wide analysis identifies genetic variants associated with cardiac structure and function. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1798-1812	15.9	68
126	Exome-wide association study reveals novel susceptibility genes to sporadic dilated cardiomyopathy. <i>PLoS ONE</i> , 2017 , 12, e0172995	3.7	66
125	Genome-wide association study for circulating levels of PAI-1 provides novel insights into its regulation. <i>Blood</i> , 2012 , 120, 4873-81	2.2	65
124	Mediterranean diet and inflammatory response in myocardial infarction survivors. <i>International Journal of Epidemiology</i> , 2009 , 38, 856-66	7.8	64
123	Effect of macrophage migration inhibitory factor (MIF) gene variants and MIF serum concentrations on the risk of type 2 diabetes: results from the MONICA/KORA Augsburg Case-Cohort Study, 1984-2002. <i>Diabetologia</i> , 2008 , 51, 276-84	10.3	64
122	Incidence of complications related to catheter ablation of atrial fibrillation and atrial flutter: a nationwide in-hospital analysis of administrative data for Germany in 2014. <i>European Heart Journal</i> , 2018 , 39, 4020-4029	9.5	62
121	Combined GADD45A and thymidine phosphorylase expression levels predict response and survival of neoadjuvant-treated gastric cancer patients. <i>Clinical Cancer Research</i> , 2005 , 11, 3025-31	12.9	61
120	A genome-wide association study identifies novel loci associated with circulating IGF-I and IGFBP-3. <i>Human Molecular Genetics</i> , 2011 , 20, 1241-51	5.6	60
119	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. <i>Nature Genetics</i> , 2021 , 53, 1300-1310	36.3	60

118	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015 , 11, e1005230	6	59
117	A meta-analysis of 120 246 individuals identifies 18 new loci for fibrinogen concentration. <i>Human Molecular Genetics</i> , 2016 , 25, 358-70	5.6	54
116	Large-scale candidate gene analysis in whites and African Americans identifies IL6R polymorphism in relation to atrial fibrillation: the National Heart, Lung, and Blood Institute's Candidate Gene Association Resource (CARE) project. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 557-64		54
115	A meta-analysis of genome-wide association studies of the electrocardiographic early repolarization pattern. <i>Heart Rhythm</i> , 2012 , 9, 1627-34	6.7	53
114	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017 , 8, 15805	17.4	50
113	European lactase persistence genotype shows evidence of association with increase in body mass index. <i>Human Molecular Genetics</i> , 2010 , 19, 1129-36	5.6	50
112	Meta-analysis of gene-level associations for rare variants based on single-variant statistics. <i>American Journal of Human Genetics</i> , 2013 , 93, 236-48	11	49
111	Association of Atopic Dermatitis with Cardiovascular Risk Factors and Diseases. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1074-1081	4.3	48
110	is associated with lacunar ischemic stroke and deep ICH: Meta-analyses among 21,500 cases and 40,600 controls. <i>Neurology</i> , 2017 , 89, 1829-1839	6.5	46
109	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016 , 7, 13357	17.4	46
108	Rare and low-frequency variants and their association with plasma levels of fibrinogen, FVII, FVIII, and vWF. <i>Blood</i> , 2015 , 126, e19-29	2.2	45
107	Novel approach identifies SNPs in SLC2A10 and KCNK9 with evidence for parent-of-origin effect on body mass index. <i>PLoS Genetics</i> , 2014 , 10, e1004508	6	45
106	Deciphering the 8q24.21 association for glioma. <i>Human Molecular Genetics</i> , 2013 , 22, 2293-302	5.6	45
105	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , 2020 , 25, 2392-2409	15.1	45
104	Macrophage migration inhibitory factor (MIF) and risk for coronary heart disease: results from the MONICA/KORA Augsburg case-cohort study, 1984-2002. <i>Atherosclerosis</i> , 2008 , 200, 380-8	3.1	44
103	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019 , 51, 452-469	36.3	44
102	Genome-wide association meta-analyses and fine-mapping elucidate pathways influencing albuminuria. <i>Nature Communications</i> , 2019 , 10, 4130	17.4	43
101	Low penetrance susceptibility to glioma is caused by the TP53 variant rs78378222. <i>British Journal of Cancer</i> , 2013 , 108, 2178-85	8.7	42

100	Heme oxygenase-1 gene promoter microsatellite polymorphism is associated with progressive atherosclerosis and incident cardiovascular disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 229-36	9.4	41
99	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
98	Genome-Wide Association Analysis of Young-Onset Stroke Identifies a Locus on Chromosome 10q25 Near HAP2. <i>Stroke</i> , 2016 , 47, 307-16	6.7	39
97	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. <i>Nature Communications</i> , 2018 , 9, 2904	17.4	39
96	Common genetic polymorphisms and haplotypes of fibrinogen alpha, beta, and gamma chains affect fibrinogen levels and the response to proinflammatory stimulation in myocardial infarction survivors: the AIRGENE study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 941-52	15.1	39
95	CNV-association meta-analysis in 191,161 European adults reveals new loci associated with anthropometric traits. <i>Nature Communications</i> , 2017 , 8, 744	17.4	37
94	Genome-wide association study identifies new susceptibility loci for cutaneous lupus erythematosus. <i>Experimental Dermatology</i> , 2015 , 24, 510-5	4	37
93	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol Use. <i>Biological Psychiatry</i> , 2019 , 85, 946-955	7.9	35
92	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017 , 22, 192-201	15.1	31
91	RANTES/CCL5 and risk for coronary events: results from the MONICA/KORA Augsburg case-cohort, Athero-Express and CARDIoGRAM studies. <i>PLoS ONE</i> , 2011 , 6, e25734	3.7	31
90	A comprehensive evaluation of the genetic architecture of sudden cardiac arrest. <i>European Heart Journal</i> , 2018 , 39, 3961-3969	9.5	31
89	Acute air pollution effects on heart rate variability are modified by SNPs involved in cardiac rhythm in individuals with diabetes or impaired glucose tolerance. <i>Environmental Research</i> , 2012 , 112, 177-85	7.9	30
88	DNA variants, plasma levels and variability of C-reactive protein in myocardial infarction survivors: results from the AIRGENE study. <i>European Heart Journal</i> , 2008 , 29, 1250-8	9.5	30
87	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , 2021 , 12, 24	17.4	30
86	A Low-Frequency Inactivating Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , 2017 , 66, 2019-2032	0.9	29
85	Common coding variant in increases the risk for large artery stroke. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3613-3618	11.5	28
84	RANTES/CCL5 gene polymorphisms, serum concentrations, and incident type 2 diabetes: results from the MONICA/KORA Augsburg case-cohort study, 1984-2002. <i>European Journal of Endocrinology</i> , 2008 , 158, R1-5	6.5	28
83	Transethnic Genome-Wide Association Study Provides Insights in the Genetic Architecture and Heritability of Long QT Syndrome. <i>Circulation</i> , 2020 , 142, 324-338	16.7	27

82	Association between variations in the TLR4 gene and incident type 2 diabetes is modified by the ratio of total cholesterol to HDL-cholesterol. <i>BMC Medical Genetics</i> , 2008 , 9, 9	2.1	26
81	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020 , 52, 1314-1332	36.3	26
80	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. <i>Genome Biology</i> , 2018 , 19, 87	18.3	25
79	A regulatory variant in CCR6 is associated with susceptibility to antitopoisomerase-positive systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 3202-8		25
78	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020 , 49, 173-192	7.8	25
77	Fifteen Genetic Loci Associated With the Electrocardiographic P Wave. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		24
76	Rare Variants in Specific Lysosomal Genes Are Associated With Parkinson's Disease. <i>Movement Disorders</i> , 2020 , 35, 1245-1248	7	23
75	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017 , 4, 170179	8.2	22
74	Genetic variants in the USF1 gene are associated with low-density lipoprotein cholesterol levels and incident type 2 diabetes mellitus in women: results from the MONICA/KORA Augsburg case-cohort study, 1984-2002. <i>European Journal of Endocrinology</i> , 2008 , 159, 407-16	6.5	22
73	Simulation of Finnish population history, guided by empirical genetic data, to assess power of rare-variant tests in Finland. <i>American Journal of Human Genetics</i> , 2014 , 94, 710-20	11	19
72	C-reactive protein upregulates the whole blood expression of CD59 - an integrative analysis. <i>PLoS Computational Biology</i> , 2017 , 13, e1005766	5	19
71	Protein-coding variants contribute to the risk of atopic dermatitis and skin-specific gene expression. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1208-1218	11.5	19
70	Genome-wide association meta-analysis for early age-related macular degeneration highlights novel loci and insights for advanced disease. <i>BMC Medical Genomics</i> , 2020 , 13, 120	3.7	19
69	Atrial fibrillation genetic risk differentiates cardioembolic stroke from other stroke subtypes. <i>Neurology: Genetics</i> , 2018 , 4, e293	3.8	19
68	Genome-wide association meta-analysis of 30,000 samples identifies seven novel loci for quantitative ECG traits. <i>European Journal of Human Genetics</i> , 2019 , 27, 952-962	5.3	18
67	Genome-wide and gene-centric analyses of circulating myeloperoxidase levels in the charge and care consortia. <i>Human Molecular Genetics</i> , 2013 , 22, 3381-93	5.6	18
66	Genetic variants in RBFOX3 are associated with sleep latency. <i>European Journal of Human Genetics</i> , 2016 , 24, 1488-95	5.3	18
65	Discovery of novel heart rate-associated loci using the Exome Chip. <i>Human Molecular Genetics</i> , 2017 , 26, 2346-2363	5.6	17

64	DNA variants, plasma levels and variability of interleukin-6 in myocardial infarction survivors: results from the AIRGENE study. <i>Thrombosis Research</i> , 2009 , 124, 57-64	8.2	17
63	Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , 2019 ,	6.5	17
62	Genetic invalidation of Lp-PLA as a therapeutic target: Large-scale study of five functional Lp-PLA-lowering alleles. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 492-504	3.9	16
61	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020 , 11, 2542	17.4	16
60	Epigenetic Link Between Statin Therapy and Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 875-884	14.6	16
59	TGF β receptor gene variants in systemic sclerosis-related pulmonary arterial hypertension: results from a multicentre EUSTAR study of European Caucasian patients. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1900-3	2.4	16
58	No association of two functional polymorphisms in human ALOX15 with myocardial infarction. <i>Atherosclerosis</i> , 2009 , 205, 192-6	3.1	15
57	Estimating the single nucleotide polymorphism genotype misclassification from routine double measurements in a large epidemiologic sample. <i>American Journal of Epidemiology</i> , 2008 , 168, 878-89	3.8	15
56	ImmunoChip analysis identifies association of the RAD50/IL13 region with human longevity. <i>Aging Cell</i> , 2016 , 15, 585-8	9.9	15
55	and Loci Associate with Plasma Osmolality. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2311-2321	12.7	14
54	Genetic Interactions with Age, Sex, Body Mass Index, and Hypertension in Relation to Atrial Fibrillation: The AFGen Consortium. <i>Scientific Reports</i> , 2017 , 7, 11303	4.9	14
53	Genome-wide association analysis in dilated cardiomyopathy reveals two new players in systolic heart failure on chromosomes 3p25.1 and 22q11.23. <i>European Heart Journal</i> , 2021 , 42, 2000-2011	9.5	14
52	Analysis with the exome array identifies multiple new independent variants in lipid loci. <i>Human Molecular Genetics</i> , 2016 , 25, 4094-4106	5.6	14
51	ExomeChip-Wide Analysis of 95 626 Individuals Identifies 10 Novel Loci Associated With QT and JT Intervals. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e001758	5.2	14
50	RL-SKAT: An Exact and Efficient Score Test for Heritability and Set Tests. <i>Genetics</i> , 2017 , 207, 1275-1283	4	12
49	Genetic Susceptibility for Atrial Fibrillation in Patients Undergoing Atrial Fibrillation Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e007676	6.4	12
48	Effects of Calcium, Magnesium, and Potassium Concentrations on Ventricular Repolarization in Unselected Individuals. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3118-3131	15.1	12
47	Common variation in fatty acid metabolic genes and risk of incident sudden cardiac arrest. <i>Heart Rhythm</i> , 2014 , 11, 471-7	6.7	12

46	Autosomal genetic variation is associated with DNA methylation in regions variably escaping X-chromosome inactivation. <i>Nature Communications</i> , 2018 , 9, 3738	17.4	12
45	Mendelian randomization evaluation of causal effects of fibrinogen on incident coronary heart disease. <i>PLoS ONE</i> , 2019 , 14, e0216222	3.7	11
44	Repolarization Heterogeneity Measured With T-Wave Area Dispersion in Standard 12-Lead ECG Predicts Sudden Cardiac Death in General Population. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005762	6.4	11
43	Gene-gene Interaction Analyses for Atrial Fibrillation. <i>Scientific Reports</i> , 2016 , 6, 35371	4.9	11
42	Evaluating the Causal Relation of ApoA-IV with Disease-Related Traits - A Bidirectional Two-sample Mendelian Randomization Study. <i>Scientific Reports</i> , 2017 , 7, 8734	4.9	11
41	Heritability of young- and old-onset ischaemic stroke. <i>European Journal of Neurology</i> , 2015 , 22, 1488-91	6	11
40	Leveraging ethnic group incidence variation to investigate genetic susceptibility to glioma: a novel candidate SNP approach. <i>Frontiers in Genetics</i> , 2012 , 3, 203	4.5	11
39	DNA methylation and lipid metabolism: an EWAS of 226 metabolic measures. <i>Clinical Epigenetics</i> , 2021 , 13, 7	7.7	11
38	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e002037	5.2	11
37	Genetic variants including markers from the exome chip and metabolite traits of type 2 diabetes. <i>Scientific Reports</i> , 2017 , 7, 6037	4.9	10
36	The longitudinal nonparametric test as a new tool to explore gene-gene and gene-time effects in cohorts. <i>Genetic Epidemiology</i> , 2010 , 34, 469-78	2.6	9
35	Genetically defined elevated homocysteine levels do not result in widespread changes of DNA methylation in leukocytes. <i>PLoS ONE</i> , 2017 , 12, e0182472	3.7	8
34	Controversial association results for INSIG2 on body mass index may be explained by interactions with age and with MC4R. <i>European Journal of Human Genetics</i> , 2014 , 22, 1217-24	5.3	7
33	Integrative clinical transcriptome analysis reveals TMPRSS2-ERG dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 2036-2046	7.5	7
32	Refining Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Genetic Loci by Integrating Summary Data From Genome-wide Association, Gene Expression, and DNA Methylation Studies. <i>Biological Psychiatry</i> , 2020 , 88, 470-479	7.9	6
31	Cis-epistasis at the LPA locus and risk of cardiovascular diseases. <i>Cardiovascular Research</i> , 2021 ,	9.9	6
30	Chronically elevated branched chain amino acid levels are pro-arrhythmic. <i>Cardiovascular Research</i> , 2021 ,	9.9	6
29	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021 , 30, 393-409	5.6	6

28	No evidence for genome-wide interactions on plasma fibrinogen by smoking, alcohol consumption and body mass index: results from meta-analyses of 80,607 subjects. <i>PLoS ONE</i> , 2014 , 9, e1111156	3.7	5
27	Empirical hierarchical bayes approach to gene-environment interactions: development and application to genome-wide association studies of lung cancer in TRICL. <i>Genetic Epidemiology</i> , 2013 , 37, 551-559	2.6	5
26	Identification of 371 genetic variants for age at first sex and birth linked to externalising behaviour. <i>Nature Human Behaviour</i> , 2021 ,	12.8	5
25	Genetic Determinants of Electrocardiographic P-Wave Duration and Relation to Atrial Fibrillation. <i>Circulation Genomic and Precision Medicine</i> , 2020 , 13, 387-395	5.2	4
24	Exome-Wide Association Study Identifies FN3KRP and PGP as New Candidate Longevity Genes. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 786-795	6.4	4
23	Detecting heritable phenotypes without a model using fast permutation testing for heritability and set-tests. <i>Nature Communications</i> , 2018 , 9, 4919	17.4	4
22	Genetics of the thrombomodulin-endothelial cell protein C receptor system and the risk of early-onset ischemic stroke. <i>PLoS ONE</i> , 2018 , 13, e0206554	3.7	4
21	Genome-wide Association Study of Change in Fasting Glucose over time in 13,807 non-diabetic European Ancestry Individuals. <i>Scientific Reports</i> , 2019 , 9, 9439	4.9	3
20	Genome-wide meta-analysis of phytosterols reveals five novel loci and a detrimental effect on coronary atherosclerosis.. <i>Nature Communications</i> , 2022 , 13, 143	17.4	3
19	Network reconstruction for trans acting genetic loci using multi-omics data and prior information		3
18	A multi-ethnic epigenome-wide association study of leukocyte DNA methylation and blood lipids. <i>Nature Communications</i> , 2021 , 12, 3987	17.4	3
17	Quantifying the contribution of genetic variants for survival phenotypes. <i>Genetic Epidemiology</i> , 2008 , 32, 574-85	2.6	2
16	Common Genetic Variants Contribute to Risk of Transposition of the Great Arteries. <i>Circulation Research</i> , 2021 ,	15.7	2
15	META-GSA: Combining Findings from Gene-Set Analyses across Several Genome-Wide Association Studies. <i>PLoS ONE</i> , 2015 , 10, e0140179	3.7	2
14	Rare variant analysis in eczema identifies exonic variants in DUSP1, NOTCH4 and SLC9A4. <i>Nature Communications</i> , 2021 , 12, 6618	17.4	2
13	Private variants in PRKN are associated with late-onset Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2020 , 75, 24-26	3.6	2
12	Deoxyribonuclease 1 Q222R single nucleotide polymorphism and long-term mortality after acute myocardial infarction. <i>Basic Research in Cardiology</i> , 2021 , 116, 29	11.8	2
11	Comparison of genetic risk prediction models to improve prediction of coronary heart disease in two large cohorts of the MONICA/KORA study. <i>Genetic Epidemiology</i> , 2021 , 45, 633-650	2.6	2

10	Shared Genetics of Multiple System Atrophy and Inflammatory Bowel Disease. <i>Movement Disorders</i> , 2021 , 36, 449-459	7	2
9	Harmonization of study and reference data by PhaseLift: saving time when imputing study data. <i>Genetic Epidemiology</i> , 2014 , 38, 381-8	2.6	1
8	Association Between Air Pollution and SDNN is Modified by SNPs Involved in Cardiac Rhythm in Individuals With Diabetes or Impaired Glucose Tolerance. <i>Epidemiology</i> , 2011 , 22, S134	3.1	1
7	Discovering patterns of pleiotropy in genome-wide association studies		1
6	Genome wide association analysis in dilated cardiomyopathy reveals two new key players in systolic heart failure on chromosome 3p25.1 and 22q11.23		1
5	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1
4	Cis-epistasis at the LPA locus and risk of coronary artery disease		1
3	pulver: an R package for parallel ultra-rapid p-value computation for linear regression interaction terms. <i>BMC Bioinformatics</i> , 2017 , 18, 429	3.6	0
2	Large-Scale Genomic Analyses Link Reproductive Aging to Hypothalamic Signaling, Breast Cancer Susceptibility, and BRCA1-Mediated DNA Repair. <i>Obstetrical and Gynecological Survey</i> , 2015 , 70, 758-762 ^{2,4}		
1	ExomeChip-based rare variant association study in restless legs syndrome.. <i>Sleep Medicine</i> , 2022 , 94, 26-30	4.6	