

Vicente Francisco Gil-Guilln

List of Publications by Citations

Source:
<https://exaly.com/author-pdf/8997336/vicente-francisco-gil-guillen-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|---------------|----------------|
| 153 papers | 2,019 citations | 20 h-index | 39 g-index |
| 178 ext. papers | 2,587 ext. citations | 3 avg, IF | 4.9 L-index |

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 153 | Adherence to therapies in patients with type 2 diabetes. <i>Diabetes Therapy</i> , 2013 , 4, 175-94 | 3.6 | 394 |
| 152 | Reverse shoulder arthroplasty versus hemiarthroplasty for acute proximal humeral fractures. A blinded, randomized, controlled, prospective study. <i>Journal of Shoulder and Elbow Surgery</i> , 2014 , 23, 1419-26 | 4.3 | 209 |
| 151 | Efficacy of a home blood pressure monitoring programme on therapeutic compliance in hypertension: the EAPACUM-HTA study. <i>Journal of Hypertension</i> , 2006 , 24, 169-75 | 1.9 | 112 |
| 150 | Burnout syndrome in nurses working in palliative care units: An analysis of associated factors. <i>Journal of Nursing Management</i> , 2018 , 26, 19-25 | 4.9 | 47 |
| 149 | Lipid profile, cardiovascular disease and mortality in a Mediterranean high-risk population: The ESCARVAL-RISK study. <i>PLoS ONE</i> , 2017 , 12, e0186196 | 3.7 | 45 |
| 148 | Clinical inertia in diagnosis and treatment of hypertension in primary care: quantification and associated factors. <i>Blood Pressure</i> , 2010 , 19, 3-10 | 1.7 | 41 |
| 147 | Impact of hypertension on mortality and cardiovascular disease burden in patients with cardiovascular risk factors from a general practice setting: the ESCARVAL-risk study. <i>Journal of Hypertension</i> , 2016 , 34, 1075-83 | 1.9 | 41 |
| 146 | Physician patient communication failure facilitates medication errors in older polymedicated patients with multiple comorbidities. <i>Family Practice</i> , 2013 , 30, 56-63 | 1.9 | 39 |
| 145 | Maternal periodontitis and preterm birth: Systematic review and meta-analysis. <i>Community Dentistry and Oral Epidemiology</i> , 2019 , 47, 243-251 | 2.8 | 38 |
| 144 | Inappropriate Use of Medication by Elderly, Polymedicated, or Multipathological Patients with Chronic Diseases. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 37 |
| 143 | Validity of footprint analysis to determine flatfoot using clinical diagnosis as the gold standard in a random sample aged 40 years and older. <i>Journal of Epidemiology</i> , 2015 , 25, 148-54 | 3.4 | 33 |
| 142 | Independent impact of obesity and fat distribution in hypertension prevalence and control in the elderly. <i>Journal of Hypertension</i> , 2008 , 26, 1757-64 | 1.9 | 32 |
| 141 | Framingham risk score for prediction of cardiovascular diseases: a population-based study from southern Europe. <i>PLoS ONE</i> , 2013 , 8, e73529 | 3.7 | 29 |
| 140 | Machine learning to predict cardiovascular risk. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13382 | 2.9 | 28 |
| 139 | Determinant factors of osteoporosis patientsReported therapeutic adherence to calcium and/or vitamin D supplements: a cross-sectional, observational study of postmenopausal women. <i>Drugs and Aging</i> , 2009 , 26, 861-9 | 4.7 | 28 |
| 138 | Use of QR and EAN-13 codes by older patients taking multiple medications for a safer use of medication. <i>International Journal of Medical Informatics</i> , 2015 , 84, 406-12 | 5.3 | 26 |
| 137 | Sample size calculation to externally validate scoring systems based on logistic regression models. <i>PLoS ONE</i> , 2017 , 12, e0176726 | 3.7 | 25 |

| | | | |
|-----|---|-----|----|
| 136 | Factors Associated with Increased Pain in Primary Dysmenorrhea: Analysis Using a Multivariate Ordered Logistic Regression Model. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2017 , 30, 199-202 | 2 | 22 |
| 135 | Prognostic value of obesity on both overall mortality and cardiovascular disease in the general population. <i>PLoS ONE</i> , 2015 , 10, e0127369 | 3.7 | 20 |
| 134 | Do Patients With High Vascular Risk Take Antihypertensive Medication Correctly? Cumple-MEMS Study. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 544-50 | 1.5 | 20 |
| 133 | Serum lipid profiles and their relationship to cardiovascular disease in the elderly: the PREV-ICTUS study. <i>Current Medical Research and Opinion</i> , 2008 , 24, 659-70 | 2.5 | 20 |
| 132 | Trends in mortality from myocardial infarction. A comparative study between Spain and the United States: 1990-2006. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1079-85 | 1.5 | 19 |
| 131 | Is the physician's behavior in dyslipidemia diagnosis in accordance with guidelines? Cross-sectional ESCARVAL study. <i>PLoS ONE</i> , 2014 , 9, e91567 | 3.7 | 18 |
| 130 | Hyperuricemia as a prognostic factor after acute coronary syndrome. <i>Atherosclerosis</i> , 2018 , 269, 229-235 | 3.1 | 17 |
| 129 | Construction and internal validation of a new mortality risk score for patients admitted to the intensive care unit. <i>International Journal of Clinical Practice</i> , 2016 , 70, 916-922 | 2.9 | 17 |
| 128 | Clinical inertia in poorly controlled elderly hypertensive patients: a cross-sectional study in Spanish physicians to ascertain reasons for not intensifying treatment. <i>American Journal of Cardiovascular Drugs</i> , 2013 , 13, 213-9 | 4 | 16 |
| 127 | Evoluci3n de la mortalidad por diabetes mellitus en Espa1a: an1lisis del periodo 1998-2013. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 433-443 | 1.5 | 16 |
| 126 | Influenza vaccine effectiveness in preventing influenza A(H3N2)-related hospitalizations in adults targeted for vaccination by type of vaccine: a hospital-based test-negative study, 2011-2012 A(H3N2) predominant influenza season, Valencia, Spain. <i>PLoS ONE</i> , 2014 , 9, e112294 | 3.7 | 16 |
| 125 | Mortality and cardiovascular disease burden of uncontrolled diabetes in a registry-based cohort: the ESCARVAL-risk study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 180 | 2.3 | 16 |
| 124 | Strategies for improving dabigatran adherence for stroke prevention in patients with non-valvular atrial fibrillation: education and drug intake reminders (FACILITA study). <i>Current Medical Research and Opinion</i> , 2018 , 34, 1301-1308 | 2.5 | 15 |
| 123 | Clinical benefit of the FIFA 11 programme for the prevention of hamstring and lateral ankle ligament injuries among amateur soccer players. <i>Injury Prevention</i> , 2018 , 24, 149-154 | 3.2 | 15 |
| 122 | Rationale and methods of the cardiometabolic Valencian study (Escarval-Risk) for validation of risk scales in Mediterranean patients with hypertension, diabetes or dyslipidemia. <i>BMC Public Health</i> , 2010 , 10, 717 | 4.1 | 14 |
| 121 | Transdiscal screw versus pedicle screw fixation for high-grade L5-S1 isthmic spondylolisthesis in patients younger than 60 years: a case-control study. <i>European Spine Journal</i> , 2016 , 25, 1806-12 | 2.7 | 14 |
| 120 | Patient-related predictors of treatment failure after primary total knee arthroplasty for osteoarthritis. <i>Journal of Arthroplasty</i> , 2014 , 29, 2095-9 | 4.4 | 13 |
| 119 | Is there a predictive profile for clinical inertia in hypertensive patients? An observational, cross-sectional, multicentre study. <i>Drugs and Aging</i> , 2011 , 28, 981-92 | 4.7 | 12 |

| | | | |
|-----|---|-----|----|
| 118 | Clinical manifestations of elderly patients with digitalis intoxication in the emergency department. <i>Archives of Gerontology and Geriatrics</i> , 2011 , 53, e106-10 | 4 | 12 |
| 117 | A scoring system to predict breast cancer mortality at 5 and 10 years. <i>Scientific Reports</i> , 2017 , 7, 415 | 4.9 | 11 |
| 116 | Validation of the electronic prescription as a method for measuring treatment adherence in hypertension. <i>Patient Education and Counseling</i> , 2018 , 101, 1654-1660 | 3.1 | 11 |
| 115 | Better functional outcome after single-radius TKA compared with multi-radius TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 3508-3514 | 5.5 | 11 |
| 114 | Nonadherence to guidelines for prescribing antibiotic therapy to patients with tonsillitis or pharyngotonsillitis: a cross-sectional study. <i>Current Medical Research and Opinion</i> , 2015 , 31, 1319-22 | 2.5 | 10 |
| 113 | Tendencias de mortalidad prematura por insuficiencia cardiaca por comunidades autónomas en España, periodo 1999-2013. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 531-537 | 1.5 | 10 |
| 112 | Sex Differences in Long-Term Survival after a First Stroke with Intravenous Thrombolysis: Ebrictus Study. <i>Cerebrovascular Diseases Extra</i> , 2015 , 5, 95-102 | 2.1 | 10 |
| 111 | Non-compliance and inertia in hypertensive Spaniards at high cardiovascular risk: CUMPLE study. <i>Current Medical Research and Opinion</i> , 2014 , 30, 11-7 | 2.5 | 9 |
| 110 | Effectiveness of medical taping concept in primary dysmenorrhoea: a two-armed randomized trial. <i>Scientific Reports</i> , 2015 , 5, 16671 | 4.9 | 9 |
| 109 | What older complex chronic patients need to know about their everyday medication for safe drug use. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 713-21 | 4.1 | 9 |
| 108 | Detection of frailty in older patients using a mobile app: cross-sectional observational study in primary care. <i>British Journal of General Practice</i> , 2020 , 70, e29-e35 | 1.6 | 9 |
| 107 | Quality of life with rivaroxaban in patients with non-valvular atrial fibrillation by therapeutic compliance. <i>Quality of Life Research</i> , 2017 , 26, 647-654 | 3.7 | 8 |
| 106 | The FIFA 11 programme reduces the costs associated with ankle and hamstring injuries in amateur Spanish football players: A retrospective cohort study. <i>European Journal of Sport Science</i> , 2019 , 19, 1150-1156 | 3.9 | 8 |
| 105 | Results from the Registry of Atrial Fibrillation (AFABE): Gap between Undiagnosed and Registered Atrial Fibrillation in Adults--Ineffectiveness of Oral Anticoagulation Treatment with VKA. <i>BioMed Research International</i> , 2015 , 2015, 134756 | 3 | 8 |
| 104 | A predictive screening tool to detect diabetic retinopathy or macular edema in primary health care: construction, validation and implementation on a mobile application. <i>PeerJ</i> , 2015 , 3, e1404 | 3.1 | 8 |
| 103 | Construction and validation of a model to predict nonadherence to guidelines for prescribing antiplatelet therapy to hypertensive patients. <i>Current Medical Research and Opinion</i> , 2015 , 31, 883-9 | 2.5 | 8 |
| 102 | Magnitude of pharmacological nonadherence in hypertensive patients taking antihypertensive medication from a community pharmacy in Spain. <i>Journal of Managed Care Pharmacy</i> , 2014 , 20, 1217-25 | | 8 |
| 101 | The premature closure of ROMPA clinical trial: mortality reduction in septic shock by plasma adsorption. <i>BMJ Open</i> , 2019 , 9, e030139 | 3 | 8 |

| | | | |
|-----|---|-----|---|
| 100 | Worldwide scientific production in obstetrics: a bibliometric analysis. <i>Irish Journal of Medical Science</i> , 2019 , 188, 913-919 | 1.9 | 8 |
| 99 | Mortality Reduction in Septic Shock by Plasma Adsorption (ROMPA): a protocol for a randomised clinical trial. <i>BMJ Open</i> , 2016 , 6, e011856 | 3 | 7 |
| 98 | Diagnostic inertia in obesity and the impact on cardiovascular risk in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2015 , 65, e454-9 | 1.6 | 7 |
| 97 | Mortality after out-of-hospital cardiac arrest in a Spanish Region. <i>PLoS ONE</i> , 2017 , 12, e0175818 | 3.7 | 7 |
| 96 | A four-year cardiovascular risk score for type 2 diabetic inpatients. <i>PeerJ</i> , 2015 , 3, e984 | 3.1 | 7 |
| 95 | A critical appraisal of the clinical applicability and risk of bias of the predictive models for mortality and recurrence in patients with oropharyngeal cancer: Systematic review. <i>Head and Neck</i> , 2020 , 42, 763-773 | 4.7 | 7 |
| 94 | Non-guideline-recommended prescribing of proton pump inhibitors in the general population. <i>Current Medical Research and Opinion</i> , 2017 , 33, 1725-1729 | 2.5 | 6 |
| 93 | A predictive model for recurrence in patients with glottic cancer implemented in a mobile application for Android. <i>Oral Oncology</i> , 2018 , 80, 82-88 | 4.4 | 6 |
| 92 | A cardiovascular educational intervention for primary care professionals in Spain: positive impact in a quasi-experimental study. <i>British Journal of General Practice</i> , 2015 , 65, e32-40 | 1.6 | 6 |
| 91 | Construction and Validation of a 14-Year Cardiovascular Risk Score for Use in the General Population: The Puras-GEVA Chart. <i>Medicine (United States)</i> , 2015 , 94, e1980 | 1.8 | 6 |
| 90 | FUMEPOC: early detection of chronic obstructive pulmonary disease in smokers. <i>BMC Public Health</i> , 2011 , 11, 413 | 4.1 | 6 |
| 89 | Analysis of placental vascularization by means of 3D Power Doppler in women pregnant following oocyte donation. <i>Reproductive Sciences</i> , 2010 , 17, 754-9 | 3 | 6 |
| 88 | Scoring System for Mortality in Patients Diagnosed with and Treated Surgically for Differentiated Thyroid Carcinoma with a 20-Year Follow-Up. <i>PLoS ONE</i> , 2015 , 10, e0128620 | 3.7 | 6 |
| 87 | Long-Term Survival After Stroke According to Reperfusion Therapy, Cardiovascular Therapy and Gender. <i>Cardiology Research</i> , 2019 , 10, 89-97 | 1.8 | 6 |
| 86 | A method to construct a points system to predict cardiovascular disease considering repeated measures of risk factors. <i>PeerJ</i> , 2016 , 4, e1673 | 3.1 | 6 |
| 85 | Effectiveness Analysis of Active Stretching Versus Active Stretching Plus Low-Frequency Electrical Stimulation in Children Who Play Soccer and Who Have the Short Hamstring Syndrome. <i>Clinical Journal of Sport Medicine</i> , 2016 , 26, 59-68 | 3.2 | 6 |
| 84 | A Reliability Generalization Meta-Analysis of the Victorian Institute of Sport Assessment Scale for Achilles Tendinopathy (VISA-A). <i>Foot and Ankle International</i> , 2019 , 40, 430-438 | 3.3 | 6 |
| 83 | Clinical applicability and cost-effectiveness of DIABSCORE in screening for type 2 diabetes in primary care. <i>Diabetes Research and Clinical Practice</i> , 2017 , 130, 15-23 | 7.4 | 5 |

| | | | |
|----|--|-----|---|
| 82 | Design and Validation of a Low-Cost Telepathology System. <i>Telemedicine Journal and E-Health</i> , 2017 , 23, 976-982 | 5.9 | 5 |
| 81 | Trends in Mortality From Diabetes Mellitus in Spain: 1998-2013. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 433-443 | 0.7 | 5 |
| 80 | A systematic review of predictive models for recurrence and mortality in patients with tongue cancer. <i>European Journal of Cancer Care</i> , 2019 , 28, e13157 | 2.4 | 5 |
| 79 | Nonadherence to guidelines for prescribing antiplatelet/anticoagulant therapy in patients with atrial fibrillation. <i>Family Practice</i> , 2016 , 33, 290-5 | 1.9 | 5 |
| 78 | Influence of Olive Extracts on the Expression of Genes Involved in Lipid Metabolism in Medaka Fish. <i>Molecules</i> , 2019 , 24, | 4.8 | 5 |
| 77 | Inhibition mechanism of the intracellular transporter Ca ²⁺ -pump from sarco-endoplasmic reticulum by the antitumor agent dimethyl-celecoxib. <i>PLoS ONE</i> , 2014 , 9, e102083 | 3.7 | 5 |
| 76 | Differences in immunoreactive trypsin values between type of feeding and ethnicity in neonatal cystic fibrosis screening: a cross-sectional study. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 166 | 4.2 | 5 |
| 75 | Renal function and attributable risk of death and cardiovascular hospitalization in patients with cardiovascular risk factors from a registry-based cohort: the Estudio Cardiovascular Valencia-risk study. <i>Journal of Hypertension</i> , 2016 , 34, 2266-73 | 1.9 | 5 |
| 74 | Association between the Foot Posture Index and running related injuries: A case-control study. <i>Clinical Biomechanics</i> , 2019 , 61, 217-221 | 2.2 | 5 |
| 73 | Plantar pressure improvement in moderate hallux valgus with modified chevron osteotomy: Clinical and radiographic outcomes. <i>Foot and Ankle Surgery</i> , 2020 , 26, 205-208 | 3.1 | 5 |
| 72 | A new risk score to assess atrial fibrillation risk in hypertensive patients (ESCARVAL-RISK Project. <i>Scientific Reports</i> , 2020 , 10, 4796 | 4.9 | 4 |
| 71 | Screening Tool to Determine Risk of Having Muscle Dysmorphia Symptoms in Men Who Engage in Weight Training at a Gym. <i>Clinical Journal of Sport Medicine</i> , 2018 , 28, 168-173 | 3.2 | 4 |
| 70 | Adherence to European Clinical Practice Guidelines for Secondary Prevention of Cardiovascular Disease: A Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 4 |
| 69 | Effectiveness of a new health care organization model in primary care for chronic cardiovascular disease patients based on a multifactorial intervention: the PROPRES randomized controlled trial. <i>BMC Health Services Research</i> , 2013 , 13, 293 | 2.9 | 4 |
| 68 | Mejorar la adherencia: una de las acciones más eficientes para aumentar la supervivencia de los pacientes en prevención secundaria. <i>Revista Espanola De Cardiologia Suplementos</i> , 2015 , 15, 12-18 | 0.2 | 4 |
| 67 | Six simple questions to detect malnutrition or malnutrition risk in elderly women. <i>PeerJ</i> , 2015 , 3, e1316 | 3.1 | 4 |
| 66 | Detection of diabetic macular oedema: validation of optical coherence tomography using both foveal thickness and intraretinal fluid. <i>PeerJ</i> , 2015 , 3, e1394 | 3.1 | 4 |
| 65 | Sexual behaviour and risk of sexually transmitted infections in young female healthcare students in Spain. <i>PeerJ</i> , 2016 , 4, e1699 | 3.1 | 4 |

| | | | |
|----|--|------|---|
| 64 | Association between the HTR2C rs1414334 C/G gene polymorphism and the development of the metabolic syndrome in patients treated with atypical antipsychotics. <i>PeerJ</i> , 2016 , 4, e2163 | 3.1 | 4 |
| 63 | Comparison Between Non-High-Density Lipoprotein Cholesterol and Low-Density Lipoprotein Cholesterol to Estimate Cardiovascular Risk Using a Multivariate Model. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, E17-E23 | 2.1 | 4 |
| 62 | Anti-adipogenic activity of an olive seed extract in mouse fibroblasts. <i>Nutricion Hospitalaria</i> , 2015 , 31, 2747-51 | 1 | 4 |
| 61 | Risk of Dependency: A Challenge for Health and Social Care Planning-Observational Stroke Cohort. <i>Value in Health</i> , 2019 , 22, 1083-1091 | 3.3 | 3 |
| 60 | A systematic review of non-pharmacological interventions to improve therapeutic adherence in tuberculosis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019 , 48, 452-461 | 2.6 | 3 |
| 59 | The influence of hemoglobin A1c levels on cardiovascular events and all-cause mortality in people with diabetes over 70 years of age. A prospective study. <i>Primary Care Diabetes</i> , 2020 , 14, 678-684 | 2.4 | 3 |
| 58 | Impact of prematurity and immigration on neonatal screening for sickle cell disease. <i>PLoS ONE</i> , 2017 , 12, e0171604 | 3.7 | 3 |
| 57 | Management and referral of patients with severe and poorly controlled asthma in primary care. <i>Family Practice</i> , 2016 , 33, 678-683 | 1.9 | 3 |
| 56 | Dorsal wedge phalangeal osteotomy for grade II-III hallux rigidus in active adult patients. <i>Foot and Ankle International</i> , 2015 , 36, 188-96 | 3.3 | 3 |
| 55 | Randomized clinical trial to determine the effectiveness of CO-oximetry and anti-smoking brief advice in a cohort of kidney transplant patients who smoke. <i>International Journal of Medical Sciences</i> , 2020 , 17, 2673-2684 | 3.7 | 3 |
| 54 | Analysis of LDL and HDL size and number by nuclear magnetic resonance in a healthy working population: The LipoLab Study. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13610 | 2.9 | 3 |
| 53 | Which Physical Exercise Interventions Increase HDL-Cholesterol Levels? A Systematic Review of Meta-analyses of Randomized Controlled Trials. <i>Sports Medicine</i> , 2021 , 51, 243-253 | 10.6 | 3 |
| 52 | Hospital admissions trends for severe hypoglycemia in diabetes patients in Spain, 2005 to 2015. <i>Diabetes Research and Clinical Practice</i> , 2021 , 171, 108565 | 7.4 | 3 |
| 51 | A scoring system to predict recurrence in breast cancer patients. <i>Surgical Oncology</i> , 2018 , 27, 681-687 | 2.5 | 3 |
| 50 | Clinical inertia in hypertension: a new holistic and practical concept within the cardiovascular and clinical care process. <i>Blood Pressure</i> , 2019 , 28, 217-228 | 1.7 | 2 |
| 49 | A method to validate scoring systems based on logistic regression models to predict binary outcomes via a mobile application for Android with an example of a real case. <i>Computer Methods and Programs in Biomedicine</i> , 2020 , 196, 105570 | 6.9 | 2 |
| 48 | A scoring system to predict 5-year mortality in patients diagnosed with laryngeal glottic cancer. <i>European Journal of Cancer Care</i> , 2018 , 27, e12860 | 2.4 | 2 |
| 47 | Factors associated with moderate neonatal hyperthyrotropinemia. <i>PLoS ONE</i> , 2019 , 14, e0220040 | 3.7 | 2 |

| | | | |
|----|--|-----|---|
| 46 | Validity of Optical Coherence Tomography as a Diagnostic Method for Diabetic Retinopathy and Diabetic Macular Edema. <i>Medicine (United States)</i> , 2015 , 94, e1579 | 1.8 | 2 |
| 45 | Barriers to improved dyslipidemia control: Delphi survey of a multidisciplinary panel. <i>Family Practice</i> , 2015 , 32, 672-80 | 1.9 | 2 |
| 44 | Protective factors in patients aged over 65 with stroke treated by physiotherapy, showing cognitive impairment, in the Valencia Community. Protection study in older people (EPACV). <i>BMC Neurology</i> , 2012 , 12, 118 | 3.1 | 2 |
| 43 | Variability between Clarke's angle and Chippaux-Smirak index for the diagnosis of flat feet. <i>Colombia Medica</i> , 2017 , 48, 25-31 | 1.5 | 2 |
| 42 | Physical activity values in two- to seven-year-old children measured by accelerometer over five consecutive 24-hour days. <i>Nutricion Hospitalaria</i> , 2018 , 35, 527-532 | 1 | 2 |
| 41 | Diagnostic inertia in dyslipidaemia: results of a preventative programme in Spain. <i>PeerJ</i> , 2015 , 3, e1109 | 3.1 | 2 |
| 40 | An inferential study of the phenotype for the chromosome 15q24 microdeletion syndrome: a bootstrap analysis. <i>PeerJ</i> , 2016 , 4, e1641 | 3.1 | 2 |
| 39 | Diabetes screening: a pending issue in hypertense/obese patients. <i>PeerJ</i> , 2015 , 3, e914 | 3.1 | 2 |
| 38 | The Victorian Institute of Sport Assessment Scale for Patellar Tendinopathy (VISA-P): A Reliability Generalization Meta-analysis. <i>Clinical Journal of Sport Medicine</i> , 2021 , 31, 455-464 | 3.2 | 2 |
| 37 | Clusters of Cardiovascular Risk Factors and Their Impact on the 20-Year Cardiovascular Risk in a General Population. <i>Journal of Cardiovascular Nursing</i> , 2020 , 35, 210-216 | 2.1 | 2 |
| 36 | Tendencias de mortalidad prematura por cardiopatía isquémica en España durante el periodo 1998-2018. <i>Revista Espanola De Cardiologia</i> , 2020 , | 1.5 | 2 |
| 35 | Impact of Anal Fissure on Neuroticism, Extraversion, Openness to Experience, Agreeableness, and Conscientiousness: A Case-Control Study. <i>Visceral Medicine</i> , 2021 , 37, 128-133 | 2.4 | 2 |
| 34 | Clinical relevance of an intervention assessed by a meta-analysis of randomized clinical trials. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 46-50 | 5.7 | 2 |
| 33 | Validation and psychometric properties of the 8-item Morisky Medication Adherence Scale (MMAS-8) in type 2 diabetes patients in Spain. <i>Atencion Primaria</i> , 2021 , 53, 101942 | 3.6 | 2 |
| 32 | A general presentation on how to carry out a CHARMS analysis for prognostic multivariate models. <i>Statistics in Medicine</i> , 2020 , 39, 3207-3225 | 2.3 | 1 |
| 31 | Association analysis between hyperuricemia and long term mortality after acute coronary syndrome in three subgroups of patients. <i>Data in Brief</i> , 2018 , 17, 885-889 | 1.2 | 1 |
| 30 | A one-year risk score to predict all-cause mortality in hypertensive inpatients. <i>European Journal of Internal Medicine</i> , 2019 , 59, 77-83 | 3.9 | 1 |
| 29 | Influence of Written Informed Consent for Methylphenidate on Medicine Persistence Rates in Children with Attention-Deficit Hyperactivity Disorder. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2017 , 38, 603-610 | 2.4 | 1 |

| | | | |
|----|--|-----|---|
| 28 | Multivariate Ordered Logistic Regression Models: Dealing with the Model-Building Strategy. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2017 , 30, 664 | 2 | 1 |
| 27 | Influence of immigration on prematurity in the context of a free healthcare system with universal coverage. <i>Scientific Reports</i> , 2015 , 5, 10586 | 4.9 | 1 |
| 26 | Highest Plasma Phenylalanine Levels in (Very) Premature Infants on Intravenous Feeding; A Need for Concern. <i>PLoS ONE</i> , 2015 , 10, e0138532 | 3.7 | 1 |
| 25 | Relationship between the rs1414334 C/G polymorphism in the HTR2C gene and smoking in patients treated with atypical antipsychotics. <i>Revista De Psicologia De La Salud</i> , 2018 , 30, 123-129 | 1 | 1 |
| 24 | Fear of becoming pregnant among female healthcare students in Spain. <i>PeerJ</i> , 2015 , 3, e1200 | 3.1 | 1 |
| 23 | Construction, internal validation and implementation in a mobile application of a scoring system to predict nonadherence to proton pump inhibitors. <i>PeerJ</i> , 2017 , 5, e3455 | 3.1 | 1 |
| 22 | Development, and Internal, and External Validation of a Scoring System to Predict 30-Day Mortality after Having a Traffic Accident Traveling by Private Car or Van: An Analysis of 164,790 Subjects and 79,664 Accidents. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 1 |
| 21 | Clinical effectiveness of a cardiology outpatient management plan to reduce inefficiency in consultations. <i>Postgraduate Medicine</i> , 2021 , 133, 166-172 | 3.7 | 1 |
| 20 | A critical appraisal of the prognostic predictive models for patients with sepsis: Which model can be applied in clinical practice?. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14044 | 2.9 | 1 |
| 19 | Sexuality, Quality of Life, Anxiety, Depression, and Anger in Patients with Anal Fissure. A Case-Control Study. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 1 |
| 18 | Barriers and Solutions to Improve Therapeutic Adherence from the Perspective of Primary Care and Hospital-Based Physicians.. <i>Patient Preference and Adherence</i> , 2022 , 16, 697-707 | 2.4 | 1 |
| 17 | A cardiovascular risk score for hypertensive patients previously admitted to hospital. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 492-500 | 3.3 | 0 |
| 16 | Therapeutic inertia in anti-platelet therapy in patients with a cardiovascular event attended in an emergency department. <i>Current Medical Research and Opinion</i> , 2019 , 35, 455-459 | 2.5 | 0 |
| 15 | Association between preoperative dynamic plantar pressures and clinical outcomes at 6 months after hallux valgus surgery. <i>Fuss Und Sprunggelenk</i> , 2019 , 17, 75-86 | 0.3 | 0 |
| 14 | Renal function and attributable risk of death and cardiovascular hospitalization in participants with diabetes from a registry-based cohort. <i>Primary Care Diabetes</i> , 2021 , 15, 88-94 | 2.4 | 0 |
| 13 | Effect of rowing on mobility, functionality, and quality of life in women with and without breast cancer: a 4-month intervention. <i>Supportive Care in Cancer</i> , 2021 , 29, 2639-2644 | 3.9 | 0 |
| 12 | Expert consensus for primary management of reproductive health: a Delphi study. <i>Irish Journal of Medical Science</i> , 2021 , 190, 677-684 | 1.9 | 0 |
| 11 | Trends in premature mortality due to ischemic heart disease in Spain from 1998 to 2018. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 838-845 | 0.7 | 0 |

| | | |
|----|--|-----|
| 10 | Mortality prediction models after radical cystectomy for bladder tumor: a systematic review and critical appraisal. <i>European Journal of Clinical Investigation</i> , 4.6 | 0 |
| 9 | Quality assessment of meta-analyses evaluating randomized clinical trials to improve the prognosis of septic shock: an overview of systematic reviews. <i>Current Medical Research and Opinion</i> , 2020 , 36, 929-935 | 3.5 |
| 8 | Response to the Comment on: Factors Associated with Increased Pain in Primary Dysmenorrhea: Analysis Using a Multivariate Ordered Logistic Regression Model. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2018 , 31, 433 | 2 |
| 7 | Appropriateness of clopidogrel use according to current recommendations. <i>Family Practice</i> , 2014 , 31, 694-8 | 1.9 |
| 6 | Trends in Mortality From Myocardial Infarction. A Comparative Study Between Spain and the United States: 1990-2006. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 1079-1085 | 0.7 |
| 5 | In the Identification of Cardiovascular Risk With the SCORE Model, Could We Recommend Its Calculation Interchangeably With Total Cholesterol or Atherogenic Index? Concordance Between Total Cholesterol and Atherogenic Index in the SCORE Table. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 121-123 | 0.7 |
| 4 | Impact of a clinical pathway on cardiovascular risk in patients with diabetes. <i>Postgraduate Medicine</i> , 2021 , 1-8 | 3.7 |
| 3 | An update to the internal validation of the new mortality risk score for patients admitted to the intensive care unit. <i>International Journal of Clinical Practice</i> , 2016 , 70, 961-962 | 2.9 |
| 2 | A scoring system to predict recurrence in patients with differentiated thyroid cancer. <i>Clinical Otolaryngology</i> , 2019 , 44, 26-31 | 1.8 |
| 1 | A scoring system to detect fixed airflow limitation in smokers from simple easy-to-use parameters. <i>Scientific Reports</i> , 2018 , 8, 13329 | 4.9 |