

Claudiane M Ouellet-Plamondon

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/8998054/clauidiane-m-ouellet-plamondon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

1,309

citations

20

h-index

35

g-index

68

ext. papers

1,691

ext. citations

4.3

avg, IF

5.05

L-index

#	Paper	IF	Citations
66	Scenarios to Valorize Treated Spent Pot Lining in Cement and Concrete. <i>Lecture Notes in Civil Engineering</i> , 2023 , 245-249	0.3	
65	Durability of Earth Materials: Weathering Agents, Testing Procedures and Stabilisation Methods. <i>RILEM State-of-the-Art Reports</i> , 2022 , 211-241	1.3	
64	Characterization of Earth Used in Earth Construction Materials. <i>RILEM State-of-the-Art Reports</i> , 2022 , 17-81	1.3	
63	Environmental Potential of Earth-Based Building Materials: Key Facts and Issues from a Life Cycle Assessment Perspective. <i>RILEM State-of-the-Art Reports</i> , 2022 , 261-296	1.3	1
62	First-principles database for fitting a machine-learning silicon interatomic force field. <i>MRS Advances</i> , 2022 , 7, 39-47	0.7	
61	Artificial neural network for the prediction of the fresh properties of cementitious materials. <i>Cement and Concrete Research</i> , 2022 , 156, 106761	10.3	1
60	Brewery spent grain derived carbon dots for metal sensing.. <i>RSC Advances</i> , 2022 , 12, 11621-11627	3.7	0
59	D-optimal design of experiments applied to 3D high-performance concrete printing mix design. <i>Materials and Design</i> , 2022 , 218, 110681	8.1	0
58	Experimental assessment of freezing-thawing resistance of rammed earth buildings. <i>Construction and Building Materials</i> , 2021 , 274, 121917	6.7	7
57	Predictive Factors of Spiritual Quality of Life during the COVID-19 Pandemic: A Multivariate Analysis. <i>Journal of Religion and Health</i> , 2021 , 60, 1475-1493	2.6	9
56	The effect of air-entraining admixture and superabsorbent polymer on bond behaviour of steel rebar in pre-cracked and self-healed concrete. <i>Construction and Building Materials</i> , 2021 , 281, 122568	6.7	3
55	Sustainable preparation of graphene-like hybrid nanomaterials and their application for organic dyes removal. <i>Chemical Engineering Science</i> , 2021 , 236, 116482	4.4	4
54	Evaluation of the reactivity of treated spent pot lining from primary aluminum production as cementitious materials. <i>Resources, Conservation and Recycling</i> , 2021 , 170, 105584	11.9	6
53	Reflection on Integrity Management While Engaging with Third Parties in the Construction and Civil Engineering Industry. <i>Journal of Legal Affairs and Dispute Resolution in Engineering and Construction</i> , 2021 , 13, 03720005	1.7	4
52	Effect of concrete workability on bond properties of steel rebar in pre-cracked concrete. <i>Proceedings of the Institution of Civil Engineers: Structures and Buildings</i> , 2021 , 1-14	0.9	2
51	A Taxonomy of Sources of Waste in BIM Information Flows. <i>Buildings</i> , 2021 , 11, 291	3.2	0
50	Fresh and hardened properties of GGBS-contained cementitious composites using graphene and graphene oxide. <i>Construction and Building Materials</i> , 2021 , 300, 123902	6.7	2

49	Clay as a Sustainable Binder for Concrete. A Review. <i>Construction Materials</i> , 2021 , 1, 134-168		2
48	Efficient and Recyclable Heterogeneous Catalyst Based on PdNPs Stabilized on a Green-Synthesized Graphene-like Nanomaterial: Effect of Surface Functionalization. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 44673-44685	9.5	0
47	Application of Superabsorbent Polymer as Self-Healing Agent in Self-Consolidating Concrete for Mitigating Precracking Phenomenon at the Rebar-Concrete Interface. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33, 04021269	3	0
46	The impact of carbon-based nanomaterial additions on the hydration reactions and kinetics of GGBS-modified cements. <i>Construction and Building Materials</i> , 2021 , 303, 124366	6.7	2
45	Implications of using systematic decomposition structures to organize building LCA information: A comparative analysis of national standards and guidelines- IEA EBC ANNEX 72. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 588, 022008	0.3	2
44	Effect of Graphene Additive on Flexural and Interlaminar Shear Strength Properties of Carbon Fiber-Reinforced Polymer Composite. <i>Journal of Composites Science</i> , 2020 , 4, 162	3	4
43	Enhancement in electrical and thermal performance of high-temperature vulcanized silicone rubber composites for outdoor insulating applications. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49514	2.9	2
42	Testing Procedures on Materials to Formulate the Ink for 3D Printing. <i>Transportation Research Record</i> , 2020 , 2674, 21-32	1.7	7
41	Acceleration of cement blended with calcined clays. <i>Construction and Building Materials</i> , 2020 , 245, 118489	4.9	21
40	Dynamic and Static Yield Stress Determination of Cementitious Paste with Admixtures. <i>RILEM Bookseries</i> , 2020 , 370-378	0.5	0
39	Prediction of the Yield Stress of Printing Mortar Ink. <i>RILEM Bookseries</i> , 2020 , 360-369	0.5	0
38	On mitigating rebar-concrete interface damages due to the pre-cracking phenomena using superabsorbent polymers. <i>Construction and Building Materials</i> , 2020 , 253, 119181	6.7	8
37	Simplified Analytical Model for Interfacial Bond Strength of Deformed Steel Rebars Embedded in Pre-cracked Concrete. <i>Journal of Structural Engineering</i> , 2020 , 146, 04020142	3	4
36	Performance improvement of EPDM and EPDM/Silicone rubber composites using modified fumed silica, titanium dioxide and graphene additives. <i>Polymer Testing</i> , 2020 , 84, 106281	4.5	25
35	Electrical, thermal and rheological properties of low-density polyethylene/ethylene vinyl acetate/graphene-like composite. <i>Composites Part B: Engineering</i> , 2019 , 177, 107288	10	18
34	Effect of Graphene on Machinability of Glass Fiber Reinforced Polymer (GFRP). <i>Journal of Manufacturing and Materials Processing</i> , 2019 , 3, 78	2.2	5
33	Methods for Synthesis of Hybrid Nanoparticles 2019 , 51-63		8
32	Robust Superhydrophobic Cotton Fibers Prepared by Simple Dip-Coating Approach Using Chemical and Plasma-Etching Pretreatments. <i>ACS Omega</i> , 2019 , 4, 7829-7837	3.9	50

31	Recent progress in the preparation, properties and applications of superhydrophobic nano-based coatings and surfaces: A review. <i>Progress in Organic Coatings</i> , 2019 , 132, 235-256	4.8	164
30	Electrical and thermal phenomena in low-density polyethylene/carbon black composites near the percolation threshold. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47043	2.9	21
29	Comparison of the environmental assessment of an identical office building with national methods. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 323, 012037	0.3	10
28	Effects of Nano Organoclay and Wax on the Machining Temperature and Mechanical Properties of Carbon Fiber Reinforced Plastics (CFRP). <i>Journal of Composites Science</i> , 2019 , 3, 85	3	1
27	A lean approach to optimize BIM information flow using value stream mapping. <i>Journal of Information Technology in Construction</i> , 2019 , 24, 472-488	2.5	5
26	Numerical simulation of the effective permittivity of low-density polyethylene composite filled by carbon black. <i>IET Nanodielectrics</i> , 2019 , 2, 129-134	2.8	4
25	On bond-slip response and development length of steel bars in pre-cracked concrete. <i>Construction and Building Materials</i> , 2019 , 199, 560-573	6.7	15
24	Case study of the upgrade of an existing office building for low energy consumption and low carbon emissions. <i>Energy and Buildings</i> , 2019 , 183, 151-160	7	20
23	Ecological Footprint assessment for targeting climate change mitigation in cities: A case study of 15 Canadian cities according to census metropolitan areas. <i>Journal of Cleaner Production</i> , 2018 , 174, 1032-1043	10.3	42
22	Life cycle assessment of emergent masonry blocks. <i>Journal of Cleaner Production</i> , 2018 , 171, 1622-1637	10.3	24
21	Electrical and thermal conductivity of ethylene vinyl acetate composite with graphene and carbon black filler. <i>Polymer Testing</i> , 2018 , 72, 24-31	4.5	36
20	The Ecological Footprint of Mediterranean cities: Awareness creation and policy implications. <i>Environmental Science and Policy</i> , 2017 , 69, 94-104	6.2	90
19	Alkali-activated binder containing wastes: a study with rice husk ash and red ceramic. <i>Ceramica</i> , 2017 , 63, 44-51	1	9
18	Characterization, Mix Design, Mechanical Testing of Earth Materials, Stabilized and Unstabilized, for Building Construction 2017 ,		2
17	Electrical and thermal properties of low-density polyethylene/graphene-like composite 2017 ,		5
16	Estimation of resilient modulus of unbound granular materials used as pavement base: combined effect of grain-size distribution and aggregate source frictional properties. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016 , 49, 4363-4373	3.4	18
15	Self-Compacted Clay based Concrete (SCCC): proof-of-concept. <i>Journal of Cleaner Production</i> , 2016 , 117, 160-168	10.3	34
14	Impact of nature and preparation method of graphene on the electrical behavior of LDPE/Graphene composites 2016 ,		1

13	The impact of future scenarios on building refurbishment strategies towards plus energy buildings. <i>Energy and Buildings</i> , 2016 , 124, 153-163	7	70
12	Enhanced plastic deformations of nanofibrillated cellulose film by adsorbed moisture and protein-mediated interactions. <i>Biomacromolecules</i> , 2015 , 16, 311-8	6.9	24
11	The Maya blue nanostructured material concept applied to colouring geopolymers. <i>RSC Advances</i> , 2015 , 5, 98834-98841	3.7	28
10	Life cycle assessment (LCA) of alkali-activated cements and concretes 2015 , 663-686		38
9	Mechanical unfolding of a fluorescent protein enables self-reporting of damage in carbon-fibre-reinforced composites. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6231	13	24
8	The effect of cationic, non-ionic and amphiphilic surfactants on the intercalation of bentonite. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 444, 330-337	5.1	41
7	Nanocrystalline Cellulose as Effect Pigment in Clear Coatings for Wood. <i>ISRN Nanomaterials</i> , 2013 , 2013, 1-12		10
6	Comparison between granular pillared, organo- and inorgano-organo-bentonites for hydrocarbon and metal ion adsorption. <i>Applied Clay Science</i> , 2012 , 67-68, 91-98	5.2	31
5	Soil Mix Technology for Integrated Remediation and Ground Improvement: From Laboratory Work to Field Trials 2012 ,		2
4	Metal Retention Experiments for the Design of Soil-Mix Technology Permeable Reactive Barriers. <i>Clean - Soil, Air, Water</i> , 2011 , 39, 844-852	1.6	9
3	Artificial aeration to increase pollutant removal efficiency of constructed wetlands in cold climate. <i>Ecological Engineering</i> , 2006 , 27, 258-264	3.9	176
2	Recent update on the environmental impact of geopolymers. <i>RILEM Technical Letters</i> , 1, 17		151
1	Comparison of the greenhouse gas emissions of a high-rise residential building assessed with different national LCA approaches IAEA EBC Annex 72. <i>IOP Conference Series: Earth and Environmental Science</i> , 588, 022029	0.3	7