Kim Anker Sjberg

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/899861/kim-anker-sjoberg-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18 28 965 27 h-index g-index citations papers 28 6.9 3.98 1,217 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
27	Small Amounts of Dietary Medium-Chain Fatty Acids Protect Against Insulin Resistance During Caloric Excess in Humans. <i>Diabetes</i> , 2021 , 70, 91-98	0.9	4
26	A Single Bout of One-Legged Exercise to Local Exhaustion Decreases Insulin Action in Nonexercised Muscle Leading to Decreased Whole-Body Insulin Action. <i>Diabetes</i> , 2020 , 69, 578-590	0.9	9
25	Cancer causes metabolic perturbations associated with reduced insulin-stimulated glucose uptake in peripheral tissues and impaired muscle microvascular perfusion. <i>Metabolism: Clinical and Experimental</i> , 2020 , 105, 154169	12.7	11
24	Insulin-induced membrane permeability to glucose in human muscles at rest and following exercise. <i>Journal of Physiology</i> , 2020 , 598, 303-315	3.9	21
23	Glucometabolic consequences of acute and prolonged inhibition of fatty acid oxidation. <i>Journal of Lipid Research</i> , 2020 , 61, 10-19	6.3	15
22	Effects of Short-Term Dietary Protein Restriction on Blood Amino Acid Levels in Young Men. <i>Nutrients</i> , 2020 , 12,	6.7	1
21	Mechanisms Underlying Absent Training-Induced Improvement in Insulin Action in Lean, Hyperandrogenic Women With Polycystic Ovary Syndrome. <i>Diabetes</i> , 2020 , 69, 2267-2280	0.9	5
20	The insulin-sensitizing effect of a single exercise bout is similar in type I and type II human muscle fibres. <i>Journal of Physiology</i> , 2020 , 598, 5687-5699	3.9	7
19	pH-Gated Succinate Secretion Regulates Muscle Remodeling in Response to Exercise. <i>Cell</i> , 2020 , 183, 62-75.e17	56.2	37
18	Fatty acid type-specific regulation of SIRT1 does not affect insulin sensitivity in human skeletal muscle. <i>FASEB Journal</i> , 2019 , 33, 5510-5519	0.9	3
17	Physiological determinants of elite mountain bike cross-country Olympic performance. <i>Journal of Sports Sciences</i> , 2019 , 37, 1154-1161	3.6	6
16	Exercise training reduces the insulin-sensitizing effect of a single bout of exercise in human skeletal muscle. <i>Journal of Physiology</i> , 2019 , 597, 89-103	3.9	31
15	Mechanisms Preserving Insulin Action during High Dietary Fat Intake. <i>Cell Metabolism</i> , 2019 , 29, 50-63.	e 4 4.6	29
14	Exercise increases circulating GDF15 in humans. <i>Molecular Metabolism</i> , 2018 , 9, 187-191	8.8	68
13	Exercise Increases Human Skeletal Muscle Insulin Sensitivity via Coordinated Increases in Microvascular Perfusion and Molecular Signaling. <i>Diabetes</i> , 2017 , 66, 1501-1510	0.9	96
12	Opposite Regulation of Insulin Sensitivity by Dietary Lipid Versus Carbohydrate Excess. <i>Diabetes</i> , 2017 , 66, 2583-2595	0.9	37
11	Repletion of branched chain amino acids reverses mTORC1 signaling but not improved metabolism during dietary protein dilution. <i>Molecular Metabolism</i> , 2017 , 6, 873-881	8.8	42

LIST OF PUBLICATIONS

10	Circulating FGF21 in humans is potently induced by short term overfeeding of carbohydrates. <i>Molecular Metabolism</i> , 2017 , 6, 22-29	8.8	64	
9	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3263-78	15.9	91	
8	Differential effects of glucagon-like peptide-1 on microvascular recruitment and glucose metabolism in short- and long-term insulin resistance. <i>Journal of Physiology</i> , 2015 , 593, 2185-98	3.9	18	
7	The effects of resistance exercise training on macro- and micro-circulatory responses to feeding and skeletal muscle protein anabolism in older men. <i>Journal of Physiology</i> , 2015 , 593, 2721-34	3.9	29	
6	GLP-1 increases microvascular recruitment but not glucose uptake in human and rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E355-62	6	40	
5	Adiponectin concentration is associated with muscle insulin sensitivity, AMPK phosphorylation, and ceramide content in skeletal muscles of men but not women. <i>Journal of Applied Physiology</i> , 2013 , 114, 592-601	3.7	27	
4	Exercise alleviates lipid-induced insulin resistance in human skeletal muscle-signaling interaction at the level of TBC1 domain family member 4. <i>Diabetes</i> , 2012 , 61, 2743-52	0.9	78	
3	Enhanced fatty acid oxidation and FATP4 protein expression after endurance exercise training in human skeletal muscle. <i>PLoS ONE</i> , 2012 , 7, e29391	3.7	39	
2	Lipid-induced insulin resistance affects women less than men and is not accompanied by inflammation or impaired proximal insulin signaling. <i>Diabetes</i> , 2011 , 60, 64-73	0.9	96	
1	A new method to study changes in microvascular blood volume in muscle and adipose tissue: real-time imaging in humans and rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H450-8	5.2	61	