Frances Boyle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8999344/publications.pdf

Version: 2024-02-01

567281 345221 1,395 37 15 36 citations h-index g-index papers 37 37 37 2620 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Lapatinib with trastuzumab for HER2-positive early breast cancer (NeoALTTO): survival outcomes of a randomised, open-label, multicentre, phase 3 trial and their association with pathological complete response. Lancet Oncology, The, 2014, 15, 1137-1146. | 10.7 | 382 |
| 2 | Adjuvant lapatinib for women with early-stage HER2-positive breast cancer: a randomised, controlled, phase 3 trial. Lancet Oncology, The, 2013, 14, 88-96. | 10.7 | 128 |
| 3 | Evaluation of a Web-Based Cognitive Rehabilitation Program in Cancer Survivors Reporting Cognitive Symptoms After Chemotherapy. Journal of Clinical Oncology, 2017, 35, 217-225. | 1.6 | 118 |
| 4 | A systematic review of decision aids for patients making a decision about treatment for early breast cancer. Breast, 2016, 26, 31-45. | 2.2 | 104 |
| 5 | Adjuvant Anti-HER2 Therapy, Treatment-Related Amenorrhea, and Survival in Premenopausal HER2-Positive Early Breast Cancer Patients. Journal of the National Cancer Institute, 2019, 111, 86-94. | 6.3 | 73 |
| 6 | The Effect of Mobile App Interventions on Influencing Healthy Maternal Behavior and Improving Perinatal Health Outcomes: Systematic Review. JMIR MHealth and UHealth, 2018, 6, e10012. | 3.7 | 63 |
| 7 | Optimal clinical assessment strategies for chemotherapy-induced peripheral neuropathy (CIPN): a systematic review and Delphi survey. Supportive Care in Cancer, 2017, 25, 3485-3493. | 2.2 | 59 |
| 8 | Survival outcomes of the NeoALTTO study (BIG 1–06): updated results of a randomised multicenter phase III neoadjuvant clinical trial in patients with HER2-positive primary breast cancer. European Journal of Cancer, 2019, 118, 169-177. | 2.8 | 51 |
| 9 | Neurophysiological and clinical outcomes in chemotherapy-induced neuropathy in cancer. Clinical Neurophysiology, 2017, 128, 1166-1175. | 1.5 | 50 |
| 10 | Patient-reported quality of life, unmet needs and care coordination outcomes: Moving toward targeted breast cancer survivorship care planning. Asia-Pacific Journal of Clinical Oncology, 2016, 12, e323-e331. | 1.1 | 40 |
| 11 | Acupuncture for Aromatase Inhibitor–Induced Arthralgia. Integrative Cancer Therapies, 2015, 14, 496-502. | 2.0 | 37 |
| 12 | Early discontinuation of endocrine therapy for breast cancer: who is at risk in clinical practice?. SpringerPlus, 2014, 3, 282. | 1.2 | 36 |
| 13 | First results from the phase III ALTTO trial (BIG 2-06; NCCTG [Alliance] N063D) comparing one year of anti-HER2 therapy with lapatinib alone (L), trastuzumab alone (T), their sequence (Tâ†'L), or their combination (T+L) in the adjuvant treatment of HER2-positive early breast cancer (EBC) Journal of Clinical Oncology, 2014, 32, LBA4-LBA4. | 1.6 | 32 |
| 14 | Long-term hazard of recurrence in HER2+ breast cancer patients untreated with anti-HER2 therapy. Breast Cancer Research, 2015, 17, 56. | 5.0 | 30 |
| 15 | VERONICA: Randomized Phase II Study of Fulvestrant and Venetoclax in ER-Positive Metastatic Breast Cancer Post-CDK4/6 Inhibitors – Efficacy, Safety, and Biomarker Results. Clinical Cancer Research, 2022, 28, 3256-3267. | 7.0 | 28 |
| 16 | A systematic literature review of attitudes towards secondary use and sharing of health administrative and clinical trial data: a focus on consent. Systematic Reviews, 2021, 10, 132. | 5.3 | 23 |
| 17 | A systematic literature review of health consumer attitudes towards secondary use and sharing of health administrative and clinical trial data: a focus on privacy, trust, and transparency. Systematic Reviews, 2020, 9, 235. | 5.3 | 21 |
| 18 | The FACT-Melanoma Quality-of-Life Instrument. Melanoma Research, 2013, 23, 61-69. | 1.2 | 12 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 19 | A Case of Opioid Toxicity on Conversion From Extended-Release Oxycodone and Naloxone to Extended-Release Oxycodone in a Patient With Liver Dysfunction. Journal of Pain and Symptom Management, 2017, 53, e1-e2. | 1.2 | 12 |
| 20 | A systematic literature review of researchers' and healthcare professionals' attitudes towards the secondary use and sharing of health administrative and clinical trial data. Systematic Reviews, 2020, 9, 240. | 5 . 3 | 12 |
| 21 | Patient-reported outcomes in melanoma survivors at 1, 3 and 5Âyears post-diagnosis: a population-based cross-sectional study. Quality of Life Research, 2020, 29, 2021-2027. | 3.1 | 11 |
| 22 | Pilot study of an online training program to increase genetic literacy and communication skills in oncology healthcare professionals discussing BRCA1/2 genetic testing with breast and ovarian cancer patients. Familial Cancer, 2022, 21, 157-166. | 1.9 | 9 |
| 23 | The social meanings of choice in living-with advanced breast cancer. Social Science and Medicine, 2021, 280, 114047. | 3.8 | 8 |
| 24 | The role of breast reconstruction choice on body image patientâ€reported outcomes at four years postâ€mastectomy for breast cancer: A longitudinal prospective cohort study. Psycho-Oncology, 2022, 31, 54-61. | 2.3 | 8 |
| 25 | Development of the Melanoma Concerns Questionnaire (MCQâ€28); refinement of the EORTC QLQâ€MEL38 module. Psycho-Oncology, 2020, 29, 321-330. | 2.3 | 7 |
| 26 | A Decision Aid for Women Considering Neoadjuvant Systemic Therapy for Operable Invasive Breast Cancer: Development and Protocol of a Phase II Evaluation Study (ANZ1301 DOMINO). JMIR Research Protocols, 2016, 5, e88. | 1.0 | 7 |
| 27 | Accreditation Standard Guideline Initiative for Tai Chi and Qigong Instructors and Training Institutions. Medicines (Basel, Switzerland), 2018, 5, 51. | 1.4 | 6 |
| 28 | Switching between endocrine therapies for primary breast cancer: Frequency and timing in Australian clinical practice. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e161-e170. | 1.1 | 5 |
| 29 | Identification of early breast cancer patient cohorts who may benefit from lapatinib therapy. European Journal of Cancer, 2016, 56, 85-92. | 2.8 | 4 |
| 30 | Hormone receptor positive, HER2 negative metastatic breast cancer: Impact of CDK4/6 inhibitors on the current treatment paradigm. Asia-Pacific Journal of Clinical Oncology, 2018, 14, 3-11. | 1.1 | 4 |
| 31 | Breast cancer recurrence following active treatment: determining its incidence in the NSW population. Public Health Research and Practice, 2016, 26, e2611607. | 1.5 | 4 |
| 32 | <i>eTRIO</i> trial: study protocol of a randomised controlled trial of online education modules to facilitate effective family caregiver involvement in oncology. BMJ Open, 2021, 11, e043224. | 1.9 | 3 |
| 33 | Perinatal outcomes of women with gestational breast cancer in Australia and New Zealand: A prospective populationâ€based study. Birth, 2022, 49, 763-773. | 2.2 | 3 |
| 34 | Screening and Audit as Service-Level Strategies to Support Implementation of Australian Guidelines for Cancer Pain Management in Adults: A Feasibility Study. Pain Management Nursing, 2019, 20, 113-117. | 0.9 | 2 |
| 35 | Development and consensus process for a clinical pathway for the assessment and management of chemotherapy-induced peripheral neuropathy. Supportive Care in Cancer, 2022, 30, 5965-5974. | 2.2 | 2 |
| 36 | Clinical Decision Making in the Management of Breast Cancer Diagnosed During Pregnancy: A Review and Case Series Analysis. Journal of Adolescent and Young Adult Oncology, 2021, , . | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical consultations and investigations before and after discontinuation of endocrine therapy in women with primary breast cancer. Public Health Research and Practice, 2017, 27, . | 1.5 | O |