

# Faith Dickerson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9000380/publications.pdf>

Version: 2024-02-01

161  
papers

7,951  
citations

44069

48  
h-index

54911

84  
g-index

169  
all docs

169  
docs citations

169  
times ranked

8302  
citing authors

#	ARTICLE	IF	CITATIONS
1	Experiences of Persons With Serious Mental Illness During the COVID-19 Pandemic. <i>Psychiatric Services</i> , 2022, 73, 133-140.	2.0	12
2	Failure to replicate associations between <i>Toxoplasma gondii</i> or hepatitis C virus infection and personality traits. <i>Middle East Current Psychiatry</i> , 2022, 29, .	1.2	0
3	The oropharyngeal microbiome is altered in individuals with schizophrenia and mania. <i>Schizophrenia Research</i> , 2021, 234, 51-57.	2.0	21
4	Exposure to Epstein Barr virus and cognitive functioning in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 193-197.	2.0	12
5	Risk factors for natural cause mortality in a cohort of 1494 persons with serious mental illness. <i>Psychiatry Research</i> , 2021, 298, 113755.	3.3	17
6	Randomized controlled trial of an adjunctive sulforaphane nutraceutical in schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 142-144.	2.0	12
7	Complement C4 associations with altered microbial biomarkers exemplify gene-by-environment interactions in schizophrenia. <i>Schizophrenia Research</i> , 2021, 234, 87-93.	2.0	13
8	Studying the virome in psychiatric disease. <i>Schizophrenia Research</i> , 2021, 234, 78-86.	2.0	3
9	Nitrated meat products are associated with mania in humans and altered behavior and brain gene expression in rats. <i>Molecular Psychiatry</i> , 2020, 25, 560-571.	7.9	14
10	Host-parasite interaction associated with major mental illness. <i>Molecular Psychiatry</i> , 2020, 25, 194-205.	7.9	26
11	Atypical immune response to Epstein-Barr virus in major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 264, 221-226.	4.1	11
12	Protein intake is associated with cognitive functioning in individuals with psychiatric disorders. <i>Psychiatry Research</i> , 2020, 284, 112700.	3.3	10
13	D-cycloserine augmentation of cognitive behavioral therapy for delusions: A randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 222, 145-152.	2.0	6
14	The association between exposure to herpes simplex virus type 1 (HSV-1) and cognitive functioning in schizophrenia: A meta-analysis. <i>Psychiatry Research</i> , 2020, 291, 113157.	3.3	9
15	Serological evidence of infections does not predict subsequent late-onset psychosis in the general population. <i>Schizophrenia Research</i> , 2020, 218, 306-308.	2.0	0
16	Complex Gastrointestinal and Endocrine Sources of Inflammation in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 549.	2.6	13
17	Exposure to common infections and risk of suicide and self-harm: a longitudinal general population study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 829-839.	3.2	10
18	Latent infection, inflammatory markers and suicide attempt history in depressive disorders. <i>Journal of Affective Disorders</i> , 2020, 270, 97-101.	4.1	26

#	ARTICLE	IF	CITATIONS
19	Randomized controlled trial of adjunctive Valproate for cognitive remediation in early course schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 118, 66-72.	3.1	9
20	Effects of a behavioural weight loss intervention in people with serious mental illness: Subgroup analyses from the ACHIEVE trial. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 205-210.	1.8	3
21	Nitrated meat products are associated with suicide behavior in psychiatric patients. <i>Psychiatry Research</i> , 2019, 275, 283-286.	3.3	1
22	Exposure to household pet cats and dogs in childhood and risk of subsequent diagnosis of schizophrenia or bipolar disorder. <i>PLoS ONE</i> , 2019, 14, e0225320.	2.5	11
23	The lack of association between herpes simplex virus 1 or <i>Toxoplasma gondii</i> infection and cognitive decline in the general population: An 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 159-164.	4.1	27
24	Schizophrenia is Associated With an Aberrant Immune Response to Epstein-Barr Virus. <i>Schizophrenia Bulletin</i> , 2019, 45, 1112-1119.	4.3	36
25	Clinical and Serological Predictors of Suicide in Schizophrenia and Major Mood Disorders. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 173-178.	1.0	29
26	Adjunctive probiotic microorganisms to prevent rehospitalization in patients with acute mania: A randomized controlled trial. <i>Bipolar Disorders</i> , 2018, 20, 614-621.	1.9	99
27	Association of cytomegalovirus and Epstein-Barr virus with cognitive functioning and risk of dementia in the general population: 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2018, 69, 480-485.	4.1	29
28	Joint evaluation of serum C-Reactive Protein levels and polygenic risk scores as risk factors for schizophrenia. <i>Psychiatry Research</i> , 2018, 261, 148-153.	3.3	6
29	Natural cause mortality in persons with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 371-379.	4.5	43
30	The association between toxoplasma and the psychosis continuum in a general population setting. <i>Schizophrenia Research</i> , 2018, 193, 329-335.	2.0	24
31	Cigarette Smoking by Patients With Serious Mental Illness, 1999-2016: An Increasing Disparity. <i>Psychiatric Services</i> , 2018, 69, 147-153.	2.0	113
32	Emotion discrimination in humans: Its association with HSV-1 infection and its improvement with antiviral treatment. <i>Schizophrenia Research</i> , 2018, 193, 161-167.	2.0	11
33	Bringing an Effective Behavioral Weight Loss Intervention for People With Serious Mental Illness to Scale. <i>Frontiers in Psychiatry</i> , 2018, 9, 604.	2.6	14
34	Excess mortality in severe mental illness: more questions than answers. <i>Lancet Psychiatry</i> , 2018, 5, 610-611.	7.4	1
35	<i>Toxoplasma gondii</i> : Biological Parameters of the Connection to Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 983-992.	4.3	71
36	The association between immune markers and recent suicide attempts in patients with serious mental illness: A pilot study. <i>Psychiatry Research</i> , 2017, 255, 8-12.	3.3	31

#	ARTICLE	IF	CITATIONS
37	768. Intestinal Inflammation and Suicidal Behavior. <i>Biological Psychiatry</i> , 2017, 81, S312.	1.3	0
38	769. Immune Pathways Associated with Diet, Psychiatric Disorders, and Suicide Attempts. <i>Biological Psychiatry</i> , 2017, 81, S312.	1.3	0
39	400. Dysfunctional Emotion Discrimination in Schizophrenia is Associated with HSV-1 Infection and Improves with Antiviral Treatment. <i>Biological Psychiatry</i> , 2017, 81, S163.	1.3	1
40	Suicide attempts and markers of immune response in individuals with serious mental illness. <i>Journal of Psychiatric Research</i> , 2017, 87, 37-43.	3.1	68
41	The microbiome, immunity, and schizophrenia and bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2017, 62, 46-52.	4.1	209
42	Long way to go to close the mortality gap. <i>Lancet Psychiatry</i> , 2017, 4, 892-893.	7.4	0
43	772. The Role of the Microbiome in Bipolar Disorder-A New Model. <i>Biological Psychiatry</i> , 2017, 81, S313-S314.	1.3	2
44	Evidence of increased exposure to <i>Toxoplasma gondii</i> in individuals with recent onset psychosis but not with established schizophrenia. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0006040.	3.0	37
45	Inflammatory Markers in Recent Onset Psychosis and Chronic Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv108.	4.3	56
46	Perceptions of strategies for successful weight loss in persons with serious mental illness participating in a behavioral weight loss intervention: A qualitative study.. <i>Psychiatric Rehabilitation Journal</i> , 2016, 39, 137-146.	1.1	22
47	The association among smoking, HSV-1 exposure, and cognitive functioning in schizophrenia, bipolar disorder, and non-psychiatric controls. <i>Schizophrenia Research</i> , 2016, 176, 566-571.	2.0	15
48	Individuals hospitalized with acute mania have increased exposure to antimicrobial medications. <i>Bipolar Disorders</i> , 2016, 18, 404-409.	1.9	31
49	The Experience of Peer Mentors in an Intervention to Promote Smoking Cessation in Persons with Psychiatric Illness. <i>Community Mental Health Journal</i> , 2016, 52, 416-423.	2.0	7
50	Hepatitis C virus antibody titers associated with cognitive dysfunction in an asymptomatic community-based sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 861-868.	1.3	14
51	Mortality in schizophrenia and bipolar disorder: Clinical and serological predictors. <i>Schizophrenia Research</i> , 2016, 170, 177-183.	2.0	37
52	A Review of Android Apps for Smoking Cessation. <i>Journal of Smoking Cessation</i> , 2015, 10, 106-115.	1.0	14
53	Pentraxin 3 is reduced in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 409-414.	1.9	16
54	Immune alterations in acute bipolar depression. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 204-210.	4.5	27

#	ARTICLE	IF	CITATIONS
55	Early Detection and Intervention for People With Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 307-309.	1.0	2
56	Association of DNA Methylation with Acute Mania and Inflammatory Markers. <i>PLoS ONE</i> , 2015, 10, e0132001.	2.5	28
57	Multianalyte markers of schizophrenia and bipolar disorder: A preliminary study. <i>Schizophrenia Research</i> , 2015, 168, 450-455.	2.0	11
58	Reply to Kjartansdóttir et al.: Chlorovirus ATCV-1 findings not explained by contamination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E927.	7.1	7
59	Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2015, 63, 58-64.	3.1	39
60	Multiplex immunoassay analysis of plasma shows differences in biomarkers related to manic or mixed mood states in bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015, 185, 12-16.	4.1	14
61	Elevated C reactive protein in adults predicts the later development of late-onset or very-late-onset schizophrenia. <i>Evidence-Based Mental Health</i> , 2015, 18, e2-e2.	4.5	2
62	Cognitive deterioration among bipolar disorder patients infected by <i>Toxoplasma gondii</i> is correlated to interleukin 6 levels. <i>Journal of Affective Disorders</i> , 2015, 179, 161-166.	4.1	49
63	Smoking and Smoking Cessation Treatment Among Hospitalized Psychiatric Patients. <i>Psychiatric Services</i> , 2015, 66, 442-443.	2.0	0
64	The "psychomicrobiotic": Targeting microbiota in major psychiatric disorders: A systematic review. <i>Pathologie Et Biologie</i> , 2015, 63, 35-42.	2.2	158
65	Association between Cytomegalovirus Antibody Levels and Cognitive Functioning in Non-Elderly Adults. <i>PLoS ONE</i> , 2014, 9, e95510.	2.5	31
66	Predictive Value of Prospective Memory for Remission in First-Episode Schizophrenia. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 102-110.	1.9	5
67	Quality of Life of Patients With Euthymic Bipolar Disorder and Its Associations With Demographic and Clinical Characteristics, Psychopathology, and Cognitive Deficits. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 44-50.	1.9	14
68	Antibodies to <i>Toxoplasma gondii</i> and Cognitive Functioning in Schizophrenia, Bipolar Disorder, and Nonpsychiatric Controls. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 589-593.	1.0	53
69	Antibodies to <i>Toxoplasma gondii</i> in individuals with mania. <i>Bipolar Disorders</i> , 2014, 16, 129-136.	1.9	40
70	A longitudinal study of cognitive functioning in schizophrenia: Clinical and biological predictors. <i>Schizophrenia Research</i> , 2014, 156, 248-253.	2.0	27
71	Mortality in Schizophrenia: Clinical and Serological Predictors. <i>Schizophrenia Bulletin</i> , 2014, 40, 796-803.	4.3	38
72	Chlorovirus ATCV-1 is part of the human oropharyngeal virome and is associated with changes in cognitive functions in humans and mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16106-16111.	7.1	109

#	ARTICLE	IF	CITATIONS
73	Cytomegalovirus seropositivity and serointensity are associated with hippocampal volume and verbal memory in schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 48, 142-148.	4.8	39
74	Multiplex immunoassay analysis of plasma shows prominent upregulation of growth factor activity pathways linked to GSK3 $\beta$ signaling in bipolar patients. <i>Journal of Affective Disorders</i> , 2014, 156, 139-143.	4.1	30
75	Common use of anticholinergic medications in older patients with schizophrenia: findings of the Research on Asian Psychotropic Prescription Pattern (REAP) study, 2001-2009. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 305-311.	2.7	7
76	Elevated C-reactive protein and cognitive deficits in individuals with bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 456-459.	4.1	98
77	Relationship between <i>Toxoplasma gondii</i> infection and bipolar disorder in a French sample. <i>Journal of Affective Disorders</i> , 2013, 148, 444-448.	4.1	102
78	C-reactive protein is elevated in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 198-202.	2.0	104
79	“MOVE!” Outcomes of a Weight Loss Program Modified for Veterans With Serious Mental Illness. <i>Psychiatric Services</i> , 2013, 64, 737-744.	2.0	52
80	Living Well: An Intervention to Improve Self-Management of Medical Illness for Individuals With Serious Mental Illness. <i>Psychiatric Services</i> , 2013, 64, 51-57.	2.0	76
81	Cigarette Smoking Among Persons With Schizophrenia or Bipolar Disorder in Routine Clinical Settings, 1999-2011. <i>Psychiatric Services</i> , 2013, 64, 44-50.	2.0	189
82	Prospective memory deficits in euthymic bipolar disorder patients: A preliminary study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 183-190.	2.2	8
83	Cigarette Smoking and Health Characteristics in Individuals With Serious Mental Illness Enrolled in a Behavioral Weight Loss Trial. <i>Journal of Dual Diagnosis</i> , 2013, 9, 39-46.	1.2	9
84	A Combined Marker of Inflammation in Individuals with Mania. <i>PLoS ONE</i> , 2013, 8, e73520.	2.5	34
85	Adjunctive Mood Stabilizer and Benzodiazepine Use in Older Asian Patients with Schizophrenia, 2001-2009. <i>Pharmacopsychiatry</i> , 2012, 45, 217-222.	3.3	11
86	Peer Supports for Tobacco Cessation for Adults With Serious Mental Illness: A Review of the Literature. <i>Journal of Dual Diagnosis</i> , 2012, 8, 104-112.	1.2	25
87	Common Use of Antipsychotic Polypharmacy in Older Asian Patients With Schizophrenia (2001-2009). <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 809-813.	1.4	16
88	Quality of Life in Community-Dwelling Patients With Schizophrenia in China. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 584-587.	1.0	23
89	Prescribing patterns of low doses of antipsychotic medications in older Asian patients with schizophrenia, 2001-2009. <i>International Psychogeriatrics</i> , 2012, 24, 1002-1008.	1.0	2
90	Markers of gluten sensitivity in acute mania: A longitudinal study. <i>Psychiatry Research</i> , 2012, 196, 68-71.	3.3	41

#	ARTICLE	IF	CITATIONS
91	Additive effects of elevated C-reactive protein and exposure to Herpes Simplex Virus type 1 on cognitive impairment in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 83-88.	2.0	76
92	Characteristics and clinical correlates of prospective memory performance in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 34-39.	2.0	44
93	Antibodies to retroviruses in recent onset psychosis and multi-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 198-205.	2.0	20
94	Evaluation of HLA polymorphisms in relation to schizophrenia risk, infectious exposure and cognition. <i>Neurology Psychiatry and Brain Research</i> , 2012, 18, 75.	2.0	0
95	Pollen-specific immunoglobulin E positivity is associated with worsening of depression scores in bipolar disorder patients during high pollen season. <i>Bipolar Disorders</i> , 2012, 14, 90-98.	1.9	29
96	Antibodies to the glutamate receptor in mania. <i>Bipolar Disorders</i> , 2012, 14, 547-553.	1.9	47
97	Artemisinin reduces the level of antibodies to gliadin in schizophrenia. <i>Schizophrenia Research</i> , 2011, 129, 196-200.	2.0	15
98	Cognitive Functioning in Recent Onset Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 367-371.	1.0	15
99	Smoking cessation in persons with serious mental illnesses: The experience of successful quitters.. <i>Psychiatric Rehabilitation Journal</i> , 2011, 34, 311-316.	1.1	32
100	Markers of gluten sensitivity and celiac disease in bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 52-58.	1.9	56
101	Cigarette smoking in community-dwelling patients with schizophrenia in China. <i>Journal of Psychiatric Research</i> , 2011, 45, 1551-1556.	3.1	20
102	Predictors of quality of life in type 2 diabetes patients with schizophrenia, major mood disorder, and without mental illness. <i>Quality of Life Research</i> , 2011, 20, 1419-1425.	3.1	13
103	Evidence-Based Psychotherapy for Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 520-526.	1.0	52
104	Occupational status and social adjustment six months after hospitalization early in the course of bipolar disorder: a prospective study. <i>Bipolar Disorders</i> , 2010, 12, 10-20.	1.9	45
105	The 2009 Schizophrenia PORT Psychosocial Treatment Recommendations and Summary Statements. <i>Schizophrenia Bulletin</i> , 2010, 36, 48-70.	4.3	633
106	Markers of Gluten Sensitivity and Celiac Disease in Recent-Onset Psychosis and Multi-Episode Schizophrenia. <i>Biological Psychiatry</i> , 2010, 68, 100-104.	1.3	121
107	Novel immune response to gluten in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 248-255.	2.0	101
108	Antibodies to measles in individuals with recent onset psychosis. <i>Schizophrenia Research</i> , 2010, 119, 89-94.	2.0	25

#	ARTICLE	IF	CITATIONS
109	Predictors of mortality in patients with serious mental illness and co-occurring type 2 diabetes. <i>Psychiatry Research</i> , 2010, 177, 250-254.	3.3	19
110	Double blind trial of adjunctive valacyclovir in individuals with schizophrenia who are seropositive for cytomegalovirus. <i>Schizophrenia Research</i> , 2009, 107, 147-149.	2.0	21
111	A double-blind trial of adjunctive allopurinol for schizophrenia. <i>Schizophrenia Research</i> , 2009, 109, 66-69.	2.0	52
112	A double-blind trial of adjunctive azithromycin in individuals with schizophrenia who are seropositive for <i>Toxoplasma gondii</i> . <i>Schizophrenia Research</i> , 2009, 112, 198-199.	2.0	26
113	Recovery from Disability: Manual of Psychiatric Rehabilitation. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 467.	1.0	0
114	Physical Wellness and Employment Status Among Adults with Serious Mental Illness. <i>Community Mental Health Journal</i> , 2008, 44, 245-251.	2.0	4
115	Polymorphisms in human endogenous retrovirus K-18 and risk of type 2 diabetes in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2008, 104, 121-126.	2.0	35
116	Antibodies to cytomegalovirus and Herpes Simplex Virus 1 associated with cognitive function in schizophrenia. <i>Schizophrenia Research</i> , 2008, 106, 268-274.	2.0	84
117	Predictors of occupational status six months after hospitalization in persons with a recent onset of psychosis. <i>Psychiatry Research</i> , 2008, 160, 278-284.	3.3	44
118	Association between cognitive functioning, exposure to Herpes Simplex Virus type 1, and the COMT Val158Met genetic polymorphism in adults without a psychiatric disorder. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 1103-1107.	4.1	53
119	Quality of Life in Individuals With Serious Mental Illness and Type 2 Diabetes. <i>Psychosomatics</i> , 2008, 49, 109-114.	2.5	28
120	Endogenous Retroviruses and Human Neuropsychiatric Disorders. , 2008, , 65-85.		1
121	Women, Aging, and Schizophrenia. <i>Journal of Women and Aging</i> , 2007, 19, 49-61.	1.0	17
122	<i>Toxoplasma gondii</i> in Individuals With Schizophrenia: Association With Clinical and Demographic Factors and With Mortality. <i>Schizophrenia Bulletin</i> , 2007, 33, 737-740.	4.3	58
123	The Association Between Cognitive Functioning and Occupational Status in Persons With a Recent Onset of Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 566-571.	1.0	19
124	Evidence Based Mental Health Practice: A Textbook. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 97-98.	1.0	0
125	Elevated serum levels of C-reactive protein are associated with mania symptoms in outpatients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 952-955.	4.8	136
126	The lymphotoxin Cys13Arg polymorphism and cognitive functioning in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2007, 89, 173-176.	2.0	15



#	ARTICLE	IF	CITATIONS
127	C-reactive protein is associated with the severity of cognitive impairment but not of psychiatric symptoms in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2007, 93, 261-265.	2.0	180
128	The catechol O-methyltransferase Val158Met polymorphism is not associated with broad-based cognitive functioning in schizophrenia. <i>Schizophrenia Research</i> , 2007, 96, 87-92.	2.0	10
129	Polymorphisms in the homeobox gene OTX2 may be a risk factor for bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1083-1086.	1.7	21
130	Correlates of Religious Service Attendance and Contact With Religious Leaders Among Persons With Co-Occurring Serious Mental Illness and Type 2 Diabetes. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 382-388.	1.0	20
131	Cytomegalovirus and Schizophrenia. <i>CNS Drugs</i> , 2006, 20, 879-885.	5.9	81
132	Obesity among individuals with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 306-313.	4.5	162
133	DISC1â€™NDEL1/NUDEL protein interaction, an essential component for neurite outgrowth, is modulated by genetic variations of DISC1. <i>Human Molecular Genetics</i> , 2006, 15, 3313-3323.	2.9	154
134	Deficit Schizophrenia: Association With Serum Antibodies to Cytomegalovirus. <i>Schizophrenia Bulletin</i> , 2006, 32, 396-400.	4.3	71
135	Physical Activity Patterns in Adults With Severe Mental Illness. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 641-646.	1.0	253
136	Cognitive Therapy of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 853-854.	1.0	0
137	Health Status of Individuals With Serious Mental Illness. <i>Schizophrenia Bulletin</i> , 2005, 32, 584-589.	4.3	71
138	Diabetes Knowledge Among Persons With Serious Mental Illness and Type 2 Diabetes. <i>Psychosomatics</i> , 2005, 46, 418-424.	2.5	54
139	The token economy for schizophrenia: review of the literature and recommendations for future research. <i>Schizophrenia Research</i> , 2005, 75, 405-416.	2.0	78
140	Sexual and Reproductive Behaviors Among Persons With Mental Illness. <i>Psychiatric Services</i> , 2004, 55, 1299-1301.	2.0	53
141	Association Between Cognitive Functioning and Employment Status of Persons With Bipolar Disorder. <i>Psychiatric Services</i> , 2004, 55, 54-58.	2.0	167
142	Brief cognitive assessment in schizophrenia: normative data for the Repeatable Battery for the Assessment of Neuropsychological Status*1. <i>Schizophrenia Research</i> , 2004, 70, 175-186.	2.0	113
143	Cognitive functioning in schizophrenia and bipolar disorder: comparison of performance on the Repeatable Battery for the Assessment of Neuropsychological Status. <i>Psychiatry Research</i> , 2004, 129, 45-53.	3.3	168
144	An expanded version of the Multnomah Community Ability Scale: anchors and interview probes for the assessment of adults with serious mental illness. <i>Community Mental Health Journal</i> , 2003, 39, 131-137.	2.0	44

#	ARTICLE	IF	CITATIONS
145	Antipsychotic medications and diabetes outcomes in the seriously mentally ill. <i>Schizophrenia Research</i> , 2003, 60, 337-338.	2.0	0
146	Smoking, gender, and dietary influences on erythrocyte essential fatty acid composition among patients with schizophrenia or schizoaffective disorder. <i>Biological Psychiatry</i> , 2003, 53, 431-441.	1.3	109
147	HSV-1 serology predicts cognitive deficits in bipolar disorder similar to schizophrenia. <i>Schizophrenia Research</i> , 2003, 60, 125-126.	2.0	11
148	Somatic Healthcare Utilization Among Adults With Serious Mental Illness Who Are Receiving Community Psychiatric Services. <i>Medical Care</i> , 2003, 41, 560-570.	2.4	118
149	Title is missing!. <i>Medical Care</i> , 2003, 41, 560-570.	2.4	93
150	Dr. Fenton and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2003, 160, 189-189.	7.2	3
151	Test-Retest Stability of the Repeatable Battery for the Assessment of Neuropsychological Status in Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 838-844.	7.2	140
152	Health Behaviors and Health Status of Older Women With Schizophrenia. <i>Psychiatric Services</i> , 2002, 53, 882-884.	2.0	34
153	Experiences of Stigma Among Outpatients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2002, 28, 143-155.	4.3	310
154	Outpatients with schizophrenia and bipolar I disorder: do they differ in their cognitive and social functioning?. <i>Psychiatry Research</i> , 2001, 102, 21-27.	3.3	85
155	A Placebo-Controlled Trial of Omega-3 Fatty Acid (Ethyl Eicosapentaenoic Acid) Supplementation for Residual Symptoms and Cognitive Impairment in Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 2071-2074.	7.2	274
156	524. Randomized trial of supplemental EPA for residual symptoms of schizophrenia. <i>Biological Psychiatry</i> , 2000, 47, S159-S160.	1.3	2
157	Social functioning and neurocognitive deficits in outpatients with schizophrenia: a 2-year follow-up. <i>Schizophrenia Research</i> , 1999, 37, 13-20.	2.0	167
158	Quality of life in outpatients with schizophrenia. <i>Schizophrenia Research</i> , 1997, 24, 13.	2.0	7
159	Neurocognitive deficits and social functioning in outpatients with schizophrenia. <i>Schizophrenia Research</i> , 1996, 21, 75-83.	2.0	93
160	Characteristics of deficit syndrome schizophrenic outpatients: Neuropsychological and social functioning. <i>Schizophrenia Research</i> , 1995, 15, 7.	2.0	0
161	Aggressive behavior and the use of seclusion/restraint in chronic schizophrenic patients. <i>Schizophrenia Research</i> , 1991, 4, 302.	2.0	0