
Briony Larance

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9000603/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Economic analysis of out-of-pocket costs among people in opioid agonist treatment: A cross-sectional survey in three Australian jurisdictions. International Journal of Drug Policy, 2022, 99, 103472. | 3.3 | 11 |
| 2 | Outcomes of a single-arm implementation trial of extended-release subcutaneous buprenorphine depot injections in people with opioid dependence. International Journal of Drug Policy, 2022, 100, 103492. | 3.3 | 22 |
| 3 | Examining the cost and impact of dosing fees among clients in opioid agonist treatment: Results from a crossâ€sectional survey of Australian treatment clients. Drug and Alcohol Review, 2022, 41, 841-850. | 2.1 | 7 |
| 4 | Self-reported challenges obtaining ongoing prescription opioids among Australians with chronic non-cancer pain. International Journal of Drug Policy, 2022, 105, 103708. | 3.3 | 2 |
| 5 | Systematic review of guidelines for managing physical health during treatment for substance use disorders: Implications for the alcohol and other drug workforce. Drug and Alcohol Review, 2022, 41, 1367-1390. | 2.1 | 3 |
| 6 | Facilitators and barriers to integrating physical health care during treatment for substance use: A socioâ€ecological analysis. Drug and Alcohol Review, 2021, 40, 607-616. | 2.1 | 7 |
| 7 | Characteristics and circumstances of death related to buprenorphine toxicity in Australia. Drug and Alcohol Dependence, 2021, 218, 108360. | 3.2 | 7 |
| 8 | Routine outcome measurement in specialist nonâ€government alcohol and other drug treatment services: Establishing effectiveness indicators for the <scp>NADA</scp> base. Drug and Alcohol Review, 2021, 40, 540-552. | 2.1 | 9 |
| 9 | Pharmaceutical Opioid Use Patterns and Indicators of Extramedical Use and Harm in Adults With Chronic Noncancer Pain, 2012-2018. JAMA Network Open, 2021, 4, e213059. | 5.9 | 4 |
| 10 | SMART Recovery International and COVID-19: Expanding the reach of mutual support through online groups. Journal of Substance Abuse Treatment, 2021, 131, 108568. | 2.8 | 11 |
| 11 | The use of Australian SMART Recovery groups by people who use methamphetamine: Analysis of routinely-collected nationwide data. Drug and Alcohol Dependence, 2021, 225, 108814. | 3.2 | 4 |
| 12 | Preliminary psychometric evaluation of the patient reported experience measure for addiction treatment (PREMAT). Addictive Behaviors, 2021, 123, 107048. | 3.0 | 1 |
| 13 | Perceptions of injectable opioid agonist treatment (iOAT) among people who regularly use opioids in Australia: findings from a crossâ€sectional study in three Australian cities. Addiction, 2021, 116, 1482-1494. | 3.3 | 3 |
| 14 | Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in SMART Recovery Mutual Support Groups: Stage 1 Mixed Methods Pilot Study. Journal of Medical Internet Research, 2021, 23, e25217. | 4.3 | 8 |
| 15 | Development of a Brief Patient-Administered Screening Tool for Prescription Opioid Dependence for Primary Care Settings. Pain Medicine, 2020, 21, e79-e88. | 1.9 | 8 |
| 16 | Substance Use and Co-occurring Physical Health Problems: File Review of a Residential Drug and Alcohol Treatment Service. Journal of Dual Diagnosis, 2020, 16, 250-259. | 1.2 | 11 |
| 17 | Correlates of indicators of potential extraâ€medical opioid use in people prescribed opioids for chronic nonâ€cancer pain. Drug and Alcohol Review, 2020, 39, 128-134. | 2.1 | 7 |
| 18 | Opioid use and harms associated with a sustained-release tapentadol formulation: A post-marketing surveillance study. Drug and Alcohol Dependence, 2020, 206, 107697. | 3.2 | 10 |

BRIONY LARANCE

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Perceptions of extendedâ€release buprenorphine injections for opioid use disorder among people who regularly use opioids in Australia. Addiction, 2020, 115, 1295-1305. | 3.3 | 46 |
| 20 | Risk factors for indicators of opioid-related harms amongst people living with chronic non-cancer pain: Findings from a 5-year prospective cohort study. EClinicalMedicine, 2020, 28, 100592. | 7.1 | 16 |
| 21 | Open-label, multicentre, single-arm trial of monthly injections of depot buprenorphine in people with opioid dependence: protocol for the CoLAB study. BMJ Open, 2020, 10, e034389. | 1.9 | 9 |
| 22 | Feasibility of a Mobile Health App for Routine Outcome Monitoring and Feedback in Mutual Support Groups Coordinated by SMART Recovery Australia: Protocol for a Pilot Study. JMIR Research Protocols, 2020, 9, e15113. | 1.0 | 8 |
| 23 | Concerns and Help-Seeking Among Patients Using Opioids for Management of Chronic Noncancer Pain. Pain Medicine, 2019, 20, 758-769. | 1.9 | 9 |
| 24 | Postâ€marketing studies of pharmaceutical opioid abuseâ€deterrent formulations: a framework for research design and reporting. Addiction, 2019, 114, 389-399. | 3.3 | 11 |
| 25 | Circumstances of death of opioid users being treated with naltrexone. Addiction, 2019, 114, 2000-2007. | 3.3 | 6 |
| 26 | Effectiveness and framing of pharmaceutical opioid abuseâ€deterrent formulations. Addiction, 2019, 114, 404-405. | 3.3 | 2 |
| 27 | Regulatory and other responses to the pharmaceutical opioid problem. Medical Journal of Australia, 2019, 210, 6. | 1.7 | 36 |
| 28 | Trends in methamphetamine and opioid use among clients of needleâ€syringe programs in Queensland, Australia: 2007–2015. Drug and Alcohol Review, 2019, 38, 159-168. | 2.1 | 0 |
| 29 | Increases in controlledâ€release oxycodone utilisation following the subsidy of oxycodone with naloxone formulations: An Australian populationâ€based study. Pharmacoepidemiology and Drug Safety, 2019, 28, 97-105. | 1.9 | 6 |
| 30 | A population-based study of transdermal fentanyl initiation in Australian clinical practice. European Journal of Clinical Pharmacology, 2019, 75, 401-408. | 1.9 | 8 |
| 31 | The effect of a potentially tamper-resistant oxycodone formulation on opioid use and harm: main findings of the National Opioid Medications Abuse Deterrence (NOMAD) study. Lancet Psychiatry,the, 2018, 5, 155-166. | 7.4 | 28 |
| 32 | Person-level changes in oxycodone use after the introduction of a tamper-resistant formulation in Australia. Cmaj, 2018, 190, E355-E362. | 2.0 | 9 |
| 33 | Opioid use and harms associated with a sustained-release tapentadol formulation: a postmarketing study protocol. BMJ Open, 2018, 8, e020006. | 1.9 | 3 |
| 34 | Prescription Opioid Access Patterns and Factors Associated with Increasing Number of Prescribers, Pharmacies, and Dispensings: An Observational Study Using Pharmaceutical Claims. Pain Medicine, 2018, 19, 1170-1183. | 1.9 | 6 |
| 35 | To what extent do data from pharmaceutical claims underâ€estimate opioid analgesic utilisation in Australia?. Pharmacoepidemiology and Drug Safety, 2018, 27, 550-555. | 1.9 | 35 |
| 36 | Pharmaceutical opioid use and harm in Australia: The need for proactive and preventative responses. Drug and Alcohol Review, 2018, 37, S203-S205. | 2.1 | 32 |

BRIONY LARANCE

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Predictors of transitions across stages of heroin use and dependence prior to treatment-seeking among people in treatment for opioid dependence. Drug and Alcohol Dependence, 2018, 191, 145-151. | 3.2 | 18 |
| 38 | Defined daily doses (DDD) do not accurately reflect opioid doses used in contemporary chronic pain treatment. Pharmacoepidemiology and Drug Safety, 2017, 26, 587-591. | 1.9 | 39 |
| 39 | Geographic Variation in Health Service Use and Perceived Access Barriers for Australian Adults with Chronic Non-Cancer Pain Receiving Opioid Therapy. Pain Medicine, 2016, 17, 2003-2016. | 1.9 | 10 |
| 40 | Defining problematic pharmaceutical opioid use among people prescribed opioids for chronic noncancer pain: do different measures identify the same patients?. Pain, 2016, 157, 1489-1498. | 4.2 | 43 |
| 41 | The extent and correlates of communityâ€based pharmaceutical opioid utilisation in Australia. Pharmacoepidemiology and Drug Safety, 2016, 25, 521-538. | 1.9 | 63 |
| 42 | Development of a brief tool for monitoring aberrant behaviours among patients receiving long-term opioid therapy: The Opioid-Related Behaviours In Treatment (ORBIT) scale. Drug and Alcohol Dependence, 2016, 159, 42-52. | 3.2 | 27 |
| 43 | Same-day use of opioids and other central nervous system depressants amongst people who tamper with pharmaceutical opioids: A retrospective 7-day diary study. Drug and Alcohol Dependence, 2016, 166, 125-133. | 3.2 | 11 |
| 44 | Diversion and injection of buprenorphine-naloxone film two years post-introduction in Australia. Drug and Alcohol Review, 2016, 35, 83-91. | 2.1 | 15 |
| 45 | An ecological study of the extent and factors associated with the use of prescription and over-the-counter codeine in Australia. European Journal of Clinical Pharmacology, 2016, 72, 469-494. | 1.9 | 37 |
| 46 | Pain, alcohol use disorders and risky patterns of drinking among people with chronic non-cancer pain receiving long-term opioid therapy. Drug and Alcohol Dependence, 2016, 162, 79-87. | 3.2 | 40 |
| 47 | The extramedical use and diversion of opioid substitution medications and other medications in prison settings in <scp>A</scp> ustralia following the introduction of buprenorphine–naloxone film. Drug and Alcohol Review, 2016, 35, 76-82. | 2.1 | 21 |
| 48 | The introduction of buprenorphine-naloxone film in opioid substitution therapy in Australia: Uptake and issues arising from changing buprenorphine formulations. Drug and Alcohol Review, 2015, 34, 603-610. | 2.1 | 8 |
| 49 | Injecting buprenorphineâ€naloxone film: Findings from an explorative qualitative study. Drug and Alcohol Review, 2015, 34, 623-629. | 2.1 | 6 |
| 50 | Jurisdictional differences in opioid use, other licit and illicit drug use, and harms associated with substance use among people who tamper with pharmaceutical opioids. Drug and Alcohol Review, 2015, 34, 611-622. | 2.1 | 10 |
| 51 | A typology of people who tamper with pharmaceutical opioids: responses to introduction of a tamperâ€resistant formulation of controlledâ€release oxycodone. Pharmacoepidemiology and Drug Safety, 2015, 24, 1321-1333. | 1.9 | 4 |
| 52 | Pharmaceutical Opioid Use and Dependence among People Living with Chronic Pain: Associations Observed within the Pain and Opioids in Treatment (POINT) Cohort. Pain Medicine, 2015, 16, 1745-1758. | 1.9 | 78 |
| 53 | Benzodiazepine Use among Chronic Pain Patients Prescribed Opioids: Associations with Pain, Physical and Mental Health, and Health Service Utilization. Pain Medicine, 2015, 16, 356-366. | 1.9 | 102 |
| 54 | The POPPY Research Programme protocol: investigating opioid utilisation, costs and patterns of extramedical use in Australia. BMJ Open, 2015, 5, e007030-e007030. | 1.9 | 9 |

BRIONY LARANCE

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Methods and predictors of tampering with a tamper-resistant controlled-release oxycodone formulation. International Journal of Drug Policy, 2015, 26, 1265-1272. | 3.3 | 13 |
| 56 | The introduction of a potentially abuse deterrent oxycodone formulation: Early findings from the Australian National Opioid Medications Abuse Deterrence (NOMAD) study. Drug and Alcohol Dependence, 2015, 151, 56-67. | 3.2 | 29 |
| 57 | The Pain and Opioids IN Treatment study. Pain, 2015, 156, 231-242. | 4.2 | 104 |
| 58 | Evaluating the potential impact of a reformulated version of oxycodone upon tampering, nonâ€adherence and diversion of opioids: the <scp>N</scp> ational <scp>O</scp> pioid <scp>M</scp> edications <scp>A</scp> buse <scp>D</scp> eterrence (<scp>NOMAD</scp>) study protocol. Addiction, 2015, 110, 226-237. | 3.3 | 19 |
| 59 | A longitudinal comparison of retention in buprenorphine and methadone treatment for opioid dependence in New South Wales, Australia. Addiction, 2015, 110, 646-655. | 3.3 | 57 |
| 60 | The characteristics of a cohort who tamper with prescribed and diverted opioid medications. Journal of Substance Abuse Treatment, 2015, 58, 51-61. | 2.8 | 20 |
| 61 | Reducing extramedical use and harms of pharmaceutical opioids: the potential role of abuse-deterrent formulations. Lancet Psychiatry,the, 2015, 2, 957-959. | 7.4 | 3 |
| 62 | Diversion of prescribed opioids by people living with chronic pain: Results from an <scp>A</scp> ustralian community sample. Drug and Alcohol Review, 2014, 33, 27-32. | 2.1 | 11 |
| 63 | The diversion and injection of a buprenorphine-naloxone soluble film formulation. Drug and Alcohol Dependence, 2014, 136, 21-27. | 3.2 | 43 |
| 64 | Cohort protocol paper: The Pain and Opioids In Treatment (POINT) study. BMC Pharmacology & Toxicology, 2014, 15, 17. | 2.4 | 39 |
| 65 | A latent class analysis of self-reported clinical indicators of psychosocial stability and adherence among opioid substitution therapy patients: Do stable patients receive more unsupervised doses?. Drug and Alcohol Dependence, 2014, 142, 46-55. | 3.2 | 14 |
| 66 | Post-marketing surveillance of buprenorphine-naloxone in Australia: Diversion, injection and adherence with supervised dosing. Drug and Alcohol Dependence, 2011, 118, 265-273. | 3.2 | 62 |
| 67 | Prescription of opioid analgesics and related harms in Australia. Medical Journal of Australia, 2011, 195, 280-284. | 1.7 | 157 |
| 68 | Prescribers' perceptions of the diversion and injection of medication by opioid substitution treatment patients. Drug and Alcohol Review, 2011, 30, 613-620. | 2.1 | 21 |
| 69 | Definitions related to the use of pharmaceutical opioids: Extramedical use, diversion, nonâ€adherence and aberrant medicationâ€related behaviours. Drug and Alcohol Review, 2011, 30, 236-245. | 2.1 | 107 |
| 70 | The availability, diversion and injection of pharmaceutical opioids in South Asia. Drug and Alcohol Review, 2011, 30, 246-254. | 2.1 | 48 |
| 71 | Injecting risk behaviour and related harm among men who use performance―and imageâ€enhancing drugs. Drug and Alcohol Review, 2008, 27, 679-686. | 2.1 | 77 |