Henriette N ButtenschÃ,n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9000681/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	9.4	2,224
2	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. Brain, Behavior, and Immunity, 2017, 62, 344-350.	2.0	202
3	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	0.7	87
4	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	0.7	84
5	Depression, the Val66Met polymorphism, age, and gender influence the serum BDNF level. Journal of Psychiatric Research, 2012, 46, 1118-1125.	1.5	77
6	Pharmacogenetics of antidepressant response: A polygenic approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 128-134.	2.5	71
7	Cuba: Exploring the History of Admixture and the Genetic Basis of Pigmentation Using Autosomal and Uniparental Markers. PLoS Genetics, 2014, 10, e1004488.	1.5	57
8	A genome-wide study of panic disorder suggests the amiloride-sensitive cation channel 1 as a candidate gene. European Journal of Human Genetics, 2012, 20, 84-90.	1.4	45
9	Association of <i>GRIN1</i> and <i>GRIN2Aâ€D</i> With schizophrenia and genetic interaction with maternal herpes simplex virusâ€2 infection affecting disease risk. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 913-922.	1.1	44
10	Neurotrophic factors in depression in response to treatment. Journal of Affective Disorders, 2015, 183, 287-294.	2.0	43
11	The interferon alpha induced protein ISG12 is localized to the nuclear membrane. FEBS Journal, 2001, 268, 5947-5954.	0.2	41
12	An association study of suicide and candidate genes in the serotonergic system. Journal of Affective Disorders, 2013, 148, 291-298.	2.0	29
13	Depression and BMI influences the serum vascular endothelial growth factor level. International Journal of Neuropsychopharmacology, 2014, 17, 1409-1417.	1.0	27
14	Are TMEM genes potential candidate genes for panic disorder?. Psychiatric Genetics, 2014, 24, 37-41.	0.6	20
15	Latent toxoplasmosis and psychiatric symptoms – A role of tryptophan metabolism?. Journal of Psychiatric Research, 2019, 110, 45-50.	1.5	15
16	Wholeâ€exome sequencing implicates <i>DGKH</i> as a risk gene for panic disorder in the Faroese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 1013-1022.	1.1	14
17	The Serotonin Transporter Gene Polymorphisms and Risk of Ischemic Stroke. Cerebrovascular Diseases, 2018, 45, 187-192.	0.8	12
18	Association between genes on chromosome 19p13.2 and panic disorder. Psychiatric Genetics, 2016, 26, 287-292	0.6	6

#	Article	IF	CITATIONS
19	An association study between the norepinephrine transporter gene and depression. Psychiatric Genetics, 2013, 23, 217-221.	0.6	4
20	Exploring the sortilin related receptor, SorLA, in depression. Journal of Affective Disorders, 2018, 232, 260-267.	2.0	2
21	Progranulin gene variation affects serum progranulin levels differently in Danish bipolar individuals compared with healthy controls. Psychiatric Genetics, 2017, 27, 89-95.	0.6	1