## Henriette N ButtenschÃ,n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9000681/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Latent toxoplasmosis and psychiatric symptoms – A role of tryptophan metabolism?. Journal of Psychiatric Research, 2019, 110, 45-50.	1.5	15
2	Exploring the sortilin related receptor, SorLA, in depression. Journal of Affective Disorders, 2018, 232, 260-267.	2.0	2
3	The Serotonin Transporter Gene Polymorphisms and Risk of Ischemic Stroke. Cerebrovascular Diseases, 2018, 45, 187-192.	0.8	12
4	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	9.4	2,224
5	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	0.7	87
6	Pharmacogenetics of antidepressant response: A polygenic approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 128-134.	2.5	71
7	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. Brain, Behavior, and Immunity, 2017, 62, 344-350.	2.0	202
8	Progranulin gene variation affects serum progranulin levels differently in Danish bipolar individuals compared with healthy controls. Psychiatric Genetics, 2017, 27, 89-95.	0.6	1
9	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. Biological Psychiatry, 2017, 82, 322-329.	0.7	84
10	Wholeâ€exome sequencing implicates <i>DGKH</i> as a risk gene for panic disorder in the Faroese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 1013-1022.	1.1	14
11	Association between genes on chromosome 19p13.2 and panic disorder. Psychiatric Genetics, 2016, 26, 287-292.	0.6	6
12	Neurotrophic factors in depression in response to treatment. Journal of Affective Disorders, 2015, 183, 287-294.	2.0	43
13	Cuba: Exploring the History of Admixture and the Genetic Basis of Pigmentation Using Autosomal and Uniparental Markers. PLoS Genetics, 2014, 10, e1004488.	1.5	57
14	Depression and BMI influences the serum vascular endothelial growth factor level. International Journal of Neuropsychopharmacology, 2014, 17, 1409-1417.	1.0	27
15	Are TMEM genes potential candidate genes for panic disorder?. Psychiatric Genetics, 2014, 24, 37-41.	0.6	20
16	An association study of suicide and candidate genes in the serotonergic system. Journal of Affective Disorders, 2013, 148, 291-298.	2.0	29
17	An association study between the norepinephrine transporter gene and depression. Psychiatric Genetics, 2013, 23, 217-221.	0.6	4
18	A genome-wide study of panic disorder suggests the amiloride-sensitive cation channel 1 as a candidate gene. European Journal of Human Genetics, 2012, 20, 84-90.	1.4	45

#	Article	IF	CITATIONS
19	Depression, the Val66Met polymorphism, age, and gender influence the serum BDNF level. Journal of Psychiatric Research, 2012, 46, 1118-1125.	1.5	77
20	Association of <i>GRIN1</i> and <i>GRIN2Aâ€D</i> With schizophrenia and genetic interaction with maternal herpes simplex virusâ€2 infection affecting disease risk. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 913-922.	1.1	44
21	The interferon alpha induced protein ISG12 is localized to the nuclear membrane. FEBS Journal, 2001, 268, 5947-5954.	0.2	41