

Hiroshi Yamaguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9000937/publications.pdf>

Version: 2024-02-01

320
papers

7,129
citations

87843

38
h-index

82499

72
g-index

327
all docs

327
docs citations

327
times ranked

4895
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Temperature Growth of GaAs and AlAs-GaAs Quantum-Well Layers by Modified Molecular Beam Epitaxy. Japanese Journal of Applied Physics, 1986, 25, L868-L870.	0.8	369
2	Migration-Enhanced Epitaxy of GaAs and AlGaAs. Japanese Journal of Applied Physics, 1988, 27, 169-179.	0.8	353
3	Microscopic thickness determination of thin graphite films formed on SiC from quantized oscillation in reflectivity of low-energy electrons. Physical Review B, 2008, 77, .	1.1	330
4	Coherent phonon manipulation in coupled mechanical resonators. Nature Physics, 2013, 9, 480-484.	6.5	274
5	Bit storage and bit flip operations in an electromechanical oscillator. Nature Nanotechnology, 2008, 3, 275-279.	15.6	269
6	Motion detection of a micromechanical resonator embedded in a d.c. SQUID. Nature Physics, 2008, 4, 785-788.	6.5	166
7	Growth process of III-V compound semiconductors by migration-enhanced epitaxy. Journal of Crystal Growth, 1990, 105, 326-338.	0.7	151
8	Interconnect-free parallel logic circuits in a single mechanical resonator. Nature Communications, 2011, 2, 198.	5.8	140
9	Atomic-scale imaging of strain relaxation via misfit dislocations in highly mismatched semiconductor heteroepitaxy: InAs/GaAs(111)A. Physical Review B, 1997, 55, 1337-1340.	1.1	136
10	Phonon-cavity electromechanics. Nature Physics, 2012, 8, 387-392.	6.5	127
11	Phonon Lasing in an Electromechanical Resonator. Physical Review Letters, 2013, 110, 127202.	2.9	127
12	Imaging of Friedel Oscillation Patterns of Two-Dimensionally Accumulated Electrons at Epitaxially Grown InAs(111)A Surfaces. Physical Review Letters, 2001, 86, 3384-3387.	2.9	122
13	Inhibitions of three dimensional island formation in InAs films grown on GaAs (111)A surface by molecular beam epitaxy. Applied Physics Letters, 1996, 69, 776-778.	1.5	121
14	Phonon waveguides for electromechanical circuits. Nature Nanotechnology, 2014, 9, 520-524.	15.6	118
15	A strict experimental test of macroscopic realism in a superconducting flux qubit. Nature Communications, 2016, 7, 13253.	5.8	105
16	Surface structure transitions on InAs and GaAs (001) surfaces. Physical Review B, 1995, 51, 9836-9854.	1.1	98
17	Conductance modulation by individual acceptors in Si nanoscale field-effect transistors. Applied Physics Letters, 2007, 90, 102106.	1.5	90
18	Stacking domains of epitaxial few-layer graphene on SiC(0001). Physical Review B, 2009, 80, .	1.1	84

#	ARTICLE	IF	CITATIONS
19	A Scanning Tunneling Microscopy-Reflection High Energy Electron Diffraction-Rate Equation Study of the Molecular Beam Epitaxial Growth of InAs on GaAs(001), (110) and (111)Aâ€“Quantum Dots and Two-Dimensional Modes. Japanese Journal of Applied Physics, 1997, 36, 4111-4117.	0.8	83
20	Controllable coupling between flux qubit and nanomechanical resonator by magnetic field. New Journal of Physics, 2007, 9, 35-35.	1.2	75
21	An electromechanical Ising Hamiltonian. Science Advances, 2016, 2, e1600236.	4.7	73
22	Two-Mode Thermal-Noise Squeezing in an Electromechanical Resonator. Physical Review Letters, 2014, 113, 167203.	2.9	67
23	Theoretical Study of Epitaxial Graphene Growth on SiC(0001) Surfaces. Applied Physics Express, 0, 2, 065502.	1.1	62
24	A multimode electromechanical parametric resonator array. Scientific Reports, 2014, 4, 4448.	1.6	62
25	Observation of Collective Coupling between an Engineered Ensemble of Macroscopic Artificial Atoms and a Superconducting Resonator. Physical Review Letters, 2016, 117, 210503.	2.9	62
26	Two-dimensional growth of InSb thin films on GaAs(111)A substrates. Applied Physics Letters, 2000, 76, 589-591.	1.5	61
27	Replacement of groupâ€“III atoms on the growing surface during migrationâ€“enhanced epitaxy. Journal of Applied Physics, 1990, 68, 1610-1615.	1.1	60
28	Vibration Amplification, Damping, and Self-Oscillations in Micromechanical Resonators Induced by Optomechanical Coupling through Carrier Excitation. Physical Review Letters, 2011, 106, 036801.	2.9	51
29	Photoluminescence characteristics of AlGaAsâ€“GaAs single quantum wells grown by migrationâ€“enhanced epitaxy at 300â€“%A%C substrate temperature. Applied Physics Letters, 1987, 50, 1686-1687. ^{1.5}		49
30	Gate-controlled electromechanical backaction induced by a quantum dot. Nature Communications, 2016, 7, 11132.	5.8	47
31	GaAs-based micro/nanomechanical resonators. Semiconductor Science and Technology, 2017, 32, 103003.	1.0	47
32	Thickness Determination of Graphene Layers Formed on SiC Using Low-Energy Electron Microscopy. E-Journal of Surface Science and Nanotechnology, 2008, 6, 107-110.	0.1	46
33	On-chip temporal focusing of elastic waves in a phononic crystal waveguide. Nature Communications, 2018, 9, 1331.	5.8	46
34	Step-Flow Growth on Vicinal GaAs Surfaces by Migration-Enhanced Epitaxy. Japanese Journal of Applied Physics, 1989, 28, L1456-L1459.	0.8	44
35	Piezoelectrically pumped parametric amplification and Q enhancement in an electromechanical oscillator. Applied Physics Letters, 2008, 92, 173109.	1.5	44
36	Proposed Robust Entanglement-Based Magnetic Field Sensor Beyond the Standard Quantum Limit. Physical Review Letters, 2015, 115, 170801.	2.9	44

#	ARTICLE	IF	CITATIONS
37	Local Density of States in Zero-Dimensional Semiconductor Structures. <i>Physical Review Letters</i> , 2001, 87, 196804.	2.9	43
38	Dispersive and Dissipative Coupling in a Micromechanical Resonator Embedded with a Nanomechanical Resonator. <i>Nano Letters</i> , 2015, 15, 2312-2317.	4.5	43
39	Local conductance measurements of double-layer graphene on SiC substrate. <i>Nanotechnology</i> , 2009, 20, 445704.	1.3	38
40	An electromechanical membrane resonator. <i>Applied Physics Letters</i> , 2012, 101, 063102.	1.5	38
41	Optically detected magnetic resonance of high-density ensemble of NV ⁺ centers in diamond. <i>Journal of Physics Condensed Matter</i> , 2016, 28, 275302.	0.7	38
42	Single-Turn GaAs/InAs Nanotubes Fabricated Using the Supercritical CO ₂ Drying Technique. <i>Japanese Journal of Applied Physics</i> , 2003, 42, L791-L794.	0.8	37
43	Influence of monomolecular steps on the first-order structure transition of an InAs(001) surface. <i>Physical Review Letters</i> , 1993, 70, 1299-1302.	2.9	36
44	Optical Tuning of Coupled Micromechanical Resonators. <i>Applied Physics Express</i> , 0, 2, 062202.	1.1	36
45	Unified Model for Structure Transition and Electrical Properties of InAs (001) Surfaces Studied by Scanning Tunneling Microscopy. <i>Japanese Journal of Applied Physics</i> , 1994, 33, L1423-L1426.	0.8	35
46	Extremely long surface diffusion of Ga and critical nucleation on As-rich GaAs(001) surfaces caused by phase transitions. <i>Physical Review B</i> , 1997, 56, 12080-12083.	1.1	35
47	Thickness-dependent electron accumulation in InAs thin films on GaAs(111)A: ϵ_f A scanning-tunneling-spectroscopy study. <i>Physical Review B</i> , 1998, 58, R4219-R4222.	1.1	35
48	Improved resonance characteristics of GaAs beam resonators by epitaxially induced strain. <i>Applied Physics Letters</i> , 2008, 92, 251913.	1.5	35
49	Limit cycles and bifurcations in a nonlinear MEMS resonator with a 1:3 internal resonance. <i>Applied Physics Letters</i> , 2019, 114, .	1.5	34
50	High-sensitivity charge detection using antisymmetric vibration in coupled micromechanical oscillators. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	33
51	Multi-mode parametric coupling in an electromechanical resonator. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	32
52	Entangled-state generation and Bell inequality violations in nanomechanical resonators. <i>Physical Review B</i> , 2014, 90, .	1.1	32
53	A phonon transistor in an electromechanical resonator array. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	31
54	Single-Electron-Resolution Electrometer Based on Field-Effect Transistor. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 8305-8310.	0.8	30

#	ARTICLE	IF	CITATIONS
55	Two-Dimensional Patterning of Flexible Designs with High Half-Pitch Resolution by Using Block Copolymer Lithography. <i>Advanced Materials</i> , 2008, 20, 1684-1689.	11.1	29
56	Microelectromechanical displacement sensing using InAs/AlGaSb heterostructures. <i>Applied Physics Letters</i> , 2003, 82, 394-396.	1.5	28
57	Cooling of a micro-mechanical resonator by the back-action of Lorentz force. <i>New Journal of Physics</i> , 2008, 10, 043015.	1.2	28
58	Spin dynamics of two-dimensional electrons in a quantum Hall system probed by time-resolved Kerr rotation spectroscopy. <i>Physical Review B</i> , 2008, 78, .	1.1	28
59	Tunable Backaction of a DC SQUID on an Integrated Micromechanical Resonator. <i>Physical Review Letters</i> , 2010, 105, 207203.	2.9	28
60	Graphene-Based Nano-Electro-Mechanical Switch with High On/Off Ratio. <i>Applied Physics Express</i> , 2013, 6, 055101.	1.1	28
61	Direct comparison of GaAs surface morphology between migration enhanced epitaxy and molecular beam epitaxy using in situ scanning electron microscopy. <i>Applied Physics Letters</i> , 1996, 68, 63-65.	1.5	27
62	Excellent electric properties of free-standing InAs membranes. <i>Applied Physics Letters</i> , 2001, 78, 2372-2374.	1.5	27
63	Hopf and period-doubling bifurcations in an electromechanical resonator. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	26
64	Electrostatically Induced Phononic Crystal. <i>Physical Review Applied</i> , 2019, 11, .	1.5	26
65	Parametrically pumped ultrahigh Q electromechanical resonator. <i>Applied Physics Letters</i> , 2008, 92, 253109.	1.5	25
66	Quantum point contact displacement transducer for a mechanical resonator at sub-Kelvin temperatures. <i>Applied Physics Letters</i> , 2013, 103, 192105.	1.5	24
67	Improving the lifetime of the nitrogen-vacancy-center ensemble coupled with a superconducting flux qubit by applying magnetic fields. <i>Physical Review A</i> , 2015, 91, .	1.0	24
68	Cavity-less on-chip optomechanics using excitonic transitions in semiconductor heterostructures. <i>Nature Communications</i> , 2015, 6, 8478.	5.8	24
69	Electron paramagnetic resonance spectroscopy using a single artificial atom. <i>Communications Physics</i> , 2019, 2, .	2.0	24
70	On-Chip Coherent Transduction between Magnons and Acoustic Phonons in Cavity Magnomechanics. <i>Physical Review Applied</i> , 2022, 17, .	1.5	24
71	First-order surface-structure transition on the (001) InAs surface studied with improved high-energy electron reflectivity measurements. <i>Physical Review B</i> , 1992, 45, 1511-1513.	1.1	23
72	Scanning tunneling microscopy observation of monolayer steps on GaAs(001) vicinal surfaces grown by metalorganic chemical vapor deposition. <i>Applied Physics Letters</i> , 1993, 63, 678-680.	1.5	23

#	ARTICLE	IF	CITATIONS
73	From ferro- to antiferromagnetism via exchange-striction of MnAs/GaAs(001). <i>Europhysics Letters</i> , 2005, 72, 479-485.	0.7	23
74	A δ -Doped InGaP/InGaAs pHEMT With Different Doping Profiles for Device-Linearity Improvement. <i>IEEE Transactions on Electron Devices</i> , 2007, 54, 1617-1625.	1.6	23
75	Improving the Coherence Time of a Quantum System via a Coupling to a Short-Lived System. <i>Physical Review Letters</i> , 2015, 114, 120501.	2.9	23
76	A strongly coupled \hat{b} -type micromechanical system. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	23
77	Step motion and As desorption on InAs(001) surfaces observed by scanning tunneling microscopy. <i>Physical Review B</i> , 1993, 48, 2807-2810.	1.1	22
78	Imaging of layer by layer growth processes during molecular beam epitaxy of GaAs on (111)A substrates by scanning electron microscopy. <i>Applied Physics Letters</i> , 1998, 73, 3079-3081.	1.5	22
79	In-plane conductance measurement of graphene nanoislands using an integrated nanogap probe. <i>Nanotechnology</i> , 2008, 19, 495701.	1.3	22
80	Wide-band idler generation in a GaAs electromechanical resonator. <i>Physical Review B</i> , 2011, 84, .	1.1	22
81	Parametric mode mixing in asymmetric doubly clamped beam resonators. <i>New Journal of Physics</i> , 2013, 15, 015023.	1.2	22
82	Rapid switching in high-Q mechanical resonators. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	22
83	Surface Migration of Ga and Al Atoms on (100) GaAs and AlAs during Migration-Enhanced Epitaxy. <i>Japanese Journal of Applied Physics</i> , 1989, 28, 1307-1311.	0.8	21
84	Scanning tunneling microscopy studies of strain relaxation and misfit dislocations in InAs layers grown on GaAs(110) and GaAs(111)A. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1997, 15, 915-918.	0.9	21
85	Electron-Spin Manipulation and Resonator Readout in a Double-Quantum-Dot Nanoelectromechanical System. <i>Physical Review Letters</i> , 2008, 100, 136802.	2.9	21
86	Coherent Control of Micro/Nanomechanical Oscillation Using Parametric Mode Mixing. <i>Applied Physics Express</i> , 2012, 5, 014001.	1.1	21
87	Electron paramagnetic resonance spectroscopy using a direct current-SQUID magnetometer directly coupled to an electron spin ensemble. <i>Applied Physics Letters</i> , 2016, 108, 052601.	1.5	21
88	Influence of an As-Free Atmosphere in Migration-Enhanced Epitaxy on Step-Flow Growth. <i>Japanese Journal of Applied Physics</i> , 1991, 30, 802-808.	0.8	20
89	Growth of very-high-mobility AlGaSb \cdot InAs high-electron-mobility transistor structure on si substrate for high speed electronic applications. <i>Applied Physics Letters</i> , 2007, 90, 023509.	1.5	20
90	Contact Conductance Measurement of Locally Suspended Graphene on SiC. <i>Applied Physics Express</i> , 2010, 3, 045101.	1.1	20

#	ARTICLE	IF	CITATIONS
91	Single-crystalline 4H-SiC micro cantilevers with a high quality factor. Sensors and Actuators A: Physical, 2013, 197, 122-125.	2.0	20
92	Growth of GaAs/ErAs/GaAs structures by migration-enhanced epitaxy. Applied Physics Letters, 1992, 60, 2341-2343.	1.5	18
93	Drastic Improvement in Surface Flatness Properties by Using GaAs (111)A Substrates in Molecular Beam Epitaxy. Japanese Journal of Applied Physics, 1999, 38, 635-644.	0.8	18
94	Enhanced force sensitivity and noise squeezing in an electromechanical resonator coupled to a nanotransistor. Applied Physics Letters, 2010, 97, 253105.	1.5	18
95	Demonstration of Multiple Internal Resonances in a Microelectromechanical Self-Sustained Oscillator. Physical Review Applied, 2020, 13, .	1.5	18
96	Influence of surface reconstruction on the As desorption process from a (001) GaAs surface evaluated by improved high-energy electron-reflectivity measurements. Physical Review B, 1991, 44, 5897-5900.	1.1	17
97	Flattening Transition on GaAs (411)A Surfaces Observed by Scanning Tunneling Microscopy. Japanese Journal of Applied Physics, 1995, 34, L1490-L1493.	0.8	17
98	Surface-defect formation on heavily doped InAs and GaAs layers studied by scanning tunneling microscopy. Physical Review B, 1996, 53, 4565-4569.	1.1	17
99	Improvement in the Electrical Properties of GaAs/InAs/GaAs Structures through the Use of (111)A Substrates. Japanese Journal of Applied Physics, 1998, 37, 1599-1602.	0.8	17
100	Infrared detection with silicon nano-field-effect transistors. Applied Physics Letters, 2007, 90, 223108.	1.5	17
101	Tuneable electromechanical comb generation. Applied Physics Letters, 2012, 100, .	1.5	17
102	Self-sustained oscillations of a torsional SQUID resonator induced by Lorentz-force back-action. Nature Communications, 2013, 4, 1803.	5.8	17
103	Phonon propagation dynamics in band-engineered one-dimensional phononic crystal waveguides. New Journal of Physics, 2015, 17, 113032.	1.2	17
104	Quantum Interference Effects in the Magnetopiezoresistance of InAs/AlGaSb Quasi-One-Dimensional Electron Systems. Physical Review Letters, 2004, 93, 036603.	2.9	16
105	Force/displacement detection using quantum transport in InAs ^x AlGaSb two-dimensional heterostructures. Applied Physics Letters, 2005, 86, 052106.	1.5	16
106	Device linearity comparison of uniformly doped and δ -doped In _{0.52} Al _{0.48} As/In _{0.6} Ga _{0.4} As metamorphic HEMTs. IEEE Electron Device Letters, 2006, 27, 535-537.	2.2	16
107	Stability and reactivity of steps in the initial stage of graphene growth on the SiC(0001) surface. Physical Review B, 2013, 88, .	1.1	16
108	Dynamic Control of the Coupling between Dark and Bright Excitons with Vibrational Strain. Physical Review Letters, 2018, 120, 267401.	2.9	16

#	ARTICLE	IF	CITATIONS
109	Real-Space Characterization of Cavity-Coupled Waveguide Systems in Hypersonic Phononic Crystals. <i>Physical Review Applied</i> , 2020, 13, .	1.5	16
110	As desorption from GaAs and AlAs surfaces studied by improved high-energy electron reflectivity measurements. <i>Journal of Applied Physics</i> , 1992, 71, 1753-1759.	1.1	15
111	Dependence of ErAs Clustering and Er Segregation in ErAs/GaAs Heterostructures on Growth Temperature. <i>Japanese Journal of Applied Physics</i> , 1993, 32, L1784-L1787.	0.8	15
112	Step Motion and Structure Transition on InAs and GaAs (001) Surfaces Observed by Scanning Tunneling Microscopy. <i>Japanese Journal of Applied Physics</i> , 1994, 33, 716-720.	0.8	15
113	Impurity conduction in phosphorus-doped buried-channel silicon-on-insulator field-effect transistors at temperatures between 10 and 295K. <i>Physical Review B</i> , 2006, 74, .	1.1	15
114	Room temperature piezoelectric displacement detection via a silicon field effect transistor. <i>Applied Physics Letters</i> , 2009, 95, .	1.5	15
115	A symmetry-breaking electromechanical detector. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	15
116	Ultrahigh-Q Micromechanical Resonators by Using Epitaxially Induced Tensile Strain in GaNAs. <i>Applied Physics Express</i> , 2013, 6, 111201.	1.1	15
117	Mechanical random access memory in a phonon circuit. <i>Applied Physics Express</i> , 2014, 7, 125201.	1.1	15
118	Broadband reconfigurable logic gates in phonon waveguides. <i>Scientific Reports</i> , 2017, 7, 12745.	1.6	15
119	Mechanical Kerr Nonlinearity of Wave Propagation in an On-Chip Nanoelectromechanical Waveguide. <i>Physical Review Applied</i> , 2020, 13, .	1.5	15
120	Impact-parameter dependent stopping powers for axially channeled and semichanneled MeV He ions in GaAs:Er. <i>Physical Review B</i> , 1994, 49, 14387-14396.	1.1	14
121	Fabrication of conductive single-crystal semiconductor nanoscale electromechanical structures. <i>Applied Physics Letters</i> , 2002, 80, 4428-4430.	1.5	14
122	First principles and macroscopic theories of semiconductor epitaxial growth. <i>Journal of Crystal Growth</i> , 2002, 237-239, 206-211.	0.7	14
123	Resist-Pattern Guided Self-assembly of Symmetric Diblock Copolymer. <i>Journal of Photopolymer Science and Technology</i> = [Fotoporima Konwakai Shi], 2006, 19, 385-388.	0.1	14
124	Discrete-time quadrature feedback cooling of a radio-frequency mechanical resonator. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	14
125	Energy Dissipation in Graphene Mechanical Resonators with and without Free Edges. <i>Micromachines</i> , 2016, 7, 158.	1.4	14
126	Electron paramagnetic resonance spectroscopy of Er ³⁺ :Y ₂ SiO ₅ using a Josephson bifurcation amplifier: Observation of hyperfine and quadrupole structures. <i>Physical Review Materials</i> , 2018, 2, .	0.9	14

#	ARTICLE	IF	CITATIONS
127	Proposal of Carbon Nanotube Inductors. Journal of Physics: Conference Series, 2006, 38, 49-52.	0.3	13
128	Three-dimensional alignment with 10nm order accuracy in electron-beam lithography on rotated sample for three-dimensional nanofabrication. Journal of Vacuum Science & Technology B, 2008, 26, 2529-2533.	1.3	13
129	Epitaxial Trilayer Graphene Mechanical Resonators Obtained by Electrochemical Etching Combined with Hydrogen Intercalation. Japanese Journal of Applied Physics, 2013, 52, 04CH01.	0.8	13
130	Energy dissipation in edged and edgeless graphene mechanical resonators. Journal of Applied Physics, 2014, 116, 064304.	1.1	13
131	Dynamical coupling between a nuclear spin ensemble and electromechanical phonons. Nature Communications, 2018, 9, 2993.	5.8	13
132	An opto-electro-mechanical system based on evanescently-coupled optical microbottle and electromechanical resonator. Applied Physics Letters, 2018, 112, .	1.5	13
133	Rare-Earth-Mediated Optomechanical System in the Reversed Dissipation Regime. Physical Review Letters, 2021, 126, 047404.	2.9	13
134	Superfield perturbation theory in harmonic superspace. Physical Review D, 1985, 32, 1954-1967.	1.6	12
135	Structural analysis of erbium sheet-doped GaAs grown by molecular-beam epitaxy, with ion channeling followed by Monte Carlo simulation. Journal of Applied Physics, 1995, 77, 3095-3103.	1.1	12
136	Magnetoelastic coupling of MnAs/GaAs(001) close to the phase transition. Physical Review B, 2004, 70, .	1.1	12
137	Thermoelastic damping in GaAs micromechanical resonators. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 2920-2922.	0.8	12
138	Superconductivity in Tungsten-Carbide Nanowires Deposited from the Mixtures of $W(CO)_6$ and $C_{14}H_{10}$. Japanese Journal of Applied Physics, 2013, 52, 075001.	0.8	12
139	Phonon-bottlenecked spin relaxation of $Er^{3+}:Y_2SiO_5$ at sub-kelvin temperatures. Applied Physics Express, 2018, 11, 043002.	1.1	12
140	Virtual Exceptional Points in an Electromechanical System. Physical Review Applied, 2019, 11, .	1.5	12
141	Generic Rotating-Frame-Based Approach to Chaos Generation in Nonlinear Micro- and Nanoelectromechanical System Resonators. Physical Review Letters, 2020, 125, 174301.	2.9	12
142	$N = 2$ harmonic superspace with central charges and its application to self-interacting massive hypermultiplets. Annals of Physics, 1986, 172, 26-39.	1.0	11
143	Electronic properties of monolayer steps on $(2\sqrt{3}\times\sqrt{3})$ reconstructed GaAs(001) surfaces. Physical Review B, 1996, 54, 4428-4431.	1.1	11
144	Microscopic investigation of the surface phase transition on GaAs(001) surfaces. Surface Science, 1999, 433-435, 382-386.	0.8	11

#	ARTICLE	IF	CITATIONS
145	Magneto-optical spectroscopy of excitons and trions in charge-tunable quantum dots. <i>Physical Review B</i> , 2009, 79, .	1.1	11
146	Anomalous Distribution of In Atoms in GaAs during Migration-Enhanced Epitaxy. <i>Japanese Journal of Applied Physics</i> , 1989, 28, L2010-L2012.	0.8	10
147	First-principles calculation for misfit dislocations in InAs/GaAs(110) heteroepitaxy. <i>Surface Science</i> , 1999, 433-435, 900-903.	0.8	10
148	Nanogap electrodes on Si cantilever for local conductance measurement. <i>Journal of Physics: Conference Series</i> , 2007, 61, 856-860.	0.3	10
149	Flexible Nanofabrication in Three-Dimensional Electron-Beam Lithography Enhanced by Suppression of Proximity Effect. <i>Applied Physics Express</i> , 0, 1, 097001.	1.1	10
150	Spatial and temporal modulation of exciton photoluminescence properties in GaAs/AlAs dynamic quantum dots formed by surface acoustic waves. <i>Physical Review B</i> , 2009, 80, .	1.1	10
151	Atomic Structure and Physical Properties of Epitaxial Graphene Islands Embedded in SiC(0001) Surfaces. <i>Applied Physics Express</i> , 2010, 3, 115103.	1.1	10
152	Optomechanical photoabsorption spectroscopy of exciton states in GaAs. <i>Applied Physics Letters</i> , 2012, 101, 082107.	1.5	10
153	Feedback control of multiple mechanical modes in coupled micromechanical resonators. <i>Applied Physics Letters</i> , 2017, 110, 053106.	1.5	10
154	Migration-enhanced epitaxy. <i>Applied Surface Science</i> , 1988, 33-34, 406-412.	3.1	9
155	Ferromagnetic-induced component in piezoresistance of GaMnAs. <i>Physical Review B</i> , 2013, 87, .	1.1	9
156	Wide-bandwidth charge sensitivity with a radio-frequency field-effect transistor. <i>Applied Physics Letters</i> , 2013, 103, 143102.	1.5	9
157	Theoretical Study on Magnetoelectric and Thermoelectric Properties for Graphene Devices. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 070115.	0.8	9
158	Theoretical Study on Epitaxial Graphene Growth by Si Sublimation from SiC(0001) Surface. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 095601.	0.8	9
159	First-principles calculations on atomic and electronic structures of misfit dislocations in InAs/GaAs(110) and GaAs/InAs(110) heteroepitaxies. <i>Journal of Crystal Growth</i> , 1999, 201-202, 256-259.	0.7	8
160	Electron and Hole Proximity Effects in the InAs/AlSb/GaSb System. <i>Japanese Journal of Applied Physics</i> , 2000, 39, 2448-2451.	0.8	8
161	InAs/AlGaSb heterostructure displacement sensors for MEMS/NEMS applications. <i>Journal of Crystal Growth</i> , 2003, 251, 556-559.	0.7	8
162	Perpendicular magnetic fields in cantilever beam magnetometry. <i>Journal of Applied Physics</i> , 2004, 96, 2773-2778.	1.1	8

#	ARTICLE	IF	CITATIONS
163	Carbon Multiprobe on a Si Cantilever for Pseudo-Metal Oxide Semiconductor Field-Effect-Transistor. Japanese Journal of Applied Physics, 2006, 45, 2009-2013.	0.8	8
164	Photoluminescence Dynamics of GaAs/AlAs Quantum Wells Modulated by Surface Acoustic Waves. Japanese Journal of Applied Physics, 2007, 46, L758-L760.	0.8	8
165	Local conductance measurement of few-layer graphene on SiC substrate using an integrated nanogap probe. Journal of Physics: Conference Series, 2008, 100, 052006.	0.3	8
166	Theoretical Study on Magnetoelectric and Thermoelectric Properties for Graphene Devices. Japanese Journal of Applied Physics, 2011, 50, 070115.	0.8	8
167	Theoretical Study on Epitaxial Graphene Growth by Si Sublimation from SiC(0001) Surface. Japanese Journal of Applied Physics, 2011, 50, 095601.	0.8	8
168	Motion detection of a micromechanical cantilever through magneto-piezovoltage in two-dimensional electron systems. Applied Physics Letters, 2012, 100, 012106.	1.5	8
169	Observing the semiconducting band-gap alignment of MoS ₂ layers of different atomic thicknesses using a MoS ₂ /SiO ₂ /Si heterojunction tunnel diode. Applied Physics Letters, 2015, 107, .	1.5	8
170	Enhanced visibility of two-mode thermal squeezed states via degenerate parametric amplification and resonance. New Journal of Physics, 2016, 18, 083009.	1.2	8
171	Resist Coating on Vertical Side Faces Using Conventional Spin Coating for Creating Three-Dimensional Nanostructures in Semiconductors. Applied Physics Express, 2010, 3, 106501.	1.1	8
172	Phase transition on III-V compound semiconductor surfaces observed by an improved RHEED technique. Journal of Crystal Growth, 1993, 127, 976-980.	0.7	7
173	Direct determination of impact-parameter-dependent stopping powers for million-electron-volt He ions penetrating Er-doped GaAs. Physical Review A, 1996, 53, 1644-1652.	1.0	7
174	Imaging of Local Charge Density in an InAs/GaAs Two-Dimensional Heterostructure by Scanning Tunneling Microscopy. Japanese Journal of Applied Physics, 1998, 37, L899-L901.	0.8	7
175	Fabrication and elastic properties of InAs freestanding structures based on InAs/GaAs(111)A heteroepitaxial systems. Physica E: Low-Dimensional Systems and Nanostructures, 2002, 13, 1163-1167.	1.3	7
176	InAs/GaAs (111)A heteroepitaxial systems. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 23, 285-292.	1.3	7
177	Strongly Enhanced Sensitivity of Piezoresistive Cantilevers by Utilizing the Superconducting Proximity Effect. Japanese Journal of Applied Physics, 2005, 44, L893-L895.	0.8	7
178	Electron phase modulation in a suspended InAs-AlGaSb nanomechanical beam. Applied Physics Letters, 2006, 89, 192106.	1.5	7
179	Giant Magneto-Piezoresistance and Internal Friction in a Two-Dimensional Electron System. Japanese Journal of Applied Physics, 2007, 46, L658-L660.	0.8	7
180	Modulation of Young's Modulus of Poly(methyl methacrylate) Nanobeam Due to Electron-Beam Exposure. Japanese Journal of Applied Physics, 2007, 46, L1225-L1227.	0.8	7

#	ARTICLE	IF	CITATIONS
181	Height Dependence of Young's Modulus for Carbon Nanopillars Grown by Focused-Ion-Beam-Induced Chemical Vapor Deposition. Japanese Journal of Applied Physics, 2008, 47, 5116-5119.	0.8	7
182	Controlling Quality Factor in Micromechanical Resonators by Carrier Excitation. Applied Physics Express, 2009, 2, 035001.	1.1	7
183	Operating principle and integration of in-plane gate logic devices. Applied Physics Letters, 2011, 99, 242106.	1.5	7
184	Carrier-mediated optomechanical coupling in GaAs cantilevers. Physical Review B, 2011, 84, .	1.1	7
185	Electron beam lithography on vertical side faces of micrometer-order Si block. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2012, 30, 041601.	0.6	7
186	Spatially modulated photoluminescence properties in dynamically strained GaAs/AlAs quantum wells by surface acoustic wave. Applied Physics Letters, 2012, 100, .	1.5	7
187	Optically induced strong intermodal coupling in mechanical resonators at room temperature. Applied Physics Letters, 2015, 107, .	1.5	7
188	Arsenic pressure dependence of first-order phase transition on InAs (001) surface. Applied Physics Letters, 1994, 64, 2572-2574.	1.5	6
189	Superconductor-semiconductor-superconductor junctions using NbN. Superconductor Science and Technology, 1999, 12, 901-903.	1.8	6
190	Photoluminescence dynamics in GaAs/AlAs quantum wells modulated by one-dimensional standing surface acoustic waves. Applied Physics Letters, 2009, 94, .	1.5	6
191	Feedback Cooling of a Strained GaAs Micromechanical Beam Resonator. Applied Physics Express, 2010, 3, 065201.	1.1	6
192	Tunable coupling of mechanical vibration in GaAs micro-resonators. Physica E: Low-Dimensional Systems and Nanostructures, 2010, 42, 2849-2852.	1.3	6
193	Direct fabrication of a W-C SNS Josephson junction using focused-ion-beam chemical vapour deposition. Journal of Micromechanics and Microengineering, 2014, 24, 055015.	1.5	6
194	Indium desorption from InAs surfaces and its dependence on As coverage. Applied Physics Letters, 1995, 67, 3948-3950.	1.5	5
195	Structure analysis of the GaAs(001)-2 × 4 surface using medium energy ion scattering. Surface Science, 1996, 355, L361-L365.	0.8	5
196	Reconstruction-dependent electron-hole recombination on GaAs(001) surfaces studied by using near-surface quantum wells. Physical Review B, 1996, 53, 7880-7883.	1.1	5
197	In situ observation of MEE GaAs growth using scanning electron microscopy. Journal of Crystal Growth, 1997, 175-176, 292-297.	0.7	5
198	Scanning Tunneling Microscopy Study of GaAs (001) Surfaces Grown by Migration-Enhanced Epitaxy at Low Temperatures. Japanese Journal of Applied Physics, 1998, 37, 758-761.	0.8	5

#	ARTICLE	IF	CITATIONS
199	Quantum-mechanical displacement sensing using InAs/AlGaSb micromechanical cantilevers. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004, 21, 1053-1056.	1.3	5
200	Mechanical and piezoresistive properties of InAs/AlGaSb cantilevers. <i>Applied Surface Science</i> , 2004, 237, 645-649.	3.1	5
201	Difference in Self-Assembling Morphology of Peptide Nanorings. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 8240-8248.	0.8	5
202	Semiconductor heterostructure studies using emerging technologies. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 2988-3001.	0.7	5
203	Microscopic Raman Mapping of Epitaxial Graphene on 4H-SiC(0001). <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FD06.	0.8	5
204	Transfer and Detection of Single Electrons Using Metal-Oxide-Semiconductor Field-Effect Transistors. <i>IEICE Transactions on Electronics</i> , 2007, E90-C, 943-948.	0.3	5
205	As desorption from GaAs and InAs surfaces studied by improved high-energy electron reflectivity measurements. <i>Applied Surface Science</i> , 1992, 60-61, 224-227.	3.1	4
206	Unified model for first-order transition and electrical properties of InAs (001) surfaces based on atom-resolved scanning tunneling microscopy imaging. <i>Journal of Crystal Growth</i> , 1995, 150, 148-151.	0.7	4
207	In situ observation of phase transition and the transition-induced step bunching on InAs(001) surfaces by scanning electron microscopy. <i>Applied Physics Letters</i> , 1995, 66, 1626-1628.	1.5	4
208	Application of InAs Freestanding Membranes to Electromechanical Systems. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 2519-2521.	0.8	4
209	Field-Effect Transistor with Deposited Graphite Thin Film. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 2615-2617.	0.8	4
210	Local Conductance Imaging of Semiconductor Nanowires on an Insulative Substrate Using an Integrated Nanogap Probe. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 5639.	0.8	4
211	Impact of Space-Energy Correlation on Variable Range Hopping in a Transistor. <i>Physical Review Letters</i> , 2007, 98, 166601.	2.9	4
212	Magnetic field induced by the carbon nanotubes current by magnetic force microscopy. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 40, 2220-2221.	1.3	4
213	Evaluation of Thermal-Mechanical Vibration Amplitude and Mechanical Properties of Carbon Nanopillars Using Scanning Electron Microscopy. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 06FG07.	0.8	4
214	Creation of charged excitons with two-color excitation method and initialization of electron spin qubit in quantum dots. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	4
215	Mechanical vibration of a cylindrically rolled-up cantilever shell in microelectromechanical and nanoelectromechanical systems. <i>Physical Review B</i> , 2012, 85, .	1.1	4
216	Selective activation of localized mechanical resonators via a phonon waveguide. <i>Applied Physics Letters</i> , 2018, 113, 043104.	1.5	4

#	ARTICLE	IF	CITATIONS
217	Pulse-width modulated oscillations in a nonlinear resonator under two-tone driving as a means for MEMS sensor readout. Japanese Journal of Applied Physics, 2019, 58, SBBI05.	0.8	4
218	Generation and Propagation of Topological Solitons in a Chain of Coupled Parametric-Micromechanical-Resonator Arrays. Physical Review Applied, 2021, 15, .	1.5	4
219	Fabrication of Nanomechanical Structures from Bulk-GaAs Using Angled Ion Etching. Applied Physics Express, 0, 2, 065001.	1.1	4
220	Near-field cavity optomechanical coupling in a compound semiconductor nanowire. Communications Physics, 2020, 3, .	2.0	4
221	Dipole mechanism of spontaneous breaking of $N=2$ supersymmetry: Violation of positivity bound on central charges. Physical Review D, 1984, 30, 2181-2188.	1.6	3
222	Luminescence Characteristics from Gaussian Shaped Quantum Wells. Japanese Journal of Applied Physics, 1989, 28, L507-L509.	0.8	3
223	Observation of GaAs (001) surfaces at high temperatures by scanning tunneling microscopy. Journal of Crystal Growth, 1993, 127, 1064-1067.	0.7	3
224	In-situ monitoring of 1st-order phase transition on InAs(001) surfaces by scanning electron surface microscopy. Applied Surface Science, 1994, 82-83, 223-227.	3.1	3
225	Effect of Growth Interruption during GaAs/AlGaAs Molecular Beam Epitaxy on (411)A Substrates. Japanese Journal of Applied Physics, 1996, 35, L822-L824.	0.8	3
226	Precise control of two dimensional growth of InAs on GaAs (111)A surfaces studied by scanning tunneling microscopy. Applied Surface Science, 1997, 112, 138-141.	3.1	3
227	Vertical transport properties through pseudo-metallic InAs thin films grown on GaAs (111)A substrates. Journal of Crystal Growth, 1999, 201-202, 778-781.	0.7	3
228	Nonequilibrium transport of InAs/GaAs(111)A heterostructures coupled with superconducting Nb electrodes. Semiconductor Science and Technology, 2004, 19, S182-S184.	1.0	3
229	InAs/AlGaSb Piezoresistive Cantilever for Sub-Angstrom Scale Displacement Detection. Japanese Journal of Applied Physics, 2004, 43, L424-L426.	0.8	3
230	dc SQUIDs as linear displacement detectors for embedded micromechanical resonators. Comptes Rendus Physique, 2011, 12, 817-825.	0.3	3
231	Microscopic Raman Mapping of Epitaxial Graphene on 4H-SiC(0001). Japanese Journal of Applied Physics, 2012, 51, 06FD06.	0.8	3
232	Modifying exciton optical properties in quantum dots with coherent phonons induced by ultrafast optical pulses. Applied Physics Letters, 2013, 103, 112104.	1.5	3
233	A correlated electromechanical system. New Journal of Physics, 2017, 19, 033026.	1.2	3
234	Novel Fabrication Technique of Suspended Nanowire Devices for Nanomechanical Applications. Physica Status Solidi (B): Basic Research, 2020, 257, 1900401.	0.7	3

#	ARTICLE	IF	CITATIONS
235	Mode-sensitive magnetoelastic coupling in phononic-crystal magnomechanics. <i>APL Materials</i> , 2021, 9, 071110.	2.2	3
236	Electromechanical Displacement Detection With an On-Chip High Electron Mobility Transistor Amplifier. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 06GJ01.	0.8	3
237	Self-Sustained Libration Regime in Nonlinear Microelectromechanical Devices. <i>Physical Review Applied</i> , 2021, 16, .	1.5	3
238	Buckling-induced quadratic nonlinearity in silicon phonon waveguide structures. <i>Japanese Journal of Applied Physics</i> , 2022, 61, SD1025.	0.8	3
239	Effects of alloy composition on the As desorption from and adsorption on strained $\text{In}_x\text{Ga}_{1-x}\text{As}$ surfaces. <i>Journal of Crystal Growth</i> , 1995, 150, 473-477.	0.7	2
240	RHEED and STM study of the two-dimensional growth of InAs on GaAs (111)A. <i>Microelectronics Journal</i> , 1997, 28, 825-831.	1.1	2
241	SEM imaging of fundamental growth processes during MBE of GaAs on (111)A substrates. <i>Journal of Crystal Growth</i> , 1999, 201-202, 124-127.	0.7	2
242	Fabrication and characterization of novel semiconductor nanomechanical structures. <i>Surface Science</i> , 2003, 532-535, 1171-1176.	0.8	2
243	Piezoresistive cantilevers using InAs-based 2D Heterostructures. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004, 24, 70-73.	1.3	2
244	Giant magnetopiezoresistance at the localized-extended electronic state transition in a high-mobility 2DEG system. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2006, 3, 663-666.	0.8	2
245	Pattern Transfer of Laterally Aligned Lamellar Domains of Diblock Copolymers. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2007, 20, 767-769.	0.1	2
246	Piezoresistance of suspended InAs/AlGaSb heterostructure nanobeam. <i>Journal of Crystal Growth</i> , 2007, 301-302, 897-901.	0.7	2
247	Direct Actuation of GaAs Membrane with the Microprobe of Scanning Probe Microscopy. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 06FG06.	0.8	2
248	Dynamic control of photoluminescence polarization properties in GaAs/AlAs quantum wells by surface acoustic waves. <i>Physical Review B</i> , 2012, 86, .	1.1	2
249	Charged exciton creation with two-color optical excitation method and analysis of initialization process of electron spin qubit in quantum dots. <i>Journal of Applied Physics</i> , 2012, 111, 123520.	1.1	2
250	Direct Biexciton Creation with Two-Photon Excitation for Ideal Entangled Photon Pair Emissions in Optically Active Quantum Dots. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 120202.	0.8	2
251	Fabrication of Electrostatically Actuated 4H-SiC Microcantilever Resonators by Using n/p/n Epitaxial Structures and Doping-Selective Electrochemical Etching. <i>Materials Science Forum</i> , 2014, 778-780, 780-783.	0.3	2
252	Scalable quantum computation architecture using always-on Ising interactions via quantum feedforward. <i>Physical Review A</i> , 2015, 91, .	1.0	2

#	ARTICLE	IF	CITATIONS
253	Renovation of three-dimensional electron beam lithography for improvement of positioning accuracy and reduction of turnaround time. Japanese Journal of Applied Physics, 2015, 54, 06FD02.	0.8	2
254	Analysis of the spectroscopy of a hybrid system composed of a superconducting flux qubit and diamond NV ⁻ centers. Journal of Physics Condensed Matter, 2015, 27, 345702.	0.7	2
255	An electromechanical displacement transducer. Applied Physics Express, 2016, 9, 086701.	1.1	2
256	On-Chip Piezoelectric Actuation of Nanomechanical Resonators Containing a Two-Dimensional Electron Gas. JETP Letters, 2019, 109, 261-265.	0.4	2
257	Control of Elastic Waves Using Phonon Waveguides and Phononic Crystals. NTT Technical Review, 2022, 20, 43-48.	0.1	2
258	Reconstruction Dependent Indium Segregation. Japanese Journal of Applied Physics, 1995, 34, L163-L166.	0.8	1
259	Electronic properties of monolayer steps on GaAs (0 0 1) surfaces studied by scanning tunneling microscopy. Journal of Crystal Growth, 1997, 175-176, 304-309.	0.7	1
260	Application of multi-step formation during molecular beam epitaxy for fabricating novel nanomechanical structures. Journal of Crystal Growth, 2003, 251, 281-284.	0.7	1
261	Imaging of Local Tunneling Barrier Height of InAs Nanostructures Using Low-Temperature Scanning Tunneling Microscopy. AIP Conference Proceedings, 2005, , .	0.3	1
262	InAs-based Micromechanical Two-dimensional Electron Systems. AIP Conference Proceedings, 2005, , .	0.3	1
263	Micromechanical Quantum Electron Transport. Journal of Physics: Conference Series, 2006, 38, 152-157.	0.3	1
264	A piezoresistive cantilever integrating an InAs-based semiconductor/superconductor junction. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 32, 512-515.	1.3	1
265	Magnetization of free standing GaMnAs. Journal of Crystal Growth, 2007, 308, 204-207.	0.7	1
266	Spin selective optical excitation in charge-tunable GaAs quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 2904-2906.	0.8	1
267	Low-Energy Electron Emission from an Electron Inversion Layer of a Si/SiO ₂ /Si Cathode for Nano-Decomposition. Japanese Journal of Applied Physics, 2008, 47, 5106-5108.	0.8	1
268	OPTICALLY INDUCED DYNAMIC NUCLEAR SPIN POLARIZATION IN QUANTUM HALL REGIME OBSERVED BY A TIME-RESOLVED KERR ROTATION. International Journal of Modern Physics B, 2009, 23, 2755-2759.	1.0	1
269	Electromechanical Displacement Detection With an On-Chip High Electron Mobility Transistor Amplifier. Japanese Journal of Applied Physics, 2011, 50, 06GJ01.	0.8	1
270	Remote actuation of a mechanical resonator. Applied Physics Letters, 2011, 99, 103105.	1.5	1

#	ARTICLE	IF	CITATIONS
271	Electrical characteristics of in-plane gate logic devices. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 385-388.	0.8	1
272	Universal three-dimensional nanofabrication for hard materials. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2013, 31, 051802.	0.6	1
273	Nonlinear dynamics and all mechanical phonon lasing in electromechanical resonators. , 2014, , .		1
274	Mechanical resonance characteristics of a cylindrical semiconductor heterostructure containing a high-mobility two-dimensional electron gas. Physical Review B, 2014, 89, .	1.1	1
275	Nonlinear electromechanical resonators – from phonon lasing operation to nanomechanical processors. , 2014, , .		1
276	High-Temperature Operation of Electrostatically-Excited Single-Crystalline 4H-SiC Microcantilever Resonators. Materials Science Forum, 0, 821-823, 914-918.	0.3	1
277	Non-equilibrium quadratic measurement-feedback squeezing in a micromechanical resonator. Physical Review Research, 2021, 3, .	1.3	1
278	Imaging of Friedel oscillations at epitaxially grown InAs(111) A surfaces using scanning tunneling microscopy. Springer Proceedings in Physics, 2001, , 427-430.	0.1	1
279	Nanomechanical Resonators Based on III-V Semiconductors. , 2016, , 2523-2539.		1
280	Modal Analysis Investigation of Mechanical Kerr Frequency Combs. Springer Proceedings in Physics, 2019, , 141-157.	0.1	1
281	Desorption and Segregation of Indium and its Dependence on Surface As-coverage. Materials Research Society Symposia Proceedings, 1995, 405, 31.	0.1	0
282	Growth of atomically smooth ultra-thin InSb layers on GaAs substrates by molecular beam epitaxy. , 0, , .		0
283	Application of multistep formation during molecular beam epitaxy for fabricating novel nanomechanical structures. , 0, , .		0
284	Direct probing of local-density-of-states in semiconductor nanostructures. , 2003, , .		0
285	Corrections to α -Device Linearity Comparison of Uniformly Doped and δ -Doped $\text{In}_{0.52}\text{Al}_{0.48}\text{As}/\text{In}_{0.6}\text{Ga}_{0.4}\text{As}$ Metamorphic HEMTs $\text{\textcircled{r}}$ IEEE Electron Device Letters, 2006, 27, 866-866.	2.2	0
286	Enhanced emission of single quantum dot formed by interface fluctuations in photonic-crystal microcavities. Photonics and Nanostructures - Fundamentals and Applications, 2006, 4, 89-93.	1.0	0
287	Two-dimensional Arrangement of Vertically Oriented Cylindrical Domains of Diblock Copolymers using Graphoepitaxy with Artificial Guiding Pattern Layout. , 2007, , .		0
288	Control of Young's Modulus for Carbon Nanopillars Grown by Focused Ion Beam Induced Chemical Vapor Deposition. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
289	Electron phase modulation in a high Q nanomechanical resonator. Indium Phosphide and Related Materials Conference (IPRM), IEEE International Conference on, 2007, , .	0.0	0
290	Mechanically detected electron energy dissipation in two-dimensional electron systems. AIP Conference Proceedings, 2007, , .	0.3	0
291	Mechanically detected field-induced Mn spin rotation in GaMnAs. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 2893-2895.	0.8	0
292	On-chip Micromechanical Parametric Resonator Based on the Piezoelectricity in GaAs/AlGaAs Modulation-Doped Heterostructure. , 2008, , .		0
293	ELECTRON SPIN IMAGING IN QUANTUM HALL DEVICES BY KERR ROTATION MEASUREMENT. International Journal of Modern Physics B, 2009, 23, 2750-2754.	1.0	0
294	Focus on Novel Nanoelectromechanical 3D Structures: Fabrication and Properties. Science and Technology of Advanced Materials, 2009, 10, 030301.	2.8	0
295	Time-Resolved Kerr Rotation Spectroscopy of Spin Dynamics in a Quantum Hall System. , 2010, , .		0
296	Atomic Structure of Epitaxial Graphene Islands on SiC(0001) Surfaces and their Magnetoelectric Effects. , 2011, , .		0
297	Role of step in initial stage of graphene growth on SiC(0001). , 2013, , .		0
298	Nonlinear optical spectra having characteristics of Fano interferences in coherently coupled lowest exciton biexciton states in semiconductor quantum dots. AIP Advances, 2014, 4, 107124.	0.6	0
299	Stability and Reactivity of [11-20] Step in Initial Stage of Epitaxial Graphene Growth on SiC(0001). Materials Science Forum, 2014, 778-780, 1150-1153.	0.3	0
300	Theoretical studies of graphene on SiC. , 2014, , .		0
301	Multi-mode optical feedback control of GaAs mechanical resonators. , 2016, , .		0
302	Frequency division multiplexed logic circuits in a GaAs/AlGaAs-based phonon waveguide. , 2016, , .		0
303	Simulating the Ising Hamiltonian with phonons. , 2016, , .		0
304	Strain-induced exciton decomposition and anisotropic lifetime modulation in a GaAs micromechanical resonator. Physical Review B, 2019, 99, .	1.1	0
305	An AlGaAs/GaAs Mechanical Mode-Locked Cavity. , 2019, , .		0
306	Nonlinear Acoustic Dynamics in Nanoelectromechanical Waveguides. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
307	Novel Fabrication Technique of Suspended Nanowire Devices for Nanomechanical Applications. , 2019, , .		0
308	Strain-mediated energy control of rare-earth ions toward a highly-coherent hybrid opto-mechanical system. , 2021, , .		0
309	Imaging of Zero-Dimensional States in Semiconductor Nanostructures Using Scanning Tunneling Microscopy. Lecture Notes in Physics, 2002, , 263-268.	0.3	0
310	MICRO/NANOMECHANICAL SYSTEMS FOR INFORMATION PROCESSING. , 2009, , .		0
311	Fano Quantum Interference Effects in Exciton-Biexciton Coherently Coupled System in Quantum Dots. , 2013, , .		0
312	Hybridization: When two wrongs make a right. , 2015, , .		0
313	Nanomechanical Resonators Based on III-V Semiconductors. , 2016, , 1-17.		0
314	ON-CHIP PIEZOELECTRIC ACTUATION OF NANOMECHANICAL RESONATORS CONTAINING A TWO-DIMENSIONAL ELECTRON GAS. Journal of Experimental and Theoretical Physics Letters, 2019, 109, 254-255.	0.0	0
315	Noise Reduction of a Mechanical Resonator by Laser Cooling. Vacuum and Surface Science, 2020, 63, 536-541.	0.0	0
316	Development of an Optomechanical Device with Extremely Low Optical Energy Loss. NTT Technical Review, 2022, 20, 49-53.	0.1	0
317	Fabrication of Suspended Nanowire Mechanical Devices Using Inkjet Technology. NTT Technical Review, 2022, 20, 59-64.	0.1	0
318	New Method of Chaos Generation by Using Nanomechanical Oscillator. NTT Technical Review, 2022, 20, 37-42.	0.1	0
319	Double-Gate Vectorial Frequency Control in Piezoresistive Nanowire Electromechanical Devices. Physical Review Applied, 2022, 17, .	1.5	0
320	Quantum echoes. Nature Physics, 0, , .	6.5	0