
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9001314/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Isoquinoline Alkaloids as Protein Tyrosine Phosphatase Inhibitors from a Deep-Sea-Derived Fungus Aspergillus puniceus. Marine Drugs, 2022, 20, 78. | 4.6 | 15 |
| 2 | Bioassay-guided isolation of antifungal cyclopeptides from the deep-sea-derived fungus Simplicillium obclavatum EIODSF 020. Phytochemistry Letters, 2022, 48, 68-71. | 1.2 | 5 |
| 3 | Eight new cyclopentenone and cyclohexenone derivatives from the marine-derived fungus <i>Aspergillus</i> sp. SCSIO 41501 by OSMAC strategy. Natural Product Research, 2021, 35, 3810-3819. | 1.8 | 11 |
| 4 | New pyrone and cyclopentenone derivatives from marine-derived fungus <i>Aspergillus sydowii</i> SCSIO 00305. Natural Product Research, 2021, 35, 318-326. | 1.8 | 16 |
| 5 | Phylogenetic diversity and bioactivity of culturable deep-sea-derived fungi from Okinawa Trough. Journal of Oceanology and Limnology, 2021, 39, 892-902. | 1.3 | 7 |
| 6 | Mycotoxins as inhibitors of protein tyrosine phosphatases from the deep-sea-derived fungus Aspergillus puniceus SCSIO z021. Bioorganic Chemistry, 2021, 107, 104571. | 4.1 | 18 |
| 7 | Talaromyoxaones A and B: Unusual Oxaphenalenone Spirolactones as Phosphatase Inhibitors from the Marine-Derived Fungus <i>Talaromyces purpureogenus</i> SCSIO 41517. Journal of Organic Chemistry, 2021, 86, 12831-12839. | 3.2 | 8 |
| 8 | Talaromynoids A–I, Highly Oxygenated Meroterpenoids from the Marine-Derived Fungus <i>Talaromyces purpureogenus</i> SCSIO 41517 and Their Lipid Accumulation Inhibitory Activities. Journal of Natural Products, 2021, 84, 2727-2737. | 3.0 | 22 |
| 9 | Antifungal peptides from the marine gorgonian-associated fungus Aspergillus sp. SCSIO41501. Phytochemistry, 2021, 192, 112967. | 2.9 | 10 |
| 10 | Fusidane-Type Antibiotics from the Marine-Derived Fungus <i>Simplicillium</i> sp. SCSIO 41513. Journal of Natural Products, 2021, 84, 2945-2952. | 3.0 | 3 |
| 11 | New alkaloids and isocoumarins from the marine gorgonian-derived fungus <i>Aspergillus sp.</i> SCSIO 41501. Natural Product Research, 2020, 34, 1992-2000. | 1.8 | 16 |
| 12 | New citrinin derivatives from the deep-sea-derived fungus <i>Cladosporium</i> sp. SCSIO z015. Natural Product Research, 2020, 34, 1219-1226. | 1.8 | 15 |
| 13 | New dibenzodioxocinone and pyran-3,5-dione derivatives from the deep-sea-derived fungus <i>Penicillium canescens</i> SCSIO z053. Journal of Asian Natural Products Research, 2020, 22, 338-345. | 1.4 | 9 |
| 14 | Penicimeroterpenoids A–C, Meroterpenoids with Rearrangement Skeletons from the Marine-Derived Fungus <i>Penicillium</i> sp. SCSIO 41512. Organic Letters, 2020, 22, 6330-6333. | 4.6 | 20 |
| 15 | A new iron(III) chelator of coprogen-type siderophore from the deep-sea-derived fungus Mycosphaerella sp. SCSIO z059. Chinese Journal of Natural Medicines, 2020, 18, 243-249. | 1.3 | 6 |
| 16 | Anti-HSV-1 activity of Aspergillipeptide D, a cyclic pentapeptide isolated from fungus Aspergillus sp. SCSIO 41501. Virology Journal, 2020, 17, 41. | 3.4 | 18 |
| 17 | Ansamycin derivatives from the marine-derived Streptomyces sp. SCSGAA 0027 and their cytotoxic and antiviral activities. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127168. | 2.2 | 14 |
| 18 | Novel anthraquinone derivatives as inhibitors of protein tyrosine phosphatases and indoleamine 2,3-dioxygenase 1 from the deep-sea derived fungus <i>Alternaria tenuissima</i> DFFSCS013. Organic Chemistry Frontiers, 2019, 6, 3252-3258. | 4.5 | 18 |

ARTICLE IF CITATIONS The distinct response of phenanthrene enriched bacterial consortia to different PAHs and their degradation potential: a mangrove sediment microcosm study. Journal of Hazardous Materials, 2019, 380, 120863. Microbes in Gorgonian and Soft Corals., 2019, , 69-79. 20 0 Marine Natural Products from Marine Coral-Derived Microorganisms., 2019, , 311-328. Diketopiperazine-Type Alkaloids from a Deep-Sea-Derived <i>Aspergillus puniceus</i> Fungus and Their 22 3.0 31 Effects on Liver X Receptor α. Journal of Natural Products, 2019, 82, 1558-1564. New tetramic acid derivatives from the deep-sea-derived fungus Cladosporium sp. SCSIO z0025. 1.9 Tetrahedron, 2018, 74, 2620-2626. Hygrocin C from marine-derived Streptomyces sp. SCSGAA 0027 inhibits biofilm formation in Bacillus 24 amyloliquefaciens SCSGAB0082 isolated from South China Sea gorgonian. Applied Microbiology and 3.6 20 Biotechnology, 2018, 102, 1417-1427. Antifouling Potentials and Metabolite Profiles of Two Marine-derived Fungal Isolates. Natural 0.5 Product Communications, 2018, 13, 1934578X1801300. Unstable Tetramic Acid Derivatives from the Deep-Sea-Derived Fungus Cladosporium sphaerospermum 26 4.6 19 EIODSF 008. Marine Drugs, 2018, 16, 448. Synergistic antibacterial activity between penicillenols and antibiotics against methicillin-resistant 2.4 <i>Staphylococcus aureus</i>. Royal Society Open Science, 2018, 5, 172466. Anti-HSV-1, antioxidant and antifouling phenolic compounds from the deep-sea-derived fungus 28 2.2 60 Aspergillus versicolor SCSIO 41502. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 787-791. Antiviral peptides from marine gorgonian-derived fungus Aspergillus sp. SCSIO 41501. Tetrahedron 1.4 Letters, 2017, 58, 1151-1155. Otophylloside B Protects Against Aβ Toxicity in Caenorhabditis elegans Models of Alzheimer's Disease. 30 4.3 29 Natural Products and Bioprospecting, 2017, 7, 207-214. Toxicity study of oxalicumone A, derived from a marine-derived fungus Penicillium oxalicum, in 2.4 cultured renal epithelial cells. Molecular Medicine Reports, 2017, 15, 2611-2619. Current Perspective in the Discovery of Anti-aging Agents from Natural Products. Natural Products 32 4.3 86 and Bioprospecting, 2017, 7, 335-404. Antifungal and Antiviral Cyclic Peptides from the Deep-Sea-Derived Fungus <i>Simplicillium obclavatum </i> EIODSF 020. Journal of Agricultural and Food Chemistry, 2017, 65, 5114-5121. Penicillenols from a deep-sea fungus Aspergillus restrictus inhibit Candida albicans biofilm formation 34 2.0 19 and hyphal growth. Journal of Antibiotics, 2017, 70, 763-770. New Furanone Derivatives and Alkaloids from the Coâ€Culture of Marineâ€Derived Fungi <i>Aspergillus 2.1 38 sclerotiorum</i> and <i>Penicillium citrinum</i>. Chemistry and Biodiversity, 2017, 14, e1600327. Pteridic acids C–G spirocyclic polyketides from the marine-derived Streptomyces sp. SCSGAA 0027. 36 2.0 14

SHU-HUA OI

Journal of Antibiotics, 2017, 70, 1047-1052.

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Antifouling Compounds from Marine Invertebrates. Marine Drugs, 2017, 15, 263. | 4.6 | 45 |
| 38 | Brevianamides and Mycophenolic Acid Derivatives from the Deep-Sea-Derived Fungus Penicillium brevicompactum DFFSCS025. Marine Drugs, 2017, 15, 43. | 4.6 | 35 |
| 39 | Thielavins W–Z7, New Antifouling Thielavins from the Marine-Derived Fungus Thielavia sp. UST030930-004. Marine Drugs, 2017, 15, 128. | 4.6 | 7 |
| 40 | Screening of Anti-Biofilm Compounds from Marine-Derived Fungi and the Effects of Secalonic Acid D on Staphylococcus aureus Biofilm. Journal of Microbiology and Biotechnology, 2017, 27, 1078-1089. | 2.1 | 19 |
| 41 | Oxalicumone A, a new dihydrothiophene-condensed sulfur chromone induces apoptosis in leukemia cells through endoplasmic reticulum stress pathway. European Journal of Pharmacology, 2016, 783, 47-55. | 3.5 | 12 |
| 42 | Eight linear peptides from the deep-sea-derived fungus Simplicillium obclavatum EIODSF 020. Tetrahedron, 2016, 72, 3092-3097. | 1.9 | 52 |
| 43 | Exploring fungal diversity in deep-sea sediments from Okinawa Trough using high-throughput Illumina sequencing. Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 116, 99-105. | 1.4 | 46 |
| 44 | Nahuoic Acids B–E, Polyhydroxy Polyketides from the Marine-Derived <i>Streptomyces</i> sp. SCSGAA 0027. Journal of Natural Products, 2016, 79, 141-148. | 3.0 | 27 |
| 45 | New antifouling macrodiolides from the deep-sea-derived fungus Trichobotrys effuse DFFSCS021. Tetrahedron Letters, 2016, 57, 366-370. | 1.4 | 13 |
| 46 | Oxindole alkaloids from the fungus Penicillium commune DFFSCS026 isolated from deep-sea-derived sediments. Tetrahedron, 2015, 71, 610-615. | 1.9 | 44 |
| 47 | Cytotoxic and antiviral tetramic acid derivatives from the deep-sea-derived fungus Trichobotrys effuse DFFSCS021. Tetrahedron, 2015, 71, 9328-9332. | 1.9 | 25 |
| 48 | Insights into Deep-Sea Sediment Fungal Communities from the East Indian Ocean Using Targeted Environmental Sequencing Combined with Traditional Cultivation. PLoS ONE, 2014, 9, e109118. | 2.5 | 89 |
| 49 | Alkaloids from <i>Xylariaceae</i> sp., a Marine-derived Fungus. Natural Product Communications, 2014, 9, 1934578X1400900. | 0.5 | 5 |
| 50 | Cytotoxic Polyketides from the Deep-Sea-Derived Fungus Engyodontium album DFFSCS021. Marine Drugs, 2014, 12, 5902-5915. | 4.6 | 82 |
| 51 | Territrem and Butyrolactone Derivatives from a Marine-Derived Fungus Aspergillus Terreus. Marine Drugs, 2014, 12, 6113-6124. | 4.6 | 79 |
| 52 | Antifouling potentials of eight deep-sea-derived fungi from the South China Sea. Journal of Industrial Microbiology and Biotechnology, 2014, 41, 741-748. | 3.0 | 20 |
| 53 | Three new polyketides from marine-derived fungus <i>Penicillium citrinum</i> SCSGAF 0167. Natural Product Research, 2014, 28, 239-244. | 1.8 | 27 |
| 54 | Alkaloids and citrinins from marine-derived fungus Nigrospora oryzae SCSGAF 0111. Tetrahedron Letters, 2014, 55, 2749-2753. | 1.4 | 31 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 55 | Dihydrothiophene-condensed chromones from a marine-derived fungus Penicillium oxalicum and their structure–bioactivity relationship. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 2433-2436. | 2.2 | 40 |
| 56 | Cyclopentane-condensed Chromones from Marine-derived Fungus <i>Penicillium oxalicum</i> . Chemistry Letters, 2014, 43, 837-839. | 1.3 | 16 |
| 57 | Diverse Deep-Sea Fungi from the South China Sea and Their Antimicrobial Activity. Current Microbiology, 2013, 67, 525-530. | 2.2 | 72 |
| 58 | Diversity and antibacterial activity of culturable actinobacteria isolated from five species of the South China Sea gorgonian corals. World Journal of Microbiology and Biotechnology, 2013, 29, 1107-1116. | 3.6 | 37 |
| 59 | Enhanced production of a novel cytotoxic chromone oxalicumone A by marine-derived mutant Penicillium oxalicum SCSIO 24–2. Applied Microbiology and Biotechnology, 2013, 97, 9657-9663. | 3.6 | 4 |
| 60 | New mycotoxins from marine-derived fungus Aspergillus sp. SCSGAF0093. Food and Chemical Toxicology, 2013, 53, 46-51. | 3.6 | 36 |
| 61 | New cyclic tetrapeptides and asteltoxins from gorgonian-derived fungus Aspergillus sp. SCSGAF 0076. Tetrahedron, 2013, 69, 2113-2117. | 1.9 | 38 |
| 62 | Alkaloids from the Deep-Sea-Derived Fungus <i>Aspergillus westerdijkiae</i> DFFSCS013. Journal of Natural Products, 2013, 76, 983-987. | 3.0 | 67 |
| 63 | Antifouling and antibacterial polyketides from marine gorgonian coral-associated fungus Penicillium sp. SCSGAF 0023. Journal of Antibiotics, 2013, 66, 219-223. | 2.0 | 84 |
| 64 | iTRAQ-Based Proteomic Profiling of the Barnacle <i>Balanus amphitrite</i> in Response to the Antifouling Compound Meleagrin. Journal of Proteome Research, 2013, 12, 2090-2100. | 3.7 | 50 |
| 65 | Cytotoxic Dihydrothiophene-Condensed Chromones from the Marine-Derived Fungus Penicillium oxalicum. Planta Medica, 2013, 79, 1474-1479. | 1.3 | 52 |
| 66 | Polyketides from a Marine-Derived Fungus Xylariaceae sp Marine Drugs, 2013, 11, 1718-1727. | 4.6 | 34 |
| 67 | A New Macrolide from a Marine-derived Fungus Aspergillus sp. Natural Product Communications, 2013, 8, 1934578X1300800. | 0.5 | 6 |
| 68 | Antifouling Indole Alkaloids from Two Marine Derived Fungi. Natural Product Communications, 2013, 8, 1934578X1300800. | 0.5 | 21 |
| 69 | Two New Compounds from Gorgonian-associated Fungus Aspergillus sp. Natural Product Communications, 2013, 8, 1934578X1300800. | 0.5 | 1 |
| 70 | Diversity and Chemical Defense Role of Culturable Non-Actinobacterial Bacteria Isolated from the South China Sea Gorgonians. Journal of Microbiology and Biotechnology, 2013, 23, 437-443. | 2.1 | 14 |
| 71 | Antifouling indole alkaloids from two marine derived fungi. Natural Product Communications, 2013, 8, 329-32. | 0.5 | 22 |
| 72 | Phylogenetic survey and antimicrobial activity of culturable microorganisms associated with the South China Sea black coral <i>Antipathes dichotoma</i> . FEMS Microbiology Letters, 2012, 336, 122-130. | 1.8 | 39 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Diversity and Antimicrobial Activity of Culturable Fungi Isolated from Six Species of the South China Sea Gorgonians. Microbial Ecology, 2012, 64, 617-627. | 2.8 | 63 |
| 74 | Antifouling and cytotoxic constituents from the South China Sea sponge Acanthella cavernosa. Tetrahedron, 2012, 68, 2876-2883. | 1.9 | 29 |
| 75 | A novel antifouling alkaloid from halotolerant fungus Penicillium sp. OUCMDZ-776. Tetrahedron Letters, 2012, 53, 2280-2283. | 1.4 | 23 |
| 76 | Cytotoxic Dihydrothiophene-Condensed Chromones from Marine-Derived Fungus Penicillium oxalicum. Planta Medica, 2012, 78, 1957-1961. | 1.3 | 8 |
| 77 | Steroids from the South China Sea Gorgonian Coral Muricella flexuosa. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2011, 66, 635-640. | 0.7 | 1 |
| 78 | New Steroids and a New Alkaloid from the GorgonianIsis minorbrachyblasta:Structures, Cytotoxicity, and Antilarval Activity. Helvetica Chimica Acta, 2010, 93, 511-516. | 1.6 | 23 |
| 79 | Antibacterial and antilarval compounds from marine gorgonian-associated bacterium Bacillus amyloliquefaciens SCSIO 00856. Journal of Antibiotics, 2010, 63, 191-193. | 2.0 | 41 |
| 80 | Steroids from the South China Sea gorgonian Subergorgia suberosa. Natural Product Communications, 2010, 5, 201-4. | 0.5 | 9 |
| 81 | Antibacterial and antilarval compounds from marine bacteriumPseudomonas rhizosphaerae. Annals of Microbiology, 2009, 59, 229-233. | 2.6 | 39 |
| 82 | Antifouling and antibacterial compounds from a marine fungus Cladosporium sp. F14. World Journal of Microbiology and Biotechnology, 2009, 25, 399-406. | 3.6 | 71 |
| 83 | Antifeedant, antibacterial, and antilarval compounds from the South China Sea seagrass <i>Enhalus acoroides</i> . Botanica Marina, 2008, 51, 441-447. | 1.2 | 67 |
| 84 | Ten new antifouling briarane diterpenoids from the South China Sea gorgonian Junceella juncea. Tetrahedron, 2006, 62, 9123-9130. | 1.9 | 77 |
| 85 | Constituents of Carapa guianensis Aubl. (Meliaceae). Die Pharmazie, 2004, 59, 488-90. | 0.5 | 13 |