
Helen Marie Palethorpe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9001889/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Anti-Angiogenic Properties of Ginsenoside Rg3 Epimers: In Vitro Assessment of Single and Combination Treatments. Cancers, 2021, 13, 2223.	1.7	16
2	In Vitro Synergistic Inhibition of HT-29 Proliferation and 2H-11 and HUVEC Tubulogenesis by Bacopaside I and II Is Associated with Ca2+ Flux and Loss of Plasma Membrane Integrity. Pharmaceuticals, 2021, 14, 436.	1.7	2
3	Anti-Cancer Effects of an Optimised Combination of Ginsenoside Rg3 Epimers on Triple Negative Breast Cancer Models. Pharmaceuticals, 2021, 14, 633.	1.7	7
4	Stereoselective Anti-Cancer Activities of Ginsenoside Rg3 on Triple Negative Breast Cancer Cell Models. Pharmaceuticals, 2019, 12, 117.	1.7	34
5	Druggable Molecular Targets for the Treatment of Triple Negative Breast Cancer. Journal of Breast Cancer, 2019, 22, 341.	0.8	39
6	Bacopasides I and II Act in Synergy to Inhibit the Growth, Migration and Invasion of Breast Cancer Cell Lines. Molecules, 2019, 24, 3539.	1.7	24
7	Ginsenoside Rg3: Potential Molecular Targets and Therapeutic Indication in Metastatic Breast Cancer. Medicines (Basel, Switzerland), 2019, 6, 17.	0.7	37
8	Bumetanide-Derived Aquaporin 1 Inhibitors, AqB013 and AqB050 Inhibit Tube Formation of Endothelial Cells through Induction of Apoptosis and Impaired Migration In Vitro. International Journal of Molecular Sciences, 2019, 20, 1818.	1.8	20
9	Reduced aquaporin-1 transcript expression in colorectal carcinoma is associated with promoter hypermethylation. Epigenetics, 2019, 14, 158-170.	1.3	7
10	Type 2 diabetes as a potential risk marker for early onset colorectal cancer Journal of Clinical Oncology, 2019, 37, e15005-e15005.	0.8	2
11	The Purified Extract from the Medicinal Plant Bacopa monnieri, Bacopaside II, Inhibits Growth of Colon Cancer Cells In Vitro by Inducing Cell Cycle Arrest and Apoptosis. Cells, 2018, 7, 81.	1.8	41
12	The Aquaporin 1 Inhibitor Bacopaside II Reduces Endothelial Cell Migration and Tubulogenesis and Induces Apoptosis. International Journal of Molecular Sciences, 2018, 19, 653.	1.8	29
13	Myofibroblast androgen receptor expression determines cell survival in co-cultures of myofibroblasts and prostate cancer cells <i>in vitro</i> . Oncotarget, 2018, 9, 19100-19114.	0.8	9
14	Fibroblasts derived from oesophageal adenocarcinoma differ in DNA methylation profile from normal oesophageal fibroblasts. Scientific Reports, 2017, 7, 3368.	1.6	2
15	Androgen Signaling in Esophageal Adenocarcinoma Cell Lines In Vitro. Digestive Diseases and Sciences, 2017, 62, 3402-3414.	1.1	20
16	Androgen Receptor and Androgen-Responsive Gene FKBP5 Are Independent Prognostic Indicators for Esophageal Adenocarcinoma. Digestive Diseases and Sciences, 2016, 61, 433-443.	1.1	16
17	Stromal androgen receptor regulates the composition of the microenvironment to influence prostate cancer outcome. Oncotarget, 2015, 6, 16135-16150.	0.8	66
18	Response to re-infection with Brachylaima cribbi in immunocompetent and immunodeficient mice. Parasitology International, 2003, 52, 219-228.	0.6	15

#	Article	IF	CITATIONS
19	The susceptibility of inbred mice to infection with Brachylaima cribbi (Digenea: Brachylaimidae). Parasitology International, 2002, 51, 109-115.	0.6	12
20	Effects of sex and age on the susceptibility of C57BL/6J mice to infection with Brachylaima cribbi and the course of infection in NOD SCID mice. Parasitology Research, 2002, 88, 668-674.	0.6	17