## Dolores Eliche-Quesada

## List of Publications by Citations

Source: https://exaly.com/author-pdf/9002094/dolores-eliche-quesada-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77 papers 1,602 21 38 g-index

94 1,952 4.9 4.98 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
77	The use of different forms of waste in the manufacture of ceramic bricks. <i>Applied Clay Science</i> , <b>2011</b> , 52, 270-276	5.2	135
76	Recycling of sawdust, spent earth from oil filtration, compost and marble residues for brick manufacturing. <i>Construction and Building Materials</i> , <b>2012</b> , 34, 275-284	6.7	117
75	Use of bottom ash from olive pomace combustion in the production of eco-friendly fired clay bricks. <i>Waste Management</i> , <b>2016</b> , 48, 323-333	8.6	99
74	Nickel and cobalt promoted tungsten and molybdenum sulfide mesoporous catalysts for hydrodesulfurization. <i>Fuel</i> , <b>2008</b> , 87, 1195-1206	7.1	92
73	Characterization and evaluation of rice husk ash and wood ash in sustainable clay matrix bricks. <i>Ceramics International</i> , <b>2017</b> , 43, 463-475	5.1	79
72	Sludge valorization from wastewater treatment plant to its application on the ceramic industry. <i>Journal of Environmental Management</i> , <b>2012</b> , 95 Suppl, S343-8	7.9	69
71	Valorization and inertization of galvanic sludge waste in clay bricks. <i>Applied Clay Science</i> , <b>2015</b> , 105-106, 89-99	5.2	62
70	Assessment of olive mill solid residue (pomace) as an additive in lightweight brick production. <i>Construction and Building Materials</i> , <b>2012</b> , 36, 495-500	6.7	60
69	Recycling of ash from biomass incinerator in clay matrix to produce ceramic bricks. <i>Journal of Environmental Management</i> , <b>2012</b> , 95 Suppl, S349-54	7.9	58
68	Valorization of biodiesel production residues in making porous clay brick. <i>Fuel Processing Technology</i> , <b>2012</b> , 103, 166-173	7.2	58
67	Investigation of use of coal fly ash in eco-friendly construction materials: fired clay bricks and silica-calcareous non fired bricks. <i>Ceramics International</i> , <b>2018</b> , 44, 4400-4412	5.1	55
66	Hydrogenation and Ring Opening of Tetralin on Supported Nickel Zirconium-Doped Mesoporous Silica Catalysts. Influence of the Nickel Precursor. <i>Langmuir</i> , <b>2003</b> , 19, 4985-4991	4	52
65	The use of solid residues derived from different industrial activities to obtain calcium silicates for use as insulating construction materials. <i>Ceramics International</i> , <b>2011</b> , 37, 3019-3028	5.1	39
64	Ru, Os and Ru\(\Dagge)s supported on mesoporous silica doped with zirconium as mild thio-tolerant catalysts in the hydrogenation and hydrogenolysis/hydrocracking of tetralin. <i>Applied Catalysis A: General</i> , <b>2005</b> , 279, 209-221	5.1	37
63	Incorporation of coffee grounds into clay brick production. Advances in Applied Ceramics, 2011, 110, 22	5-232	34
62	Utilisation of spent filtration earth or spent bleaching earth from the oil refinery industry in clay products. <i>Ceramics International</i> , <b>2014</b> , 40, 16677-16687	5.1	30
61	Synthesis and characterisation of acid mesoporous phosphate heterostructure (PPH) materials. <i>Journal of Materials Chemistry</i> , <b>2005</b> , 15, 3466		30

## (2014-2003)

60	Effects of preparation method and sulfur poisoning on the hydrogenation and ring opening of tetralin on NiW/zirconium-doped mesoporous silica catalysts. <i>Journal of Catalysis</i> , <b>2003</b> , 220, 457-467	7.3	25	
59	Effect of sludge from oil refining industry or sludge from pomace oil extraction industry addition to clay ceramics. <i>Applied Clay Science</i> , <b>2015</b> , 114, 202-211	5.2	24	
58	Investigation of using bottom or fly pine-olive pruning ash to produce environmental friendly ceramic materials. <i>Applied Clay Science</i> , <b>2017</b> , 135, 333-346	5.2	23	
57	Evaluation of Cu-PPHs as active catalysts for the SCR process to control NOx emissions from heavy duty diesel vehicles. <i>Chemosphere</i> , <b>2008</b> , 72, 608-15	8.4	22	
56	Catalysts based on Ru/mesoporous phosphate heterostructures (PPH) for hydrotreating of aromatic hydrocarbons. <i>Journal of Molecular Catalysis A</i> , <b>2006</b> , 255, 41-48		21	
55	The effect of vitreous phase on mullite and mullite-based ceramic composites from kaolin wastes as by-products of mining, sericite clays and kaolinite. <i>Materials Letters</i> , <b>2018</b> , 223, 154-158	3.3	20	
54	Influence of the incorporation of palladium on Ru/MCM hydrotreating catalysts. <i>Applied Catalysis B: Environmental</i> , <b>2006</b> , 65, 118-126	21.8	19	
53	Sustainable Production of Carbon Nanoparticles from Olive Pit Biomass: Understanding Proton Transfer in the Excited State on Carbon Dots. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 1049	3- <sup>8</sup> 1050	o <sup>16</sup>	
52	Ceramics from clays and by-product from biodiesel production: Processing, properties and microstructural characterization. <i>Applied Clay Science</i> , <b>2016</b> , 121-122, 119-126	5.2	16	
51	Superficial characterization and hydroconversion of tetralin over NiW sulfide catalysts supported on zirconium doped mesoporous silica. <i>Applied Catalysis A: General</i> , <b>2004</b> , 262, 111-120	5.1	16	
50	Comparative study of the use of different biomass from olive grove in the manufacture of sustainable ceramic lightweight bricks. <i>Construction and Building Materials</i> , <b>2020</b> , 231, 117103	6.7	16	
49	Synthesis of vaterite CaCO3 as submicron and nanosized particles using inorganic precursors and sucrose in aqueous medium. <i>Ceramics International</i> , <b>2018</b> , 44, 5291-5296	5.1	15	
48	Influence of the metallic precursor in the hydrogenation of tetralin over Pd <b>B</b> t supported zirconium doped mesoporous silica. <i>Green Chemistry</i> , <b>2005</b> , 7, 793	10	15	
47	Nanosized Pd/Pt and Pd/Rh Catalysts for Naphthalene Hydrogenation and Hydrogenolysis/Ring-opening. <i>Catalysis Letters</i> , <b>2006</b> , 108, 197-207	2.8	15	
46	Harbor Dredged Sediment as raw material in fired clay brick production: Characterization and properties. <i>Journal of Building Engineering</i> , <b>2020</b> , 28, 101085	5.2	15	
45	Hydrodesulfurization activity over supported sulfided ruthenium catalysts. Influence of the support. <i>Microporous and Mesoporous Materials</i> , <b>2007</b> , 99, 268-278	5.3	14	
44	Utilizacifi de bagazo de la industria cervecera para la produccifi de ladrillos para construccifi. <i>Materiales De Construccion</i> , <b>2012</b> , 62, 199-212	1.8	14	
43	Replacement of the mixing fresh water by wastewater olive oil extraction in the extrusion of ceramic bricks. <i>Construction and Building Materials</i> , <b>2014</b> , 68, 659-666	6.7	13	

42	Synthesis and characterization of mixed silica/zirconia and silica/titania porous phospate heterostructures (PPH). <i>Journal of Physics and Chemistry of Solids</i> , <b>2006</b> , 67, 1007-1010	3.9	13
41	Biomass fly ash and aluminium industry slags-based geopolymers. <i>Materials Letters</i> , <b>2018</b> , 229, 6-12	3.3	13
40	Manufacture of Sustainable Clay Bricks Using Waste from Secondary Aluminum Recycling as Raw Material. <i>Materials</i> , <b>2018</b> , 11,	3.5	12
39	Evaluation of technological properties of fired clay bricks containing pyrrhotite ash. <i>Construction and Building Materials</i> , <b>2021</b> , 269, 121312	6.7	10
38	Study of the wet pomace as an additive in ceramic material. <i>Desalination and Water Treatment</i> , <b>2016</b> , 57, 2712-2718		8
37	Inorganic polymers synthesized using biomass ashes-red mud as precursors based on clay-kaolinite system. <i>Materials Letters</i> , <b>2018</b> , 225, 161-166	3.3	8
36	Dust filter of secondary aluminium industry as raw material of geopolymer foams. <i>Journal of Building Engineering</i> , <b>2020</b> , 32, 101656	5.2	8
35	Olive Stone Ash as Secondary Raw Material for Fired Clay Bricks. <i>Advances in Materials Science and Engineering</i> , <b>2016</b> , 2016, 1-9	1.5	8
34	Manufacture of sustainable clay ceramic composite with composition SiO2-Al2O3-CaO-K2O materials valuing biomass ash from olive pomace. <i>Materials Letters</i> , <b>2018</b> , 229, 21-25	3.3	8
33	The Impact of the Entrepreneurship Promotion Programs and the Social Networks on the Sustainability Entrepreneurial Motivation of Engineering Students. <i>Sustainability</i> , <b>2020</b> , 12, 4935	3.6	7
32	New waste-based clinkers for the preparation of low-energy cements. A step forward toward circular economy. <i>International Journal of Applied Ceramic Technology</i> , <b>2020</b> , 17, 12-21	2	7
31	Effect of steel slag and curing temperature on the improvement in technological properties of biomass bottom ash based alkali-activated materials. <i>Construction and Building Materials</i> , <b>2021</b> , 302, 12-	4205	7
30	Effect of Olive-Pine Bottom Ash on Properties of Geopolymers Based on Metakaolin. <i>Materials</i> , <b>2020</b> , 13,	3.5	6
29	Production of Ceramic Material Using Wastes from Brewing Industry. <i>Key Engineering Materials</i> , <b>2015</b> , 663, 94-104	0.4	5
28	Preliminary study of the use of spent diatomaceous earth from the brewing industry in clay matrix bricks. <i>Advances in Applied Ceramics</i> , <b>2017</b> , 116, 77-84	2.3	5
27	Geopolymers made from metakaolin sources, partially replaced by Spanish clays and biomass bottom ash. <i>Journal of Building Engineering</i> , <b>2021</b> , 40, 102761	5.2	5
26	Synthesis of clay geopolymers using olive pomace fly ash as an alternative activator. Influence of the additional commercial alkaline activator used. <i>Journal of Materials Research and Technology</i> , <b>2021</b> , 12, 1762-1776	5.5	4
25	Effects of an Illite Clay Substitution on Geopolymer Synthesis as an Alternative to Metakaolin. Journal of Materials in Civil Engineering, <b>2021</b> , 33, 04021072	3	4

## (2021-2019)

24	Silical Calcareous Non Fired Bricks Made of Biomass Ash and Dust Filter from Gases Purification. Waste and Biomass Valorization, <b>2019</b> , 10, 417-431	3.2	4
23	Comparative Study of the Use of Different Biomass Bottom Ash in the Manufacture of Ceramic Bricks. <i>Journal of Materials in Civil Engineering</i> , <b>2017</b> , 29, 04017238	3	3
22	Transition Metal Sulfide Catalysts for Petroleum Upgrading [Hydrodesulfurization Reactions 2012,		3
21	Alkaline activation of high-crystalline low-Al2O3 Construction and Demolition Wastes to obtain geopolymers. <i>Journal of Cleaner Production</i> , <b>2022</b> , 330, 129770	10.3	3
20	Valorization of Olive Biomass Fly Ash for Production Eco Friendly Ceramic Bricks <b>2020</b> , 285-294		3
19	Mining Wastes of an Albite Deposit as Raw Materials for Vitrified Mullite Ceramics. <i>Minerals (Basel, Switzerland)</i> , <b>2021</b> , 11, 232	2.4	3
18	Online Tools for the Creation of Personal Learning Environments in Engineering Studies for Sustainable Learning. <i>Sustainability</i> , <b>2021</b> , 13, 1179	3.6	3
17	Physical, mechanical and thermal properties of metakaolin-fly ash geopolymers. <i>Sustainable Chemistry and Pharmacy</i> , <b>2022</b> , 26, 100620	3.9	3
16	Learning tools in Electronic Engineering. Content Curation and Personal Learning Environments <b>2020</b> ,		2
15	Wood Bottom Ash and GeoSilex: A By-Product of the Acetylene Industry as Alternative Raw Materials in Calcium Silicate Units. <i>Materials</i> , <b>2020</b> , 13,	3.5	1
14	The Effect of Thermal Treatment under Different Atmospheric Conditions on the Catalytic Performance of Nickel Supported on Porous Silica in the Gas-Phase Hydrogenation of Acetonitrile. <i>Adsorption Science and Technology</i> , <b>2007</b> , 25, 185-198	3.6	1
13	Effect of Activating Solution Modulus on the Synthesis of Sustainable Geopolymer Binders Using Spent Oil Bleaching Earths as Precursor. <i>Sustainability</i> , <b>2021</b> , 13, 7501	3.6	1
12	The social media networking tools for the promotion of the entrepreneurship 2016,		1
11	Personal Learning Environment for Educational Trainning in Higher Engineering Education 2018,		1
10	The potential role of olive groves to deliver carbon dioxide removal in a carbon-neutral Europe: Opportunities and challenges. <i>Renewable and Sustainable Energy Reviews</i> , <b>2022</b> , 165, 112609	16.2	1
9	An Experience of the Application of Glossaries and Wikis for Collaborative Learning of the Materials Science Subject. <i>Revista Iberoamericana De Tecnologias Del Aprendizaje</i> , <b>2021</b> , 16, 161-170	1.2	Ο
8	Biomass bottom ash waste and by-products of the acetylene industry as raw materials for unfired bricks. <i>Journal of Building Engineering</i> , <b>2021</b> , 38, 102191	5.2	0
7	Study of the Entrepreneurial Attitudes of STEM Students. <i>IEEE Access</i> , <b>2021</b> , 9, 112005-112018	3.5	О

6	Recycling of gold mining reject from Amesmessa mine as ceramic raw material: microstructure and mechanical properties. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 46738-46747	5.1	О
5	Content Curation in E-Learning: A Case of Study with Spanish Engineering Students. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 3188	2.6	O
4	Effects of expanded vermiculite on the properties of fired bricks from water treatment sludge. <i>International Journal of Applied Ceramic Technology</i> , <b>2022</b> , 19, 1214-1226	2	О
3	Synthesis and characterization of alkali-activated materials containing biomass fly ash and metakaolin: effect of the soluble salt content of the residue. <i>Archives of Civil and Mechanical Engineering</i> , <b>2022</b> , 22, 1	3.4	О
2	metakaolin: effect of the soluble salt content of the residue. Archives of Civil and Mechanical	3·4 1.9	O